THE SOUTHWESTERN NATURALIST 36(4):377–674 DECEMBER 1991

THE SOUTHWESTERN NATURALIST INDEX TO VOLUMES 1 THROUGH 36 (1956 THROUGH 1991)

TROY L. BEST AND TOM E. GARRISON

Department of Zoology and Wildlife Science and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849–5414; and
Department of Biology, The University of New Mexico,
Albuquerque, New Mexico 87131

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (for example, a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, texts, tables, and figure legends. We have retained the use of italics for scientific names as in the original titles and we have included original spellings as precisely as possible.

Numerous persons assisted in entering the manuscript into the computer, in proofreading, and in checking content. We thank J. L. Bartig, B. N. Best, B. F. Booth, K. Burks, S. L. Burt, M. Chino, L. S. DiRusso, I. J. Farmer, R. L. Garrison, B. J. Haagenstad, T. D. Henry, T. H. Henry, E. C. Intress, Y. Kindell, C. Martindale, N. L. Mahoney, L. G. Rogers, K. J. Seigler, and I. M. Winn for their assistance. S. Balachandran and W. L. Gannon generously provided access to volumes of *The Southwestern Naturalist* at the Auburn University R. B. Draughon Library and The University of New Mexico Museum of Southwestern Biology, respectively.

11-year livestock exclosure on rodent and ant numbers in the Chihuahuan Desert, southeastern Arizona, effects of an, Edward J. Heske and Mariel Campbell, 36:89–93
1,350-year-old vertebrate remains from Montague County, Texas, Walter W. Dalquest and Claude W. Hibbard, 10:315–316

Abacion, 34:381, 34:384
Abbott, Carolyn, see Nelson, Thomas A., —
Abbreviata, 4:63, 4:64, 30:363–370
Abedus, 22:115–123
anconai, 22:115, 22:121
breviceps, 22:115, 22:118–120
dilatatus, 22:115, 22:120–122
drakei, 22:115, 22:121
fiittakaui, 22:121
herberti, 22:115, 22:117, 22:118, 22:121, 22:122
hungerfordi, 22:115, 22:122, 22:123
immaculatus, 22:117
indentatus, 22:115, 22:122, 22:123
indentus, 30:604
mayri, 22:115, 22:122, 22:123
montandoni, 22:115, 22:121
ovatus, 22:115, 22:117–119
parkeri, 22:115, 22:118
signoreti, 22:115–117
stali, 22:115, 22:122
stangei, 22:122
vicinus, 22:116–118
Abert's squirrel (*Sciurus aberti*) in Colorado: evidence for a recent expansion of range, distribution of, Russell Davis and Steven J. Bissell, 34:306–309
Abert's squirrel above treeline on the San Francisco Peaks, Arizona, David J. Cooper, 32:507
Abert's squirrel in Colorado, Craig A. Ramey and Donald J. Nash, 16:125–126
Abgrallaspis
coloratus, 14:101, 14:102
comstocki, 14:101, 14:103, 14:104
cyanophylli, 14:101, 14:103, 14:105
howardi, 14:101, 14:104, 14:106
Abies, 15:324, 18:314, 20:165, 22:293, 22:294, 23:230, 23:231, 23:236, 26:376, 35:308, 35:313
coahuilensis, 17:424, 21:305, 28:462
concolor, 11:299, 12:324, 13:101, 15:151, 15:154–156, 17:318, 17:321, 17:417, 18:375–377, 18:379, 19:112, 19:347, 21:60, 22:269, 25:11, 26:366, 28:83, 28:85, 28:295, 29:136, 30:390, 30:391, 34:352, 36:37, 36:39, 36:247
durangensis, 35:366
lasiocarpa, 12:321, 12:322, 12:325, 12:327, 12:474, 18:371, 18:470, 19:334, 20:428, 21:511, 22:291, 23:280, 26:92, 27:464, 32:204, 32:340, 32:507, 36:37–48
magnifica, 32:340
religiosa, 28:375, 30:449, 32:335–345, 36:114
Ablabesmyia, 25:141, 25:250, 25:254, 26:307–309
cinctipes, 12:375
mallochi, 14:239, 14:245
Ables, Ernest D., see Krausman, Paul R., —
Aboma lucretiae, 32:232
Abortion and consumption of fetuses by coyotes following abnormal stress, Philip S. Gipson, 21:558–559
Abrams, Marc D., Effects of burning regime on buried seed banks and canopy coverage in a Kansas tallgrass prairie, 33:65–70
Abronia, 20:56, 34:13
angustifolia, 1:54, 1:59, 1:63, 27:413–423
bigelovii, 27:422
carletoni, 27:422
fragrans, 2:161, 24:552, 24:692–693, 31:34, 31:35

matudai, 35:275
ochoterenai, 35:275
pogonantha, 18:306
taeniata, 16:228
turbinata, 27:422
umbellata, 24:692, 24:693
Abuhteba, Ramadan M., see Walker, James M., —
Abundance and habitat use of an uncommon fish, *Notropis perpallidus* (Cyprinidae): comparison with sympatric congeners, Bruce A. Wagner, Anthony A. Echelle, and O. Eugene Maughan, 32:251–260
Abundance, growth, and diet of channel catfish, *Ictalurus punctatus*, in the Green and Yampa rivers, Colorado and Utah, Harold M. Tyus and Neil J. Nikirk, 35:188–198
Abundance of the Palo Duro mouse *Peromyscus comanche* during 1949–1956, J. R. Tamsitt, 3:234–236
Abutilion, 32:452
Abutilon, 12:77, 30:546, 30:548
abutiloides, 19:323
californicum, 18:194, 29:213, 29:215, 35:72
incanum, 1:64, 19:324, 22:507, 24:101, 25:404
malacum, 22:343, 23:297
parvulum, 35:67, 35:72
sonorae, 35:72
theophrasti, 24:641
Acacesia, 11:361
hamata, 11:365, 30:6
Acacia, 5:143, 5:144, 6:48, 8:206, 11:136, 11:316, 14:109, 15:136, 16:230, 17:105, 17:398, 17:402, 18:193, 18:194, 19:215, 19:247, 21:131, 21:552, 23:198, 24:98, 24:564, 25:269, 25:402, 25:405, 25:408, 27:25, 27:221, 28:143, 29:435, 29:507, 30:290, 30:546, 30:548, 31:173, 32:388, 33:58, 33:108, 33:109, 34:541, 35:231, 35:370, 36:362
albicans, 30:608
allenii, 32:501
angustissima, 4:56, 35:72
aroma, 32:499
atramentaria, 32:499
berlandieri, 19:331–333, 20:275–278, 24:177, 26:291, 26:303, 26:304, 30:398, 30:400, 36:215, 36:358
chiapensis, 32:499–501
cochliacantha, 32:499
collinsii, 32:499, 32:500
constricta, 8:192, 8:193, 9:152, 13:232, 13:239, 13:240, 14:412, 15:152, 16:6, 16:87, 17:401, 18:432, 18:437, 19:246, 19:330, 20:574, 21:127, 21:315, 22:227, 24:710, 27:321, 29:76, 29:509, 32:499, 33:276, 33:281, 33:284, 33:430, 35:72
cookii, 32:245–249, 32:501
cornigera, 32:500–502
crassifolia, 20:275–278, 36:358
cymbispina, 30:324
emoryana, 19:331–333
farnesiana, 10:18, 10:222, 12:159, 13:236, 17:191–195, 18:244, 18:383–392, 18:432, 18:437, 18:439, 22:280, 23:6, 23:10, 25:398, 26:291, 26:303, 26:304, 27:23, 29:229, 29:436, 30:567, 32:500, 32:501, 35:349, 36:77, 36:121, 36:215
flexicaulis, 13:236, 14:425, 18:432, 18:437, 18:439
gentlii, 32:501
globulifera, 32:499–502
greggi, 3:30, 26:84
greggii, 8:193, 11:397, 16:5, 17:170, 17:171, 17:173, 17:174, 17:289, 19:331–333, 20:114, 20:217, 21:139, 23:240, 23:291, 23:295, 23:297, 24:130, 24:136, 24:168, 24:170, 24:171, 25:265, 26:261, 26:263, 26:265, 26:282, 27:404, 29:464, 29:465, 30:400, 30:536, 30:580, 30:617, 31:102, 31:103, 31:529, 32:499, 33:276, 34:261, 35:64, 35:72, 36:89, 36:95, 36:215, 36:304, 36:305
hindsii, 32:499–502
hirta, 29:326
janzenii, 32:245–249
macracantha, 32:499, 32:501
mayana, 32:501
melanoceras, 32:501
millefolia, 35:64, 35:72
neovernicosa, 22:343, 23:297, 25:364, 27:30, 30:536, 31:277, 32:384, 36:89, 36:119
rigidula, 17:192, 23:10, 24:177, 24:298, 25:404, 26:291, 27:364–365, 28:109, 30:316, 30:398, 30:400, 31:101, 31:102, 33:113, 34:428, 36:215
roemeriana, 8:192, 10:258, 16:10, 23:291, 23:295, 23:297, 25:364, 30:543
ruddiae, 32:500, 32:502
schaffneri, 30:400, 31:102, 31:103, 32:499, 36:215
schnaffneri, 36:216
smallii, 23:502, 25:321, 30:398, 30:400, 32:469, 33:333, 34:54–60, 35:316–321
sphaerocepala, 32:501
tortuosa, 24:305, 24:306, 32:499, 34:428
vernicosa, 32:483, 36:361
willardiana, 21:128
Acacia emoryana in Texas and Mexico and its relationship to *A. berlandieri* and *A. greggii*, Marshall C. Johnston, 19:331–333
Acacia rigidula–a new ant-acacia, D. Seigler, S. G. Saupe, D. A. Young, P. M. Richardson, B. B. Simpson, and J. L. Neff, 27:364–365
Acaena elongata, 36:114
Acalitus sphaeralceae, 16:413–418
Acalypha, 7:182–190, 12:76, 24:130
calfornica, 29:213
caroliniana, 7:188
hederacea, 7:183, 7:184
lindheimeri, 7:183, 7:185, 35:71
monostachya, 7:184, 7:185
neomexicana, 7:183, 7:187, 35:67, 35:71
ostryaefolia, 7:169, 7:183, 7:188, 25:331
phleoides, 7:185
radians, 30:546, 30:548, 35:388, 35:390
sessilifolia, 7:185
Acalypha (Euphorbiaceae) in far western Texas, the four species of, Marshall C. Johnston and Barton H. Warnock, 7:182–190
Acamptopappus, 24:402
shockleyi, 24:401
sphaerocephalus, 29:464, 29:465, 33:431
Acanthaceae, 4:58, 9:233, 12:146, 23:296, 25:424–426, 26:379–384, 31:169–175, 34:290, 35:70
Acanthepeira, 11:361
stellata, 11:363, 11:370, 21:43, 30:3, 33:216
Acanthis, 36:100
Acanthocephala, 32:491, 32:492
granulosa, 24:608, 24:611
thomasii, 24:608, 24:611
Acanthocereus
occidentalis, 18:198
pentagonus, 36:215
Acanthochalcis, 33:280
nigricans, 24:608, 24:612, 33:276, 33:282
Acanthocystis, 10:266
Acanthodes, 31:483–485
bridgi, 33:263
gracilis, 33:263
Acanthodian fish remains from the Permian of Texas, Walter W. Dalquest and Ted M. Emsoff, 22:278
Acanthodrilidae, 15:267
Acanthophthirius longa, 4:63, 12:262
Acanthopthirius, 20:247
caudata, 20:241, 20:245
Acanthoscelides pallidipennis, 28:474
Acanthoscelidius, 28:475
Acanthosphaera zachariasi, 23:437
Acanthus ilicifolius, 9:233, 9:234
Acari, 32:511–512
Acaricoris
floridus, 34:154
ignotus, 34:154–155
Acaridae, 24:689
Acarina, 5:107–108, 8:23–31, 10:167–178, 13:374–376, 15:437–458, 21:301–309, 22:169–175, 23:158, 25:264–266, 28:225–230, 31:111, 32:505
Acarina, 34:185
Acarines associated with cliff swallow communities in Northwest Texas,

Freddie G. Howell and Brian R. Chapman, 21:275–280
Acaulon muticum, 28:240
Acaulospora, 20:443
Accacoeliidae, 32:85–91
Acceptance of selected acorns by captive fox squirrels, R. P. Ofcarcik, E. E. Burns, and J. G. Teer, 17:349–355
Accidental parturition in a mule deer, Thomas D. I. Beck, Kenneth R. Kincaid, and Dale F. Reed, 23:705–706
Accipiter
cooperii, 7:255, 22:372, 32:199, 34:76, 34:492, 36:265, 36:269, 36:270
gentilis, 14:167, 18:195, 18:196, 22:369, 22:370, 34:495, 36:269, 36:270
striatus, 14:167, 16:26, 18:199, 19:3, 22:369, 29:474, 32:199, 34:76, 34:495, 36:269, 36:270
Accipitridae, 22:404–405, 24:533–534, 32:286–287
Accipitriidae, 4:81
Acer, 11:316, 13:269, 17:74, 18:377, 18:440, 23:71, 23:424, 31:345
glabrum, 15:151, 15:159, 18:372, 19:349, 21:119, 34:41, 36:39, 36:42
grandidentatum, 15:153, 16:12, 17:289, 18:372, 21:244, 22:367, 27:87, 27:88, 27:97, 30:390, 34:442, 34:496
negundo, 1:146, 10:43, 12:136, 12:137, 14:423, 14:433, 15:152, 15:154–156, 16:205, 18:372, 18:430, 18:438, 19:155, 19:158–161, 19:164, 19:353, 19:395–402, 19:441, 20:329, 21:119, 25:207, 25:210, 25:211, 25:212, 26:439, 27:385, 27:428, 28:83, 28:84, 28:253, 31:347–353, 31:355, 31:356, 33:324, 33:327, 34:251, 34:442, 34:496
rebrum, 23:265
rubrum, 9:42, 11:445, 12:345, 14:423, 21:480, 23:548, 34:154, 36:172
saccharinum, 15:282, 19:161, 27:428, 28:258
saccharum, 2:164, 14:91, 18:430, 18:437, 18:441
sacchuram, 32:288
Aceraceae, 2:164, 18:430, 18:437, 19:395–402
Aceria, 16:415
Acetabularia crenulata, 21:460
Acetylene reduction (N¼-fixation) of glucose-amended soils from central Oklahoma old field succession plots, Lawrence A. Kapustka and Elroy L. Rice, 23:389–396
Achaearanea, 30:121
globosa, 30:6
porteri, 12:261, 30:6
tepidariorum, 30:6
Achatinidae, 2:74–82, 9:104
Acheta, 30:604
assimilis, 18:103
Achillea, 14:331, 24:431
glandulosa, 25:69
lanulosa, 7:169, 12:323, 12:326, 18:375, 20:428, 29:411
millefolium, 2:169, 25:560
Achirus
lineatus, 2:95, 36:207
mazatlanus, 32:227, 32:232
Achlya, 5:112, 12:318
crenulata, 12:314
flagellata, 12:314
megasperma, 12:314
oblongata, 12:314
Achnanthaceae, 10:40, 26:313, 28:245
Achnanthes, 20:51, 23:59, 25:416, 25:420
affinis, 20:201, 24:151, 26:313
coarctata, 24:151, 26:313
deflexa, 30:464
exigua, 10:40, 22:458, 24:151, 26:313, 28:245, 35:209
gibberula, 24:151
hauckiana, 26:312, 26:313
haukiana, 22:458, 24:151
hungarica, 26:313
inflata, 22:413, 24:151, 24:160
lanceolata, 20:49, 20:201, 22:413, 22:458, 22:460, 24:151, 26:32, 26:313, 28:245
lapponica, 24:151
linearis, 24:151, 24:161, 26:313, 28:245, 35:209
microcephala, 24:151
minutissima, 22:414, 22:458, 22:460, 24:151, 24:160, 26:313, 35:209
Achnanthidium, 8:232
Achroia grisella, 29:481–488
Achromobacter, 15:422
Achryson
concolor, 27:23
surinamum, 27:24
Achyranthes aspera, 11:126
Achyranthes aspera Linnaeus (Amaranthaceae) in Hidalgo County, new to Texas, Marshall C. Johnston, 11:126
Acilius, 25:393
Acineta, 22:417
Acipenser fulvescens, 19:220
Acipenseridae, 4:160
Ackerman, Thomas L., Germination and survival of perennial plant species in the Mojave Desert, 24:399–408
Acleisanthes
acutifolia, 27:30
longiflora, 23:297
Acmaeidae, 36:353
Acmaeodera, 32:491, 32:492
bishopiana, 28:474
neoneglecta, 27:26
tuta, 28:474
Acolpenteron ureteroecetes, 16:283, 16:284
Acomastylis rossii, 20:432
Aconitum, 23:153, 36:342
columbianum, 20:431, 33:220, 33:221, 33:223
Acorn woodpecker in Oklahoma, Arthur F. Halloran and Audrey G. Halloran, 5:175
Acorus calamus, 21:404
Acourtia
nana, 35:70
thurberi, 35:70
wrightii, 35:67, 35:70
Acoustic evidence of relationship in Ortalis (Cracidae), L. Irby Davis, 10:288–301
Acoustical properties of the distress calls of *Artibeus jamaicensis* and *Phyllostomus hastatus* (Chiroptera: Phyllostomidae), Peter V. August, 30:371–375
Acre rubrum, 12:344
Acremonium, 24:367, 27:18, 27:20, 32:133
Acrididae, 6:18, 15:501, 20:6, 20:147, 20:148, 23:566, 23:570, 23:571, 23:575, 24:35, 24:36, 24:608, 24:611, 26:204, 27:197–209, 27:329, 27:330, 28:100, 28:101, 28:376, 28:377, 29:438, 29:511, 32:396, 32:416, 32:417, 32:491
Acridiidae, 16:446
Acris, 5:67, 35:120
crepitans, 5:77, 5:79, 5:80, 5:84–86, 6:164–167, 11:139, 11:311, 12:336, 14:204, 14:205, 14:210, 14:211, 16:122, 21:235, 24:2, 24:37, 28:105, 32:78, 33:241, 35:474
gryllus, 1:181, 4:106, 5:66, 5:68, 5:69, 5:115, 7:79, 30:601
Acris crepitans (Hylidae) in Arizona, past occurrence of, Darrel Frost, 28:105
Acrolepis, 22:278, 31:485, 31:488, 33:266
Acroloxus lacustris, 22:355
Acromyrmex, 34:271, 34:275
versicolor, 28:138, 28:140
Acroneuria, 8:135
Acroperus, 10:266
Acrosternum hilare, 36:51
Actaea rubra, 12:139, 18:341
Actea arguta, 15:153
Actheres micropteri, 22:529, 22:532
Actinastrum, 10:188–210, 10:266
Actinella depressa, 18:326
Actinocleidus, 16:293
articularis, 12:333
fergusioni, 16:283
fergusoni, 12:333, 16:284
flagellatus, 12:333, 16:283, 16:284
fusiformis, 12:333, 16:283, 16:284
gracilis, 16:283, 16:284
longus, 12:334, 16:283, 16:284
unguis, 16:283, 16:284
Actinonaias
carinata, 27:350
ellipsiformis, 27:350
Actinoxia, 20:58
Actitis macularia, 7:257, 17:211, 18:195, 18:199, 19:1, 19:3, 29:147, 30:310, 34:495, 36:110
Activities of certain species of *Eleodes* in

relation to season, temperature, and time of day at Joshua Tree National Monument (Coleoptera: Tenebrionidae), Russel A. Kramm and Kenneth R. Kramm, 16:341–355
Activity pattern of the Padre Island kangaroo rat, *Dipodomys compactus* True, Michael L. Kennedy, Troy L. Best, and Dala Joy Rookstool, 18: 242–243
Activity patterns of Neotropical bats (Chiroptera: Phyllostomidae) in Guerrero, Mexico, Jose Ramirez-Pulido and Miguel A. Armella, 32: 363–370
Activity periods and movements of the eastern woodrat, Robert W. Wiley, 16:43–54
Activity study of a radioisotope-tagged lizard, Sceloporus undulatus hyacinthinus (Sauria: Iguanidae), an, G. Patrick O'Brian, Hanley K. Smith, and John R. Meyer, 10:179–187
Actornithophilus uniseriatus, 32:85, 32:87
Aculeata, 2:129–131
Aculeate wasp distribution records from South Texas (Hymenoptera: Pompilidae; Sphecidae), three new, James E. Gillaspy, 17:103–104
Aculepeira aculeata, 15:321
Acutaspis, 18:425
agavis, 13:202, 13:203, 18:430
albopicta, 13:204, 13:205
perseae, 13:202, 13:204, 13:206, 18:433
scutiformis, 13:202, 13:207, 13:208, 18: 432, 18:437
Adams, Caroline S., see Cooper, William E., Jr., —
Adams, Dwight E., and Roger C. Anderson, The response of a central Oklahoma grassland to burning, 23: 623–631
Adams, Dwight E., Roger C. Anderson, and Scott L. Collins, Differential response of woody and herbaceous species to summer and winter burning in an Oklahoma grassland, 27: 55–61
Adams, Michael S., and Eickmeier, William G., —
Adams, Robert P., and J. R. Kistler, Hybridization between *Juniperus erythrocarpa* Cory and *Juniperus pinchotii* Sudworth in the Chisos Mountains, Texas, 36:295–301
Adams, Robert P., and Thomas A. Zanoni, The distribution, synonymy, and taxonomy of three junipers of southwestern United States and northern Mexico, 24:323–329
Adams, Robert P., The effects of gases from a burning coal seam on morphological and terpenoid characters in *Juniperus scopulorum* (Cupressaceae), 27:279–286
Adams, Robert P., see Zanoni, Thomas A., —
Adams, Warren H., see Lindsay, Hague L., —
Adaptation to environmental temperatures in three species of *Gambusia* (Poeciliidae), evidence of, Don W. Hagen, 9:6–19
Adaptive method of predation by the great horned owl on Mexican free-tailed bats, an, William Caire and Mark A. Ports, 26:69–70
Adaptive significance of certain aspects of armadillo foraging behavior, possible, Raymond W. Neck, 21:242–243
Adela thorpella, 18:308
Adelia
acuminata, 2:141, 2:146, 2:150
angustifolia, 2:143
globularis, 2:143
ligustrina, 2:146, 2:149
pinetorum, 2:143
porulosa, 2:141, 2:143
ricinella, 2:141
vaseyi, 35:371
Adelopsis, 23:230
Adelphicos quadrivirgatus, 16:229, 35:278
Adenocaulon bicolor, 27:124
Adenostoma
fasciculatum, 12:176–179, 21:384, 26: 253, 28:48, 30:466, 31:177–179, 31: 181–183
fasiculatum, 35:19
Adenostome fasciculatum, 35:316
Adenstoma fasciculatum, 31:289
Adiantaceae, 35:69
Adiantum, 18:198, 27:362
capillus-veneris, 34:442, 35:69
tricholepis, 22:137
Adinia xenica, 2:95, 34:340
Adler, Kraig, Early herpetological studies and surveys in eastern United States (rev.), 27:125–126
Adler, Kraig, Herpetological explorations of the great American West (rev.), 27:125–126
Adler, W. R., see McMillan, C., —
Admestina tibialis, 30:8
Adult population of *Lestes disjunctus australis* Walker (Odonata: Lestidae), an, George H. Bick and Juanda C. Bick, 6:111–137
Adventive land snails in the Brownsville, Texas area, Raymond W. Neck, 21: 133–135
Aecidium
anthericicola, 10:38, 12:85
bouvardiae, 8:187, 12:76
brasiliensis, 12:85
cannonii, 12:83
dahliae, 16:365
evansii, 8:191
hualtatinum, 16:377
keerliae, 16:371
liabi, 16:372
mexicanum, 12:148, 12:149
mirabilis, 8:188, 12:78
pereziae, 16:374
plectroniae, 8:191, 10:38, 12:83
praecipuum, 16:377
steviicola, 16:378
wedeliae-hispidae, 16:378
Aedes, 23:555, 35:394, 35:400
campestris, 12:375
dorsalis, 12:375
nigromaculis, 12:375
vevans, 14:238, 14:244, 12:375
Aegialia
conferta, 28:476
hardyi, 28:476, 28:477
Aegiceras majus, 9:233
Aegidae, 36:353
Aegolius acadicus, 14:252, 33:376–377, 34: 492
Aegopogon
cenchroides, 12:72, 12:84
geminiflorus, 12:84
gracilis, 12:84
Aenocyon, 1:109, 12:3, 12:10
Aeolosoma, 14:224, 14:226
headleyi, 27:287
Aeolosomatidae, 27:287–298
Aerial breathing and metabolism of gars (*Lepisosteus*), factors influencing the, J. Larry Renfro and Loren G. Hill, 15:45–54
Aerial pursuit of red-tailed hawks (Accipitridae) by turkey (Meleagrididae) hens, Gregory L. Butts, 22:404–405
Aerobacter, 36:370, 36:371
aerogenes, 9:157, 9:159, 9:161
Aeromonas hydrophila, 28:178
Aeronautes saxatalis, 2:31, 16:22, 18:195, 18:199, 22:368, 22:369, 29:474, 34: 492, 34:560, 36:308, 36:362
Aeschna, 4:131, 14:237
Aeschneidae, 17:81
Aeschnus, 2:3
Aeschynomene pinetorum, 12:336
Aesculus
glabra, 16:12
pavia, 24:169, 24:171, 29:83
Aeshna, 2:3
cyanea, 6:122
grandis, 32:288
multicolor, 2:4, 2:14
umbrosa, 2:4, 2:14, 32:288, 32:289
Aeshnidae, 2:3, 23:554, 26:156, 32:289
Agabiformius lentus, 29:309, 29:310, 29: 313, 29:315, 29:318
Agabinus, 27:274
Agabus, 23:555
semivittatus, 14:238, 14:243
Agalinus
heterophylla, 23:504, 25:315

maritima, 23:504, 25:315, 36:124
strictifolia, 23:504, 25:316, 36:342
Agalychnis
callidryas, 32:79
dacnicolor, 14:131, 14:132
moreletii, 32:79, 32:81
Agama agama, 11:413
Agamia agami, 33:251
Agapetus, 1:152
boulderensis, 25:453, 25:457, 31:423, 31:425
taho, 31:422
Agaporus, 31:341
Agapostemon, 2:130
Agaricaceae, 8:196–203
Agaricales, 21:227–233
Agaricales, Family Amanitaceae, of the Big Thicket, David P. Lewis and J. Leon McGraw, Jr., 26:1–4
Agaricus, 29:261
campestris, 8:197
Agaristidae, 21:34
Agassa cyanea, 30:8
Agastache
foeniculum, 12:139
pallidiflora, 12:323
Agathymus, 32:491, 32:492
Agava lecheguilla, 18:430, 18:437
Agavaceae, 17:169, 17:423, 22:157–167, 23:473–485, 28:113–115, 30:303, 30:443–445, 32:169–178, 35:64, 35:74
Agave, 3:97, 4:14, 4:19, 8:174, 8:175, 17:428, 18:198, 21:147, 21:148, 22:157–167, 24:121, 25:12, 25:568, 26:85–88, 27:326, 27:331, 28:113–115, 29:509, 30:80, 32:134, 32:169, 32:177, 32:450, 32:457, 36:67
americana, 23:417, 23:473–476, 23:481
chisosensis, 17:290
deserti, 23:473, 23:475–477, 23:481, 23:482, 28:430, 32:23
desertii, 28:213
gracilipes, 25:368, 25:369
havardiana, 28:115, 28:143–148, 30:311, 30:312, 30:443–445
lecheguilla, 5:6, 3:30, 3:109, 8:212, 10:256–258, 13:203, 15:33, 16:6, 16:87, 17:423, 18:125–134, 20:70, 21:183, 22:195–204, 23:149, 23:291, 23:295, 23:296, 23:473–485, 24:130, 24:136, 25:363–365, 25:369, 26:87, 26:204, 27:221, 27:321, 28:143, 30:536, 30:537, 31:277, 33:288, 35:366
lechugilla, 32:452
lechuguilla, 8:52, 15:136, 17:289, 17:290, 22:341, 23:345, 32:183, 33:109
neomexicana, 22:345, 22:346, 22:349, 25:368, 25:369, 28:113–115, 30:443–445
palmeri, 4:42, 20:364, 22:157–167, 28:113, 28:115, 30:389, 32:175, 32:176, 32:489–497, 35:64, 35:74
parryi, 20:69–74, 20:364, 22:195–204, 23:149, 25:369, 28:83, 30:389
parviflora, 22:157–167, 28:114, 28:115
salmiana, 32:176
scabra, 15:136, 15:429, 15:434, 16:10, 17:290, 21:309, 31:286
scabrosa, 3:30
schotti, 9:153
schottii, 9:44, 22:157–167, 28:113, 28:115, 35:64, 35:74
shawii, 19:215, 31:530
sisalana, 32:175
toumeyana, 17:173, 22:157–167, 24:187
utahensis, 20:69, 22:51, 24:627, 26:261, 26:263, 26:265, 32:494
virginica, 18:128, 20:70, 20:71
Agaveaceae, 22:341, 23:296
Age and growth, abundance, and biomass production of green sunfish, *Lepomis cyanellus* (Centrarchidae), in a eutrophic desert pond, John C. Mannes and Douglas B. Jester, 25:297–311
Age and growth, fecundity, abundance, and biomass production of the White Sands pupfish, *Cyprinodon tularosa* (Cyprinodontidae), in a desert pond, Douglas B. Jester and Rita R. Suminski, 27:43–54
Age and sexual variation in the diet of collared lizards (*Crotaphytus collaris*), Troy L. Best and Gary S. Pfaffenberger, 32:415–426
Age classification and weight variations of Ord's kangaroo rat on the southern Great Plains, Clay Y. McCulloch, Jr., 6:149–155
Age determination of Uinta ground squirrels by teeth annuli, S. J. Montgomery, D. F. Balph, and D. M. Balph, 15:400–402
Age distributions and weights of coyotes in northwestern Texas, Wyman P. Meinzer, Jr., and Fred S. Guthery, 25:275–278
Age, growth, feeding, and behavior of Sacramento squawfish (*Ptychocheilus grandis*) in Bear Creek, Colusa Co., California, Larry R. Brown, 35:249–260
Age structure, condition and reproduction of two *Equus asinus* (Equidae) populations from Grand Canyon National Park, Arizona, George A. Ruffner and Steven W. Carothers, 27:403–411
Age-specific weight change of female *Spermophilus elegans* (Rodentia: Sciuridae), Sharon Pfeifer, 30:357–362
Agelaius phoeniceus, 10:71, 14:164, 14:166, 17:81, 17:82, 24:263, 34:247, 34:493
Agelenidae, 11:353, 12:260, 20:59, 29:231, 30:4, 30:7, 30:9
Agelenopsis
aperta, 29:231
emertoni, 11:353
potteri, 20:30
spatula, 30:4, 30:9
Agenbroad, Larry D., see Czaplewski, Nicholas J., —
Ageneotettix deorum, 27:203, 27:205
Ageratina, 29:57–58
hintonii, 29:57
hintoniorum, 29:57
marietiana, 29:57
Ageratina (Asteraceae-Eupatorieae) from southern Mexico, a new species of, B. L. Turner, 29:57–58
Ageratum, 9:28, 16:366
conyzoides, 9:29
corymbosum, 9:29, 16:358
strictum, 16:358
Aggression and tumbling among armadillos, Render D. Denson, 24:697–698
Aggressive behavior of white-tailed deer, Edwin D. Michael, 13:411–420
Agiabampoa, 16:364
congesta, 16:358
Agkistrodon, 7:270, 16:437, 20:554
bilineatus, 35:273, 35:278
contortrix, 1:182, 4:93, 4:95, 4:105, 11:52, 12:217, 33:372, 33:381, 35:474, 36:171, 36:172, 36:174–176
piscivorus, 1:182, 1:184, 33:381, 35:442, 35:474, 36:171, 36:172, 36:174–176
Aglaodiaptomus, 17:202
Agnetina
capitata, 35:132
flavescens, 35:132
Agnew, Charles W., David A. Dean, and J. W. Smith, Jr., Spiders collected from peanuts and non-agricultural habitats in the Texas West cross-timbers, 30:1–12
Agnostomus monticola, 28:104
Agonistic behavior in Attwater's pocket gopher, *Geomys attwateri*, Michael J. Gregory, Guy N. Cameron, Lisa M. Combs, and Lawrence R. Williams, 32:143–146
Agonistic encounter between a bobcat and two gray foxes, Doni Dudley, 21:413
Agonistic interactions between *Gopherus agassizii* (Testudinidae) and *Heloderma suspectum* (Helodermatidae), Sheryl L. Barrett and Jeffrey A. Humphrey, 31:261–263
Agonostomus monticola, 18:198, 28:103, 32:232, 35:34, 35:35, 35:37, 35:43, 35:46, 36:206, 36:208
Agonum, 23:233, 30:603
howdeni, 32:386–389
placidus, 15:323
Agoseris, 18:119
aurantiaca, 12:323, 20:428, 28:290
glauca, 18:123, 20:428, 20:429

heterophylla, 18:322
humilis, 18:369
Agosia, 11:322, 20:187, 20:192, 20:194
chrysogaster, 11:313, 11:320, 12:203, 15:459–464, 17:103, 20:186, 20:188–190, 26:31–36, 28:399, 28:400, 28:402, 29:355, 32:409, 32:410, 34:131, 34:132, 34:189, 34:408, 34:410, 35:179, 35:181, 35:185, 36:159
Agraylea
multipunctata, 31:430
saltesea, 31:430
Agrilus neoprosopidis, 27:26
Agrimonia
gryosepala, 12:139
parviflora, 2:155, 2:156, 2:163
Agrion, 8:70
maculatum, 2:8, 2:14, 4:131
virgo, 6:115
Agrionidae, 2:8
Agrocybe retigera, 29:264
Agrohordeum, 22:389–391
macounii, 22:389, 22:390
Agrolimna, 6:86, 6:87
Agropyron, 14:337, 14:346, 19:442, 28:462
arizonicum, 8:188, 8:189, 12:80
cristatum, 15:24, 15:25, 24:551, 30:339, 34:487, 35:323
desertorum, 16:204
intermedium, 35:323
latiglume, 20:434
repens, 12:78, 22:389, 22:390
riparium, 12:139
scribneri, 20:434
smithii, 2:157, 4:117, 12:78, 12:138, 12:141, 12:143, 12:144, 13:249, 13:377, 13:385, 13:386, 14:331, 14:341, 14:342, 15:499, 15:501, 21:361, 21:362, 21:364–366, 24:240, 24:433, 24:550, 24:551, 27:300–302, 27:461, 27:462, 28:53, 28:254, 28:255, 29:408, 29:411, 30:336, 30:437–439, 33:361, 33:495, 34:488, 36:255
subsecundum, 12:139, 12:141
trachycaulum, 2:157, 12:139, 12:141, 12:323, 20:434, 22:389, 30:339, 31:350, 31:352, 34:488
Agrostis, 24:431, 28:462, 31:320, 31:323
alba, 12:139, 12:142
borealis, 20:434
elliottiana, 25:69
gigantea, 2:155–157
hiemalis, 13:122, 25:404, 31:369
microphylla, 10:211, 10:212
scabra, 12:139, 12:323
semiverticillata, 27:226, 35:74
thurberiana, 20:434
variabilis, 20:434
Agrypnia
deflata, 31:448
glacialis, 31:448
straminea, 31:448
Aguila chrysaetos, 15:136–137
Aguilar-Morales, Marcela, see Sánchez-Hernández, Cornelio, —
Agulla
arizonica, 28:96, 28:97
bicolor, 28:97
minuta, 28:97
Ahaetulla, 31:248
Aide, Mitch, and O. W. Van Auken, Chihuahuan Desert vegetation of limestone and basalt slopes in West Texas, 30:533–542
Aidemona azteca, 29:438
Ailanthus
altissima, 27:385
glandulosa, 15:153, 15:159
Aimophila
botterii, 18:246, 30:161, 33:251, 35:348–349
cassinii, 8:49–50, 16:21
rufescens, 18:196, 18:197
ruficeps, 16:11, 26:254, 31:253–254
Aircraft to determine golden eagle, *Aguila chrysaetos*, nesting activity, use of, Erwin L. Boeker, 15:136–137
Aix, 26:427
sponsa, 7:263, 11:136, 12:198–199, 17:148, 20:371, 22:275, 25:567, 26:70–71, 26:162, 27:222, 29:454, 32:89
Aizoaceae, 2:126, 2:162, 22:37, 23:499, 25:329, 35:18, 35:70, 36:122
Ajaia ajaja, 6:105, 23:681–683, 27:222
Akersten, William A., and H. Gregory McDonald, *Nothrotheriops* from the Pleistocene of Oklahoma and Paleogeography of the genus, 36:178–185
Akridge, Robert E., and Paul J. Fonteyn, Naturalization of *Colocasia esculenta* (Araceae) in the San Marcos River, Texas, 26:210–211
Akridge, Robert E., see Fonteyn, Paul J., —
Ala cornuta, 11:140
Alaniz, M. A., see Everitt, J. H., —
Alarm pheromone from the cloacal sacs of prairie rattlesnakes, evidence of an, Brent M. Graves and David Duvall, 33:339–345
Alasmidonta marginata, 27:360, 27:361
Albaugh, Douglas W., A case of long-term sperm retention by a female crayfish (Decapoda, Astacidae), 18:97–98
Albaugh, Douglas W., and Joe B. Black, A new crawfish of the genus *Cambarellus* from Texas, with new Texas distributional records for the genus (Decapoda, Astacidae), 18:177–185
Albergamo, Ignazio, see Marra, Peter P., —
Albinism in mourning doves, Clait E. Braun and Roger L. Boyd, 24:198–200
Albinistic Gambel's quail from eastern Arizona, Thomas O. Clark, 27:220
Albinistic madtom, *Noturus gyrinus* (Osteichthyes: Ictaluridae), from Nebraska, an, Richard H. Stasiak and Paul K. Evans, 23:539
Albino glossy snake, *Arizona elegans*, from northern Sonora, Richard S. Funk, 10:316–317
Albino Harris ground squirrels at Ajo, Arizona, Bobby J. Neal, 9:104–105
Albino least shrews (*Cryptotis parva*) and a new locality record for the southeastern shrew (*Sorex longirostris*) from Arkansas, John A. Sealander, 26:70
Albino lined snake (*Tropidoclonion lineatum*) from southwestern Oklahoma, Jack D. Tyler and Louis E. McGee, 21:403
Albino long-tailed vole from New Mexico, an, Joe N. Fries, Michael J. Fuller, and Celinda R. Crews, 27:222
Albino round-tailed ground squirrel in Arizona, Frank J. Turkowski and William S. Parker, 12:197–198
Albinotic oppossum from central California, records of, Malcolm R. Campbell, 25:560
Albizia julibrissin, 2:130, 33:112–114
Alces alces, 22:279, 26:333, 26:334, 30:300, 31:411, 35:4
Alchemilla
alpina, 17:197
minor, 17:197
Alchemilla minor Huds. (Rosaceae) in New Mexico, Harold A. Mackay, 17:197
Alcock, John, Convergent evolution in perching and patrolling site preferences of some hilltopping insects of the Sonoran Desert, 29:475–480
Alcock, John, Patrolling and mating by males of *Callanthidium illustre* (Hymenoptera: Megachilidae), 22:554–557
Alcock, John, The behavior of some bembicine wasps of southern Arizona (Hymenoptera: Sphecidae, *Microbemex*, *Glenostictia*, *Xerostictia*), 20:337–342
Alcorn, S. M., see Olin, G., —
Aldon, Earl F., see Steinberger, Y., —
Aldon, Earl F., see Williams, Stephen E., —
Aldrete, Alfonso Neri Garcia, see Mockford, Edward L., —
Aldridge, David W., see McMahon, Robert F., —
Alectoris chukar, 22:369
Aleuris, 30:469
Aleurodiscus lividocoeruleus, 19:349
Alexander, Martin E., Four fire scar re-

cords on lodgepole pine (*Pinus contorta* Dougl.) in north-central Colorado, 25:432–434
Alexopoulos, Constantine J., and Mary R. Henney, Myxomycetes from Texas. II Additions and corrections, 16:143–150
Alexopoulos, Constantine J., First list of Myxomycetes from Texas, with notes on some rarely reported species, 10: 221–226
Alexopoulos, Constantine J., The rapid sporulation of some Myxomycetes in moist chamber culture, 9:155–159
Alexopoulos, Constantine J., see Jackson, Robert E., —
Alexopoulus, Constantine J., see Wollman, Constance, —
Aleyrodidiae, 36:51
Alfaroa, 11:93
Alford, John R., III, and Eric G. Bolen, Influence of winter temperatures on pintail sex ratios in Texas, 21:554–556
Algae, 9:166–170, 10:227–233, 11:196–204, 21:459–462, 23:51–61, 23:85–94, 23:431–455
Algae in farm ponds in Bryan County, Oklahoma, survey of, W. W. Troeger, 23:51–61
Algae of Oklahoma, additions to the, Lois A. Pfiester and Steven Terry, 23:85–94
Algae of Quitobaquito: a spring-fed impoundment in Organ Pipe Cactus National Monument, D. E. Kidd and W. E. Wade, 10:227–233
Algal composition and seasonal succession between farm ponds with sandstone and clay substrates, a comparison of, Terry L. Wright and Lois A. Pfiester, 23:431–455
Algal flora of Oklahoma, additions to the, Wm. C. Vinyard, 11:196–204
Algal flora of soils of certain areas of Texas, a preliminary survey of the, Brother Joseph Cain, 9:166–170
Algansea aphanea, 35:45
Algunos aspectos del comportamiento alimenticio del zarapito, *Catoptrophorus semipalmatus* (Scolopacidae), en la Ensenada de La Paz, Baja California Sur, México, Jorge Llinas Gutiérrez y José Manuel Galindo Jaramillo, 35:237–240
Alimentary helminths of *Dipodomys ordii*: effects on the host population, Herschel W. Garner, Larry W. Richardson, and Lionel A. Felts, 21: 327–334
Alismataceae, 2:157, 15:409, 33:175, 34: 290
Alitg, Ronald, see Asquith, Adam, —
Allan, Robert C., see Courtenay, Walter R., Jr., —
Allelochemic effects of leaf extracts of *Ambrosia trifida* (Compositae), James A. Rasmussen and Frank A. Einhellig, 24:637–643
Allen, Edith Bach, and Dennis H. Knight, The effects of introduced annuals on secondary succession in sagebrush-grassland, Wyoming, 29:407–421
Allen, Walter, see Jackson, Crawford G., Jr., —
Allen's hummingbird, *Selasphorus sasins* (Trochilidae), from Texas, first specimen of, Randell A. Beavers, 22: 285
Allenroelfea occidentalis, 20:218
Allenrolfea occidentalis, 1:59, 1:63, 15:118, 15:120, 20:56, 20:583
Alligator, 12:29
mississippiensis, 14:204, 14:206, 14:210, 14:211, 21:10
Alligator lizard (genus *Gerrhonotus*) from the Cuatro Cienegas Basin, Coahuila, Mexico, a new, C. J. McCoy, 15:37–44
Allionia
choiseyi, 23:297
choisyi, 1:63
incarnata, 12:185, 21:314, 21:315, 22: 343, 22:345, 22:346, 23:297, 24:714, 27:404, 35:64, 35:73
Allison, Terry C., see McGraw, J. Leon, Jr., —
Allium, 12:79
canadense, 27:312, 32:35
cernuum, 5:51, 12:323
macropetalum, 35:74
textile, 12:139, 21:362, 29:411
Allocapnia vivipara, 31:514
Allocation of secondary production to growth and reproduction by gizzard shad *Dorosoma cepedianum* (Clupeidae) in Lake Lewisville, Texas, J. A. Fagan and L. C. Fitzpatrick, 23:247–261
Allochthonous litter, 29:357–358
Allocorrigia filiformis, 29:363–365
Allocorrigia filiformis (Trematoda: Dicrocoeliidae) a parasite of red swamp crayfish in South Louisiana, distribution of, Hugh M. Turner, 29:363–365
Allocosa
absoluta, 30:4
funerea, 30:7
Allocreadium ictaluri, 16:288, 16:291
Allodontichthys zonistius, 35:34, 35:36, 35: 39, 35:46
Alloglossidium
corti, 22:527, 22:528, 27:73–78
geminus, 16:288, 16:292
kenti, 16:288, 16:292
Allograpta, 26:162, 26:163
Allomaternal nursing among captive *Baiomys taylori*, an observation of, Richard M. Pitts and Herschel W. Garner, 33:496–497
Allomyces, 5:112
anomalus, 12:314
Allomyia
gnathos, 31:438
tripunctata, 31:438
Allonais, 23:541
inaequalis, 27:293
paraguayensis, 27:293
Alloperla, 25:26
Allophroides, 29:53
Allotangiopsis, 26:410, 26:412
Allotoca, 35:45
Allozymic variation and systematics of plains pocket gophers (*Geomys*) of south-central Texas, Scott B. Block and Earl G. Zimmerman, 36:29–36
Alnus, 13:269, 19:352, 28:375, 30:449, 31: 345
firmifolia, 32:335–345
oblongifolia, 15:150, 15:153–156, 21: 119, 28:83, 28:84, 31:347–353, 31: 355, 31:356, 34:131, 35:116
rhombifolia, 32:264
rubra, 32:342
tenufolia, 29:234
tenuifolia, 12:209, 34:488
Aloe, 16:332
Aloina
calceolifolia, 3:121
pilifera, 3:114, 3:119
rigida, 1:117, 3:119, 3:120
Aloinella, 3:121
Alomia, 9:27
microcarpa, 9:28, 9:29
Alona, 12:62, 25:538, 28:35, 30:242, 30: 247
affinis, 4:193, 34:345–347, 36:239–241
circumfimbr.ata, 34:345–347
costata, 4:188, 4:192, 14:324, 36:237–241
guttata, 4:188, 4:192, 34:345
karua, 34:345, 34:347, 34:348
monocantha, 34:345
quadrangula, 14:324
quadrangularis, 4:188, 4:192
rectangula, 4:188, 4:191, 4:192, 36:241
setulosa, 34:345–347
verrucosa, 34:345, 34:347, 34:348
Alonella
hamulata, 34:345, 34:347
rostrata, 4:189, 4:192
Alopecosa
aculeata, 29:231
kochi, 29:231
Alopecurus carolinianus, 25:278, 31:495, 31:497, 31:499
Alopex lagopus, 29:361
Alopochen, 26:427
Alosa
aestivalis, 28:118

chrysochloris, 4:160, 27:110–112, 36:205
sapidissima, 28:118, 33:195
Alouatta palliata, 4:66
Aloysia, 30:543, 33:108
gratissima, 23:298, 24:168, 24:170, 24:171, 30:400, 36:215
lycioides, 16:12
lycioides, 8:183, 8:192, 28:109
wrightii, 8:183, 8:192, 22:340, 22:343, 22:344, 23:298, 30:391, 35:67, 35:74
Alpha
alba, 16:251
brunnea, 16:251
Alpheidae, 29:64
Alpheus aequalis, 29:64
Alpine vascular plants of Specimen Mountain, Rocky Mountain National Park, Colorado, annotated check list of the, Dale W. McNeal, Jr., 20:423–435
Alternanthera, 18:254
philoxeroides, 6:182
repens, 35:70
Alternaria, 8:232, 27:20, 32:131, 32:133
alternata, 24:367, 27:18
Alternating temperatures on germination of creosotebush (*Larrea tridentata* [D. C.] Cov.: Zygophyllaceae), the effects of some, Romelia L. Rivera and C. E. Freeman, 24:711–714
Altica, 2:126
torquata, 28:475
Altig, Ronald, and C. Kenneth Dodd, Jr., The status of the Amargosa toad (*Bufo nelsoni*) in the Amargosa River drainage of Nevada, 32:276–278
Altig, Ronald, Key to the anuran tadpoles of Mexico, 32:75–84
Altig, Ronald, see Ireland, Patric H., —
Altitudinal distribution of small mammals along a cross-sectional transect through the Arkansas River Watershed, Colorado, David M. Armstrong, Benjamin H. Banta, and Edward J. Pokropus, 17:315–326
Altitudinal variation in thermal behavior of the grasshopper *Circotettix rabula* (Rehn & Hebard) from central Colorado, J. E. Gillis and Pamela Ann Smeigh, 32:203–211
Aluralagus, 24:275, 24:276, 24:278, 33:395
virginiae, 24:277
Alvarez, Ticul, and Antonio Martinez, New records of *Cryptotis mayensis* from the Yucatan Peninsula, Mexico, 12:204–205
Alvarez, Ticul, and Clemencia E. Aviña, *Baedon alleni*, *Rhogeessa tumida major* and *R. p. parvula* newly reported for Michoacan, with notes on the qualitative differentiation of the two rhogeessas, 10:75–76
Alvarez, Ticul, see Ramírez-Pulido, José, —
Alvarez-Cárdenas, Sergio, see Gonzáles-Romero, Alberto, —
Alydidae, 28:377
Alypia octomaculata, 21:34
Amalanchier, 20:164
Amanita, 26:1
abrupta, 26:2, 26:3
aestivalis, 26:2
atkinsoniana, 26:2, 26:3
bisporigera, 26:2
brunnescens, 26:2
caesarea, 8:197, 26:2
calyptroderma, 8:197
citrina, 26:2
farinosa, 26:2
flavoconia, 26:2, 26:3
flavorubescens, 26:2
inaurata, 26:2
lividia, 26:2, 26:3
microlepis, 26:2, 26:3
muscaria, 8:197, 26:2
polypyramis, 26:2, 26:3
pragraveolens, 26:2, 26:3
pubescens, 26:2, 26:3
rubescens, 8:197, 26:2
spissa, 26:2
vaginata, 26:3
verna, 26:2, 26:3
virosa, 26:2, 26:3
virosiformis, 26:2, 26:3
Amanitaceae, 26:1–4
Amanitopsis inaurata, 8:197, 8:198
Amannus pectoralis, 28:474
Amara
alpina, 15:323
apricaria, 15:323, 15:325, 28:474
chalcea, 32:386, 32:388, 32:389
ellipis, 15:323
lecontei, 15:325
melanogastrica, 15:325
musculus, 15:325
quenseli, 15:323
Amaranthaceae, 1:63, 1:66, 2:161, 11:126, 12:148, 22:37, 22:341, 23:296, 23:499, 25:328, 31:34, 35:64, 35:70, 36:122
Amaranthus, 2:126, 13:161–163, 14:181–183, 14:186, 15:394, 20:215, 20:218, 20:257, 21:248, 23:299, 24:130, 25:364, 25:391, 27:176, 30:546, 30:548, 31:36, 31:37, 31:355, 33:365, 35:394, 35:437
albus, 1:63, 2:161, 27:7, 29:408, 29:409, 29:411, 29:417, 31:34, 35:70
blitoides, 21:313, 21:314, 35:70
fimbriatus, 21:314
graecizans, 2:161, 14:352, 29:408, 29:409, 29:411, 35:70
greggii, 23:499, 25:321
hybridus, 35:70
palmeri, 19:444, 21:313–315, 22:341, 23:499, 25:321, 25:328, 35:70
pubescens, 21:313, 21:314
retroflexus, 1:66, 2:161, 15:165–173, 27:373, 27:461, 27:462
tamarascinus, 27:433
torreyi, 22:341
Amargosa toad (*Bufo nelsoni*) in the Amargosa River drainage of Nevada, the status of the, Ronald Altig and C. Kenneth Dodd, Jr., 32:276–278
Amaryllidaceae, 12:148, 18:430, 18:437, 24:187
Amaryllis, 16:332
Amastridium veliferum, 23:692
Amastridium veliferum Cope (Serpentes: Colubridae) from Chiapas, México, additional specimens of, Richard M. Blaney and Patricia Kimmich Blaney, 23:692
Amauria, 11:118
Amaurobiidae, 11:368, 20:6, 20:9, 30:6
Amazilia
berylina, 32:174
violiceps, 18:195, 18:199, 36:363
yucatanensis, 36:362
Amazona
albifrons, 18:199, 18:200
farinosa, 4:68
ochrocephala, 7:258
Amberboa, 26:5
Amblema
costata, 27:361
plicata, 27:350, 27:360, 27:361
Ambloplites, 35:346
ariommus, 23:464, 23:465, 23:468, 23:469, 35:347
rupestris, 17:381, 19:263, 23:463–472, 24:318, 29:377, 29:378, 29:383, 31:377, 31:379
ruprestris, 32:216
Amblycercus holosericeus, 4:77, 4:80
Amblyoma americanum, 35:111
Amblyomma
americanum, 10:169, 33:55
maculatum, 33:55–64
Amblyopone pallipes, 28:139
Amblyopsidae, 26:67, 28:471–473
Amblyopsis
rosae, 17:310, 26:67, 28:472, 28:473
rosea, 1:19, 1:22
Amblystegium
riparium, 34:290
serpens, 6:187
varium, 5:44, 6:187, 6:188, 28:240
Ambrosia, 14:437, 14:439, 16:358, 16:383, 20:332, 21:38, 24:404, 28:254, 30:543, 35:437
artemisifolia, 20:381
artemisiifolia, 7:170, 13:210, 18:431, 18:437, 18:441, 23:625, 25:69, 27:312, 27:429
canescens, 36:77
chenopodifolia, 31:544
confertiflora, 25:365, 36:306

confertifolia, 24:130
cordifolia, 22:227
deltoidea, 22:227, 24:287, 26:84, 26:111, 28:212, 31:471–474, 32:21–23, 32:26, 33:438, 35:330, 35:336
deltoides, 34:144
dumosa, 21:50, 24:399–402, 25:174, 26:261, 26:264, 26:282, 27:404, 28:211, 28:213, 29:213, 31:530, 31:544, 32:21–27, 32:105, 34:521, 35:336
elatior, 10:248–255
grayi, 26:232
psilostacha, 27:461
psilostachy, 35:159
psilostachya, 2:169, 4:50, 4:52, 4:53, 4:59, 7:169, 9:114, 9:116, 10:248–255, 12:139, 12:142, 12:144, 12:347, 14:342, 15:165, 17:5, 17:6, 20:381, 22:38, 22:507, 22:551, 23:275, 23:500, 24:240, 24:269, 25:321, 25:335, 25:404, 27:57, 29:326, 30:339, 30:548, 30:580, 31:289, 31:388, 31:495, 32:395, 33:67, 33:68, 33:333, 33:336, 33:337, 35:18, 35:70, 35:387, 35:390, 35:436, 36:122
tomentosa, 27:462, 27:461
trifida, 2:169, 10:254, 15:135, 17:47, 19:155, 19:160, 19:162, 22:552, 24:637–643, 25:207, 25:210, 28:255, 30:339
Ambrosieae, 10:312
Ambrysus, 23:219, 25:142, 25:251, 28:190, 28:193, 28:194, 36:164, 36:167
abortus, 31:536
arizonus, 31:536
buenoi, 23:218, 23:221–223, 32:288, 32:289, 36:357
circumcinctus, 25:381, 31:536
convexus, 31:536
cosmius, 31:536
guttatipennis, 31:536
hungerfordi, 31:536
lunatus, 31:536
melanopterus, 31:537
mormon, 31:537
occidentalis, 31:537
pudicus, 31:537, 36:357
pulchellus, 31:538
puncticollis, 31:537, 31:538
rotundus, 31:538
thermarum, 31:538
woodburyi, 31:538
Ambystoma, 11:197, 11:296, 15:245, 28:470
annulatum, 1:78–82, 1:180, 1:181, 1:184, 6:199–200, 18:252, 18:253, 21:412–413, 28:273, 34:145–146
barbouri, 35:99
californiense, 35:217–220
gracile, 25:392
laterale, 14:204
mabee, 14:204
macrodactylum, 14:204, 32:147
maculata, 29:244
maculatum, 1:80, 1:181, 6:202, 11:137, 13:449, 14:204, 17:435–437, 21:412, 27:230, 28:273, 34:145
mexicanum, 13:370
opacum, 1:181, 1:183, 1:184, 6:202, 11:137, 27:230, 28:273, 34:145
rosaceum, 29:244
talpoideum, 6:202, 10:311, 11:137, 28:273
texanum, 1:181, 5:165, 6:202, 11:137, 13:449, 14:204, 23:428, 28:273, 35:99–100
tigrinum, 1:181, 3:32, 3:34, 5:25, 5:165, 7:75–76, 11:132, 12:224, 13:370–372, 14:204, 14:210, 14:211, 23:428, 25:391–395, 26:153, 27:230, 28:101, 28:273, 28:471, 30:460–461, 31:280, 33:379–381, 34:173, 34:532, 34:533, 35:179, 35:180, 35:219, 36:245
trigrinum, 5:78
Ambystoma annulatum from Arkansas and Oklahoma, additional records of, Hague L. Lindsay, Jr., 6:199–200
Ambystoma maculatum (Ambystomatidae) in the diet of *Heterodon platyrhinos* (Colubridae) from northern Arkansas, Stanley E. Trauth, 27:230
Ambystoma tigrinum (Ambystomatidae) predation on *Scaphiopus couchi* (Pelobatidae) tadpoles of different sizes, Bruce Woodward and Pat Johnson, 30:460–461
Ambystomatidae, 25:391–395, 27:230, 30:460–461, 34:145–146, 35:99–100
Ambystomidae, 1:78–82
Ameiurus
melas, 31:159, 35:179
natalis, 9:106
nebulosus, 31:161
Ameiva
chaitzami, 35:274, 35:277
festiva, 31:9
quadrilineata, 10:313, 31:9
undulata, 15:399, 18:93, 35:277
Amelanchier, 33:239
alnifolia, 12:136, 12:137, 12:139, 12:143, 13:103, 15:24, 31:320
humulis, 14:331
oreophilus, 20:437, 20:439, 20:440, 20:442, 20:443
polycarpa, 18:373, 18:377
utahensis, 7:270, 13:102, 20:437, 20:439, 20:443, 22:269, 27:143, 31:319–329, 34:320, 34:442, 36:277
Ameletus, 14:224, 14:226
sparsatus, 25:26
America meridionalis, 30:608
American coot response to habitat change on a Colorado marsh, Warner P. Gorenzel, Ronald A. Ryder, and Clait E. Braun, 26:59–65
American kestrel in central Utah, the biology of the, Dwight G. Smith, Charles R. Wilson, and Herbert H. Frost, 17:73–83
American kestrel predation on the bats *Eptesicus fuscus*, *Euderma maculatum*, and *Tadarida brasiliensis*, Hal L. Black, 21:250–251
American percid fishes *Ammocrypta clara* Jordan and Meek and *Ammocrypta pellucida* (Baird), the, Allan D. Linder, 4:176–184
Amerson, Peggy A., see Riskind, David H., —
Amia, 7:119, 7:128
calva, 1:18, 2:97, 19:260, 27:112, 28:261, 28:268, 32:522
Amiocentrus aspilus, 31:423
Amiota
albavictoria, 5:90, 5:91
huachuae, 5:90
huachucae, 5:89–91
Ammania coccinea, 24:434, 33:374
Ammannia, 15:414
auriculata, 15:414
coccinea, 15:414
Ammocodon chenopodioides, 21:314, 21:315, 22:343
Ammocrypta, 33:97
clara, 1:21, 1:22, 2:96, 2:97, 4:176–184, 21:167
pellucida, 4:176–184
vivax, 2:96, 21:165, 29:378
Ammodia, 2:172
Ammodramus
leconteii, 33:373–375
savannarum, 18:196, 18:199
Ammophila
arenaria, 26:117, 29:254
breviligulata, 26:117
Ammoselinum popei, 2:166
Ammospermophilus, 17:340, 18:307, 36:309
harrisi, 26:84, 26:85
harrisii, 22:150, 36:101
interpres, 20:497, 25:568
leucurus, 9:89–93, 17:333, 17:335–338, 17:341, 17:342, 20:156, 22:78, 22:82, 22:86, 24:554, 26:267, 26:275, 26:297, 26:328, 26:398, 26:399, 26:401–403, 26:405, 28:430, 30:304–305, 30:448, 31:26–29, 31:60, 34:506, 34:509–511
Ammotragus lervia, 16.267–280, 32:111–116, 32:148–149
Ammotrechidae, 25:132, 25:134
Ammotrechula
peninsulana, 25:132, 25:134
penninsulana, 25:95–102
Amnicola peracula, 5:145, 5:150
Amnicolidae, 3:225, 5:150, 23:554
Amnodramus savannarum, 14:253, 14:254
Amoreuxia palmatifida, 35:66, 35:71
Amorpha, 10:84, 17:1, 17:9
californica, 19:112
californica, 15:150, 15:153, 15:159

canescens, 2:163, 4:57, 7:169, 12:139, 17:6, 17:8, 32:30, 32:35
fruiticosa, 28:83
fruticosa, 2:163, 7:170, 25:207, 25:210, 25:330, 27:385, 31:347–351, 31:355, 31:357, 35:66, 35:72, 36:219
Amos, Bobby G., see Branson, Branley A., —
Ampelocissites, 16:111
Ampelopsis
arborea, 3:214, 12:344, 12:345, 20:327, 20:329, 25:210, 27:57
cordata, 2:165, 3:214
Amphiachyris dracunculoides, 28:347
Amphiagrion
abbreviatum, 2:10, 2:14
saucium, 2:12
Amphibia, 1:105–108, 3:70–76, 21:503–509, 36:144–147
Amphibian and reptile records for southern Nevada, W. Glen Bradley and James E. Deacon, 11:132–134
Amphibians and reptiles from eastern Texas, notes on some, Robert G. Webb and Robert L. Packard, 6:105–107
Amphibians and reptiles in Texas, new locality records for, Ernest C. Tanzer, Eston O. Morrison, and Charles Hoffpauir, 11:131–132
Amphibians and reptiles of the Big Bend region of Texas, observations on, Sherman A. Minton, Jr., 3:28–54
Amphibians and reptiles of the Black Gap Wildlife Management Area, Brewster County, Texas, Ralph W. Axtell, 4:88–109
Amphicarpa, 9:207
bracteata, 9:215, 9:216
chamaecaulis, 9:216, 9:217
ciliata, 9:216
comosa, 9:215, 9:217
cuspidata, 9:216
deltifolia, 9:216
edgeworthii, 9:212
elliottii, 9:216
heterophyla, 9:216
japonica, 9:212
monoica, 9:215
pitcheri, 9:216
sarmentosa, 9:216
villosa, 9:216
Amphicarpaea, 9:207–218
africana, 9:207–217
bracteata, 9:207–217
edgeworthii, 9:207–217
monoica, 9:210
trisperma, 9:209, 9:212
Amphicerus cornutus, 29:438
Amphicosmoecus canax, 31:438
Amphidora, 18:310
Amphilophis
barbinodis, 4:117
piptantherus, 15:391
saccharoides, 4:117
Amphinema
byssoidea, 17:410
byssoides, 19:349
tomentella, 17:409–411
tomentellum, 19:349
Amphinemura
apache, 20:520, 36:326, 36:327
banksi, 20:520, 28:130
mexicana, 20:520, 36:326, 36:327
mogollonica, 31:503
puebla, 36:326, 36:329
reinerti, 20:517–521, 36:326, 36:327
venusta, 20:520, 36:323, 36:326, 36:327, 36:329
Amphinemura reinerti, a new stonefly from northern Mexico (Plecoptera: Nemouridae), Richard W. Baumann, 20:517–521
Amphineura banksi, 28:129
Amphipleura pellucida, 20:201, 22:458, 26:313
Amphipoda, 29:362–363
Amphiprora
alata, 22:414
ornata, 20:405
paludosa, 19:418, 22:414
Amphipsocidae, 21:342
Amphispiza
belli, 18:307, 25:174–177, 29:474, 34:491, 35:28–31
bilineata, 11:137, 16:8, 25:173–178, 29:474
Amphiuma
means, 1:180, 1:184, 13:372
tridactylum, 11:138, 28:271
Amphora, 25:420, 25:538
acutiuscula, 26:312, 26:315, 26:316
coffeiformis, 26:315
delicatissima, 20:49
normani, 24:151
ovalis, 22:414, 22:458, 24:151, 26:315, 35:209
perpusilla, 26:315
veneta, 24:152, 26:315, 28:246, 35:209
Amploplites rupestris, 32:439
Ampumixis, 36:167
Amsinckia
intermedia, 26:265, 36:306
tessellata, 36:306
Amsinkia intermedia, 33:428
Amsonia, 26:265
arenaria, 1:66
eastwoodiana, 22:62
fugatei, 30:563–565
grandiflora, 30:563–565
hirtella, 30:564
longiflora, 30:563–565
palmeri, 30:564
Amsonia (Apocynaceae) from central New Mexico, a new species of, Steven P. McLaughlin, 30:563–565
Amyda
emoryi, 23:459
ferox, 23:459
muticus, 23:459
sinensis, 23:459
spinifera, 23:459
triunguis, 23:459
Amyris
madrensis, 30:400, 30:401, 31:260, 35:371, 36:215, 36:216
marshii, 8:212
parvifolia, 13:232, 17:395, 18:435, 18:437
texana, 23:10, 30:400, 30:401, 36:215, 36:216
Anabaena, 10:188–210, 10:266, 10:269, 14:369, 17:14, 17:17, 17:18, 18:99, 20:50, 25:414, 25:416, 25:420, 36:370, 36:371
aequalis, 23:443
affinis, 23:442
ballyganglii, 23:442
baltica, 11:202
circinalis, 23:442
flos-aquae, 11:202
inaequalis, 24:158
laxa, 23:442
Anabaenopsis
circularis, 23:443
raciborskii, 20:50, 20:52
Anablepidae, 32:226, 32:229
Anableps, 32:233
dowi, 32:227, 32:229
Anabolia
bimaculata, 31:439
consocia, 31:439
Anacardiaceae, 1:64, 2:164, 13:383, 20:439, 22:341, 23:296, 23:499, 25:331, 35:70
Anacardium, 16:111
occidentale, 32:363
Anacharis
canadensis, 12:209
densa, 12:209
Anacolia menziesii, 1:118, 1:119, 3:122
Anacroneuria, 29:489–492
pallida, 29:492
polita, 29:492
wipukupa, 29:489
Anacystis, 10:188–210, 10:266, 36:370, 36:371
Anagapetus debilis, 31:425
Anahita, 29:231
Anaitides, 20:480
Anas, 16:154, 21:556
actua, 32:378
acuta, 5:107, 14:177, 18:195, 21:558, 25:567, 26:49, 26:51, 26:234, 31:280, 31:285, 31:361–366, 33:185, 33:187, 34:246, 36:260, 36:318
americana, 25:567, 29:493, 31:365, 32:378, 33:185, 33:187, 34:246, 34:247, 34:495, 36:260
carolinensis, 5:107, 14:171–188, 17:296
clypeata, 21:558, 23:692, 25:567, 26:234, 29:493, 33:187, 34:495

crecca, 24:373, 25:567, 31:280, 31:285, 31:361–366, 32:378, 32:397–398, 33:185, 33:187, 34:247, 34:495, 36:260
cyanoptera, 5:108, 14:171, 23:692–696, 24:373, 26:233, 29:493, 31:365, 32:397–398, 34:495
discors, 5:107, 14:171–188, 23:692–696, 24:373, 25:391, 25:567, 26:233, 31:365, 32:379, 32:397–398, 34:495
penelope, 21:555, 26:51
platyrhynchos, 5:107, 11:136, 11:308, 14:177, 22:141, 23:158, 25:391, 25:567, 26:233, 26:425–428, 30:269, 31:365, 32:378, 33:185, 33:187, 34:246, 34:247, 34:495, 36:318
rubripes, 5:108, 14:253, 29:493, 30:269, 31:365
strepera, 21:558, 26:162, 29:493, 31:365, 34:495, 36:318–322
Anatidae, 5:108, 36:318–322
Anatomía e histológia de la cápsula del murciélago blanco *Diclidurus albus virgo* Thomas, Cornelio Sánchez-Hernández, Ma. de Lourdes Romero-Almaraz, y Marcela Aguilar-Morales, 35:241–244
Anatomy and life cycle of the snail Rumina decollata (Pulmonata: Achatinidae), Jeanne Hines Batts, 2:74–82
Anaulaceae, 21:246–247
Anax, 8:135, 15:101
imperator, 6:116, 6:132
junius, 2:3, 2:14, 4:132, 6:112, 26:156, 27:458
longipes, 2:3, 2:14
Ancepaspis tridentata, 18:422, 18:423, 18:432
Anchoa, 21:424
curta, 32:228
hepsetus, 36:205
leucida, 32:228
mitchelli, 1:101, 20:463
mitchilli, 1:163, 2:95, 28:464, 36:205
panamensis, 32:228
Anchodemus hubbardi, 8:169
Anchovia rostralis, 32:228
Anchusa officinalis, 18:322
Ancinus
brasiliensis, 20:481, 20:483, 20:484
seticornvus, 20:481, 20:484
Ancistrocactus uncinatus, 23:296, 25:362, 34:161
Ancistrodon
contortrix, 3:31, 3:33, 3:51, 5:77, 5:82, 5:83, 5:85–87, 9:105, 11:137
piscivorus, 1:180, 6:202
Ancylidae, 5:158, 21:241, 22:353–357, 23:554, 24:688, 27:350, 27:441
Ancylus fluviatilis, 22:355
Ancyronyx variegatus, 8:112, 8:114
Andelt, William F., Charles E. Harris, and Frederick F. Knowlton, Prior trap experience might bias coyote responses to scent stations, 30:317–318
Anderegg, Melvin J., see Ramsey, Charles W., —
Andersen, D. C., and D. W. Johns, Predation by badger of yellow-bellied marmot in Colorado, 22:283–284
Andersen, David E., Common barn-owl killed by a prairie falcon, 33:377–378
Anderson, Allen E., and Dean E. Medin, Antler phenology in a Colorado mule deer population, 15:485–494
Anderson, Allen E., Walter A. Snyder, and George W. Brown, Indices of reproduction and survival in female mule deer, Guadalupe Mountains, New Mexico, 15:29–36
Anderson, Dennis, Chloris infata Link (Gramineae) in southern Texas, a new report for the United States, 10:76
Anderson, Dennis, Distribution of Chloris canterai Arech. (Gramineae) in Texas, 10:72–73
Anderson, Eric M., Bobcat predation on a red-tailed hawk, 32:149–150
Anderson, Loran C., Morphology and biogeography of *Chrysothamnus nauseosus* ssp. *texensis* (Asteraceae): a new Guadalupe Mountains endemic, 25:197–205
Anderson, Richard V., and William S. Vinikour, Southwestern range extension and unusual habitat for the mayfly nymph, *Heptagenia flavescens* (Walsh) (Ephemeroptera: Heptageniidae), 23:167–168
Anderson, Roger C., and Thieron Harrison, A limitation of the hybrid index using *Quercus* leaf characters, 24:463–473
Anderson, Roger C., see Adams, Dwight E., —
Anderson, Roger C., see Kebart, Karen K., —
Anderson, Sydney, and Craig E. Nelson, Birds and mammals in barn owl pellets from near Laguna, Chihuahua, Mexico, 5:99–101
Anderson, Sydney, and Philip W. Ogilvie, Vertebrates found in owl-pellets from northeastern Chihuahua, 2:33–37
Anderson, Sydney, and Richard Barlow, Taxonomic status of *Cervus elaphus merriami* (Cervidae), 23:63–70
Anderson, Sydney, and William N. Berg, Extension of the known range of the cotton rat, Sigmodon hispidus, in New Mexico, 4:40–42
Anderson, Sydney, see Jones, J. Knox, Jr., —
Andrachne
aspera, 10:243
brittonii, 10:243
ciliatoglandulosa, 10:243
gruvelii, 10:243
microphylla, 10:243
phyllanthoides, 5:1, 10:243
Andrena, 2:131
flexa, 32:151
verecunda, 2:130
Andrenidae, 23:566, 23:570, 23:571, 23:575, 29:372, 32:151, 32:419, 32:422
Andrews, Hollings T., *Fritschiella* and *Gloeoplax* in the United States, 10:77
Andrews, Robert W., see Root, Terry L., —
Andrews, Ted F., see Prophet, Carl W., —
Androcryphia longiseta, 13:100
Androlaelaps
casalis, 27:237
fahrenholzi, 35:111–113
Andropogn gerardii, 32:32
Andropogon, 4:186, 6:109, 12:79, 13:156, 13:362, 14:358, 14:379, 16:431, 16:457, 17:46, 18:445, 18:446, 19:156, 20:297, 28:143, 31:123, 33:496, 34:428, 35:55, 35:434
gerardi-hallii, 12:138
barbinodis, 10:50, 16:272
barbinoides, 25:444
condensatus, 12:80
divergens, 12:347, 12:348
elliottii, 12:348
gerardi, 4:50, 4:55, 7:163, 7:168, 7:169, 7:172, 7:173, 9:219–231, 9:306–308, 10:50, 10:218–220, 12:141, 12:144, 12:304, 12:349, 13:377, 13:384–386, 14:337, 14:338, 14:340, 14:341, 14:343–348, 15:166, 15:211, 17:1, 17:6, 18:22, 18:136, 18:444, 19:293, 19:294, 19:441, 20:76, 24:240
gerardii, 18:86, 18:88–90, 24:268–271, 24:434, 25:69, 29:242, 29:321, 29:326, 29:330, 29:331, 30:597, 31:235–241, 32:30, 32:33, 32:35, 32:267, 33:65–68, 34:314, 35:387, 35:390, 36:2
glomeratus, 23:505, 24:64, 25:315, 33:337, 35:436, 36:122
hallii, 2:157, 12:144, 13:146, 24:434, 25:325
hirtiflorus, 12:84
hybridus, 3:212
ischaemum, 23:625
liebmannii, 12:77
littoralis, 11:302
perangustatus, 26:346
perforatus, 3:212, 10:50
piptantherus, 15:391
pringlei, 12:72
reevesii, 3:212
saccharoides, 1:62, 2:157, 3:212, 4:55,

7:169, 10:50, 10:51, 18:86, 18:88–90, 19:229
schottii, 12:84
scoparium, 20:76
scoparius, 1:55, 1:62, 2:157, 4:45, 4:48, 4:50–55, 5:120, 6:98, 6:99, 6:194, 7:163, 7:168, 7:169, 7:172, 7:173, 8:183, 9:219–231, 9:306, 12:134, 12:138, 12:141, 12:143, 12:144, 12:304, 13:377, 13:384–386, 14:331, 14:337, 14:338, 14:340–343, 14:345–347, 14:377, 14:383–386, 15:166, 16:272, 16:273, 17:1, 17:6, 18:22, 18:86–88, 18:90, 18:136, 18:434, 18:437, 18:441, 18:444, 19:115, 19:282, 19:289, 19:293, 19:294, 23:623, 24:267, 24:268, 28:335, 31:260, 33:106, 34:314, 36:2
semiberbis, 12:82
sericeus, 10:50
spadiceus, 25:557–558
tenarius, 14:383
terarius, 36:364
ternarius, 12:349, 20:333, 25:557
torreyanus, 3:212
virginicus, 6:183, 7:169, 12:347, 12:349, 14:383–385, 27:57, 27:429, 35:436
Andropogon spadiceus (Poaceae), a Coahuilan species now known from Texas, Marshall C. Johnston, 25:557–558
Androsace
occidentalis, 12:139, 35:73
septentrionalis, 20:431
Androstephium breviflorum, 17:197
Aneides hardii, 4:155–156
Anelaphus, 27:24
debilis, 27:23, 27:24
Anelastes druryi, 20:7
Anelosimus studiosus, 30:6
Anemone
cylindrica, 12:139, 14:331, 18:322, 32:35
decapetala, 16:273
patens, 12:139, 12:140, 14:331
riparia, 18:322
tuberosa, 35:73, 36:306
Anemopsis californica, 15:120, 15:121, 26:415, 26:417, 26:418
Anepsius delicatulus, 18:308, 18:311
Angelica grayi, 20:433
Angradi, Ted R., J. Scott Spaulding, and Edward D. Koch, Diel food utilization by the Virgin River spinedace, *Lepidomeda mollispinis mollispinis*, and speckled dace, *Rhinichthys osculus*, in Beaver Dam Wash, Utah, 36:158–170
Anguidae, 6:201, 29:271–275, 30:89–94, 32:283–285, 36:98
Anguila rostrata, 32:228
Anguilla, 32:233
rostrata, 2:100, 4:164, 8:136, 8:137, 19:260, 27:112, 32:408–410, 36:205
Anguillidae, 4:164, 8:136, 32:226, 32:228
Anguillulina phyllobia, 6:197
Angustipes ameghini, 35:94, 35:95
Anheteromeyenia ryderi, 16:434
Anhinga anhinga, 21:476
Aniliidae, 12:439, 27:229
Animas Mountain flora, New Mexico, new records to the, Warren L. Wagner, 24:291–296
Anisacanthus
insignis, 28:143, 28:146
thurberi, 35:66, 35:70
wrightii, 26:379–384
Anisodactylus californicus, 30:603
Anitostigma, 13:337
Aniulus prosoicus, 34:387
Ankistrodesmus, 10:188–210, 20:51, 22:414, 23:56–59, 25:414, 25:420, 36:239
convolutus, 20:47, 20:48
falactus, 24:156, 20:48, 22:310
spiralis, 23:436
Annamocarya, 11:73, 11:89, 11:91, 11:93
sinensis, 11:72
Annaphila abdita, 18:309
Anniella pulchra, 30:617–619
Anniellidae, 30:368, 30:617–619
Annona ampla, 16:112
Annonaceae, 16:112
Annual periodicity of Uinta ground squirrels, Fred L. Knopf and David F. Balph, 22:213–224
Annual testicular cycle of *Pseudemys scripta elegans* (Emydidae) in the Texas Panhandle, the, Ken Brewer and F. C. Killebrew, 31:299–305
Annual variations in patterns of reproduction of the cactus wren (*Campylorhynchus brunneicapillus*), Thomas G. Marr and Ralph J. Raitt, 28:149–156
Annulaspis, 18:429
polygona, 18:417, 18:435
Anobiidae, 28:474, 28:478
Anoda cristata, 31:355, 35:66, 35:72
Anodonta
gigantea, 22:250
grandis, 14:225, 14:226, 14:228, 22:241–244, 22:249, 22:250, 27:350, 27:360, 27:361, 29:233
imbecilis, 22:241, 22:242, 22:244, 22:249, 22:250, 27:350, 27:360, 27:361
suborbiculata, 27:350, 29:233–234, 34:564
Anodonta suborbiculata Say (Unionidae: Anodontinae) in Oklahoma, first record for, Mark E. Gordon, 29:233–234
Anodontinae, 29:233–234
Anoecia, 27:466
Anolis, 10:136, 33:124, 34:560
allisoni, 19:10
allogus, 19:10
breedlovei, 13:365, 13:367–369
capito, 23:685
carolinensis, 1:134, 1:180, 1:181, 1:184, 2:119, 3:90, 6:202, 9:42, 10:172, 13:366, 13:373, 19:9–19, 22:546, 31:13, 35:474, 36:366
cobanensis, 13:365, 13:367–369
crassulus, 11:130
cristatellus, 19:10
cupreus, 19:10
distichus, 19:10
evermanni, 19:10
frenatus, 19:10
grahami, 19:10, 30:49
gundlachi, 19:10
homolechis, 19:10
humilis, 23:685
intermedius, 19:10
krugi, 19:10
laeviventris, 13:365
limifrons, 13:367, 19:10, 19:15
lineatopus, 19:10
lionotus, 19:10
lucius, 19:10
milleri, 13:365, 13:367–369
nebulosus, 18:195, 19:10
oculatus, 19:10
opalinus, 19:10
poecilopus, 19:10
polylepis, 19:10
polyrhachis, 13:368–370
poncensis, 19:10
pulchellus, 19:10
punctatus, 19:10
sagrei, 19:10
schiedi, 13:365, 13:367–369
scypheus, 19:10
sericeus, 16:228
stratulus, 19:10
subocularis, 14:132
tropidolepis, 19:10, 19:16
Anomala flavipennis, 5:222
Anomalagrion, 8:135
hastatum, 2:12, 2:14, 4:132, 6:112
Anomalies in Streptocephalus anostraca, observed, Carl W. Prophet, 6:101–102
Anomeoneis sphaerophora, 23:87, 23:89
Anomiopsyllus, 27:238
Anomodon
attenuatus, 28:240
minor, 5:44
rostratus, 28:240, 28:241
Anomoeneis costata, 26:312
Anomoenoneis
costata, 26:313
sphaerophora, 26:313
Anomoeoneis
sphaerophora, 35:209
vitrea, 35:209
Anomoneis sphaeroplea, 24:152
Anomopsocus amabilis, 22:28
Anopheles, 23:555
freeborni, 12:375
pseudopunctipennis, 12:375

punctipennis, 12:375, 14:238, 14:244
Anoplium truncatum, 27:23
Anoplocephalidae, 33:488
Anoplodera instabilis, 20:7, 20:9
Anoplolepis custodiens, 30:307
Anoplostrongylus delicatus, 4:63
Anostraca (fairy shrimps) of North America, key to the, Denton Belk, 20:91–103
Anostraca, 8:32–37, 9:68–77, 9:315–316, 11:24–48, 20:91–103, 20:582–585, 24:93–95, 24:201–203, 24:390–391, 25:541–546, 27:244–245
Anotheca spinosa, 32:76
Anoura, 12:407, 12:423, 12:426
cultrata, 11:492
geoffroyi, 11:306, 12:411, 12:412, 12:420, 12:427, 13:361, 16:450, 28:379, 32:174
Anser, 16:154, 26:427
albifrons, 5:108, 23:160, 36:318
caerulescens, 23:158–161, 36:318
caeulescens, 33:187
Ant dispersal in *Wedelia hispida* Hbk. (Heliantheae: Compositae), Guy L. Nesom, 26:5–12
Ant populations at the plains-foothill border, Colorado, a study of, August Conklin, 17:43–54
Ant-acacia (Fabaceae) from Mexico, a new species of, John E. Ebinger and David S. Seigler, 32:245–249
Ant-aphid association on threadleaf groundsel in the Davis Mountains area of West Texas, an, Jim V. Richerson and Richard D. Jones, 27:466–467
Antennaria
alpina, 20:429
anaphaloides, 18:318
campestris, 7:170
carpatica, 18:318
lanata, 18:318
neglecta, 33:67, 33:68
parvifolia, 12:137, 12:139
plantaginifolia, 12:347
pulcherrima, 18:317, 18:318
umbrinella, 20:429
Anternaria, 13:163
Anthemis cotula, 17:47
Anthephora
cristata, 4:117
pubescens, 4:117, 10:53, 10:54
Antheraea polyphemus, 35:463–464
Antheraea polyphemus oculea (Lepidoptera: Saturniidae) from Coahuila, Mexico, new state record, Raymond W. Neck, 35:463–464
Anthericum
nanum, 33:382
suffruticosum, 33:384
torreyi, 8:194, 10:38, 35:67, 35:74
Antherylium nudiflorum, 1:41
Anthicidae, 5:223, 23:575, 28:474, 28:478
Anthicus
biguttulus, 28:474
cervinus, 28:474
epihippium, 28:474
punctulatus, 28:474
Anthidiellum, 22:554, 22:556
Anthidium, 22:554, 22:556, 23:609–614
palmarum, 23:605–607, 23:614
Anthoceros punctatus, 28:240
Anthocharis pima, 29:476, 29:478, 29:479
Anthocoridae, 36:51
Anthomyiidae, 19:65, 19:70, 23:555, 23:566, 23:568, 23:571, 25:141, 25:250
Anthonomus, 15:309, 19:313–327
aeneolus, 6:196, 6:197, 7:202, 7:210, 8:55, 19:321
albolineatus, 7:208
albopilosus, 7:202, 7:207, 7:209, 15:314
alboscutellatus, 7:204
bifidus, 7:202, 7:206–209
callirrhoae, 19:313, 19:324
canescens, 7:207
dealbatus, 19:313–315, 19:317
decipiens, 19:317
elegans, 7:205
flavicornis, 6:196
fulvipes, 7:203, 7:204
grandis, 7:204, 18:481, 28:475, 33:215, 36:75–83
griseisquamis, 7:205, 7:209
heterogenus, 6:196, 19:313, 19:319–322
heterothecae, 19:319
incanus, 7:202, 7:207–209
leucostictus, 7:204, 7:205, 19:325, 19:326
nigrinus, 8:55, 19:321
pomorum, 19:314, 19:315
profundus, 7:206
pusillus, 19:318
rubidus, 7:206
singularis, 7:202, 7:208–210
solarii, 7:202, 7:203, 7:209, 19:324, 19:325
squamans, 19:313, 19:323–325
squamosus, 7:203, 7:205
stupulasus, 7:205
testaceosquamosus, 19:315, 19:317, 19:322, 19:323
texanus, 7:205
unipustulatus, 7:202, 7:205, 7:206
veracruzensis, 7:207
vestitus, 19:315, 19:322
xanthoxyli, 7:202, 7:204, 7:205, 19:325, 19:326
Anthonomus in North and Central America (Coleoptera: Curculionidae) I. Some new and little known species from Mexico, studies on the genus, Horace R. Burke, 7:202–210
Anthophora, 1:88, 2:131, 2:132, 18:312, 23:605–607, 23:609, 23:611–614
abrupta, 27:467–468
linsleyi, 18:313
occidentalis, 27:467–468
Anthophoridae, 25:105, 27:467–468, 29:511, 32:151, 32:419
Anthophoroid behavior of a honeybee, Apis mellifera (Hymenoptera-Apoidea), Lloyd H. Shinners, 2:131–132
Anthoxanthum
aristatum, 4:117
odoratum, 18:241
Anthribidae, 8:55
Anthrozous pallidus, 2:34
Anthuridae, 20:481
Anthus
spinoletta, 11:137
spragueii, 33:251
Antilocapra, 31:284
americana, 4:32, 6:76, 13:21, 13:281, 16:155, 18:346–348, 20:499, 21:370, 24:554, 24:709–710, 26:267, 26:279, 26:283, 26:317, 26:318, 26:331, 27:121–122, 28:97, 30:159–161, 30:340, 30:341, 30:437–441, 31:281, 32:152, 32:153, 32:158, 32:165, 32:166, 36:257
Antilocapridae, 20:499, 26:327, 31:281
Antiphytum
hintoniorum, 28:457–458
paniculatum, 28:458
Antiphytum hintoniorum (Boraginaceae), a bizarre new gypsophile from north-central Mexico, Larry Higgins and B. L. Turner, 28:457–458
Antirrhiam, 18:437
Antirrhinum, 18:436
maurandioides, 1:65
Antler characteristics as related to social status of male southern mule deer, R. Terry Bowyer, 31:289–298
Antler phenology in a Colorado mule deer population, Allen E. Anderson and Dean E. Medin, 15:485–494
Antler velvet in white-tailed deer, observations of loss of, David H. Hirth, 22:278–280
Antlion larva in a mud dauber's nest, Robert J. Boles, 10:312–313
Antrosous pallidus, 29:481
Antrozous, 1:138
bunkeri, 1:137
dubiaquercus, 12:484
pallidus, 4:140, 4:141, 6:13–20, 6:95, 9:43, 9:44, 10:75, 12:163–171, 12:193, 12:195, 12:329–330, 12:485, 15:11, 15:13, 15:20, 15:132, 15:134, 15:135, 15:395–396, 16:262–264, 17:299, 17:357, 17:359, 17:361, 19:115, 19:272, 19:275, 20:246, 20:249, 20:250, 20:252, 20:500, 22:427–433, 31:280, 31:417, 32:185, 33:494, 34:51, 35:232, 35:354
Ants (Hymenoptera: Formicidae: Myrmicinae, Formicinae, Dolichoderinae) utilizing carrion, observations of, William H. Clark and Paul E. Blom, 36:140–142

Ants (Hymenoptera: Formicidae) visiting extrafloral nectaries of the barrel cactus, *Ferocactus gracilis* Gates (Cactaceae), in Baja California, Mexico, observations of, Paul E. Blom and William H. Clark, 25:181–195

Ants of the Chisos Mountains, Texas (Hymenoptera: Formicidae), Arnold Van Pelt, 28:137–142

Anura, 9:20–26, 11:476–482, 22:443–453, 34:155–157, 35:358–361

Anuraeopsis fissa, 23:635, 23:636

Anurans of Vekol Valley, central Arizona, K. Bruce Jones, Lauren Porzer Kepner, and William G. Kepner, 28:469–470

Anyohaena celer, 11:344

Anyphaena, 11:344, 30:121, 34:350
celer, 11:368
dixiana, 30:8
fraterna, 30:8
pectorosa, 21:43

Anyphaenidae, 11:344, 11:368, 15:325, 21:43, 30:4, 30:8, 30:10, 30:121, 30:122, 34:350

Anystidae, 28:419

Aonidia, 18:424
gennadii, 13:210
juniperi, 13:207
shastae, 13:207, 13:209

Aonidiella, 18:425
aurantii, 13:201, 13:210–212, 18:430–437
citrina, 13:210, 13:212, 13:213, 18:431, 18:433, 18:434, 18:436, 18:437
inornata, 13:210, 13:212, 13:214, 18:434
pernicosa, 14:433
smilacis, 14:420
subsimilis, 13:238

Aonidomytilus, 18:428
concolor, 15:275, 15:276, 18:430, 18:431
peninsularis, 15:275, 15:277, 15:278, 18:431

Apache pocket mouse found in Mesa Verde National Park, Colorado, Charles L. Douglas, 8:173

Apamea cinefacta, 18:309

Apanochaete repens, 24:156

Apanteles, 29:441, 29:442

Apatania
shoshone, 31:423
stigmatella, 31:422
zonella, 31:439

Apateticus bracteatus, 35:21

Apeaceae, 32:279

Aphaenogaster, 32:386
albisetosa, 28:139
albisetosus, 28:138
boulderensis, 28:139
cockerelli, 28:138, 28:139
subterranea, 17:49–51
texana, 28:139

Aphaniosoma
aldrichi, 6:86, 6:89
frontata, 6:86, 6:89
quadrivittatum, 6:88, 6:89

Aphanizomemon flos-aquae, 20:398

Aphanizomenon, 24:5, 25:414, 25:416, 25:420
flos-aquae, 20:399, 20:403, 23:443, 23:446, 30:239, 30:247, 30:248

Aphanocapsa, 25:420
roeseana, 23:444

Aphanochaete repens, 23:441, 23:446

Aphanomyces, 23:58
laevis, 12:314
scaber, 12:314, 12:316

Aphanostephus, 18:118
aphanostephi, 19:317
canus, 19:317
kidderi, 24:99
ramosissimus, 21:315, 23:316, 23:319, 33:368
ridellii, 18:120
skirrhobasis, 2:169, 19:317, 19:318, 23:500, 25:321, 25:335

Aphanothece
nidulans, 23:444
pallida, 23:444
stagnina, 23:444

Aphelacaris, 35:280, 35:282

Aphelenchoides, 31:115

Aphelocoma
coerulescens, 14:151, 22:369, 24:571, 29:473, 30:453, 34:146–147, 34:492
ultramarina, 26:254, 32:505
utramarina, 16:13

Aphididae, 2:127, 20:2, 20:7, 25:553, 27:172, 27:173, 27:176, 27:179, 29:437

Aphiochaeta rufipes, 12:267

Aphis lugentis, 27:466, 27:467

Aphodius, 2:126
fucosus, 28:476
nevadensis, 28:476
perfimbriatus, 28:476

Aphoebantus, 32:151

Aphora
humilis, 7:159, 7:161
laevis, 7:161
mercurialina, 7:155

Aphrastus unicolor, 29:438

Aphredoderidae, 8:134, 8:137, 15:357

Aphredoderus sayanus, 1:18, 2:97, 3:8, 3:10, 6:202, 8:134, 8:137, 15:357, 19:263, 27:110–112, 32:522, 33:139

Aphyosemion australe, 22:538

Apiaceae, 32:279, 35:18, 35:70

Apidae, 20:8, 23:153–154, 23:566, 23:570, 23:571, 25:105, 26:163, 28:161, 29:16, 29:511, 30:73, 30:604, 32:151, 32:313–319, 32:419, 33:219–227

Apiocystis brauniana, 23:440

Apiomerus, 35:20

Apion
alternatum, 28:475
delta, 8:162
disparatum, 6:195, 6:196
fumitarse, 8:162
metallicum, 8:55
xanthoxyli, 19:326

Apioneupeplum, 28:475

Apis, 2:131, 2:132
mellifera, 2:130–132, 22:275, 23:606, 25:105, 25:282, 26:161–163, 29:16, 29:19, 29:486, 30:604, 32:151, 32:172, 32:174, 32:39–52

Apium leptophyllum, 23:504, 25:321

Aplesion potsii, 29:396

Aplodinotus, 13:47
grunniens, 4:167, 6:53, 14:370, 21:10, 22:250, 22:525, 22:528, 22:529, 27:110–112, 28:328, 32:231, 34:247, 35:406, 35:408, 36:203, 36:204, 36:208

Aplodontia rufa, 17:307–308, 32:460

Aplopappus, 16:202, 16:358, 16:370
bartlettii, 2:172
gracilis, 6:51
laricifolius, 17:173, 17:174, 17:176
ramulosus, 9:192
tenuisectus, 25:266
linearifolius, 9:193

Apocrypha, 18:310

Apocynaceae, 1:66, 2:166, 4:58, 16:112, 18:430, 18:440, 21:31–35, 23:296, 23:500, 25:333, 30:563–565, 35:64, 35:70

Apocynophyllum wilcoxense, 16:112

Apocynum
androsaemifolium, 12:139, 12:140, 21:31, 21:32
canabinum, 21:31
cannabinum, 4:58, 7:169, 25:333, 32:35
sibericum, 12:139
sibiricum, 2:166, 21:31–35

Apodachlya, 12:318

Apodanthera undulata, 8:1–8, 22:342, 35:71

Apodemia mormo, 18:309

Apodemus flavicollis, 21:193

Apodidae, 4:81

Apodochlya punctata, 12:314

Apoidea, 2:131–132

Apollophanes, 20:60
margareta, 20:60
punctipes, 30:8
texanus, 20:60

Apomicts, 34:35–45

Apomotis cyanellus, 31:160

Aponomma
auruginans, 10:168
elaphensis, 10:167–178, 31:111, 31:119
quadricavum, 31:111

Aponomma elaphensis larvae (Acarina: Ixodidae) on *Elaphe subocularis* (Reptilia: Colubridae), the discovery of, William G. Degenhardt, 31:111

Apoplanesia paniculata, 5:40

Aporinellus, 26:430
Aporodon, 28:372–374
Applegate, Howard G., see Hanselka, Calvin W., —
Applegate, Howard G., see Taylor, Robert G., —
Apsena, 18:310
rufipes, 18:308
Apsilus, 10:266
Apus cancriformis, 22:205
Aqave lechuguilla, 32:483, 36:70
Aquatic and semiaquatic Heteroptera state records for Texas and New Mexico, Robert W. Sites, 36:356–357
Aquatic Coleoptera associated with Arkansas rice, with observations on the effects of carbofuran, molinate, predatory fish and late-planting, J. S. Heiss, G. L. Harp, and M. V. Meisch, 31:521–525
Aquatic colubrid snakes in Texas, observations on, Christopher P. Kofron and James R. Dixon, 25:107–109
Aquatic insects of McKittrick Creek, Guadalupe Mountains National Park, Texas, Richard D. Meyerhoff and Owen T. Lind, 32:288–289
Aquatic insects, with emphasis on Trichoptera, of a Colorado stream affected by coal strip-mine drainage, the, Steven P. Canton and James V. Ward, 25:453–460
Aquatic macroinvertebrates of the Piceance Basin, Colorado: community response along spatial and temporal gradients of environmental conditions, Lawrence J. Gray, James V. Ward, Robert Martinson, and Elizabeth Bergey, 28:125–135
Aquatic macrophytes of the upper San Marcos River, Hays Co., Texas, David E. Lemke, 34:289–291
Aquatic Oligochaeta (Aeolosomatidae, Opistocystidae, Naididae) of Central America, the, Walter J. Harman, 27:287–298
Aquatic Oligochaeta new to North America with some further records of species from Texas, Walter J. Harman, Michael S. Loden, and Jack R. Davis, 24:509–525
Aquatic phycomycetes from Lake Texoma and adjacent parts of Oklahoma, some observations on, John A. Schmitt, Jr., 12:311–319
Aquatic turtles in a northeastern Missouri marsh, observations on, Christopher P. Kofron and A. Alan Schreiber, 32:517–521
Aqueduct as a potential barrier to the movements of small mammals, an, Bruce H. Campbell, 26:84–85
Aquifoliaceae, 18:430, 18:439
Aquila, 31:280
chrysaetos, 1:89, 7:267–268, 16:26, 16:152, 18:199, 18:346–348, 22:369, 22:370, 23:305, 28:409, 29:152, 29:474, 34:495, 36:265, 36:270, 36:275
Aquilegia, 34:442
caerulea, 20:431, 28:157, 28:159, 28:162, 28:163, 28:290, 30:69, 30:74, 30:75
canadensis, 12:138, 12:139, 28:157, 30:76
chaplinei, 28:162
chrysantha, 28:162, 30:69–76
coerula, 15:142
elegantula, 28:157–164
formosa, 28:163
longissima, 30:69
micrantha, 28:157–164, 30:69, 30:71
pubescens, 28:163
saximontana, 20:431
skinneri, 24:210
triternata, 30:76
vulgaris, 28:157
Arabella mutans, 20:480
Arabidopsis thaliana (L.) Heynhold (Cruciferae) introduced in northeastern Texas, Lloyd H. Shinners, 3:213
Arabidopsis thaliana, 3:213
Arabis
drummondii, 20:430
glabra, 12:139
hirsuta, 18:323
holboellii, 12:139
nuttallii, 18:322
oblanceolata, 18:368
perennans, 34:442, 35:64, 35:71
pulcha, 17:197
selbyi, 18:368
Araceae, 12:148, 26:210–211, 26:437–439, 33:498–499, 34:290
Arachis, 7:31
hypogaea, 7:29, 7:39
Arachnida, 2:83–88, 14:136–138, 15:392–394, 17:153–160, 17:31–41, 25:95–102, 25:129–136, 31:49–53
Aradidae, 32:417, 32:422, 34:154–155
Araeoschizus, 28:476
sulcicollis, 18:308, 18:311
Aralia
racemosa, 34:442
spinosa, 12:345, 21:482
Araliaceae, 5:48, 18:430, 18:439
Aranea, 11:361
cornutus, 11:370
oxacensis, 11:365, 11:370
Araneae, 14:403–410, 15:503, 16:201–207, 20:29–44, 21:199–202, 25:109–111, 27:187–195, 30:119–127, 34:349–355
Araneida, 21:43, 29:514–516
Araneidae, 11:360, 20:6, 20:9, 20:60, 23:566, 23:570, 23:571, 29:231, 30:1, 30:3, 30:6, 30:9, 30:121, 30:122, 34:350
Araneus, 34:350
cochise, 30:6
detrimentosus, 30:7
diadematus, 34:354
nashoba, 30:7
pegnia, 30:7
Araniella displicata, 21:43, 30:7, 34:350, 34:352
Aratinga
astec, 4:68
holochlora, 7:258
Araucaria, 17:296, 17:297
cunninghamii, 18:434, 18:437, 18:438
Arboreal nest of the five-lined skink, Eumeces fasciatus in eastern Texas, an, J. P. Kennedy, 1:138–139
Arbutus, 23:533, 28:375, 30:449, 33:22
arizonica, 20:364
glandulosa, 16:227
peninsularis, 35:76–79
texana, 3:30, 16:12, 17:289, 27:87
xalapensis, 27:362, 36:362
Arceuthobium, 34:349–355
americanum, 19:65–73, 34:291–293, 34:349, 34:351–354
apachecum, 24:455–460
blumeri, 24:455–460
campylopodum, 13:101, 13:102, 24:544, 24:545
cyanocarpum, 34:349, 34:351, 34:352
divaricatum, 24:625–635, 34:442
douglasii, 20:418, 24:457, 24:632, 34:291
gillii, 20:418
microcarpum, 24:457
oxycedri, 19:66
pusillum, 34:354
strictum, 34:291
vaginatum, 19:70, 24:457, 34:349, 34:351, 34:352
Arceuthobium divaricatum and *Phoradendron juniperinum* (Viscaceae) on the south rim of Grand Canyon, Arizona, distribution of, Alyce M. Hreha and Darrell J. Weber, 24:625–635
Arceuthobium gillii in New Mexico, Frank G. Hawksworth and Melvyn J. Weiss, 20:418
Arceuthobium in Baja California, Mexico, Frank G. Hawksworth, Paul C. Lightle, and Robert F. Scharpf, 13:101–102
Archaearanea, 11:359
Archaeranea porteri, 11:360
Archibaccharis, 9:189, 16:358
hieracioides, 16:357, 16:359
sescenticeps, 16:357, 16:359
torquis, 16:362
Archidiskodon haroldcooki, 22:258
Archidium hallii, 28:240
Archilestes grandis, 2:9, 2:14, 32:289

Archilochus
alexandri, 16:6, 22:369, 24:572, 26:254, 28:143–148
colubris, 10:312
Archipsocus, 29:169
Archomenidia
bolivari, 32:227
sallei, 32:227
Archosargus
oviceps, 1:100–104
probatocephalus, 20:463, 28:465
Arcidens confragosus, 27:350
Arctium minus, 13:163
Arctodiaptomus, 17:203
Arctopsyche, 25:27
grandis, 31:427
inermis, 25:457
Arctosa, 11:355
alpigena, 15:322
floridana, 11:357
funerea, 11:357
littoralis, 11:356, 14:406, 14:408, 30:4, 30:603
Arctostaphylos, 11:125, 24:694, 25:11, 25:153, 27:326, 28:48, 31:177, 31:178, 33:22, 34:146, 34:182
glandulosa, 12:176–179, 21:384
manzanita, 24:191
pringlei, 20:364
pungens, 20:364, 21:59, 21:60, 25:444, 27:362, 31:202, 31:254
uva-ursi, 14:437, 23:78, 23:80, 23:280
Arcynopteryx compacta, 35:133
Arcyria, 9:157, 9:158
cinerea, 9:155, 9:160, 10:223, 16:143, 16:144, 23:690
denudata, 10:223
ferruginea, 16:144
incarnata, 10:223
insignis, 23:689, 23:690
magna, 16:144
Ardea
cinerea, 16:32
herodias, 6:105, 11:137, 12:335, 15:272, 16:293, 20:134, 21:557, 25:103–104
occidentalis, 20:134
pealei, 20:133
Ardeidae, 4:81, 6:104, 6:105
Ardeola ibis, 26:37–41
Ardisia, 13:367
Arecaceae, 33:498
Arecastrum romanzoffianum, 30:401, 36:216
Aregelia, 6:100
Arenaria, 10:244
bourgaei, 33:171, 33:172, 33:175
capillaris, 1:67
fendleri, 12:324, 20:428
hookeri, 18:317, 18:318, 18:323
interpres, 6:104, 36:110
lanuginosa, 35:71
lateriflora, 18:341
pinetorum, 18:318
stricta, 4:56
texana, 14:342, 17:5
Arenbergia glauca, 2:39, 2:40
Areniwaga, 12:187, 16:446
Argas cooleyi, 21:276–278, 32:124
Argasidae, 5:105, 10:17, 10:20, 20:241, 20:244–247, 21:278, 32:124, 32:511–512
Argemone, 22:345, 22:346, 25:365, 26:265, 31:34, 32:150–152
aenea, 32:150, 32:151
albiflora, 3:214, 23:503, 25:321, 29:19, 32:150
aurantiaca, 32:150
chisosensis, 17:106
corymbosa, 3:214
fruticosa, 32:150, 32:151
grandiflora, 3:214
intermedia, 2:162
munita, 3:213
ochroleuca, 3:213, 17:106
pleiacantha, 3:214, 24:188, 24:189, 27:329, 35:73
polyanthemos, 12:139, 30:336, 30:339
sanguinea, 32:150
squarrosa, 3:213
turnerae, 17:106–107, 32:150, 32:151
Argemone (Papaveraceae) from Mexico, a new species of, A. Michael Powell, 17:106–107
Argennina, 20:58
Argenome polyanthemos, 25:329
Argia, 8:70, 8:135, 14:237, 14:242, 23:223, 23:554, 25:142, 25:253, 27:441, 34:185, 36:164, 36:167
agrioides, 2:10, 2:15
alberta, 2:9, 2:14
apicalis, 2:9, 2:14, 4:131, 8:74
bipunctulata, 2:9, 2:14
immunda, 2:10, 2:15, 2:16
intruda, 2:12
lugens, 32:289
modesta, 36:286
moesta, 2:10, 2:14, 4:131, 6:116, 6:125, 8:71
plana, 32:289
putrida, 2:12, 4:131
sedula, 2:10, 2:14, 4:131
tibialis, 2:10, 2:14, 4:131, 34:480
translata, 2:10, 2:14, 25:252
violacea, 2:10, 2:14, 4:132
vivida, 2:10, 2:15
Argiope, 11:361
aurantia, 11:362, 11:369, 11:370, 30:3, 30:121
trifasciata, 11:362, 30:3
Argiopidae, 11:360, 11:370
Argulus
flavescens, 22:529, 22:531
longicaudatus, 22:529, 22:531
Argyrodes elevatus, 30:6
Argyroxiphium virescens, 10:67
Argythamnia, 7:154–162
humilis, 7:154, 7:155, 7:158, 7:159, 7:161, 23:319, 30:546, 30:548, 33:336
laevis, 7:161
mercurialina, 7:155, 22:552
neomexicana, 7:155, 7:158, 7:161, 35:71
serrata, 7:161
Argythamnia (Euphorbiaceae) in far western Texas, the four kinds of, Marshall C. Johnston and Barton H. Warnock, 7:154–162
Arhopalus, 30:603
Ariadna bicolor, 11:368, 30:6, 30:11
Arigomphus, 2:3, 2:12, 4:132
Ariidae, 1:103, 32:226, 32:229, 32:233
Ariocarpus fissuratus, 10:258, 23:291, 23:296, 30:536
Arion circumscriptus, 4:143, 4:146
Arionidae, 4:143
Arisaema
macrospathum, 12:148
triphyllum, 12:347
Aristida, 1:55, 3:30, 5:120, 10:54, 10:179, 13:147, 13:152, 13:156, 13:384–386, 16:268, 16:272, 16:273, 16:279, 16:392, 16:397, 17:322, 17:47, 18:445, 18:446, 19:215, 20:384, 21:364, 21:370, 21:545, 22:506, 24:433, 25:69, 26:282, 27:7, 27:118, 27:119, 27:245, 27:326, 28:109, 28:200, 28:417, 28:423, 30:543, 30:580, 31:36, 32:111, 33:413, 33:416, 33:430, 34:428, 35:159, 35:386, 35:390, 36:55, 36:122, 36:306
adscenionis, 21:314, 21:315
adscensionis, 1:62, 8:183, 12:72, 12:85, 12:185, 22:342, 25:444, 35:64, 35:74
arizonica, 8:191, 16:14, 16:392, 21:309
dichotoma, 7:170
divaricata, 12:82, 21:261, 26:14
fenderiana, 13:146
fendleriana, 12:139, 12:143, 18:81, 21:363, 27:339
glabrata, 35:74
glauca, 16:10, 18:79, 18:80, 18:82, 21:315, 23:297, 30:389, 30:391
hamulosa, 8:191, 12:81, 21:315
intermedia, 15:55, 20:332
lanosa, 12:349
longespica, 7:170, 23:505
longiramea, 8:191, 12:82
longiseta, 1:62, 2:157, 14:342, 16:392, 17:6, 18:80, 18:81, 18:444, 21:261, 21:282, 21:315, 21:363, 23:129, 24:98, 24:240, 24:435, 24:551, 26:14, 26:20, 26:397, 27:301, 28:336, 29:230, 29:280, 29:285
longispica, 25:315
oligantha, 4:119, 7:169, 15:165–173, 23:395, 24:272, 35:436
orcuttiana, 8:191, 12:82, 35:74
orizabensis, 12:82, 12:85
pansa, 16:392, 27:30
purpurascens, 7:169, 12:347, 12:349, 29:326, 29:329

purpurea, 2:157, 4:45, 4:51, 4:53–55, 4:119, 7:170, 18:79–83, 19:282, 21:315, 25:326, 27:312, 35:74, 36:354
roemeriana, 18:80, 18:81, 24:298, 30:398
stricta, 28:243
ternipes, 8:191, 10:52, 12:81, 12:82, 21:59, 21:60, 35:74
wrightii, 18:80, 18:81, 27:339, 29:301
Aristolochia
marshii, 13:104
serpentaria, 22:137
tomentosa, 27:385
watsoni, 35:66, 35:70
Aristolochia marshii found in Hidalgo County, Texas, new to United States, Raymond J. Fleetwood, 13:104
Aristolochiaceae, 35:70
Arita W., Héctor, see Medellín, Rodrigo A., —
Arius
caerulescens, 32:229
felis, 28:329, 36:205
seemani, 32:229
Arizona, 10:171
elegans, 2:132–133, 3:33, 3:48, 4:20–29, 4:107, 5:226, 8:222, 9:45–46, 9:46–47, 10:317, 11:411, 18:101, 19:194, 19:195, 27:163, 31:417, 31:418, 33:379, 34:522, 34:523, 36:99, 36:103, 36:172, 36:308
Arizona e. philipi and *Rhinocheilus l. lecontei* into southcentral Utah, an extension of, Wilmer W. Tanner and J. W. Heinrichs, 9:45–46
Arizona lyre snake in New Mexico, second record of the, Arthur H. Harris, 4:42–43
Arizona mud turtle, *Kinosternon flavescens arizonense* (Kinosternidae), in Arizona and Sonora, the, John B. Iverson, 34:356–368
Arizona plant records, James A. McCleary, new, 4:154–155
Arizona plants, notes on, James A. McCleary, 2:152–154
Arkansas fishes with addition of three species to the state ichthyofauna, new distributional records of some, Henry W. Robison, 19:220–223
Arkansas record of *Noturus flavus* (Ictaluridae), first, Thomas M. Buchanan, 18:98–99
Arkansas records of *Lampetra spp.* (Petromyzontidae), first, George L. Harp and William J. Matthews, 20:414–416
Arkansas River shiner, *Notropis girardi* Hubbs and Ortenburger, in the Red River system, occurrence of the, Frank B. Cross, 14:370
Armadillidae, 29:310
Armadillidiidae, 29:310
Armadillidium vulgare, 2:76, 22:375–387, 29:309, 29:310, 29:312, 29:314, 29:315, 29:318, 30:602, 30:603, 31:254, 31:255, 35:20
Armadillo, 29:315
Armadillo in Kansas, additional records of the, James Dale Smith and Timothy E. Lawlor, 9:48–49
Armandia, 20:480, 20:484
Armella, Miguel A., see Ramirez-Pulido, Jose, —
Armillaria
luteovirens, 8:198
mellea, 8:198
Armillariella
mellea, 29:260, 29:263
tabescens, 29:260, 29:263
Armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part VI the tribe Diaspidini, the, Burruss McDaniel, 17:389–404
Armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part VII tribe Odonaspioini subfamily Phoenicoccinae host list of Texas Diaspididae keys of subfamilies, tribes and genera of Texas Diaspididae, the, Burruss McDaniel, 18:417–442
Armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part V the tribe Diaspidini, the, Burruss McDaniel, 16:321–340
Armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae), the, Burruss McDaniel, 13:201–242
Armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part III the tribe Aspidiotini, the, Burruss McDaniel, 14:411–440
Armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part II the tribe Aspidiotini, Burruss McDaniel, the, 14:89–113
Armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part IV the tribe Diaspidini, the, Burruss McDaniel, 15:275–308
Armstrong, David M., Benjamin H. Banta, and Edward J. Pokropus, Altitudinal distribution of small mammals along a cross-sectional transect through the Arkansas River Watershed, Colorado, 17:315–326
Armstrong, David M., Ecological distribution of small mammals in the upper Williams Fork Basin, Grand County, Colorado, 22:289–304
Armstrong, David M., Second record of the Mexican big-eared bat in Utah, 19:114–115
Army ants of the state of Chihuahua Mexico (Hymenoptera: Formicidae: Ecitoninae), the, William P. MacKay, Juan Francisco Perez Dominguez, and Luz Isela Valdez Sanchez, 30:611–612
Arnaeus
conchlea, 11:365
cornutus, 11:364
displicata, 11:365
nigrifoliata, 11:365
oaxacensis, 11:365
scutulata, 11:365
Arnica
cordifolia, 20:429
mollis, 20:429
rydbergii, 20:429
Arnold, Keith A., Fidelity of common snipe to wintering grounds, with comments on local movements, 26:319–321
Arnold, Keith A., reviews by, 16:221, 16:461, 17:217–218, 17:313, 18:362, 20:292, 22:288
Arnold, Keith A., see Cain, Brian W., —
Arnold, Keith A., see Folse, Leon J., Jr., —
Arnold, Keith A., see Sikes, Patricia J., —
Arnold, M. L., and R. C. Jackson, Genic differentiation in *Machaeranthera* section *Psilactis* (Compositae), 24:645–653
Arphia crassa, 27:200, 27:202, 27:203, 27:205
Arracacia edulis, 24:213
Arremon aurantiirostris, 4:78, 4:80
Arremonops
rufivirgata, 7:260
rufivirgatus, 4:78
Arrenuridae, 1:13, 23:554, 25:252
Arrenurus, 1:6, 1:13, 1:15, 23:554, 25:252
dentipetiolatus, 26:157
Arriaga, Laura, Ricardo Rodriquez-Estrella, and Alfredo Ortega-Rubio, Endemic hummingbirds and madrones of Baja: are they mutually dependent?, 35:76–79
Arrigo, Rosetta D., see Stacey, Peter B., —
Artemesia, 14:404
dracunculoides, 31:350
dracunculus, 12:139, 31:181
filafolia, 29:509
filifolia, 28:417, 28:423
frigida, 29:230
kansana, 14:342
ludoviciana, 4:59, 31:350, 31:354
nova, 29:362
tridentata, 10:310, 28:126, 31:55, 31:61
Artemia, 33:193, 34:433
fertilis, 22:205
franciscana, 32:61–65
salina, 8:32, 9:315–316, 16:299, 18:476, 18:478, 18:479, 20:93, 20:101, 20:577, 22:205, 24:201, 26:217
Artemiopsis stephanssoni, 20:97, 20:101

Artemisia, 9:89, 9:92, 9:243, 11:68, 12:326, 13:156, 16:359, 17:318, 19:329, 20:153, 20:228, 21:363, 22:284, 22:293, 22:294, 22:368, 24:121, 25:134, 25:560, 30:20, 31:215, 31:347, 34:441, 34:510
arbuscula, 26:76, 34:320
arctica, 20:429
bigelovii, 1:65, 32:193, 32:292, 36:304
californica, 11:277, 28:48, 28:215, 30:452
campestris, 35:65, 35:70
cana, 13:146, 14:331, 29:411
carruthii, 10:37, 16:205, 20:294
caudata, 28:382
dracunculus, 1:65, 1:56, 35:70
dracunculoides, 10:37, 16:361
filifolia, 1:65, 2:169, 5:117, 5:120, 9:112, 9:114, 11:308, 13:146, 14:437, 14:439, 18:431, 18:437, 18:441, 23:129, 23:132, 24:434, 24:439–446, 24:706, 25:125, 25:325, 25:335, 26:53, 26:296, 28:336, 28:382, 28:463, 29:277, 29:280, 29:281, 30:336, 30:580, 31:36, 32:193
fillifolia, 23:45
frigida, 12:139, 12:143, 21:362, 21:364, 21:368, 24:550, 24:552, 25:219, 27:300–302, 29:411, 30:438, 30:439
glauca, 17:47, 25:335
gnaphalodes, 7:170
leudoviciana, 18:374–376, 18:379
ludovicana, 13:161
ludoviciana, 1:65, 7:170, 8:188, 8:191, 12:138, 12:139, 12:323, 16:359, 17:6, 17:8, 22:340, 22:341, 22:346, 23:78, 24:130, 25:335, 25:364, 25:365, 26:366, 30:336, 30:389, 33:67, 33:68, 34:442, 35:65, 35:70, 36:306
mexicana, 10:38, 16:359, 16:361
nova, 32:193, 35:323
pacifica, 35:70
redolens, 16:361
rothrockii, 25:153
scopulorum, 20:429
spinescens, 9:52
tridentata, 1:65, 9:51, 11:49, 15:24, 15:202, 20:164, 20:437, 20:439–441, 22:57, 22:214, 22:269, 22:291, 24:544, 24:553, 24:627, 25:175, 25:462, 26:76, 26:296, 26:331, 27:143, 27:371, 29:1, 29:408, 29:411, 30:439, 30:448, 31:24, 31:320, 31:415, 31:416, 32:179, 32:193, 33:413–424, 34:38, 34:40, 34:41, 34:320, 34:487, 35:279, 35:323, 36:95, 36:266, 36:304, 36:305, 36:307, 36:312
underwoodii, 18:369
Artemsia bigelovii, 26:397
Arthrobotrys, 32:133
Arthrodesmus, 10:266
michiganenisis, 24:157
Arthrolophis
glomeratus, 4:118
saccharoides, 5:8
Arthropod carrion fauna for the northern Chihuahuan Desert, additions to the, Kenneth Schoenly, 26:430–431
Arthropod cave fauna of the Carlsbad Caverns region, New Mexico, the, Thomas C. Barr, Jr., and James R. Reddell, 12:253–273
Arthropod diet of a western horned owl, Harry M. Ohlendorf, 16:124–125
Arthropods, plants and transmission lines in Arizona: community dynamics during secondary succession in a pinyon-juniper woodland, Ditsworth, T. M., S. M. Butt, J. R. Beley, C. D. Johnson, and R. P. Balda, 27:167–181
Arthropods, plants and transmission lines in Arizona: community dynamics during secondary succession in a pinyon-juniper chaparral habitat, J. R. Beley, T. M. Ditsworth, S. M. Butt, and C. D. Johnson, 27:325–333
Arthrospira, 10:266
gomontiana, 23:443
Artibeus, 7:64, 12:407, 12:414, 12:421, 12:423, 12:425, 14:15–29, 14:389–402
aztecus, 11:495, 13:361, 14:15–21, 14:359, 32:135, 32:136, 35:232
cinereus, 7:71, 14:15–17, 14:389–402, 31:533
glaucus, 14:15, 14:17, 14:389–402
hirsutus, 11:311, 12:330, 24:542, 32:135
intermedius, 31:533, 32:135, 32:136
jamaicensis, 11:306, 12:416, 12:417, 12:419, 12:420, 12:424, 12:427, 14:358, 15:4, 15:5, 15:7, 15:8, 15:220, 15:222, 16:450, 16:451, 22:403, 23:155, 24:541, 24:542, 29:513, 29:514, 30:324, 30:371–375, 31:533, 32:135, 32:363–370, 33:100, 34:413, 35:152, 35:154
jucundum, 14:16, 14:17
lituratus, 12:416, 12:419, 12:420, 12:424, 12:427, 15:4, 15:6, 15:10, 15:222, 16:450, 18:196, 18:197, 18:199, 18:200, 24:541, 24:542, 29:513, 29:514, 30:324, 30:371, 31:533, 32:135, 32:363–370, 33:100
nanus, 14:17, 14:395–397
phaeotis, 14:15, 14:16, 14:18, 14:23, 14:389–402, 15:2, 24:542, 31:533, 32:135, 32:363–370, 34:413
quadrivittatus, 14:15
rosenbergi, 14:15, 14:17
toltecus, 12:416, 12:419, 12:420, 12:424, 12:427, 13:361, 14:15–18, 14:23–27, 16:450, 18:199, 24:542, 28:379, 29:513, 29:514, 30:324, 33:100, 35:232
turpis, 7:71, 12:416, 12:419, 12:420, 12:424, 12:427, 14:15–18, 14:395, 14:398
watsoni, 14:15–17, 14:23, 14:389–402, 15:2, 15:4, 15:9, 29:511, 29:513, 29:514
Artibius
lituratus, 28:374
phaeotis, 28:374
Artificial nest boxes by Abert's squirrels, use of, Jordan C. Pederson, Robert N. Hasenyager, and Albert W. Heggen, 23:700–702
Artiodactyla, 24:709–710, 32:139–143, 32:281–283
Artman, Michael F., see Baar, Stephen L., —
Artocarpus lessigiana, 16:112, 16:115
Arundinaria gigantea, 3:127, 28:63
Arundo, 4:126
donax, 4:119, 23:505, 25:321, 33:173, 33:175
Arvicola
amphibius, 22:282
richardsoni, 22:281–282, 26:333, 26:334, 26:337
Arvizo, Edward R., see Worthington, Richard D., —
Asagena, 11:358
Asbury, Kenneth, William J. Matthews, and Loren G. Hill, Attraction of *Notropis lutrensis* (Cyprinidae) to water conditioned by the presence of conspecifics, 25:525–528
Ascaphus truei, 24:371
Ascarops strongylina, 4:62
Ascellus, 8:230
Ascidae, 28:225–230, 28:419, 29:239
Asclepiadaceae, 1:64, 1:66, 1:68, 2:166, 4:58, 9:171–180, 17:105, 17:312, 17:4, 21:406–409, 23:296, 23:500, 23:296, 25:333, 35:18, 35:70
Asclepias, 6:46–47, 12:76, 25:336, 35:18, 35:63, 35:364
amplexicaulis, 7:169
angustifolia, 9:173, 9:174
apocynifolia, 9:176
arenaria, 1:64, 1:68, 2:166, 25:333
asperula, 2:166, 6:47, 9:172, 9:179, 35:65, 35:70
auriculata, 9:178
bartlettiana, 9:179
bifida, 9:171–180
brachystephana, 1:68, 9:171, 9:179, 21:314, 21:315
contrayerba, 9:174–176
coulteri, 9:174, 9:176, 9:177
curassavica, 6:47, 9:173, 9:174
elata, 9:172, 9:177, 9:179
emoryi, 9:173, 9:177, 9:179
engelmannia, 24:435
engelmanniana, 25:333
galioides, 1:66
incarnata, 2:166
lanuginosa, 17:105
latifolia, 18:325
linaria, 9:173, 9:177, 9:178, 35:70

macrotis, 35:70
mexicana, 9:172, 9:174, 9:175
nummularia, 35:65, 35:70
nuttalliana, 17:105
nyctaginifolia, 35:66, 35:70
oenotheroides, 9:173, 9:177, 9:179, 23:296, 23:275, 23:500, 25:315, 25:318
otariodies, 17:105, 17:312
ovalifolia, 17:105
ovata, 9:173, 9:176
prostrata, 9:171–180
pseudorubricaulis, 9:172, 9:174, 9:175
pumila, 2:166, 12:139, 12:141, 14:342, 17:6
quinquedentata, 35:66, 35:70
scaposae, 9:176
similis, 9:173, 9:175, 9:176
speciosa, 2:166, 17:47
stenophylla, 7:170
subulata, 6:47
subverticillata, 9:172, 9:174, 9:175
syriaca, 24:637, 32:35
texana, 9:172, 9:174, 9:175
tuberosa, 2:167, 4:58, 9:173, 9:175, 25:333
verticellata, 4:58, 6:47, 9:172, 9:177, 32:35
viridiflora, 2:167, 4:58, 9:171, 9:179, 12:139, 32:35
viridis, 4:58, 25:333, 29:326
virletii, 9:174, 9:176
zanthodacryon, 9:172, 9:179
Asclepias otarioides (Asclepiadaceae), addenda, Theodore S. Cochrane, 17:312
Asclepias otarioides Fourn. (Asclepiadaceae), the valid name for *Asclepias lanuginosa* Hbk., Theodore S. Cochrane and Hugh H. Iltis, 17:105
Asclepidaceae, 13:383
Asclepiodora, 6:47
decumbens, 17:6
viridis, 7:170
Ascomorpha, 12:58, 12:63, 23:169
Ascomycetes, 23:529–532
Ascoschoengastia pedregalensis, 36:114
Ascyrum hypericoides, 20:327, 20:331
Asegena americana, 11:360
Asellidae, 23:554, 24:478, 28:100
Asellus, 15:99, 15:102
communis, 30:421, 30:423
militaris, 23:554
tridentata, 33:375
Ash-throated flycatcher takes sagebrush lizard, Terry B. Johnson, 27:222
Ashmeadiella, 25:105, 25:106
Ashmediella, 18:313
Ashmunella, 29:35
altissima, 7:53
animasensis, 21:411
auriculata, 29:38, 29:41
hirrisi, 29:38, 29:40
kochii, 29:38, 29:40
mearnsi, 19:61–64
organensis, 29:38, 29:39, 29:41
pasonis, 16:85, 16:92, 16:94, 16:100, 16:104, 16:107, 29:38–40
rhyssa, 14:372
salinasensis, 29:38, 29:40, 29:41
thomsoniana, 7:53, 7:58
todseni, 29:38, 29:41
Asiatic land snail new to Texas, *Bradybaena similaris* Ferussac, Richard W. Fullington, 20:287
Asilidae, 14:238, 20:8, 23:566, 23:570, 23:571, 23:575, 28:377, 32:418, 32:420, 32:422
Asimia parviflora, 12:345
Asimina parviflora, 12:347
Asio
flammeus, 14:169, 21:520, 36:271, 36:278
otus, 14:163, 14:170, 16:448, 22:369, 23:380, 31:416–419, 36.271, 36:277
Asiopsocidae, 21:335, 22:21–29
Asiopsocus, 21:335–346
mongolicus, 21:335, 21:336, 21:338, 21:340, 21:343, 21:344, 22:21–29
sonorensis, 21:335, 21:336, 21:338, 21:340, 21:343, 22:21–29
Asiopsocus sonorensis (Psocoptera: Asiopsocidae): a new record, augmented description, and notes on reproductive biology, Edward L. Mockford, 22:21–29
Asparagus
officinalis, 29:73
plumosus, 13:210, 18:432, 18:438
sparengeri, 18:432
sprengeri, 13:218, 18:438
Aspergillus, 24:368, 27:20, 32:133
flavus, 27:18
niger, 24:367, 27:18
tamarii, 27:18
terreus, 24:367, 27:18
wentii, 24:367, 27:18
Asphondylia atriplicis, 33:114–117
Aspidaspis, 18:426
arctostaphyli, 13:216
gaines, 18:436
gainesi, 13:215
Aspidiella, 14:103, 14:429, 18:426
comstocki, 14:103
sacchari, 13:216, 13:217, 18:435
Aspidiotini, 14:89–113, 14:411–440
Aspidiotus, 13:204, 18:426
aesculi, 14:91
agavis, 13:202
agrumincola, 13:227
albopictus, 13:204
ancylus, 14:91
aurantii, 13:210
californicus, 14:425
cerasi, 15:285
citri, 13:210
citricola, 16:323
citrinus, 13:212
coccineus, 13:210
coloratus, 14:101
comstocki, 14:103
coniferarum, 13:207, 14:93
convexus, 14:111
coursetiae, 13:232
covilleae, 13:232
crawii, 14:109
cueroensis, 14:425
cyanophylli, 14:103
cydoniae, 14:109
dearnessi, 14:437
dictyospermi, 13:227
diffinis, 14:107, 14:109
duplex, 14:427, 14:429
echinocacti, 15:296
espigaeae, 14:105
fernaldi, 14:429, 14:431
ficus, 13:230
forbesi, 14:429
furfurus, 15:285
glanduliferus, 14:431
gloverii, 16:324
graminella, 13:223
greenii, 14:109
gutierreziae, 14:437
harrisii, 15:285
hederae, 13:218, 13:219, 18:430, 18:432, 18:433
helianthi, 14:437
herculeanus, 13:234
howardi, 14:104
implicatus, 14:109
jatrophae, 14:107
juglans-regiae, 14:431
juniperi, 15:280
koebelei, 13:204
lataniae, 14:109
lucumae, 14:111
mangiferae, 13:227
mori, 13:236
nerii, 13:218
nigropunctatus, 14:418
obioensis, 14:91
obscurus, 14:418
osborni, 14:98
oxycrataegi, 14:91
parlatorioides, 17:395
pedilanthi, 13:236
perniciosus, 14:433
perseae, 13:204
persearum, 13:219
pinifoliae, 16:338
pomorum, 16:327
popularum, 14:111
prosopidis, 17:403
proteus, 16:330
pseudospinosus, 14:105
punicae, 14:109
rapax, 14:111
sabalis, 14:89
sacchari, 13:216
salicis-nigrae, 15:291
scutiformis, 13:207
smilacis, 14:420

socialis, 14:434
spinosus, 13:218–220, 18:432
spinsus, 13:219
subchortinus, 13:223
subsimilis, 13:234, 13:237, 13:238
targionii, 16:330
tenebricosus, 14:423
theae, 14:427
townsendi, 14:104
tricolor, 14:111
ulmi, 13:242
uvae, 14:98, 14:101
uvaspis, 14:99
vagabundus, 13:218
yuccae, 17:398
yuccarum, 14:439
yulupae, 14:98
Aspidistra, 13:227, 17:389
Aspidogasteridae, 24:557–561
Aspidogasteridae from *Pogonias cromis* (L.) from the Texas Gulf Coast, two new genera of, Douglass T. Simpson and J. Leon McGraw, Jr., 24:557–561
Aspidotus albopictus, 13:204
Aspilia, 26:5
Aspiliotus lilacinus, 14:415
Asplancha, 12:58, 12:59, 12:61, 12:63
Asplanchna, 17:244, 21:254, 21:465–467, 22:415, 22:417, 23:169, 23:636, 23:687, 26:244, 30:242, 33:467–470
Aspleniaceae, 35:69
Asplenium, 24:214, 27:362
platyneuron, 22:137
Asquith, Adam, and Ronald Alitg, Phototaxis and activity patterns of *Siren intermedia*, 32:146–148
Astacidae, 18:97–98, 18:177–185, 19:171, 19:175, 23:554, 24:613–619, 29:364, 30:189–194
Aster, 12:347, 15:181, 18:374, 18:375, 20:332, 24:646, 25:69, 35:434, 35:436, 35:437, 35:439
abatus, 12:233
alpinus, 18:323
azureus, 7:170, 32:35
bigelovii, 12:323, 26:397
blepharophyllus, 19:361
culminis, 18:323
ericoides, 4:50, 4:53, 4:59, 7:169, 7:172, 7:173, 10:36, 10:38, 12:139, 13:387, 14:331, 17:6, 17:8, 23:347–361, 23:625, 24:269, 24:270, 29:326, 29:329, 31:495, 32:32, 32:35, 33:67, 33:68
exilis, 9:30, 19:362
fendleri, 14:342, 17:5, 17:6
foliaceus, 12:139
gypsophila, 19:123–126
hesperius, 34:442
horridus, 18:118, 18:120
imbricatus, 19:363
intricatus, 19:125
laevis, 32:31, 32:35
multiflorus, 14:342
oblongifolia, 14:331
oblongifolius, 12:139, 17:6, 33:67
palmeri, 12:106, 12:107
patens, 7:169
pauciflorus, 16:361, 19:362
pilosus, 32:35
praealtus, 7:170
pratensis, 29:326, 29:329
riparius, 19:361, 19:362
sonorae, 19:361–364
spinosus, 2:169, 8:193, 12:106, 12:149, 12:158, 15:176, 16:361, 18:120, 19:362, 19:363, 26:232, 30:400, 36:215
subulatus, 2:169, 15:176, 18:120, 19:362, 23:500, 25:321, 26:154, 35:65, 35:70
tenuifolius, 29:250
underwoodii, 18:369
Aster gypsophila (Compositae), a new endemic gypsophile from north-central Mexico, B. L. Turner, 19:123–126
Asteraceae, 19:361–364, 20:439, 21:145–149, 21:539–541, 22:553–554, 23:371–374, 24:187, 24:435, 24:621–624, 25:197–205, 25:335, 25:336, 26:431–432, 29:57–58, 29:250, 31:367–374, 34:273, 34:441–443, 34:557–559, 35:18, 35:64, 35:70
Asterella
californica, 1:118, 3:116
palmeri, 1:118–120
Asterias
forbesi, 27:258
vulgaris, 27:258
Asterionella, 22:414, 22:415
formosa, 20:401–404, 22:413, 24:152, 26:313
Asterocampa
celtis, 21:34
leilia, 24:607, 24:610, 24:611
Asteromeyenia
plumosa, 15:331–335, 16:434, 22:140
radiospiculata, 22:140
Asterostroma
andinum, 19:354
ochroleucum, 19:354
Astomum
muhlenbergianum, 30:151
phascoides, 6:186
Astragalus, 14:331, 18:393–396, 24:433, 24:544, 24:545, 27:301, 29:280, 31:34, 31:35, 35:63, 36:198–200, 36:306
adsurgens, 29:411
allochrous, 21:315, 35:66, 35:72
altus, 18:394–396
aretioides, 18:323
arizonicus, 35:64, 35:72
bisulcatus, 21:362, 21:364, 24:552
canadensis, 28:468, 32:33, 32:35
ceramicus, 36:198
cibarius, 28:468
cobrensis, 18:394
crassiscarpus, 12:139
drummondii, 21:365
egglestonii, 18:394
flexuosus, 18:395
gracilis, 12:139, 21:362
humdoldii, 12:153
humilis, 30:545
humistratus, 35:72
kerrii, 36:198–200
knightii, 36:198, 36:200
lambertii, 4:57
lentiginosus, 27:413
longissumus, 18:394
lotiflorus, 24:435, 29:411
lutosus, 23:156–157
microcymbus, 18:394, 18:395
missourensis, 12:139
missouriensis, 21:362, 24:435
mollissimus, 8:194, 21:315, 24:435, 24:552, 35:65, 35:72
neomexicanus, 18:395
nothoxys, 35:64, 35:72
nutallianus, 28:466–469
nuttalinus, 14:352
nuttallianus, 20:574, 21:315, 22:346, 23:502, 25:321, 28:467, 28:468, 30:546, 30:548, 34:546–548, 35:64, 35:72
plattensis, 24:435
puniceus, 24:188
quinqueflorus, 36:198, 36:200
racemosus, 24:435
recurvus, 18:394
rusbyi, 18:394
sericoleucus, 18:323
striatus, 12:139
tephrodes, 1:64, 21:314, 21:315
thurberi, 35:64, 35:72
utahensis, 28:468
wootoni, 21:315
wootonii, 12:153
Astragalus (Fabaceae) from southeastern New Mexico, a new species of, Paul J. Knight and Anne C. Cully, 36:198–200
Astranthium, 15:181
robustum, 15:176
Astrocaryum, 11:310
mexicanum, 30:322
Astrohippus
albidens, 13:1, 13:2, 13:4–7, 18:258
ansae, 18:257, 18:258, 18:260, 18:268
stockii, 18:257, 18:258, 18:260
Astronia, 13:212
Astrophippus
albidens, 13:5
stockii, 13:5
Astroscopus y-graecum, 1:161, 20:463
Astyanax, 14:76, 27:357–358
aeneus, 32:228, 32:233
faciatus, 3:14
fasciatus, 1:21–23, 1:25, 2:92, 2:99, 4:161, 15:257, 17:379, 28:104, 35:34, 35:37, 35:38, 35:46
mexicanus, 17:377, 17:379, 25:87, 29:378, 29:384, 32:213, 32:215, 32:216,

32:408, 32:410, 36:203, 36:204, 36: 208
Astynax mexicanus, 24:318
Asynarchus
circopa, 31:423
montanus, 31:423
nigriculus, 31:423, 31:439
Ataemois hirsutus, 32:491
Ataenius, 28:476, 32:491
desertus, 32:386, 32:388
Atamisquea emarginata, 29:213
Atanycolus, 33:279–281
triangulifer, 33:276
Atenius platensis, 5:223
Athelia
bicolor, 19:350
decipiens, 19:350
fuscostrata, 19:350
galzini, 19:350
scutellare, 19:350
Athene cunicularia, 24:376, 28:100–102, 34:51, 34:495
Atherinella alvarezi, 32:230
Atherinidae, 4:165, 8:137, 15:355, 31:528, 32:216, 32:226, 32:230, 24:546–549, 25:120–122, 35:406
Atherix, 1:152, 36:167
Athesmia foxi, 29:458
Atheta, 12:269
Athey, Patrick V., see Bell, Robert A., —
Athyrium, 16:432
Athysanus pusillus, 36:306
Atilides halesus, 29:439, 29:441, 29:442
Atlides, 29:440, 29:442
halesus, 29:435–437, 29:439, 29:441, 29:475, 29:476, 29:478, 29:479
Atmospheric conditions in artificial rodent burrows, Eugene H. Studier and Ted P. Baca, 13:401–410
Atopetholidae, 34:223
Atopsyche sperryi, 28:353, 28:413
Atractelmis wawona, 24:196
Atractides, 23:223
Atractosteus spatula, 36:203, 36:204, 36: 208
Atremisia tridentata, 30:437
Atrichopogon, 14:238, 14:244
Atrichum angustatum, 28:240, 28:241, 30: 151
Atriplex, 9:89, 9:92, 12:148, 13:105, 15: 120, 15:275, 15:277, 17:38, 17:318, 18:430, 18:438, 20:337, 20:340, 21: 317, 21:51, 21:553, 21:554, 23:537, 23:675, 24:118, 24:552, 27:220, 27: 381, 28:63, 30:467, 31:31, 33:426
acanthocarpa, 30:400, 33:451–463, 36: 215
arenaria, 23:500, 25:321
barclayana, 33:451, 33:452, 33:455
canescans, 17:40
canescens, 1:53, 1:56, 1:57, 1:59, 1:63, 9:58, 12:163, 13:28, 13:454, 15:118, 15:152, 19:430, 20:56, 20:437, 20: 439, 20:440, 21:314, 21:315, 22:340, 22:341, 22:344, 22:346, 22:428, 22: 431, 23:291, 23:296, 24:130, 24:135, 25:364, 25:365, 26:205, 26:206, 26: 296, 27:305, 27:404, 28:83, 28:90, 28:99, 28:200, 28:336, 29:223–228, 30:377–384, 30:437–439, 30:448, 30: 451, 30:574, 30:613, 32:183, 32:193, 32:389, 33:114, 33:116, 33:430, 33: 434, 33:451, 33:453, 34:488, 35:11, 35:67, 35:71, 36:55, 36:255
confertifolia, 9:51, 11:127, 13:343, 17: 207, 20:583, 22:62, 24:399, 24:401, 25:175, 26:265, 26:283, 26:396, 26: 397, 31:56, 31:61, 31:548, 32:179, 32:193, 33:91, 36:266
confortifolia, 30:448
elegans, 35:71
gardneri, 33:37
greenei, 18:318
hymenelytra, 15:116–118
klebergorum, 6:49–50
lentiformis, 11:395, 15:118, 30:427, 31: 24
matamorensis, 23:500, 25:316, 25:319
nels, 18:317
nuttalli, 33:451, 33:452, 33:455
nuttallii, 13:61–74
obovata, 33:451, 33:452
parryi, 15:116–119, 15:124
pentandra, 25:314, 25:321
polycarpa, 15:116, 15:117, 18:306, 23: 673, 23:674, 29:213
pringlei, 33:451, 33:453, 33:461
pusilla, 31:24
reptans, 19:125
semibaccata, 35:18
stewartii, 33:451, 33:453
tenuissima, 18:317, 18:318
wolfii, 18:317, 18:318
Atriplex acanthocarpa complex (Chenopodiaceae), a revision of the, James Henrickson, 33:451–463
Atriplex klebergorum (Chenopodiaceae), new species, Marshall C. Johnston, 6:49–50
Atristida, 28:381
Atta, 34:271, 34:275
mexicana, 33:250–251
texana, 29:356, 36:116–117
Attack by bobcats on an adult javelina, an, William E. Foldesh, 27:457
Attheyella nordenskioldii, 4:193
Attila spadiceus, 4:71, 4:80
Attini, 34:271–275, 36:116–117
Attraction of *Notropis lutrensis* (Cyprinidae) to water conditioned by the presence of conspecifics, Kenneth Asbury, William J. Matthews, and Loren G. Hill, 25:525–528
Attus imperialis, 21:201
Audouinella, 25:538
Augochlorella, 25:105, 25:106
Auguspira alternata, 16:318
August, Peter V., Acoustical properties of the distress calls of *Artibeus jamaicensis* and *Phyllostomus hastatus* (Chiroptera: Phyllostomidae), 30: 371–375
Aulacaspis, 15:280, 18:427
boisduvalii, 15:296
cattleyae, 15:296
pentagona, 17:393
rosae, 15:277, 15:279, 18:432
texensis, 15:300
Aulacobothrus, 11:116
Aulacorhynchus prasinus, 36:362
Aulacosira distans, 26:313
Aulocara femoratum, 27:202, 27:203, 27: 205
Aulodrilus
pigueti, 23:135, 23:139, 25:264
pleuriseta, 23:139
Aulophorus, 18:153, 18:154, 18:163, 23: 554, 23:558, 23:560, 24:509, 24:519, 25:261–264, 27:288–291
Aulosira laxa, 23:443
Ault, Charles J., see Suring, Lowell H., —
Aureobasidium, 32:133
Auricularia, 21:230
Auriparus flaviceps, 11:136, 16:6, 17:100–101, 29:473
Austin, Anna T., see Austin, George T., —
Austin, George T., and Anna T. Austin, *Strymon leda* (Lepidoptera, Lycaenidae) in southern Nevada, 13:372
Austin, George T., Migration of warblers in southern Nevada, 15:231–237
Austin, George T., New and additional bird records for the Death Valley region, California, 14:362–363
Austin, Oliver L., Families of birds (rev.), 16:461
Austin, Terry A., and Julie A. Kitchens, Expansion of *Baiomys taylori* into Hardeman County, Texas, 31:547–548
Austrolimnius
browni, 24:196
celsus, 24:196
eris, 24:196
fallax, 24:196
sulcicollis, 24:196
sulmo, 24:196
troilus, 24:196
waterhousei, 24:196
Austromenopon micrandum, 32:85, 32:87
Austropotamobius pallipes, 24:613
Austroteneriffia hirsti, 8:24, 8:25, 8:30
Austrotyla specus, 12:263
Automolus ochrolaemus, 4:70, 4:80
Autumn activities of blue jays in an urban environment, Thomas C. Tacha, 26: 90–91
Autumn sightings of marine turtles (Cheloniidae) off South Texas, Randall

R. Reeves and Stephen Leatherwood, 28:281–288
Autumn spawning and other reproductive notes on loach minnow, a threatened cyprinid fish of the American Southwest, Stephen P. Vives and W. L. Minckley, 35:451–454
Autumnal breeding acorn woodpeckers in southern New Mexico, Jack F. Cully, Jr., 32:399
Avena, 24:431, 33:106
barbata, 24:191, 27:371
fatua, 12:78, 35:19, 35:28
sativa, 4:116, 10:52, 12:76
Averett, John E., Shong Huang, and Warren L. Wagner, Flavonoid analysis of *Oenothera speciosa* (Onagraceae), 32:117–120
Aves, 1:89, 24:223–229, 32:85–91
Aves del estado de Queretaro, Mexico, notas sobre las, Adolfo G. Navarro Sigüenza, Livia León-Paniagua, y Blanca E. Hernández Baños, 36: 360–364
Avian biotic provinces of the Texas-Mexican borderlands: new techniques for synthetic resource assessment and mapping, Frederick R. Gehlbach, 33:129–136
Avian cavity-nesters in aspen, high density of, Ben Pinkowski, 25:560–562
Avian host records for some mesostigmatid nasal mites, new, Robert W. Mitchell, 6:103–105
Avian records from central Coahuila, México, primarily from the Cuatro Ciénegas area, Walter Kingsley Taylor, 11:136–137
Avian use of an oakbrush community in northern Utah, Carl D. Marti, 22: 367–374
Avicennia, 29:453
alba, 9:233
germinans, 22:47, 23:500, 25:315, 30: 397, 30:398, 30:400–402, 35:237, 36: 213, 36:215
nitida, 29:454
officinalis, 9:233
Avicenniaceae, 23:500
Avifauna of habitat islands in the Grand Canyon, Mary F. Willson and Steven W. Carothers, 24:563–575
Aviña, Clemencia E., see Alvarez, Ticul, —
Avoidance of antitranspirant by western mosquitofish, *Gambusia affinis affinis* (Pisces: Poeciliidae), Thomas E. McMahon and Boyd E. Kynard, 24: 87–91
Awaous
tajasica, 36:203, 36:207
transandeanus, 32:232, 35:45
Axiniphyllum tomentosum, 16:361
Axolotes maculata, 29:244
Axtell, Carol A., and Ralph W. Axtell, Hibernacula, birth and young of *Sceloporus grammicus disparilis* (Iguanidae), 14:363–366
Axtell, Ralph W., Amphibians and reptiles of the Black Gap Wildlife Management Area, Brewster County, Texas, 4:88–109
Axtell, Ralph W., An additional record for the bat Tadarida molossa from Trans-Pecos Texas, 6:52–53
Axtell, Ralph W., An easternmost record for the bat Choeronycteris mexicana from Coahuila, Mexico, 7:76
Axtell, Ralph W., and Robert G. Webb, New records for reptiles from Chihuahua, Mexico, with comments on sympatry between two species of Cnemidophorus, 8:50–51
Axtell, Ralph W., Female reaction to the male call in two anurans (Amphibia), 3:70–76
Axtell, Ralph W., Orientation by Holbrookia maculata (Lacertilia, Iguanidae) to solar and reflected heat, 5: 45–47
Axtell, Ralph W., see Axtell, Carol A., —
Ayala, Stephen C., and Jos. J. Schall, Apparent absence of blood parasites in southwestern Texas *Cnemidophorus*, 22:134–135
Ayala-Barajas, Ricardo, and Juan Carlos Morales, New species of *Hystrichopsylla* Tashenberg (Siphonaptera: Hystrichopsyllidae) from the state of Guerrero, México, 35:305–309
Ayenia microphylla, 22:343, 23:298
Aysha, 11:368, 30:121
decepta, 30:8
gracilis, 11:344, 11:368, 30:4, 30:10
Aytha affinis, 32:379
Aythya, 26:427
affinis, 5:107, 26:49, 31:364, 31:365
americana, 5:108, 14:177, 18:244, 24: 691, 25:567, 26:49, 26:233, 29:493, 31:365, 33:187, 34:495
collaris, 5:108, 31:364, 31:365
valisineria, 5:107, 18:195, 23:158, 31: 365
Aythyra affinis, 8:46
Azolla
caroliniana, 21:478, 23:548, 34:290
filiculoides, 26:418, 27:226
Azotobacter, 10:248, 10:249, 10:251, 12: 98
Aztlanolagus agilis, 33:391–396

Baar, Stephen L., Eugene D. Fleharty, and Michael F. Artman, Utilization of deep burrows and nests by cotton rats in west-central Kansas, 19:440–444
Baasher, Mustafa M., see West, Neil E., —
Baber, Daniel W., Gross antler anomaly in a California mule deer: the "cactus" buck, 32:404–406
Baca, Bart J., Elenor R. Cox, and L. O. Sorensen, Observations on several benthic marine algae from South Padre Island, Texas, 21:459–462
Baca, Ted P., see Studier, Eugene H., —
Baccarus, 35:116
Baccharis, 9:189–202, 11:316, 13:452, 16: 359, 19:79, 21:131, 23:188, 24:564, 27:24, 28:395, 29:73, 29:76, 34:264, 35:159, 35:181
alamani, 9:195
angustifolia, 9:189, 9:197, 9:202
bigelovii, 9:191, 9:198, 9:199
brachyphylla, 35:70
branchyphylla, 9:190, 9:191
caerulescens, 9:195
coerulescens, 16:361
conferta, 16:362
cuneifolia, 9:196
elegans, 16:362
emoryi, 9:202, 14:111, 18:431, 18:438, 34:261
ervendbergii, 16:382
farinosa, 9:195
fascieulata, 9:192
glutinosa, 1:54, 1:65, 8:183, 9:191, 9: 195, 11:396, 15:151, 15:160, 16:5, 16:361, 17:289, 20:217, 24:447, 28: 82, 28:83, 29:506, 33:275, 33:281, 35:18, 35:64, 35:70, 36:159
halimifolia, 9:190, 9:196, 24:64, 24:259, 26:351, 29:248, 29:250
havardii, 9:191, 9:200
heterophylla, 16:362
hirtella, 16:361, 16:362
longifolia, 9:195
neglecta, 9:189, 9:191, 9:197, 9:202, 14: 109, 14:110, 15:275, 15:277, 18:431, 18:438, 23:303–305, 30:400, 33:282, 36:215
oaxacanum, 16:362
pilularis, 9:191, 9:201, 35:15, 35:18
pingraea, 9:195
ptarmicaefolia, 9:199
pterinoides, 15:151
pteronicoides, 16:362
pteronioides, 9:190, 35:67, 35:70
ramulosa, 1:65, 9:192
salicifolia, 9:198, 26:417, 30:400, 34: 261, 34:262, 35:70
salicina, 2:169, 9:191, 9:198, 9:202, 15: 135, 15:415, 25:335, 35:434, 35:437, 35:438, 36:219
sarothroides, 9:202, 16:362, 24:603–612, 33:275–286, 33:426, 34:261, 34:263, 35:70
sergiloides, 24:605, 34:261–263
sordescens, 16:362
sulcata, 9:199

texana, 9:190, 9:193
thesioides, 9:191, 9:199, 35:70
trinervis, 16:362
vaccinioides, 16:362
viminea, 9:191, 9:201
viscosa, 9:195
wrightii, 9:190, 9:194
Baccharis (Compositae) in Oklahoma, Texas and New Mexico, W. F. Mahler and U. T. Waterfall, 9:189–202
Baccus, John, see Easterla, David A., —
Baccus, John T., Notes on the distribution of some mammals from Coahuila, Mexico, 23:707–708
Baccus, John T., Two noteworthy records of rodents from Baylor County, 13:362
Baccus, John T., see Wrenn, William J., —
Bacillaria paradoxa, 22:458, 26:315, 28:247, 35:209
Bacillariaceae, 8:229
Bacillarieae, 8:232
Bacillariophyceae, 17:244, 17:247, 18:99, 18:100, 20:45, 20:47, 20:49, 22:310, 23:51, 23:53, 23:56, 23:57, 25:411, 25:414, 25:416–420
Bacillariophyta, 17:18
Bacillus, 13:399, 15:426, 36:370, 36:371
brevis, 15:422
circulans, 15:422
fermus, 15:422
megaterium, 15:422
subtilis, 15:422
uniflagellatus, 13:349–352
Bacillus uniflagellatus: sp. n. its unusual characteristics, Elton W. Mann, 13:349–352
Backswimmer prey selection with observations on cannibalism (Hemiptera: Notonectidae), Frank G. Zalom, 23:617–622
Bacon, John, see Turner, B. L., —
Bacopa, 8:69, 8:70, 8:80, 15:415
monneri, 23:504, 25:315
monnieri, 22:38, 22:43, 33:171, 33:175
rotundifolia, 8:58, 15:415, 31:499
Bacteria, 15:419–428
Bactrurus hubrichti, 33:375
Bacular variation in kangaroo rats (genus *Dipodomys*) of the *heermanni* group in Baja California, Mexico, Troy L. Best, 25:529–534
Bacular variation in nutria from southern Louisiana, Frank Schitoskey, Jr., 16:454–457
Badger copulatory and agonistic behavior, observations of, Thomas M. Campbell, III, and Tim W. Clark, 28:107–108
Badger from Mexico, records of the, Rollin H. Baker and Michael K. Petersen, 14:251–252
Badger in Arkansas, occurrence of the, John A. Sealander, Jr., and Billy Joe Forsyth, 11:134
Badhamia
gracilis, 10:225
macrocarpa, 23:691
magna, 10:225
obovata, 16:146
panicea, 23:691
utricularis, 10:225
versicolor, 16:146
Baedon alleni, 10:75–76
Baedon alleni, *Rhogeessa tumida major* and *R. p. parvula* newly reported for Michoacan, with notes on the qualitative differentiation of the two rhogeessas, Ticul Alvarez and Clemencia E. Aviña, 10:75–76
Baeodon
alleni, 11:309, 11:310, 12:484, 16:449
meyeri, 11:308–310, 12:484–485
Baeodon meyeri (Chiroptera: Vespertilionidae) a new species of bat from Veracruz, Ronald H. Pine, 11:308–310
Baeodon meyeri Pine (Chiroptera: Vespertilionidae) referred to the genus *Antrozous* H. Allen, Ronald H. Pine, 12:484–485
Baeodromus
eupatorii, 16:366
holwayi, 16:377
Baeria chrysostoma, 27:371
Baespora myosura, 29:263
Baetidae, 15:99, 23:554, 25:251, 26:156, 31:17, 32:443, 34:181, 34:184, 34:253, 34:478, 35:253, 36:161, 36:162
Baetis, 8:136, 14:237, 14:242, 23:217, 23:219, 23:221, 23:223, 25:26, 25:142, 25:251, 25:381, 25:455, 25:550, 28:35, 28:39, 31:252, 33:178, 33:179, 33:181, 33:182, 34:181, 34:184, 34:185, 34:479, 34:480, 36:164, 36:166, 36:167
bicaudatus, 30:284
pygmaeus, 1:151
quilleri, 31:17, 34:315
tricaudatus, 28:130
Baetisca
lacustris, 31:396, 31:397
obesa, 31:396–398
Baetisca obesa (Say) (Ephemeroptera: Baetiscidae) in Southeast Texas and Southwest Louisiana, records of, Steven P. Lewis, 31:396–398
Baetiscidae, 31:396–398
Baetodes, 25:142, 25:147, 25:251, 25:381, 25:383
edmundsi, 31:17
Baeyens, Dennis A., see Dove, Laura B., —
Baglin, Raymond E., Jr., Surface phytoplankton and some aspects of the physical-chemical limnology of three areas on Lake Texoma, 17:11–19
Bagnara, Joseph T., see Frost, John S., —
Bagous, 8:170, 8:171
carinatus, 28:475
texanus, 26:162, 26:163
Bagre marinus, 1:100–104, 2:95
Bahia, 11:456, 11:459, 11:466, 15:184, 15:415, 21:528
absinthifolia, 1:67, 21:314, 21:315, 22:340, 22:341, 22:344, 23:296, 24:713, 35:65, 35:70
biternata, 21:315
dissecta, 27:329, 35:65, 35:70
oppositifolia, 21:362
pedata, 1:65, 15:178, 21:315, 23:296
woodhousei, 15:415
Bahti, Kurt F., see Krausman, Paul R., —
Bailey, D. K., and Tom Wendt, New pinyon records for northern Mexico, 24:389–390
Bailey, Edgar P., Notes on the development, mating behavior, and vocalization of captive ringtails, 19:117–119
Bailey, Horace H., see Harrell, Marsha Ridings, —
Bailey, Horace H., see Hubbs, Clark, —
Bailey, Horace H., see McDaniel, James S., —
Baileya
multiradiata, 1:67, 12:233, 17:172, 17:174, 17:176, 18:119, 18:122, 21:315, 22:341, 23:296, 35:67, 35:70
planiradiata, 18:122
Bain, George W., see Ruffner, George A., —
Baiomys, 5:197, 5:198, 15:229, 17:302, 26:126–128, 35:202, 35:310, 35:313
taylori, 4:17, 5:195, 5:196, 13:18, 13:362, 15:220, 15:226, 15:227, 16:437, 17:213–214, 19:284, 20:498, 20:505, 21:453, 21:454, 24:376, 24:707–708, 25:123, 27:459, 28:109, 28:379, 31:123–124, 31:281, 31:401, 31:540, 31:547, 31:547–548, 33:496–497, 35:158–162, 35:314, 36:114, 36:116, 36:344–346, 36:364–365
Baiomys taylori into Hardeman County, Texas, expansion of, Terry A. Austin and Julie A. Kitchens, 31:547–548
Baiomys taylori north of the Red River, first record of, Arthur G. Cleveland, 31:547
Baiomys taylori taylori (Thomas) in Texas, additional records of, Victor E. Diersing and James E. Diersing, 24:707–708
Bairdiella
chrysoura, 28:465, 34:340, 36:206

chrysura, 1:100, 1:103, 1:163, 20:462, 20:463
Baker, Charles V., see Powell, Jeff, —
Baker, E. W., T. M. Evans, D. J. Gould, W. B. Hull, and H. L. Keegan, A manual of parasite mites (rev.), 1: 140
Baker, Edward W., Joseph H. Camin, F. Culiffe, T. A. Woolley, and Conrad E. Yunker (eds.), Guide to the families of mites (rev.), 3:238–239
Baker, J. R., Extensions of the known range of *Corbicula manilensis* (Pelecypoda: Corbiculidae) in Texas, 23:536
Baker, James K., and Paul F. Spangle, Some observations on the flight habits of Mexican freetail bats, 7:76–77
Baker, James K., Distribution of and key to the neotenic *Eurycea* of Texas, 6: 27–32
Baker, James K., see Raun, Gerald G., —
Baker, Lee R., and W. Glen Bradley, Tantilla utahensis Blanchard in Clark County, Nevada, 11:308
Baker, Mary W., see Baker, Rollin H., —
Baker, R. L., and B. E. Dahl, Determining vigor of natural and planted stands of sea oats on the Texas Gulf Coast, 26:117–123
Baker, Robert J., and Genaro Lopez, Notes on some bats of Tamaulipas, 13:361–362
Baker, Robert J., and J. Knox Jones, Jr., *Tadarida aurispinosa* in Sonora, Mexico, 17:308–309
Baker, Robert J., and James T. Mascarello, Chromosomes of some vespertilionid bats of the genera *Lasiurus* and *Plecotus*, 14:249–251
Baker, Robert J., and Lee Christianson, Notes on bats from Sonora, Mexico, 11:310–311
Baker, Robert J., and Richard K. Barnett, Karyotypic orthoselection for additions of heterochromatic short arms in grasshopper mice (*Onychomys*: Cricetidae), 26:125–131
Baker, Robert J., and T. C. Hsu, Chromosomes of the desert shrew, *Notiosorex crawfordi* (Coues), 14:448–449
Baker, Robert J., Karyotypes of bats of the family Phyllostomidae and their taxonomic implications, 12:407–428
Baker, Robert J., see Haiduk, Michael W., —
Baker, Robert J., see Irwin, David W., —
Baker, Robert J., see Parker, Laurie E., —
Baker, Robert J., see Qumsiyeh, Mazin B., —
Baker, Rollin H., A new subspecies of pallid bat (Chiroptera: Vespertilionidae) from northeastern Mexico, 12:329–330
Baker, Rollin H., and Daniel Womochel, Mammals from southern Oaxaca, 11:306
Baker, Rollin H., and Michael K. Petersen, Records of the badger from Mexico, 14:251–252
Baker, Rollin H., and Robert L. Fleming, Birds near La Pesca, Tamaulipas, Mexico, 7:253–261
Baker, Rollin H., Barn owl prey selection: 1938 and 1984, 31:401
Baker, Rollin H., Mammalian prey of the common barn-owl (*Tyto alba*) along the Texas coast, 36:343–347
Baker, Rollin H., Mary W. Baker, Jerry D. Johnson, and Robert G. Webb, New records of mammals and reptiles for northwestern Zacatecas, Mexico, 25:568–569
Baker, Rollin H., Predation by great horned owl (Bubo virginianus) on young Mexican freetailed bats (Tadarida brasiliensis mexicana) in Major County, Oklahoma, 9:205
Baker, Rollin H., see Crossin, Richard S., —
Baker, Rollin H., see Dalby, Peter L., —
Baker, Rollin H., see Matson, John O., —
Baker, Rollin H., see Mollhagen, Tony, —
Baker, Rollin H., see Webb, Robert G., —
Balaena
glacialis, 17:214–215
gracilis, 18:453, 18:461
Balaenoptera
acutorostrata, 21:409
borealis, 18:461, 21:409
edeni, 21:409–410
musculus, 18:453, 18:460, 18:461
physalus, 18:453, 18:460, 18:461, 21: 409
Balanteodrilus pearsei, 15:267
Balantiopteryx
io, 15:221, 15:228
plicata, 10:75, 15:221, 16:449, 22:401–403, 32:134, 32:364
Balanus, 8:135
Balda, R. P., see Ditsworth, T. M., —
Balda, R. P., see Hessing, M. B., —
Baldassarre, Guy A., and Eric G. Bolen, Body weight and aspects of pairing chronology of green-winged teal and northern pintails wintering on the southern High Plains of Texas, 31: 361–366
Balderas, Salvador Contreras, see Lozano, Ma. de Lourdes, —
Balding, F. R., and G. L. Cunningham, The influence of soil water potential on the perennial vegetation of a desert arroyo, 19:241–248
Baldridge, Robert S., and Joseph DeGraffenreid, *Pseudomyrmex* sp. (Hymenoptera: Formicidae) nesting in mimosa (*Albizia julibrissin* Dur.), 33:112–114
Baldridge, Robert S., see Watkins, Julian F., II, —
Ballinger, Royce E., and Ruth A. Ballinger, Food resource utilization during periods of low and high food availability in *Sceloporus jarrovi* (Sauria: Iguanidae), 24:347–363
Ballinger, Royce E., Evolution of life history strategies: implications of recruitment in a lizard population following density manipulations, 21: 203–208
Ballinger, Royce E., Food limiting effects in populations of *Sceloporus jarrovi* (Iguanidae), 25:554–557
Ballinger, Royce E., Reproduction, population structure, and effects of congeneric competition on the crevice spiny lizard, *Sceloporus poinsetti* (Iguanidae), in southwestern New Mexico, 23:641–649
Ballinger, Royce E., see McKenney, Charles O., —
Ballinger, Ruth A., see Ballinger, Royce E., —
Balph, D. F., see Montgomery, S. J., —
Balph, David F., see Knopf, Fred L., —
Balsaminaceae, 10:212
Baltimora, 9:36, 16:375
recta, 9:31, 12:149, 16:362
Baltosser, William H., and Troy L. Best, Seasonal occurrence and habitat utilization by lizards in southwestern New Mexico, 35:377–384
Baltosser, William H., see Hatch, Michael D., —
Bambusa, 4:119
vulgaris, 12:86
Band recoveries of bats from Puebla, Mexico, distributional records and, Richard K. LaVal, 16:449–451
Banding returns and activity periods of some Costa Rican bats, Richard K. LaVal, 15:1–10
Bane, Carol A., and Owen T. Lind, The benthic invertebrate standing crop and diversity of a small desert stream in the Big Bend National Park, Texas, 23:215–225
Banicki, Leroy H., and Robert G. Webb, Morphological variation of the Texas lyre snake (Trimorphodon biscutatus vilkinsoni) from the Franklin Mountains, West Texas, 27:321–324

Banicki, Leroy H., Prey impaling by black-billed magpie, 32:283
Banner, Roger E., see Pieper, Rex D., —
Banta, Benjamin H., and Patrick J. Marer, Black petrel impaled on a century plant, 19:215
Banta, Benjamin H., see Armstrong, David M., —
Baptisia, 21:523
leucantha, 7:170, 12:347
leucophaea, 7:169, 22:37, 22:137, 23:502, 25:316, 32:35, 36:123
minor, 2:163, 4:57, 7:169
Baptista, F. Christopher, A portable carbon dioxide anesthetizer for spiders, 34:288–289
Barbarea vulgaris, 18:241
Barbay, Curtis J., see Knight, Marion T., —
Barber, Susan C., Floristic components of the gypsum hills and redbed plains area of southwestern Oklahoma, 24:431–437
Barber, Willard E., and W. L. Minckley, Feeding ecology of a southwestern cyprinid fish, the spikedace, *Meda fulgida* Girard, 28:33–40
Barber, Willard E., and W. L. Minckley, Fishes of Aravaipa Creek, Graham and Pinal counties, Arizona, 11:313–324
Barber, Willard E., see Minckley, W. L., —
Barbour, Roger W., see Davis, Wayne H., —
Barbour, Roger W., see Hardin, James W., —
Barbula (Musci) from the Southwest, two new species of, Howard Crum, 1:35–38
Barbula
acuta, 3:116, 31:398
bescherellei, 3:116
convoluta, 1:36
cruegeri, 1:38
eustigia, 1:36
haringae, 1:35–38
hypselostegia, 1:38
rigida, 3:114, 3:119
vinealis, 3:116
whitehouseae, 1:35–38, 30:151–152
Baris interstitailis, 28:475
Barisia, 15:37
imbricata, 16:228, 30:89, 30:93
Barker, Marcus S., Jr., and Troy L. Best, The wolverine (*Gulo luscus*) in Nevada, 21:133
Barker, W. T., see McGregor, Ronald L., —
Barkley, T. M., Intergradation of *Senecio* sections *Aurei*, *Tomentosi* and *Lobati*, through *Senecio mutabilis* Greenm. (Compositae), 13:109–115
Barlow, Jon C., and Roy Johnson, Current status of the elf owl in the southwestern United States, 12:331–332
Barlow, Jon C., see Johnson, A. Roy, —
Barlow, Richard, see Anderson, Sydney, —
Barn owl pellet analysis in northwestern Harris County, Texas, Nannette Goyer, Albert L. Barr, and Alan R. P. Journet, 26:202–204
Barn owl pellets and small mammal populations near Mathis, Texas, in 1956 and 1959, Gerald G. Raun, 5:194–200
Barn owl prey selection: 1938 and 1984, Rollin H. Baker, 31:401
Barnacle goose in Oklahoma, Richard E. Marquardt, 5:228
Barnacle goose in Texas, a specimen record of the, Eric G. Bolen, 32:506–507
Barnea costata, 16:438
Barneby, R. C., A new Texano-Mexican species of *Dalea* (Leguminosae), 15:389–391
Barnett, Richard K., see Baker, Robert J., —
Barnwell, George M., *Geoplana vaga*: a sexually-reproducing terrestrial planarian in San Antonio, 23:151–152
Barr, Albert L., see Goyer, Nannette, —
Barr, Mary L., and Loren D. Potter, Chlorophylls and carotenoids in aspen bark (*Populus tremuloides*), 19:147–154
Barr, Thomas C., Jr., and James R. Reddell, The arthropod cave fauna of the Carlsbad Caverns region, New Mexico, 12:253–273
Barrel cacti consumption by desert bighorn sheep, Greg D. Warrick and Paul R. Krausman, 34:483–486
Barrell, Joseph, The Red Hills of Kansas (rev.), 22:407
Barrett, Sheryl L., and Jeffrey A. Humphrey, Agonistic interactions between *Gopherus agassizii* (Testudinidae) and *Heloderma suspectum* (Helodermatidae), 31:261–263
Barrientos, Rosario, see Schneider, Edward L., —
Barroetea, 16:363
laxiflora, 16:362
subuligera, 16:362
Bartlettia, 8:117–120
scaposa, 8:117–119
Bartramia longicauda, 14:361–362, 17:211, 36:110
Bartush, William S., see Litvaitis, John A., —
Basiaeschna janata, 2:3, 2:13, 4:132
Basicladia, 14:39, 23:446
crassa, 23:440
Basidiobolus
microsporus, 18:93, 18:94
ranarum, 18:93–94
Basileuterus
culicivorus, 4:77, 4:79, 4:80
rufifrons, 18:199
Basilia
antrozoi, 20:241, 20:245, 20:246, 20:250
corynorhini, 20:241, 20:244, 20:246, 20:248
forcipata, 13:445, 20:241, 20:245, 20:249, 20:250
rondanii, 20:241, 20:244–246, 20:248–250
Basiliscus vittatus, 3:90, 14:130, 23:685, 35:277
Basommatophora, 5:155, 21:241–242
Bass, J. Carl, James R. Triplett, and Wm. T. Waller, Fishes in the Kansas segment of the west fork of Drywood Creek, 15:138–141
Bass, J. Carl, see Tafanelli, Robert J., —
Bassareus, 10:1
Bassaricus astutus, 10:310–311
Bassariscus, 32:237, 32:238
astutus, 6:23, 7:240, 13:20, 19:117–119, 20:499, 23:707, 26:23–30, 26:262, 26:263, 26:279, 26:283, 26:328, 28:317, 28:318, 28:321, 30:311–312, 35:233, 35:344, 35:345, 36:103, 36:307
sonoitensis, 34:278, 34:279, 35:343–346
sumichrasti, 35:344
Bassia hyssopifolia, 2:125, 16:205
Bat Choeronycteris mexicana from Coahuila, Mexico, an easternmost record for the, Ralph W. Axtell, 7:76
Bat flights over a pond, George J. Vanalek, 14:360–361
Bat records from Zacatecas, Mexico, two, Troy L. Best, J. Keever Greer, and Frederick F. B. Elder, 17:97–98
Bat species from the Kaibab Plateau, Arizona, with a new record of *Euderma maculatum*, seven, Howard J. Berna, 35:354–356
Bat Tadarida molossa from Trans-Pecos Texas, an additional record for the, Ralph W. Axtell, 6:52–53
Bateman, Gary C., see Duke, Stephen D., —
Bateman, Martha M., see Duke, Stephen D., —
Bathybembix bairdii, 27:260
Bathygobius soporator, 36:207
Bathysiredon, 13:370
Batidaceae, 23:500
Batis maritima, 23:500, 25:315, 25:319, 36:122
Batophora, 14:368, 24:314, 24:540
oerstedi, 21:460–462
Batrachobdella, 25:140
Batrachoides goldmani, 32:229

Batrachoididae, 32:226, 32:229
Batrachoseps attenuatus, 20:455
Batrachospermaceae, 11:202
Batrachospermum crouanianum, 11:202
Batracobdella
phalera, 15:271
picta, 15:271
Bats for Oklahoma, two noteworthy records of, Bryan P. Glass, 6:200–201
Bats from Arizona and Sinaloa, additional records of, David W. Irwin and Robert J. Baker, 12:195
Bats from Chihuahua, Mexico, a collection of, W. Glen Bradley and Roger A. Mauer, 10:74–75
Bats from Chihuahua, two noteworthy records of, Robert L. Packard and Frank W. Judd, 12:330
Bats from Sonora, Mexico, notes on, Robert J. Baker and Lee Christianson, 11:310–311
Bats from Tamaulipas, Mexico, noteworthy records of, Jerry R. Choate and Percy L. Clifton, 14:358–360
Bats from the Fronteriza Mountains, Coahuila, Mexico, a collection of, David A. Easterla and John Baccus, 17:424–427
Bats from the Huachuca Mountains, Arizona, notes on a collection of, Henry F. Howe and James Alden Lackey, 20:145–147
Bats from Utah, additional records of, Earl G. Zimmerman, 15:263–264
Bats from western South Dakota, additional notes on, Ronald W. Turner and J. Knox Jones, Jr., 13:444–447
Bats of Tamaulipas, notes on some, Robert J. Baker and Genaro Lopez, 13: 361–362
Batts, Jeanne Hines, Anatomy and life cycle of the snail Rumina decollata (Pulmonata: Achatinidae), 2:74–82
Battus philenor, 29:18
Bauerus dubiaquercus, 31:534, 33:385
Bauerus dubiaquercus (Chiroptera: Vespertilionidae) in Mexico, additional records of, Julio Juarez G., Teresa Jimenez A., and Daniel Navarro L., 33:385
Baugh, Thomas, Jack E. Williams, David A. Buck, and James E. Deacon, New distributional records for *Cyprinodon nevadensis mionectes*, an endangered pupfish from Ash Meadows, Nevada, 31:544–546
Bauhinia, 13:210
chlorantha, 12:151
dipetala, 13:104
divaricata, 18:74
pauletia, 12:152
pringlei, 12:151
purpurea, 13:230, 18:432, 18:438
subrotundifolia, 13:104
ungulata, 12:152
variegata, 9:164
Bauhinia (Leguminosae) from Mexico, two new varieties of, R. P. Wunderlin, 13:104
Baumann, Richard W., *Amphinemura reinerti*, a new stonefly from northern Mexico (Plecoptera: Nemouridae), 20:517–521
Baumann, Richard W., and Carl A. Olson, Confirmation of the stonefly genus *Anacroneuria* (Plecoptera: Perlidae) from the Nearctic region with the description of a new species from Arizona, 29:489–492
Baumann, Richard W., see Sargent, Bradley J., —
Baumgardner, George D., A recent specimen of the Texas kangaroo rat, *Dipodomys elator* (Heteromyidae), from Oklahoma, 32:285–286
Baumgardner, George D., and David J. Schmidly, Microhabitat relationships of kangaroo rats (*Dipodomys compactus* and *D. ordii*) in southern Texas, 30:315–317
Baumgardner, George D., see Kennedy, Michael L., —
Bayn, Robert L., Jr., see Grant, C. Val, —
Bazán, Evangelina, see Neumann, Alan J., —
Bdellidae, 21:278, 28:419, 29:239–241
Beaching of a live pygmy sperm whale, (*Kogia breviceps*) at Port O'Connor, Texas, Bruce T. Hysmith, Robert L. Colura, and Joe C. Kana, 21:409
Beadles, John K., The spotfin shiner in northeastern Arkansas, 19:219–220
Beadles, John K., see Hanebrink, Earl L., —
Beadles, John K., see Tumlison, Renn, —
Beak of a juvenal little blue heron (*Florida caerulea*), abnormality in the, Earl L. Hanebrink and John K. Beadles, 15:495–496
Beale, D. M., see Clary, W. P., —
Bealia, 34:61
Beaman, J. H., see Harcombe, P. A., —
Beasley, Clark W., Some tardigrades from Mexico, 17:21–29
Beasley, Clark W., Tardigrada from Gunnison Co., Colorado, with the description of a new species of *Diphascon*, 35:302–304
Beasom, Samuel L., and Rebecca A. Moore, Bobcat food habit response to a change in prey abundance, 21: 451–457
Beattie, Andrew J., see Turnbill, Christina L., —
Beauveria bassiana, 34:209
Beaver activity in an extreme environment, observations of, Peter F. Ffolliott, Warren P. Clary, and Frederic R. Larson, 21:131–133
Beavers, Randell A., First specimen of Allen's hummingbird, *Selasphorus sasins* (Trochilidae), from Texas, 22: 285
Beavers, Randell A., Food habits of the western diamondback rattlesnake, *Crotalus atrox*, in Texas (Viperidae), 20:503–515
Beavis, William D., John C. Owens, John A. Ludwig, and Ellis W. Huddleston, Grassland communities of east-central New Mexico and density of the range caterpillar, *Hemileuca oliviae* (Lepidoptera: Saturniidae), 27: 335–343
Bebbia juncea, 10:67, 35:70, 36:305
Bechler, David L., Courtship behavior and spermatophore deposition by the subterranean salamander, *Typhlomolge rathbuni* (Caudata, Plethodontidae), 33:124–126
Bechtel, R. C., L. M. Hanks, and R. W. Rust, Coleoptera of Sand Mountain and Blow Sand Mountains, Nevada, 28:473–478
Beck, Reldon F., see Fatehi, Mohammad, —
Beck, Thomas D. I., Kenneth R. Kincaid, and Dale F. Reed, Accidental parturition in a mule deer, 23:705–706
Becvar, James E., see Reid, William H., —
Bedding and nesting material gathering in rock squirrels, *Spermophilus* (*Otospermophilus*) *variegatus grammurus* (Say) (Sciuridae) in the Chiricahua Mountains of Arizona, André L. Steiner, 20:363–370
Bedinger, C. A., Jr., see Meade, T. G., —
Bedinger, C. A., Jr., see Meade, Thomas G., —
Bednarz, James C., and Joseph A. Cook, Distribution and numbers of the white-sided jackrabbit (*Lepus callotis gaillardi*) in New Mexico, 29: 358–360
Bednarz, James C., Ecology and status of the Pecos gambusia, *Gambusia nobilis* (Poeciliidae), in New Mexico, 24:311–322
Beer, James R., The interparietal in kangaroo rats, 10:145–150
Beetle's mechanical defense against an avian predator, a, John S. Coons, 29:503
Behavior and disruptive coloration in the New Mexico gartersnake *Thamnophis sirtalis ornata*, Thomas R. Van Devender, 18:247–248
Behavior and movement patterns of the

tree lizard *Urosaurus ornatus* (Sauria: Iguanidae) in semi-natural enclosures, Naida Zucker, 32:321–333
Behavior and population structure of the damselfly, *Enallagma civile* (Hagen) (Odonata: Coenagriidae), George H. Bick and Juanda C. Bick, 8:57–84
Behavior of some bembicine wasps of southern Arizona (Hymenoptera: Sphecidae, *Microbembex*, *Glenostictia*, *Xerostictia*), the, John Alcock, 20:337–342
Behavior of visitors at insect-produced analogues of extrafloral nectaries on *Baccharis sarothroides* Gray, Kenneth Naganuma and Henry A. Hespenheide, 33:275–286
Behavioral avoidance of acidic lakewater by bluegill, *Lepomis macrochirus* (Centrarchidae), Phillip J. Prete, Thomas L. Beitinger, and Jack A. Stanford, 26:433–436
Behavioral differentiation between two species of cactophilic *Drosophila*. II. Pupation site preference, James C. Fogleman and Therese A. Markow, 27:315–320
Behavioral ecology of the slave-making ant, *Polyergus breviceps*, in a desert habitat, Howard Topoff, Maria Inez-Pagani, Lisa Mack, and Myrna Goldstein, 30:289–295
Behavioral interactions of deer and some other mammals, Edwin D. Michael, 12:156–162
Behavioral reactions of bullfrogs while attempting to eat toads, Lauren E. Brown, 19:335–337
Behrends, Philip R., Copulatory behavior of *Dipodomys microps* (Heteromyidae), 25:562–563
Behrends, Philip, Utilization of seed dispersions by two sympartic kangaroo rat species, 31:548–551
Behria tenuiflora, 35:78
Beitinger, T. L., see Calhoun, S. W., —
Beitinger, Thomas L., see Prete, Phillip J., —
Beley, J. R., T. M. Ditsworth, S. M. Butt, and C. D. Johnson, Arthropods, plants and transmission lines in Arizona: community dynamics during secondary succession in a pinyon-juniper chaparral habitat, 27: 325–333
Beley, J. R., see Ditsworth, T. M., —
Belfit, Scott C., and Victoria F. Belfit, Notes on the ecology of a population of *Eumeces obsoletus* (Scincidae) in New Mexico, 30:612–614
Belfit, Victoria F., see Belfit, Scott C., —
Belk, Denton, and David R. Lindberg, First freshwater animal reported for Isla de Guadalupe represents a southern range extension for *Branchinecta lindahli* (Crustacea: Anostraca), 24:390–391
Belk, Denton, and Mary Schug Belk, Hatching temperatures and new distributional records for *Caenestheriella setosa* (Crustacea, Conchostraca), 20:409–411
Belk, Denton, *Brachinecta potassa* new species (Crustacea: Anostraca), a new fairy shrimp from Nebraska, U. S. A., 24:93–95
Belk, Denton, Evolution of egg size strategies in fairy shrimps, 22:99–105
Belk, Denton, Key to the Anostraca (fairy shrimps) of North America, 20:91–103
Belk, Denton, New fairy shrimp distribution records among collections at the California Academy of Sciences, 28:380–381
Belk, Denton, The biology and ecology of *Eulimnadia antlei* Mackin (Conchostraca), 16:297–305
Belk, Mary Schug, see Belk, Denton, —
Bell, Michael W., and Donald A. Klebenow, Hurricane impact on bobwhite cover, 17:433–435
Bell, Robert A., Patrick V. Athey, and Milton R. Sommerfeld, Distribution of endolithic algae on the Colorado Plateau of northern Arizona, 33:315–322
Bellah, R. Glenn, and Lloyd C. Hulbert, Forest succession on the Republican River floodplain in Clay County, Kansas, 19:155–166
Bellis perennis, 9:30
Belonesox, 32:233
belizanus, 32:229
Belonidae, 28:103, 32:226, 32:229
Beloperone
californica, 12:146, 23:607, 23:609, 23: 611
purpusii, 12:146
Belostoma, 8:60, 8:65, 8:77, 8:135, 10:77, 23:554
dilatata, 22:120
flumineum, 9:100, 14:237, 26:156
lutarium, 9:100
Belostomatidae, 9:100, 12:383, 22:115–123, 23:554, 25:273, 26:156, 28:190, 29:455
Belostomidae, 30:604
Belvosia bifasciata, 28:384
Bembidion
approximatum, 28:474
bifossulatum, 28:474
coloradense, 28:474
comsimile, 28:474
dejectum, 28:474
henshawi, 28:474
impotens, 28:474
incertum, 15:323
insulatum, 26:157
mormon, 28:474
nigripes, 28:474
nitidum, 15:323, 15:325
obscurellum, 28:474
praecinctum, 28:474
rapidum, 15:323
rupicola, 28:474
scudderi, 28:474
Bembix, 20:341
Bemesia tabaci, 36:51
Bemis, W. P., see Groff, David, —
Benes, Elinor S., Helminth parasitism in some central Arizona lizards, 30:467–473
Bennett, Charles, and R. John Taylor, Notes on the lesser siren, *Siren intermedia* (Urodela), 13:455–457
Bennett, James W., see Bolen, Eric G., —
Benshoff, Lee, Terry L. Yates, and Jeffery W. Froehlich, Noteworthy records of mammals from eastern Honduras, 29:511–514
Benson, Karen L. P., see Conway, Dawn K., —
Benthic invertebrate standing crop and diversity of a small desert stream in the Big Bend National Park, Texas, the, Carol A. Bane and Owen T. Lind, 23:215–225
Benthic invertebrates, 30:279–287
Benthic macroinvertebrates of Boomer Lake, Payne County, Oklahoma, Richard E. Craven and Bradford E. Brown, 14:221–230
Benthic macroinvertebrates of the Otter Creek drainage basin, northcentral, Oklahoma, Richard C. Harrel, 14: 231–248
Benthic marine algae from South Padre Island, Texas, observations on several, Bart J. Baca, Elenor R. Cox, and L. O. Sorensen, 21:459–462
Benthic metabolism in a perennial and an intermittent Texas prairie stream, B. H. Hill and T. J. Gardner, 32: 305–311
Benton, Allen H., and Herbert E. Shadowen, Occurrence of Pulex simulans Baker in Louisiana, 5:103–104
Beobidessus pullus, 31:523
Bequaert, Joseph C., and Walter B. Miller, The mollusks of the arid Southwest with an Arizona check list (rev.), 18:360–361
Berberidaceae, 1:63, 11:238–244, 23:296, 32:483–487, 35:64, 35:71
Berberis, 7:179, 11:238, 11:239, 12:73, 12: 78, 27:329, 36:305
albicans, 32:483–487
fendleri, 8:188
fremontii, 10:310
haematocarpa, 1:56, 1:63, 8:181, 8:188,

15:153, 15:160, 17:171, 17:173, 17:174, 19:59, 22:345, 22:346, 22:348, 23:294, 24:130, 24:133, 24:135, 24:137, 26:366
repens, 8:188
trifoliata, 16:12
trifoliolata, 8:181, 10:258, 17:192, 23:10, 23:291, 23:294, 23:296, 23:299, 24:130, 24:135, 24:168, 24:170, 24:171, 25:365, 25:479, 26:291, 34:428
trifolioliata, 22:348
wilcoxii, 35:64, 35:71
Berchemia scandens (Hill) K. Koch (Rhamnaceae) in Chiapas: detailed locality data, A. J. Sharp and Marshall C. Johnston, 11:301–302
Berchemia scandens, 11:301–302, 12:345, 20:327, 20:329
Berendtia
coulteri, 4:208
ghiesbreghtiana, 4:209
levigata, 4:209
rugosa, 4:209
spinulosa, 4:209
Berendtiella
coulteri, 4:208
levigata, 4:209
rugosa, 4:209
spinulosa, 4:209
Berg, William N., see Anderson, Sydney, —
Berger, Joel, Sympatric and allopatric relationships among desert bighorn sheep and feral equids in Grand Canyon, 22:540–543
Bergerocactus emoryi, 35:28
Bergey, Elizabeth, see Gray, Lawrence J., —
Bergia, 15:414
texana, 15:414
Bergstrom, Bradley J., and Robert S. Hoffmann, Distribution and diagnosis of three species of chipmunks (*Tamias*) in the Front Range of Colorado, 36:14–28
Berlandiera, 1:132, 18:119
betonicifolia, 1:129, 1:131
dealbata, 1:125, 1:129, 1:131
longifolia, 1:131
lyrata, 1:125–128, 1:130, 18:121, 21:314
pumila, 1:125–131
subacaulis, 1:128
texana, 1:125–131, 2:169, 12:347
tomentosa, 1:129
Berlese funnel for collecting mammalian and avian ectoparasites, a modified, J. A. Sealander and C. E. Hoffman, 1:134–136
Berna, Howard J., First record of the ermine (*Mustela erminea*) in Arizona, 36:245–246
Berna, Howard J., Seven bat species from the Kaibab Plateau, Arizona, with a new record of *Euderma maculatum*, 35:354–356
Bernardia
incana, 36:305
obovata, 10:258, 23:291, 23:297
Bernardii, 32:35
Bernstein, Ruth A., Comparative worker size and reproductive output of subpopulations of the alpine ant, *Formica gelida* Wheeler (Formicidae), 29:423–427
Berosus, 14:224, 14:226, 23:555, 25:249, 25:253, 25:393, 25:394
exiguus, 12:383, 12:388, 26:157, 31:523
infuscatus, 12:383, 25:250
miles, 12:383, 12:388, 12:390, 12:403, 26:157
peregrinus, 14:238, 14:243
rugulosus, 12:383
stramineus, 12:383, 12:403
striatus, 31:523
styliferus, 12:372, 12:383, 12:388, 12:390, 12:398, 12:403, 26:157, 28:475
subsignatus, 25:250
Berry, Charles R., Jr., Effects of cold shock on Colorado squawfish larvae, 33:193–197
Berry, Charles R., Jr., see McAda, Charles W., —
Berthellina engeli, 18:166
Bertsch, Hans, and Alberic A. Smith, Observations on three opisthobranchs (Mollusca: Gastropoda) of the La Paz area, Baja California, Mexico, 18:165–176
Berula erecta, 33:170, 33:171, 33:175
Berwick, Stephen, see Daneke, Dennis, —
Besseya, 24:380
Best, Troy L., and Barbara Hoditschek, Analysis of cheek pouch contents of Ord's kangaroo rat (*Dipodomys ordii*), 27:117–119
Best, Troy L., and Gary S. Pfaffenberger, Age and sexual variation in the diet of collared lizards (*Crotaphytus collaris*), 32:415–426
Best, Troy L., and Michael L. Kennedy, The broad-tailed bat (*Tadarida laticaudata*) in Colima, Mexico, 29:360–361
Best, Troy L., and Paul J. Polechla, Foods of the Texas spotted whiptail lizard (*Cnemidophorus gularis*) in New Mexico, 28:376–377
Best, Troy L., and Richard A. Smartt, Feeding ecology of mourning doves (*Zenaida macroura*) in southeastern New Mexico, 31:33–38
Best, Troy L., Bacular variation in kangaroo rats (genus *Dipodomys*) of the *heermanni* group in Baja California, Mexico, 25:529–534
Best, Troy L., Barbara Hoditschek, and Howard H. Thomas, Foods of coyotes (*Canis latrans*) in Oklahoma, 26:67–69
Best, Troy L., Harold A. Smith, and Steven Erkenbeck, Scissor-tailed flycatcher (*Muscivora forficata*) in Baja California, Mexico, 19:439–440
Best, Troy L., J. Keever Greer, and Frederick F. B. Elder, Two bat records from Zacatecas, Mexico, 17:97–98
Best, Troy L., Notes on the distribution and ecology of five eastern New Mexico mammals, 16:210–211
Best, Troy L., Sexual dimorphism and morphometric variation in the Texas kangaroo rat (*Dipodomys elator* Merriam 1894), 32:53–59
Best, Troy L., see Baltosser, William H., —
Best, Troy L., see Barker, Marcus S., Jr., —
Best, Troy L., see Hoditschek, Barbara, —
Best, Troy L., see Kennedy, Michael L., —
Best, Troy L., see Pfaffenberger, Gary S., —
Best, Troy L., see Thomas, Howard H., —
Best, Troy L., see Weckerly, Floyd W., —
Bestgen, Kevin R., and David L. Propst, Distribution, status, and notes on the ecology of *Gila robusta* (Cyprinidae) in the Gila River Drainage, New Mexico, 34:401–412
Bestgen, Kevin R., and Steven P. Platania, Status and conservation of the Rio Grande silvery minnow, *Hybognathus amarus*, 36:225–232
Bestgen, Kevin R., Dean A. Hendrickson, Dennis M. Kubly, and David L. Propst, Movements and growth of fishes in the Gila River Drainage, Arizona and New Mexico, 32:351–356
Bestgen, Kevin R., Distribution and notes on the biology of *Phoxinus eos* (Cyprinidae) in Colorado, 34:225–231
Bestgen, Kevin R., Kurt D. Fausch, and Steve C. Riley, Rediscovery of a relict southern population of lake chub, *Couesius plumbeus*, in Colorado, 36:125–127
Bestgen, Kevin R., see Platania, Steven P., —
Beta vulgaris, 18:331
Betaceae, 36:122
Betaeus
harfordi, 29:64
macginitieae, 29:64
Bethylidae, 29:53
Betula

nigra, 9:42, 18:430, 18:437, 18:441, 29: 83, 36:172
occidentalis, 29:234, 34:41, 34:478
papyrifera, 34:354
Betulaceae, 18:430, 18:438
Bezy, Robert L., see Cortés, Rafael Aguilar, —
Bezzia, 14:238, 14:244, 23:139
setulosa, 12:375
Biacetabulum giganteum, 24:686
Bibiocephala, 25:27
Bich, Howard, see Gabel, Mark L., —
Bick, George H., Additional dragonflies (Odonata) from Arkansas, 4:131–133
Bick, George H., and Juanda C. Bick, An adult population of *Lestes disjunctus australis* Walker (Odonata: Lestidae), 6:111–137
Bick, George H., and Juanda C. Bick, Behavior and population structure of the damselfly, *Enallagma civile* (Hagen) (Odonata: Coenagriidae), 8:57–84
Bick, George H., and Juanda C. Bick, The Odonata of Oklahoma, 2:1–18
Bick, Juanda C., see Bick, George H., —
Bickham, J. M., M. D. Springer, and B. J. Gallaway, Distributional survey of the yellow mud turtle (*Kinosternon flavescens*) in Iowa, Illinois, and Missouri: a proposed endangered species, 29:123–132
Bickham, John W., and James A. MacMahon, Feeding habits of the western whiptail lizard, *Cnemidophorus tigris*, 17:207–208
Bickham, John W., see Christiansen, James L., —
Biddulphia
laevis, 22:413, 23:91, 23:93
leavis, 10:39
Bidens, 5:15, 15:183, 16:365, 18:119
aurea, 16:362, 33:175, 35:70
bigelovii, 15:177
comosa, 18:342
frondosa, 12:139
heterophylla, 12:149, 16:362
laevis, 18:122, 33:175
lemmoni, 24:291, 24:294
leptocephala, 35:70
leucantha, 12:149, 16:362
pilosa, 9:33, 9:37, 12:149, 16:362
polylepis, 7:170, 10:212
squarrosa, 12:149, 16:363
Bidessus, 23:555
Bidwell, T. G., see Engle, D. M., —
Bielbergia, 6:100
Bifora americana, 4:58, 31:369
Big brown bats (*Eptesicus fuscus*) from northwestern Texas, additional comments on, J. Knox Jones, Jr., and Richard W. Manning, 35:342–343
Big free-tailed bat (*Tadarida macrotis*) taken in south-central Kansas, a, H. A. Hays, Kathy Phillips, and Glen Salsbury, 23:537–538
Big free-tailed bat (*Tadarida macrotis*) taken in Southeast Kansas, a, Horace A. Hays and Patrick H. Ireland, 12:196
Big Thicket Agaricales, studies on, David P. Lewis and J. Leon McGraw, Jr., 29:257–264
Bigelow, 33:454
Bigelowia, 25:201
Bighorn sheep, early breeding in, John R. Morgart and Paul R. Krausman, 28:460–461
Bignoniaceae, 1:67, 1:88, 2:126, 2:168, 18:430, 18:438, 22:341, 23:296, 26: 353, 35:71
Bigscale logperch, *Percina macrolepida* (Osteichthyes: Percidae) from Oklahoma, Texas and Louisiana with notes on its occurrence in California, further distribution records for the, Michael M. Stevenson and Bruce Alan Thompson, 23:309–313
Bilamista grandiflora, 2:39, 2:41
Bilateral gynandromorph of the western harvester ant, *Pogonomyrmex occidentalis* (Hymenoptera: Formicidae), a, Stephen W. Taber and Oscar F. Francke, 31:274–276
Bilateral hyperdontia in the Neotropical bat *Macrophyllum macrophyllum*, Timothy J. McCarthy, Michael L. Reed, and David W. Burton, 34:417–418
Billia, 13:367
Bionomics of *Sibinia sulcatula* (Coleptera: Curculionidae) on mesquite in Texas, C. E. Rogers, W. E. Clark, and H. R. Burke, 20:303–314
Biochemical genetic studies of native Arizona and New Mexico trout, Eric J. Loudenslager, John N. Rinne, G. A. E. Gall, and Robert E. David, 31:221–234
Biochemical genetics of the Colorado River *Gila* complex (Pisces: Cyprinidae), Mark J. Rosenfeld and Jeffery A. Wilkinson, 34:232–244
Biochemical identification of red-legged frogs, *Rana aurora draytoni* (Ranidae) at Duckwater, Nevada, David M. Green, 30:614–616
Biogeographic aspects of the herpetofauna of the Central Depression of Chiapas, México, with comments on surrounding areas, Jerry D. Johnson, 35:268–278
Biogeographic relationships of pocket gophers in southeastern Colorado, Michael P. Moulton, Jerry R. Choate, and Steven J. Bissell, 28:53–60
Biogeography of Ouachita Highland fishes, Richard L. Mayden, 30:195–211
Biological acoustics and the use of the sound spectrograph, L. Irby Davis, 9:118–145
Biological and distributional notes on some Texas weevils (Coleoptera, Curculionidae), Horace R. Burke, 6:195–197
Biology and behavior of captive boat-billed herons, *Cochlearius cochlearius*, notes on the, James W. Carpenter, 16:31–41
Biology and ecology of *Eulimnadia antlei* Mackin (Conchostraca), the, Denton Belk, 16:297–305
Biology and ecology of two species of *Eudiagogus* (Coleoptera: Curculionidae), observations on the, Peter W. Kovarik and Horace R. Burke, 34: 196–212
Biology and taxonomy of the genus *Smicraulax* Pierce (Coleoptera: Curculionidae), Horace R. Burke and John E. Hafernik, 15:309–317
Biology of *Largus californicus* (Hemiptera: Largidae), Carey L. Booth, 35: 15–22
Biology of *Phoxinus eos* (Cyprinidae) in Colorado, distribution and notes on the, Kevin R. Bestgen, 34:225–231
Biology of the house mouse, *Mus domesticus*, on the Yucatan Peninsula, Mexico, notes on the, James Alden Lackey, 36:84–88
Biology of the longfin dace, a cyprinid fish characteristic of streams in the Sonoran Desert, some aspects of, W. L. Minckley and Willard E. Barber, 15:459–464
Biology of the thirteen-lined ground squirrel in the Laramie Plains, Wyoming, notes on the, Tim W. Clark, 15:499–502
Biomphalaria
havanensis, 14:372
obstructa, 24:688, 27:243
Bionomics of several North American species of *Anthonomus* (Coleoptera: Curculionidae), Horace R. Burke and Danny B. Gates, 19:313–327
Biorbia, 11:205
fossilia, 22:392
microendocarpica, 22:391–393
rugosa, 22:392
Biosystematic analysis of the *Caltha leptosepala* (Ranunculaceae) complex in the Rocky Mountains II. Anatomy and palynology, a, Michael I. Morris, 19:131–138
Biosystematic investigations of *Bouteloua hirsuta* and *B. pectinata*. I. Gross morphology, G. P. Roy and F. W. Gould, 15:377–387

Biosystematic study of the relationship of *Nama hispidum* and *Nama stevensii* (Hydrophyllaceae), a, Ronald J. Tyrl, Fathi B. Erteeb, Joe L. Bruner, Wayland L. Ezell, James R. Estes, and Bruce Grummer, 29:367–375

Biotic relationships in the Canon del Rio Mezquital, Durango, Mexico, Richard S. Crossin, Oscar H. Soule, Robert G. Webb, and Rollin H. Baker, 18:187–200

Bipalium kewense, 23:151, 23:152

Bipes, 35:271

Bipolaris, 27:20, 32:133

rostrata, 27:18

Bird fleas for New Mexico, two records of, John R. Wheeler, Donald L. Forcum, and Chester D. Rael, 14: 371

Bird mortality, Galveston Island, Texas, Kirke A. King, 21:414

Bird population responses to converting chaparral to grassland and riparian habitats, Robert C. Szaro, 26:251–256

Bird records for the Death Valley region, California, new and additional, George T. Austin, 14:362–363

Bird records from South Texas (Kenedy County), noteworthy, Bruce A. Fall, 18:244–247

Bird records from the Guadalupe Mountains, Texas, recent, George A. Newman, 19:1–7

Bird-voiced treefrog, *Hyla avivoca* (Hylidae), from Arkansas and Louisiana, new records for the, Billy J. Davis and Ned Hollenback, 23:161–162

Birds and mammals in barn owl pellets from near Laguna, Chihuahua, Mexico, Sydney Anderson and Craig E. Nelson, 5:99–101

Birds from Nuevo Leon, Mexico, new records of, Armando J. Contreras-Balderas, 33:251–252

Birds near La Pesca, Tamaulipas, Mexico, Rollin H. Baker and Robert L. Fleming, 7:253–261

Birds of the Wichita Mountains Wildlife Refuge, notes on, W. Marvin Davis and Arthur F. Halloran, 7:262–266

Birney, Elmer C., and Eugene D. Fleharty, Comparative success in the application of aging techniques to a population of winter-trapped mink, 13:275–282

Birney, Elmer C., see Heaney, Lawrence R., —

Birth behavior and life history of *Diplocentrus spitzeri* Stahnke (Scorpiones: Diplocentridae), Oscar F. Francke, 25:517–523

Bisancora, 36:328

pastina, 36:326

Bison, 1:109, 12:28, 21:10, 21:13, 22:261, 22:262, 24:190, 24:231, 36:180

alleni, 6:77

antiquus, 6:73, 6:75–78, 21:14, 32:282

bison, 6:22, 6:74, 6:76–78, 10:316, 13: 21, 13:23–26, 26:326, 31:124, 31: 493–501, 32:158, 32:167, 35:108

chaneyi, 6:77, 6:78

latifrons, 6:77, 36:136–137

occidentalis, 6:76–78, 32:509

taylori, 6:76

Bison (Bovidae) productivity on the Wichita Mountains Wildlife Refuge, Oklahoma, Arthur F. Halloran, 13:23–26

Bison contemporaneous in early Recent deposits in Texas, two species of, Walter W. Dalquest, 6:73–78

Bison occidentalis in western Oklahoma, Henry Kirkland and Nell Looper, 32:509

Bissell, Steven J., see Davis, Russell, —

Bissell, Steven J., see Lovell, David C., —

Bissell, Steven J., see Meaney, Carron A., —

Bissell, Steven J., see Moulton, Michael P., —

Bissonette, John A., The influence of extremes of temperature on activity patterns of peccaries, 23:339–346

Bissonette, John A., see Krausman, Paul R., —

Bistorta

bistortoides, 20:431

vivipara, 20:431

Bitis arietans, 20:538, 20:539

Bitoma, 32:491, 32:494

Bituberochernes, 25:89, 25:90

Bivalent frequencies in interspecific hybrids from three xerophytic species of *Cucurbita*, David Groff and W. P. Bemis, 12:365–368

Bivalve records from Lake Texoma, Oklahoma-Texas, new, Charles M. Mather, 34:563–564

Bivalvia, 30:454–456

Bixa orellana, 25:191, 32:363

Bixler, David E., A study of wolf spider ecology in Grand County, Utah (Lycosidae: Araneae), 14:403–410

Bjerkandera adustum, 19:355

Black and white owl in Belize (British Honduras), Timothy J. McCarthy, 20:585–586

Black bear (*Euarctos americanus*) from the Wichita Mountains of Oklahoma, specimens of the, Arthur F. Halloran, 8:174

Black, Hal L., American kestrel predation on the bats *Eptesicus fuscus*, *Eudermа maculatum*, and *Tadarida brasiliensis*, 21:250–251

Black, Hal L., see Porter, Calvin A., —

Black, Joe B., see Albaugh, Douglas W., —

Black, Joe B., see Huner, Jay V., —

Black petrel impaled on a century plant, Benjamin H. Banta and Patrick J. Marer, 19:215

Black population of the Goldman pocket mouse, a, James S. Findley, 12:191–192

Black right whale (*Balaena glacialis*) along the Texas coast, first occurrence of a, David J. Schmidly, Chester O. Martin, and George F. Collins, 17: 214–215

Black swift in the Chiricahua Mountains of Arizona, the, Owen A. Knorr and Marjorie S. Knorr, 34:559–560

Black, Tamara, and Ross V. Bulkley, Growth rate of yearling Colorado squawfish at different water temperature, 30:253–257

Black, Tamara, and Ross V. Bulkley, Preferred temperature of yearling Colorado squawfish, 30:95–100

Black-bellied tree ducks (*Dendrocygna autumnalis*) nesting in the central Brazos Valley of Texas, Brian W. Cain and Keith A. Arnold, 18:474–475

Black-bellied whistling duck nest sites by other species, use of, Don E. Delnicki and Eric G. Bolen, 22:275–277

Black-eared rice rat, *Oryzomys melanotis*, in Nicaragua, the, J. Knox Jones, Jr., and Mark D. Engstrom, 31:137

Black-footed ferret in Oklahoma, additional records of, James C. Lewis, 18:350

Black-footed ferrets in Wyoming, additional records of, Stephen J. Martin, 28:95

Blackburnian warbler, *Dendroica fusca*, from the central desert in Baja California, Mexico, first record of the, William H. Clark and Shirley S. Kendall, 31:544

Blackwell, Will H., Jr., Synopsis of the 23 species of Asclepias (Asclepiadaceae) in Tamaulipas and Nuevo Leon including two new species, Asclepias bifida and Asclepias prostrata, 9:171–180

Blaesoxipha

plinthopyga, 26:430

plintopyga, 30:163–164, 32:281, 35:216

Blair, Albert P., and Hague L. Lindsay, Jr., Hyla avivoca (Hylidae) in Oklahoma, 6:202

Blair, Albert P., and Johanne Windle, Darter associates of Etheostoma cragini (Percidae), 6:201–202

Blair, Albert P., Bullfrog attempts to catch dove, 12:201–202
Blair, Albert P., *Cordylophora lacustris* and *Craspedacusta sowerbii* (Cnidaria: Hydrozoa) in Oklahoma, 9:109
Blair, Albert P., Distribution of the darters (Percidae, Etheostomatinae) of northeastern Oklahoma, 4:1–13
Blair, Albert P., Habitat and other notes on *Etheostoma pallididorsum* (Etheostomatini: Percidae), 9:105–107
Blair, Albert P., Notes on Ophisaurus attenuatus attenuatus (Anguidae), 6:201
Blair, W. Frank, Call structure and species groups in U.S. treefrogs (*Hyla*), 3:77–89
Blair, W. Frank, Mating call as evidence of relations in the *Hyla eximia* group, 5:129–135
Blair, W. Frank, reviews by, 4:113–114, 5:176
Blair, W. Frank, Some aspects of the biology of the ornate box turtle, *Terrapene ornata*, 21:89–103
Blair, W. Frank, The species as a dynamic system, 1:1–5
Blake, John G., A seasonal analysis of bird communities in southern Nevada, 29:463–474
Blaney, Patricia Kimmich, see Blaney, Richard M., —
Blaney, Richard M., and Patricia Kimmich Blaney, Additional specimens of *Amastridium veliferum* Cope (Serpentes: Colubridae) from Chiapas, México, 23:692
Blankenship, Lytle H., see Campbell-Kissock, Linda, —
Blapstinus, 18:309
Blarina, 7:243, 7:249, 24:39–48, 29:200, 33:386, 35:199
brevicauda, 5:136–142, 6:108, 11:302, 13:265, 13:448–449, 16:439, 18:110–112, 19:109, 19:110, 24:39, 26:70, 31:110, 34:143, 34:561, 34:562, 35:200
carolinensis, 24:45–47, 25:71, 29:199, 33:106, 35:200
hylophaga, 35:86, 35:200, 36:344–346
Blarina brevicauda minima in Missouri and Arkansas, first records of, David A. Easterla, 13:448–449
Blastomiatidae, 19:109
Blasturus, 8:136
Blattidae, 32:417
Blechnum occidentale, 22:137
Bledius, 21:352
Bleich, Vernon C., Additional notes on species richness of mammals at Bodie, California, 27:121–122
Bleich, Vernon C., and Orlando A. Schwartz, Parturition in the white-throated woodrat, 20:271–272
Bleich, Vernon C., Early breeding in free-ranging mountain sheep, 31:530–531
Blepharida rhois, 33:276–278, 33:284, 33:285
Blepharidachne bigelovii, 5:9
Blepharipa, 13:338
lacera, 13:335, 13:340
Blepharis persica, 23:181
Blepharoneuron tricholepis, 12:323, 28:462
Blind catfishes from Texas, additional information about, Royal D. Suttkus, 6:55–64
Blind cavefish *Amblyopsis rosae* (Eigenmann), a extension of the range of the, Robert Tafanelli and James E. Russell, 17:310
Blind snake, *Leptotyphlops dulcis dulcis*, in eastern Texas, notes on the, Robert R. Fleet, 17:309
Blind snake, *Leptotyphlops dulcis*, to follow pheromone trails of army ants, *Neivamyrmex nigrescens* and *N. opacithorax*, ability of the, Julian F. Watkins II, Frederick R. Gehlbach, and Robert S. Baldridge, 12:455–462
Blinn, Dean W., and Ronald W. Davies, New distribution records for leeches (Hirudinoidea) in Arizona, 34:431–432
Blinn, Dean W., see Button, Kenneth S., —
Blinn, Dean W., see Czarnecki, David B., —
Blinn, Dean W., see Dehdashti, Behrooz, —
Blinn, Dean W., see Johnson, Randy, —
Block, Scott B., and Earl G. Zimmerman, Allozymic variation and systematics of plains pocket gophers (*Geomys*) of south-central Texas, 36:29–36
Blockage of mourning dove esophagus by an impacted sandbur, Michael F. Passmore, 25:428–429
Blom, Paul E., and William H. Clark, Observations of ants (Hymenoptera: Formicidae) visiting extrafloral nectaries of the barrel cactus, *Ferocactus gracilis* Gates (Cactaceae), in Baja California, Mexico, 25:181–195
Blom, Paul E., see Clark, William H., —
Blood ejection frequency by *Phrynosoma cornutum* (Iguanidae), Sherman Lambert and George M. Ferguson, 30:616–617
Blood parasites in southwestern Texas *Cnemidophorus*, apparent absence of, Stephen C. Ayala and Jos. J. Schall, 22:134–135
Bloom, Roy A., Kyle W. Selcer, and W. Ken King, Status of the introduced gekkonid lizard, *Cyrtodactylus scaber*, in Galveston, Texas, 31:129–131
Bloom, Roy A., see Selcer, Kyle W., —
Blowguns for reptile sampling, Donald W. Tinkle and William C. Lawrence, 1:133–134
Blue cactus borer infestation levels in three West Texas habitats, Deanna Myers and James K. Wangberg, 26:216–217
Blue jay breeding in New Mexico, A. L. Gennaro, 17:432–433
Blue jays as predators of red bats, Donald F. Hoffmeister and William L. Downes, Jr., 9:102
Blue-winged teal x cinnamon teal hybrids, notes on, Eric G. Bolen, 23:692–696
Blue-winged x cinnamon teal hybrid in the southern High Plains, Texas, Ralph D. Godfrey, Jr., and Alan M. Fedynich, 32:397–398
Blystone, R. V., see McMillan, C., —
Boa
constricter, 23:685
constrictor, 16:229, 18:198, 18:199, 35:278
Board, Veryl, see Ohlendorf, Harry M., —
Bobcat food habit response to a change in prey abundance, Samuel L. Beasom and Rebecca A. Moore, 21:451–457
Bobcat *Lynx rufus* home range, density and habitat preference in south-central Arizona, David N. Lawhead, 29:105–113
Bobcat predation on a red-tailed hawk, Eric M. Anderson, 32:149–150
Bodenham, Judy, and Robert E. Stevens, Insects associated with second-year Ponderosa pine cones, Larimer and Boulder counties, Colorado, 26:375–378
Body composition, energy content, and lipid cycles of two species of pocket gophers (*Geomys bursarius* and *Pappogeomys castanops*) in Kansas, L. H. Fehrenbacher and Eugene D. Fleharty, 21:185–198
Body temperatures of montane *Cnemidophorus inornatus* (Reptilia: Teiidae), Timothy P. Stevens, 27:232–234
Body weight and aspects of pairing chronology of green-winged teal and northern pintails wintering on the southern High Plains of Texas, Guy A. Baldassarre and Eric G. Bolen, 31:361–366
Boehmeria cylindrica, 2:160, 6:182
Boeker, Erwin L., Use of aircraft to determine golden eagle, *Aguila chrysaetos*, nesting activity, 15:136–137

Boerhaavia, 2:125, 20:574, 23:299, 24:130
caribaea, 1:63
coccinea, 23:503, 25:321, 35:73
coulteri, 35:67, 35:73
erecta, 12:72, 12:73, 27:176, 35:73
gypsophiloides, 1:63
intermedia, 31:34, 36:306, 36:307
purpurascens, 35:73
scandens, 35:66, 35:73
spicata, 12:73
torreyana, 33:368, 33:369
wrightii, 22:343, 36:306, 36:307
Boerhavia
coccinea, 21:315
coulteri, 26:266
gracillima, 21:315
intermedia, 21:315
spicata, 21:314, 21:315
Bogan, M. A., and T. R. Mollhagen, Wind training in some prairie trees, 14:134–136
Bogan, Michael A., and Daniel F. Williams, Additional records of some Chihuahuan bats, 15:131–134
Bogan, Michael A., and Daniel F. Williams, *Neotoma micropus* in Chihuahua, 20:278–279
Bohls, Roger, see Bolen, E. G., —
Bohning, Anna Marie, see King, Anthony W., —
Boidae, 12:439–453, 27:229
Bolbitiaceae, 29:257, 29:264
Bold, Harold C., see Groover, Robert D., —
Bolen, E. G., B. McDaniel, and C. Cottam, Natural history of the black-bellied tree duck (*Dendrocygna autumnalis*) in southern Texas, 9:78–88
Bolen, E. G., B. McDaniel, and Roger Bohls, New distribution records and physiographic associations in Texas for *Phyllozetes hypoquercus*, 28:463–464
Bolen, E. G., see Whyte, R. J., —
Bolen, Eric G., A specimen record of the barnacle goose in Texas, 32:506–507
Bolen, Eric G., and Brian R. Chapman, Estimating winter sex ratio for buffleheads, 26:49–52
Bolen, Eric G., and Clarence Cottam, Notes on the color phases of the reddish egret (*Dichromanassa rufescens*) in Texas, 20:133–134
Bolen, Eric G., and Clarence Cottam, Wood duck nesting record from South Texas, 12:198–199
Bolen, Eric G., and M. K. Rylander, Feeding adaptations in the lesser snow goose (*Anser caerulescens*), 23:158–161
Bolen, Eric G., and M. Kent Rylander, Copulatory behavior in *Dendrocygna*, 18:348–350
Bolen, Eric G., James W. Bennett, and Clarence Cottam, Some ecological effects of lotus on submersed vegetation in southern Texas, 20:205–214
Bolen, Eric G., Notes on blue-winged teal x cinnamon teal hybrids, 23:692–696
Bolen, Eric G., see Alford, John R., III, —
Bolen, Eric G., see Baldassarre, Guy A., —
Bolen, Eric G., see Cottam, Clarence, —
Bolen, Eric G., see Crawford, John A., —
Bolen, Eric G., see Delnicki, Don, —
Bolen, Eric G., see Delnicki, Don E., —
Bolen, Eric G., see McDaniel, B., —
Bolen, Eric G., see Parker, Laurie E., —
Bolen, Eric G., see Rollo, Joe D., —
Bolen, Eric G., see Rylander, Michael K., —
Bolen, Eric G., see Woodyard, Emilio Rangel, —
Boleophthalmus boddarti, 35:338
Boleosoma potsii, 29:396
Boleostoma nigrum, 31:162
Boles, Patrick H., and William A. Dick-Peddie, Woody riparian vegetation patterns on a segment of the Mimbres River in southwestern New Mexico, 28:81–87
Boles, Robert J., Antlion larva in a mud dauber's nest, 10:312–313
Boletaceae, 8:196–203
Boletus
chromapes, 8:202
edulis, 8:202
granulatus, 8:203
scaber, 8:203
Boltonia asteroides, 7:170
Bombus, 2:131, 30:75
americanorum, 2:130, 20:392
appositus, 28:157, 28:160, 28:161, 28:163, 33:219–227
balteatus, 28:160, 28:161
californicus, 32:39–52
caliginosis, 32:39–52
centralis, 23:153, 23:154
flavifrons, 28:157, 28:160, 28:161, 28:163
huntii, 23:153, 23:154
mixtus, 28:161, 28:163
morrisoni, 28:161, 28:163, 30:73, 30:74
occidentalis, 23:153, 23:154, 28:160, 28:161
pennsylvanicus, 36:342
sonorus, 22:162, 22:165
vosnesenskii, 32:39–52
Bombycilla cedrorum, 4:75, 24:572, 30:453
Bombycillidae, 4:81
Bombyliidae, 29:510, 32:151, 34:527–530, 36:341
Bommeria hispida, 35:67, 35:69
Bonasa umbellus, 22:369, 22:370, 25:125
Bond, Carl E., see Williams, Jack E., —
Bond, Hedley W., see Brown, James H., —
Bonde, Erik K., *Pinus aristata* (Pinaceae) in Boulder County, Colorado: northward extension of its known Colorado range, 12:474–475
Bone-chewing behavior of desert mule deer, Paul R. Krausman and John A. Bissonette, 22:149–150
Bone-chewing by desert bighorn sheep, Greg Warrick and Paul R. Krausman, 31:414
Bonham, C. D., see Daddy, F., —
Bonham, C. D., see Orodho, Apollo B., —
Bonham, Charles D., see Brady, Ward, —
Bonn, Edward W., see Riggs, Carl D., —
Boopedon nubilum, 27:200, 27:202, 27:203, 27:205
Boophilus annulatus, 10:169
Booth, Carey L., Biology of *Largus californicus* (Hemiptera: Largidae), 35:15–22
Boraginaceae, 1:65, 1:67, 2:167, 11:205–210, 12:80, 12:148, 13:383, 15:414, 18:322, 18:324, 19:127–130, 19:139–146, 20:428, 20:574, 22:341, 23:296, 23:500, 25:333, 28:290, 28:457–458, 29:250, 31:34, 35:64, 35:71, 36:122
Boreocanthon puncticollis, 26:431
Boreostracon, 21:10, 21:11
floridanus, 21:14
Boriccia, 5:143, 5:144
Borodinella, 33:317, 33:319
Borophagus, 32:238, 32:239
Borraginites, 11:205
Borrichia, 25:402, 25:405
frutescens, 15:275, 16:363, 17:104, 18:431, 18:438, 22:38, 22:42, 22:43, 23:500, 25:316, 25:404, 28:388, 29:247, 29:250–251, 29:254, 36:122
Borya, 2:140
acuminata, 2:150
cassinoides, 2:141, 2:143
prinoides, 2:150
retusa, 2:150
Borzicactus, 30:78
Bos, 10:149
indicus, 12:160
taurus, 26:68, 26:317, 26:318, 30:437–441, 30:574, 32:153
Boselaphus tragocamelus, 34:276–278
Bosmina, 13:47, 17:244, 23:686, 23:687, 25:389, 26:245, 26:247, 36:240
coregoni, 4:187, 4:192, 14:324, 30:239, 30:240, 30:242, 30:245, 30:247
longirostris, 4:187, 4:191, 4:192, 12:58, 12:62, 14:323, 14:324, 15:103, 15:105, 21:465, 21:466, 22:103, 22:417,

23:169, 23:170, 24:1, 24:2, 24:6, 24:8, 26:243, 26:244, 27:38, 30:162, 33:466, 33:467, 36:239
Bosminidae, 4:187
Bosse, Linda S., Donald W. Tuff, and Harley P. Brown, A new species of *Heterelmis* from Texas (Coleoptera: Elmidae), 33:199–203
Bostic, D. L., Parasites of the teiid lizard, *Cnemidophorus hyperythrus beldingi*, 10:313
Bostic, Dennis L., Home range of the teiid lizard, *Cnemidophorus hyperythrus beldingi*, 10:278–281
Bostic, Dennis L., Thermoregulation and hibernation of the lizard, Cnemidophorus hyperythrus beldingi (Sauria: Teiidae), 11:275–289
Bostrichidae, 27:26, 29:438
Bostrichocentrum, 19:53
Botanical composition and nutrient content of fall and early winter diets of white-tailed deer in South Texas, J. H. Everitt and C. L. Gonzalez, 24:297–310
Botanical, edaphic, and water relationships of gulf cordgrass (*Spartina spartinae* Hitchc.) and associated communities, C. J. Scifres, J. W. McAtee, and D. L. Drawe, 25:397–410
Botaurus lentiginosus, 6:105, 15:495, 36:137
Bothidae, 1:104, 32:226, 32:232
Bothma, J. du P., and James G. Teer, Prenatal growth of the cottontail rabbit in South Texas, 17:345–348
Bothriocephalidae, 29:379
Bothriocephalus, 16:288, 16:294, 22:361, 22:528, 22:530, 29:379, 29:382
Bothriochloa, 35:434
alta, 28:462
annulatus, 10:52
barbinodis, 3:212, 21:315, 22:342, 23:297, 32:191, 35:74
barbinoides, 33:429
hybrida, 3:212
ischaemum, 4:118, 5:8, 8:184, 10:51, 23:625
palmeri, 3:212
perforata, 12:79
pertusa, 12:79
reevesii, 3:212
saccharoides, 3:212, 23:316, 23:505, 24:240, 24:433, 24:434, 25:321, 25:326, 27:461, 33:333, 35:436, 35:439, 36:354
wrightii, 8:184
piptanthera, 15:391
Bothrops
dunni, 35:271
godmani, 35:275
Bothynum gibbosus, 28:476
Bothynus gibbosus, 5:222
Botrychium
biternatum, 16:431
lunarioides, 16:431–432, 24:395–396
Botrychium lunarioides and *Ophioglossum nudicaule* var. *tenerum* (Ophioglossaceae) from Texas, first record of, R. Dale Thomas, 24:395–396
Botrychium lunarioides, *Ophioglossum crotalophoroides*, and *Ophioglossum engelmanni* in a Louisiana cemetery, R. Dale Thomas, 16:431–432
Botrydiopsis, 9:168
Botryobasidium
botryosum, 19:350
subcoronatum, 19:350
vagum, 19:350
Botryococcaceae, 11:198
Botryococcus, 10:266, 17:244, 23:452
braunii, 23:445, 23:446
protuberans, 11:198, 23:445, 23:446
Botryohypochnus isabellinus, 19:350
Bottomland communities in south-central Oklahoma, a quantitative analysis of, James W. Petranka and Robert Holland, 25:207–213
Bottrell, Dale G., and William A. Drew, Erotylidae (Coleoptera) of Oklahoma, 10:73–74
Bouchea spathulata, 10:257, 10:258
Boudreaux, Jack, Kirk Strawn, and Gerald Callas, Fire ants, heptachlor, and fish kill, 3:7–12
Bougainvillea glabra, 23:503, 25:321
Boutela, 30:608
Bouteloua, 3:30, 13:147, 13:150, 13:152–154, 13:156, 13:362, 14:337, 14:340, 14:345–347, 16:210, 17:322, 17:47, 18:194, 18:445, 18:446, 19:156, 19:228, 20:255, 20:257, 21:545, 24:325, 26:55, 27:326, 27:362, 28:89, 28:143, 29:301, 30:391, 30:543, 31:405, 32:432, 34:47, 35:63, 36:295, 36:296, 36:364
aristidoides, 12:73, 21:315, 22:342, 35:64, 35:74
aristiodoides, 21:314
barbata, 1:62, 8:183, 12:73, 21:314, 21:315, 21:401, 22:342, 27:30, 35:74, 36:305
breviseta, 1:55, 1:62, 4:118, 12:73, 12:83, 15:33, 16:9
chasei, 35:366
chondrosioides, 16:393, 16:397, 16:398, 35:74
curtipendula, 1:62, 2:157, 4:50, 4:51, 4:53, 4:55, 4:118, 7:169, 7:176, 7:179–181, 8:186, 8:192, 9:114, 10:50, 10:51, 10:53, 10:258, 12:73, 12:76, 12:78, 12:83, 12:138, 12:141, 12:143, 12:144, 12:304, 13:160, 13:161, 13:343, 13:377, 13:384–386, 14:317, 14:331, 14:341, 14:343, 14:348, 16:10, 16:272, 16:273, 16:276, 16:390, 16:393, 16:397, 17:6–8, 17:231, 18:22, 18:44, 18:86, 18:88, 18:90, 19:215, 19:293, 19:294, 20:294, 21:59, 21:315, 21:401, 21:402, 22:342, 22:506, 23:297, 24:433, 25:326, 25:444, 26:53, 26:366, 26:397, 27:2, 27:7, 27:169, 27:199, 27:206, 27:339, 28:200, 29:321, 29:330, 29:331, 30:389, 30:390–392, 30:580, 30:597, 31:350, 32:111, 32:181, 32:191, 32:384, 34:488, 35:74, 35:316–319, 35:413
disticha, 12:78
eludens, 35:64, 35:74
eriopoda, 1:62, 1:190, 10:50, 13:160, 16:391, 16:393, 16:397, 16:398, 16:400, 21:314, 21:315, 21:259–261, 26:14, 27:199, 27:206, 27:339, 28:376, 29:358, 30:321, 30:580, 32:191, 32:384, 33:368, 35:65, 35:74, 36:54, 36:56
eripoda, 16:10, 31:36
filiformis, 10:50, 12:73
graciles, 21:309
gracilis, 1:62, 2:157, 4:37, 4:118, 5:108, 5:120, 8:187, 9:115, 10:50, 12:138, 12:141, 12:143, 12:144, 13:146, 13:160, 13:343, 13:249, 13:377, 13:384–386, 14:163, 14:173, 14:331, 14:342–343, 14:348, 15:24, 15:499, 15:501, 16:14, 16:51, 16:204, 16:393, 16:397, 17:1, 17:6, 17:8, 17:231, 18:86, 18:88, 18:90, 18:444, 19:430, 20:293–302, 21:359, 21:360, 21:362–366, 21:368, 21:369, 23:78, 23:127, 23:129, 24:240, 24:433, 24:544, 24:550, 24:551, 25:216, 25:261, 25:326, 26:53, 26:296, 26:366, 26:397, 27:2, 27:7, 27:8, 27:169, 27:176, 27:206, 27:245, 27:299–303, 27:335, 27:339, 27:461, 27:462, 27:466, 28:200, 28:335, 28:463, 29:182, 29:185, 29:230, 29:277, 29:279, 29:280, 29:358, 29:408, 29:411, 30:305, 30:437–439, 30:580, 31:350, 32:149, 32:191, 32:292, 32:400, 33:413, 33:416, 33:481, 34:487, 35:65, 35:74, 35:279–282, 35:316–319, 36:255, 36:282
hirsuta, 2:157, 4:45, 4:48, 4:50, 4:51, 4:53–55, 4:118, 5:120, 6:98, 7:170, 9:114, 10:50, 12:139, 12:141, 12:143, 13:384–386, 15:377–387, 16:204, 16:393, 16:397, 16:398, 17:6, 17:8, 17:231, 18:86, 18:88, 18:90, 24:433, 25:326, 27:199, 27:245, 27:339, 30:580, 32:111, 33:481, 35:67, 35:74, 35:390
hirsute, 16:10
juncea, 12:73
mirsuta, 14:342
parryi, 12:73, 35:74
pectinata, 4:118
pringlei, 12:78
radicosa, 4:118, 10:50, 10:51, 35:74
ramosa, 10:256, 10:258
repens, 35:74

rigidiseta, 4:55, 4:118, 5:9, 16:272, 27: 29–31, 27:312
rothrockii, 21:401–403
texensis, 19:289
triathera, 12:78
trifida, 5:9, 10:50, 30:398
uniflora, 7:181, 16:272, 16:273
vaneedenii, 7:176, 7:179
warnockii, 7:176–181, 21:401, 21:402
Bouteloua from the Southwest, a new, Frank W. Gould and Zarir J. Kapadia, 7:176–181
Bouteloua rigidiseta var. *chihuahuana* (Poaceae), new variety from the Chihuahuan Desert region, Marshall C. Johnston, 27:29–31
Boutelous eriopoda, 33:368
Bouvardia
glaberrima, 8:187, 30:389, 35:73
hirtella, 12:155
laevis, 12:155
leiantha, 12:155
ternifolia, 16:12, 17:289, 27:362, 28:143, 28:146, 35:73
versicolor, 12:155
Bovidae, 13:23–26, 16:267–280, 20:497, 26:280, 26:327, 32:139–143, 32:281–283
Bowdre, Larry P., Litter size in *Sigmodon hispidus*, 16:126–128
Bowers, J. Hoyt, A record litter of *Thamnophis sirtalis* free-tailed bats (Molossidae) from Yucatan, Mexico, 35: 151–157
Bowles, Larry G., and Jerry Wilhm, Effects of patchiness on estimates of concentration and species diversity of pelagic net zooplankton, 21:463–468
Bowlesia incana, 35:64, 35:70, 36:306
Bowyer, R. Terry, Antler characteristics as related to social status of male southern mule deer, 31:289–298
Box, T. W., and F. W. Gould, An analysis of the grass vegetation of Texas, 3:124–129
Box, Thadis W., see Powell, Jeff, —
Boxmina, 8:232
Boxus, 28:63
Boyce, Douglas A., Jr., see Sites, Jack W., Jr., —
Boyce, Mark S., First record of the fringe-tailed bat, *Myotis thysanodes*, from southeastern Wyoming, 25:114–115
Boyd, Roger L., see Braun, Clait E., —
Boydstun, Charles P., and Charles A. DeYoung, Distribution and relative abundance of white-tipped doves in South Texas, 30:567–571
Boydstun, Charles P., and Charles A. DeYoung, Movements of white-tipped doves in southern Texas, 33: 365–367
Boyeria, 8:135
vinosa, 2:3, 2:13, 4:131
Brachiaria
arizonica, 35:74
ciliatissima, 5:8, 24:298, 35:390
reptans, 25:321
Brachinecta
lindahli, 28:380, 28:381
potassa, 24:93–95
Brachinecta potassa new species (Crustacea: Anostraca), a new fairy shrimp from Nebraska, U. S. A., Denton Belk, 24:93–95
Brachionus, 10:266, 12:58, 12:63, 15:104, 17:244, 17:247, 21:254, 22:415, 22: 417, 26:217, 30:242, 33:467–470, 35: 393, 35:398, 35:400
havaniensis, 23:636
quadridentata, 23:635, 23:636
rubens, 1:6, 1:7, 1:9, 1:15
Brachycentridae, 25:453, 31:423
Brachycentrus
americanus, 25:457, 31:425
occidentalis, 31:423, 31:425
Brachycercus, 23:140
Brachycerus, 25:550
Brachycoeliidae, 17:200
Brachydegma caelatum, 33:266
Brachydegmidae, 33:266
Brachymyrmex depilis, 25:181, 25:187, 25: 193, 28:140
Brachynemurus longipalpis, 20:340
Brachyogmus, 15:309
Brachypodium mexicanum, 12:76
Brachyptera fasciata, 1:151
Brachyrhaphis, 32:233
hartwegi, 32:227, 32:229
Brachyspectra fulva, 32:386, 32:388
Brachyspectridae, 32:386
Brachythecium
collinum, 5:44
oxycladon, 6:187
Brachyuran megalops, 20:481
Brackenridgia
cavernarum, 29:310–312
sphinxensis, 29:309–319
Brackenridgia sphinxensis n. sp. from a cave with notes on other species from Arizona and California (Isopoda, Oniscoidea), George A. Schultz, 29: 309–319
Bracon, 19:317, 19:326
Braconidae, 20:8, 23:566, 23:568–571, 28: 377, 29:49, 29:54, 29:442, 32:419, 32:420, 32:422, 32:491, 33:276, 33: 279
Bracteacoccus, 9:168
Bracynus americanus, 9:40
Bradburia hirtella, 18:118, 18:120, 19:317
Bradley, George L., see Van Devender, Thomas R., —
Bradley, Lisa C., see Cohen, Will E., —
Bradley, Michael, see Carroll, John H., Jr., —
Bradley, Richard A., Are populations of the desert grassland scorpion *Paruroctonus utahensis* (Vaejovidae), limited by food abundance?, 34:46–53
Bradley, W. Glen, Aberrant coloration in Clethrionomys gapperi from Colorado, 12:198
Bradley, W. Glen, and Charles G. Hansen, Observations on the distribution of the ring-tailed cat in southern Nevada, 10:310–311
Bradley, W. Glen, and James E. Deacon, Amphibian and reptile records for southern Nevada, 11:132–134
Bradley, W. Glen, and Kenneth S. Moor, Additional records of *Notiosorex crawfordi* from southern Nevada, 13: 104–105
Bradley, W. Glen, and Mike O'Farrell, Lasionycteris noctivagans, Lasiurus cinereus and Tadarida molossa in Clark County, Nevada, 10:220
Bradley, W. Glen, and Roger A. Mauer, A collection of bats from Chihuahua, Mexico, 10:74–75
Bradley, W. Glen, and Roger A. Mauer, Rodents of a creosote bush community in southern Nevada, 17:333–344
Bradley, W. Glen, Home range, activity patterns, and ecology of the antelope ground squirrel in southern Nevada, 12:231–251
Bradley, W. Glen, Populations of two Sonoran Desert plants, and deductions as to factors limiting their northward extension, 11:395–401
Bradley, W. Glen, The vegetation of Saratoga Springs, Death Valley National Monument, California, 15: 111–129
Bradley, W. Glen, see Baker, Lee R., —
Bradley, W. Glen, see Deacon, James E., —
Bradley, W. Glen, see Hirshfeld, Joseph R., —
Bradley, W. Glen, see Maur, Roger A., —
Bradley, W. Glen, see O'Farrell, Michael J., —
Brady, Ward, and Charles D. Bonham, Vegetation patterns on an altitudinal gradient, Huachuca Mountains, Arizona, 21:55–65
Bradybaena similaris, 20:287, 21:134, 21: 135
Bradybaenidae, 21:134
Bradypus, 36:183
variegatus, 35:206
Bradysia, 12:266, 19:69
Bragg, Arthur N., A melanistic tendency in the Great Plains toad, Bufo cognatus, 3:229–230
Bragg, Arthur N., and Lois Brandt,

Unexplained aggregations of carabid beetles, 9:40–41
Bragg, Arthur N., and William N. Bragg, Variations in the mouth parts in tadpoles of *Scaphiopus* (Spea) *bombifrons* Cope (Amphibia: Salientia), 3: 55–69
Bragg, Arthur N., Cicadas caught by dragon flies, 3:226–227
Bragg, Arthur N., Dimorphism and cannibalism in tadpoles of Scaphiopus bombifrons (Amphibia, Salientia), 1:105–108
Bragg, Arthur N., Experimental observations on the feeding of spadefoot tadpoles, 5:201–207
Bragg, Arthur N., Feeding in the Houston toad, 5:106
Bragg, Arthur N., Norman Taylor, and R. John Taylor, A range extension of the pickerel frog, *Rana palustris palustris*, in Oklahoma with indications of an extension of the Austroriparian Life Province, 13:372–374
Bragg, Arthur N., Population fluctuation in the amphibian fauna of Cleveland County, Oklahoma during the past twenty-five years, 5:165–169
Bragg, Arthur N., Saprolegnia on tadpoles again in Oklahoma, 7:79–80
Bragg, Arthur N., The clasping reflex observed in juvenile spade foots, 3: 229
Bragg, Arthur N., Use of carrion by the beetle, Canthon laevis (Coleoptera, Scarabaeidae), 2:173
Bragg, Louis H., Chromosome counts and cytological observations of certain Texas Gramineae under transplanted conditions, 9:306–308
Bragg, Louis H., Morphogeography of four grass taxa in north-central and eastern Texas, 9:219–231
Bragg, Thomas B., David M. Sutherland, Pat Costigan, and Frank Hershey, Northwestward range extension of *Diospyros virginiana* (Ebenaceae), 24:387–389
Bragg, William N., see Bragg, Arthur N., —
Brahea dulcis, 36:362
Brain size in some western *Sorex*, relative, Leslie N. Carraway and B. J. Verts, 33:386–388
Bramblett, Robert G., and Kurt D. Fausch, Fishes, macroinvertebrates, and aquatic habitats of the Purgatoire River in Piñon Canyon, Colorado, 36:281–294
Branchinecta, 20:91, 25:393, 25:542
campestris, 12:383, 12:402, 20:99, 20: 101, 24:95
coloradensis, 9:316, 20:99, 20:101
cornigera, 20:97, 20:101
dissimilis, 20:99–101
gigas, 20:97, 20:101
lindahli, 8:32–36, 9:316, 20:97, 20:101, 22:101–103, 24:390–391
mackini, 20:99, 20:101, 20:578, 20:582, 20:584, 24:201
packardi, 9:316, 12:383, 12:385, 12:402, 20:92, 20:97, 20:101, 24:201
packari, 22:102
paludosa, 20:97, 20:101, 20:582–585, 22:101–103
potassa, 24:93–95
Branchinecta paludosa (Müller) (Crustacea: Anostraca) in northern Utah with some notes on its ecology, Sharon Seiler Maynard, 20:582–585
Branchinectidae, 25:391
Branchinella, 9:68, 12:383, 18:476, 18: 479
alachua, 20:95, 20:101
campestris, 18:478
gigas, 18:478
lithaca, 20:95, 20:101
mackini, 18:478
Branchionus, 23:169
Branchiopoda, 9:68–77, 9:315–316, 11: 24–48, 24:201–203
Branchipus, 11:26, 25:543
Branchiura
sowerbyi, 3:223–224, 14:221, 14:226, 14:229, 14:237, 14:239, 14:241, 23: 139, 25:140
sowervyi, 14:224
Brandt, Lois, see Bragg, Arthur N., —
Branson, B. A., C. J. McCoy, Jr., and M. E. Sisk, Notes on Sonoran gastropods, 9:103–104
Branson, B. A., Notes on Mexican gastropods, 9:104
Branson, Branley A., A note on molluscan zoogeography: distribution of Gyraulus arizonensis (Pilsbry and Ferriss), 8:51–52
Branson, Branley A., A unilateral eye deficiency in *Catostomus luxatus*, 6: 198–199
Branson, Branley A., and Bobby G. Amos, The leech Placobdella pediculata Hemingway parasitizing Aplodinotus grunniens in Oklahoma, 6:53
Branson, Branley A., and Clarence J. McCoy, Jr., Observations on breeding tubercles in Xyrauchen texanus (Abbott), 11:301
Branson, Branley A., Comparative cephalic and appendicular osteology of the fish family Catostomidae. Part I, *Cycleptus elongatus* (Lesueur), 7: 81–153
Branson, Branley A., Gastropoda of the Rob and Bessie Welder Wildlife Foundation Refuge, San Patricio County, Texas, 5:143–159
Branson, Branley A., John Taylor, and Connie Taylor, Additional collections of mollusks from Pleistocene local faunas in Caddo and Canadian counties, Oklahoma, 27:238–240
Branson, Branley A., Mollusca of the Wichita, Arbuckle, and Black Mesa uplifts of Oklahoma, and description of *Stenotrema wichitorum*, new species, 16:307–320
Branson, Branley A., Morgan E. Sisk, and C. J. McCoy, Jr., Ptychocheilus lucius from Salt River, Arizona, 11: 300
Branson, Branley A., Notes on gastropods from Texas, New Mexico, and Mexico, 14:371–372
Branson, Branley A., Notes on Oklahoma slugs, with additions to the previously known fauna, 4:143–147
Branson, Branley A., Notes on Oklahoma snails (Gastropoda), with new records, 3:224–226
Branson, Branley A., Observations on the gross anatomy of the olfactory organ and eyes in five genera of American barbeled minnows (Pisces: Cyprinidae), 24:501–507
Branson, Branley A., *Pallifera* (*Pancalyptus*) *tournescalis* (Mollusca: Pulmonata: Philomycidae), new species from Oklahoma, 13:457–458
Branson, Branley A., Spiders of the University of Oklahoma Biological Station, Marshall County, Oklahoma, with observations on species used by muddaubers as larval food, and a review of the species known from Oklahoma, 11:338–371
Branta
canadensis, 5:107, 5:228, 16:154, 20: 376, 22:141, 23:158, 26:425, 33:187, 34:246, 34:247, 34:495, 36:318
leucopsis, 5:228, 32:506
Brasenia schreberi, 6:182
Brassica, 27:176, 36:194–197
alba, 36:197
campestris, 36:196
hirta, 36:194–196
juncea, 36:194–196
kaber, 36:194, 36:195, 36:197
nigra, 27:371, 31:182, 31:183, 36:194, 36:195, 36:197
oleracea, 36:194–196
rapa, 35:18, 36:194–196
tournefortii, 36:194, 36:195, 36:197
Brassica and *Rapistrum* (Brassicaceae) in Texas, David E. Lemke and Richard D. Worthington, 36:194–197
Brassicaceae, 24:187, 24:435, 29:250, 35: 18, 35:64, 35:71, 36:194–197, 36: 341–343
Bratislavia
elegans, 23:542

unidentata, 23:541–544
Bratislavia unidentata (Oligochaeta: Naididae), a re-description, Walter J. Harman and Michael S. Loden, 23: 541–544
Braun, Clait E., and Roger L. Boyd, Albinism in mourning doves, 24:198–200
Braun, Clait E., Darrell H. Nish, and Kenneth M. Giesen, Release and establishment of white-tailed ptarmigan in Utah, 23:661–667
Braun, Clait E., F. John Ward, J. Allen White, and Roger J. Boyd, Plumage aberrancies in band-tailed pigeons, 24:391–393
Braun, Clait E., see Gorenzel, Warner P., —
Braun, Clait E., see Olson, Thomas E., —
Braun, Clait E., see Streeter, Robert G., —
Braun, Clait E., see White, J. Allen, —
Brayodendron texanum, 13:204
Brazilatemnus browni, 20:231, 20:236, 20: 238
Brazilian free-tailed bat (*Tadarida brasiliensis*) in southern Colorado, observations at a colony of the, Jerry Freeman and Laurie Wunder, 33: 102–104
Breakdown of gallery forest leaf litter in intermittent and perennial prairie streams, B. H. Hill, T. J. Gardner, and O. F. Ekisola, 33:323–331
Breameryx minor, 21:14
Brechmorhoga mendax, 2:8, 2:14, 25:142, 25:147, 25:252
Brecke, Bruce J., see Gillingham, James C., —
Breeding activity, larvae and relationship of the treefrog *Hyla phaeota cyanosticta*, William F. Pyburn, 11:1–18
Breeding biology and age-specific mortality of olivaceous cormorants, Michael L. Morrison, Edwin Shanley, Jr., and R. Douglas Slack, 24:259–226
Breeding bird assemblages in the Rio Grande Wild and Scenic River Recreation Area, New Mexico, Dale W. Stahlecker, Patricia L. Kennedy, Anne C. Cully, and Charles B. Kuykendall, 34:487–498
Breeding birds in a desert scrub community in southern Nevada, Herbert O. Hill, 25:173–180
Breeding dynamics of the Houston toad, Nancy L. Jacobson, 34:374–380
Breeding habits of the toad *Bufo coccifer* in Costa Rica, with a description of the tadpole, Roy W. McDiarmid and Mercedes S. Foster, 26:353–363
Breeding in free-ranging mountain sheep, early, Vernon C. Bleich, 31:530–531
Breeding of deer mice (*Peromyscus maniculatus*) in north-central Colorado, late, Bruce A. Wunder and David Byman, 24:527–530
Breeding of the Ord kangaroo rat (Dipodomys ordii) in southern New Mexico, Richard F. Johnston, 1:190–193
Breeding population of the northern pygmy mouse, *Baiomys taylori*, in southwestern Oklahoma, a, William Caire, 36:364–365
Breeding range of the elf owl in New Mexico, northeastern extension of the, Peter B. Stacey, Rosetta D. Arrigo, Thomas C. Edwards, and Nancy Joste, 28:99–100
Breeding records and recent sightings of northern saw-whet owls in southeastern Arizona, three, Richard K. Bowers, Jr., 33:376–377
Breeding season and size of first litters in two species of cottontails from southwestern Texas, onset of the, Joseph A. Chapman and Raymond P. Morgan, II, 19:277–280
Breeding system and aspects of pollination effectiveness in *Oenothera speciosa* (Onagraceae), the, Carole L. Wolin, Candace Galen, and Lee Watkins, 29:15–20
Breeding tubercles in Xyrauchen texanus (Abbott), observations on, Branley A. Branson and Clarence J. McCoy, Jr., 11:301
Bregetova, N. G., Gamazovye kleshchi (Gamasoidae) (The gamasid mites, Gamasoidea; rev.), 1:140–141
Bregmatic bone in the genus *Perognathus*, a, Loy T. Merkle, 18:350–351
Bregmatothrips
sonorensis, 36:52
venustus, 36:52
Brenneman, William M., Occurrence of *Stephensoniana trivandrana* in North America, with an additional record for *Dero* (*Aulophorus*) *flabelliger* (Oligochaeta: Naididae), 25:261–264
Brephidium exilis, 18:309
Bretting, P. K., Geographical intergradation in *Proboscidea parviflora* spp. *sinaloensis* (Martyniaceae), 30:343–348
Bretting, P. K., Nomenclatural changes in *Proboscidea* (Martyniaceae), 30: 150–151
Bretting, P. K., Range extension for *Proboscidea sabulosa* Correll (Martyniaceae), a sand dune endemic, 27:228
Bretting, P. K., The taxonomic relationship between *Proboscidea louisianica* and *Proboscidea fragrans* (Martyniaceae), 28:445–449
Brevibacterium, 13:399
Brevoortia, 21:424
gunteri, 36:205
patronus, 1:102, 1:162, 1:163, 20:463, 34:340, 36:205
tyrannus, 28:118
Brewer, Ken, and F. C. Kiliebrew, The annual testicular cycle of *Pseudemys scripta elegans* (Emydidae) in the Texas Panhandle, 31:299–305
Brickellia, 2:125, 9:35, 12:80, 12:127–133, 12:469, 15:175, 16:366, 16:372, 16: 373, 24:130, 25:365, 26:265, 35:63
adenocarpa, 16:363
atractyloides, 36:305
baccharidea, 35:66, 35:70
betonicaefolia, 35:64, 35:70
californica, 1:56, 1:57, 1:65, 15:151, 15: 159, 15:160, 16:205, 27:7, 28:83, 30: 389, 34:442, 35:70
chlorolepis, 35:70
coahuilensis, 12:129–132
coulteri, 15:176, 16:363, 17:173, 17:174, 35:67, 35:70, 36:305, 36:358
fendleri, 12:127, 12:131, 18:117, 18:118, 18:120
floribunda, 28:83, 35:64, 35:70
grandiflora, 12:131, 28:83, 32:400
hymenochlaena, 12:131
lacinata, 15:152, 15:160
laciniata, 21:315, 22:341, 23:296, 33: 109, 36:358
longiflora, 15:153, 15:159
megalodonta, 16:363
microphylla, 34:442
monocephala, 12:129, 12:132
nelsonii, 15:176
oblongifolia, 12:129, 12:131
paniculata, 16:363
pedunculosa, 12:128–132
pendula, 16:364
robinsoniana, 12:131
secundiflora, 9:30
secundiflorus, 16:364
simplex, 12:131, 24:291, 24:292
solidaginifolia, 16:363
tomentella, 16:363, 16:364
venosa, 35:64, 35:70
veronicaefolia, 15:176
veronicafolia, 16:363
Bridgwater, Donald D., Laboratory breeding, early growth development and behavior of *Citellus tridecemlineatus* (Rodentia), 11:325–337
Briggs, John M., and Alan K. Knapp, Estimating aboveground biomass in tallgrass prairie with the harvest method: determining proper sample size using jackknifing and Monte Carlo simulations, 36:1–6
Brilla flavifrons, 34:480

Briseño, Carlos H., see Jiménez G., Fernando, —
Bristol, John R., see Mayberry, Lillian F., —
Britton, Carlton M., and Allen A. Steuter, Production and nutritional attributes of tobosagrass following burning, 28:347–352
Britton, Carlton M., see Hansmire, Julie A., —
Britton Carlton, M., see McPherson, Guy R., —
Britton, James M., see Walker, J. Martin, —
Britton, Joseph C., Additional reports of *Gecarcinus lateralis* (Freminville) (Gecarcinidae) from the Texas coast, 21:251–252
Britton, Joseph C., see Gruninger, Terrence L., —
Britton, Joseph C., see O'Kane, Kevin D., —
Briza, 11:377
caroliniana, 11:373
media, 4:116
minor, 25:278, 31:369
rotundata, 28:461
Brizopyrum, 11:391
Broad-tailed bat (*Tadarida laticaudata*) in Colima, Mexico, the, Troy L. Best and Michael L. Kennedy, 29:360–361
Broadbooks, Harold E., Tree nesting and maternal behavior of chipmunks, 22:153–155
Brochymena, 29:438
quadripustulata, 29:439
Brodrick, Harold J., see Hubbs, Clark, —
Bromeliaceae, 6:99, 6:100, 24:295
Bromus, 13:362, 16:347, 17:340, 18:445, 18:446, 20:332, 22:284, 23:280, 24:191, 24:431, 25:69, 25:404, 28:462, 29:303, 29:305, 31:61, 31:182, 31:183, 34:488
anomalus, 8:181, 8:186, 8:189, 12:73, 12:80, 32:191, 34:442
arizonica, 25:444
arizonicus, 35:74
brachyanthera, 8:189
brizaeformis, 17:47
carinatus, 36:306
catharticus, 1:122, 4:116, 31:350
ciliatus, 20:434, 30:389, 35:74
commutatus, 20:323, 20:327, 20:330, 20:333, 22:139
diandrus, 27:371, 31:289
erectus, 12:139
exaltatus, 12:80
frondosus, 31:350, 35:65, 35:74
inermis, 12:304, 21:559, 24:240, 34:488, 35:323
japonicus, 2:157, 4:55, 4:116, 7:170, 12:97–103, 13:385, 13:386, 14:342, 15:165–173, 18:444, 24:240, 24:269, 24:550, 25:207, 29:411
laciniatus, 12:76, 12:80, 12:82
marginatus, 8:186, 8:189, 12:139, 12:143, 12:323
porteri, 1:62, 12:323, 12:326
purgans, 1:122, 4:116, 10:52
racemosus, 12:139, 12:142
richardsonii, 12:323, 12:327
rigidus, 4:116, 31:179
rubens, 9:56–58, 9:60, 12:80, 12:233, 17:335, 17:339, 24:287, 26:252, 26:282, 26:296, 27:371, 27:404, 30:305, 35:74
secalinus, 2:157
tectorium, 12:139
tectorum, 11:49, 12:142, 12:144, 17:47, 20:583, 23:78, 24:544, 24:550, 24:551, 25:326, 26:296, 26:397, 27:371, 29:230, 29:407, 29:408, 29:410–412, 29:417–419, 30:337, 30:339, 31:24, 31:56, 31:179, 31:289, 33:91, 33:413, 33:416, 34:442
texensis, 19:289
unioloides, 4:55, 16:273, 16:276, 25:326, 35:436, 36:354
willdenowii, 10:52, 24:435, 33:333
Bronaugh, Dick, see Kring, Lynn, —
Brongniartia, 32:363
Bronzed cowbird in West Texas and two bill abnormalities, David A. Easterla and Roland H. Wauer, 17:293–295
Brookhart, Jack, Solpugids (Arachnida) in Colorado, 17:31–41
Brooks, Garnett R., and Joseph C. Mitchell, Predator-prey size relations in three species of lizards from Sonora, Mexico, 34:541–546
Brooks, James E., see Marsh, Paul C., —
Brooks, James E., see Platania, Steven P., —
Brooks, Ralph E., and Gerald Seiler, New and interesting plant records for Kansas, 21:411–412
Brooks, Ralph E., First records of *Wolffia* (Lemnaceae) for Colorado, 26:321
Brosimum alicastrum, 31:532, 32:363
Brotula barbata, 28:465
Brown, Bennett A., see Klinger, Scott R., —
Brown, Bradford E., see Craven, Richard E., —
Brown, Bryan T., and Michael W. Trosset, Nesting-habitat relationships of riparian birds along the Colorado River in Grand Canyon, Arizona, 34:260–270
Brown, Bryan T., Nesting common mergansers in Chihuahua, Mexico, 35:88–89
Brown, Bryan T., William C. Leibfried, Thomas R. Huels, and Jesus Arenas Olivera, Prey remains from bald eagle nests in Sonora, Mexico, 36:259–262
Brown, Bryce C., *Trionyx muticus muticus* in the Texas Panhandle, 12:487
Brown, C. Mark, see Phillips, Sherman A., Jr., —
Brown, Carl K., see Turkowski, Frank J., —
Brown, Charles R., Chick recognition in purple martins (Passeriformes: Hirundinidae), 24:683–685
Brown, Charles R., Clutch size and reproductive success of adult and subadult purple martins, 23:597–603
Brown, Charles R., Purple martins feeding on cicadas, 25:553
Brown, Charles R., Starling feeding purple martins, 21:557–558
Brown, Charles R., Vocalizations of barn and cliff swallows, 30:325–333
Brown, David E., and Robert S. Henry, On relict occurrences of white-tailed deer within the Sonoran Desert in Arizona, 26:147–152
Brown, David E., On the status of the jaguar in the Southwest, 28:459–460
Brown, David E., see Davis, Russell, —
Brown, George W., see Anderson, Allen E., —
Brown, Harley P., and William D. Shepard, Type specimens in the zoological collections of the Stovall Museum of Science and History, 24:195–197
Brown, Harley P., *Xenelmis sandersoni*, a new species of riffle beetle from Arizona and northern Mexico (Coleoptera: Dryopoidea: Elmidae), 30:53–57
Brown, Harley P., see Bosse, Linda S., —
Brown, James H., Astrid Kodric-Brown, Thomas G. Whitham, and Hedley W. Bond, Competition between hummingbirds and insects for the nectar of two species of shrubs, 26:133–145
Brown, L. N., A longevity record for the little brown bat, *Myotis lucifugus*, in the western states, 34:287
Brown, Larry N., A fisher, Martes pennanti, in Sheridan County, Wyoming, 10:143
Brown, Larry N., Litter size and notes on reproduction in the giant water vole (*Arvicola richardsoni*), 22:281–282
Brown, Larry N., Status of opossum, Didelphis marsupialis, in Wyoming, 10:142–143
Brown, Larry N., see Maxwell, Marvin H., —

Brown, Larry R., Age, growth, feeding, and behavior of Sacramento squawfish (*Ptychocheilus grandis*) in Bear Creek, Colusa Co., California, 35: 249–260

Brown, Lauren E., Behavioral reactions of bullfrogs while attempting to eat toads, 19:335–337

Brown, Lauren E., Natural hybridization and trend toward extinction in some relict Texas toad populations, 16:185–199

Brown, Linda J., Food habits of *Microtus pennsylvanicus* (Cricetidae) and photosynthetic pathways, 26:218–220

Brown pelicans on the Louisiana and Texas Gulf Coast, the decline of, Kirke A. King, Edward L. Flickinger, and Henry H. Hildebrand, 21:417–431

Brown, Richard H., and Howard McCarley, Growth rates of *Lepomis macrochirus* (Centrarchidae) in three areas of Lake Texoma, 17:371–374

Brown, Robert D., see Carl, Gary, —

Brown thrasher with a bill abnormality, John W. Goertz and Elmer E. Mowbray, 14:254–255

Brown, Walter V., A cytological difference between the Eupanicoideae and the Chloridoideae (Gramineae), 5: 7–11

Brown, Walter V., and Gene A. Pratt, Stomatal inactivity in grasses, 10:48–56

Brown, Walter V., Gene A. Pratt, and Harold M. Mobley, Grass morphology and systematics II. The nodal pulvinis, 4:126–130

Brown, Walter V., review by, 22:407–409

Brown, Walter V., Supernumeracy chromosomes in a population of *Tradescantia edwardsiana*, 5:49–60

Brown, Walter V., William F. Harris, and Joseph D. Graham, Grass morphology and systematics I. The internode, 4:115–125

Brown, Wennona A., see Schmidly, David J., —

Brown, Wesley M., see Secoy, D. M., —

Brown, William H., see Hubbs, Clark, —

Brown, William S., A northern range extension for *Trionyx spiniferus emoryi* in New Mexico, 13:106–107

Brown, William S., Morphometrics of *Terrapene coahuila* (Chelonia, Emydidae), with comments on its evolutionary status, 16:171–184

Brown-headed cowbird (*Molothrus ater*) nest parasitism of rufous-crowned sparrows (*Aimophila ruficeps*), a record of, Donald B. Miles, 31:253–254

Bruchia
drummondii, 28:240
flexuosa, 28:240
hallii, 28:240, 28:241

Bruchidae, 28:474, 28:478, 32:418

Brucophagus, 28:466–468

Brugmansia, 33:85

Brumoides histrio, 28:475

Bruner, Joe L., see Tyrl, Ronald J., —

Brunken, Jere N., and James R. Estes, Cytological and morphological variation in *Panicum virgatum* L., 19: 379–385

Brush mouse, *Peromyscus boylii*, and the encinal mouse, *Peromyscus pectoralis*, in north-central Texas, distribution of the, C. William Kilpatrick, 16:211–213

Brush, Samuel W., and Gary W. Ferguson, Predation on lark sparrow eggs by a massasauga rattlesnake, 31:260–261

Brush, Timothy, First nesting of a New World woodpecker in tamarisk (*Tamarix chinensis*), 28:113

Bryan, C. Fred, see Conner, John V., —

Bryan, J. K., Field observations on the sympatric occurrence of species of *Gaura* (Onagraceae) in central Texas, 8:10–14

Bryant, Fred C., see Cohen, Will E., —

Bryant, Fred C., see Koerth, Benjamin H., —

Brychius, 28:131

Brycon guatemalensis, 32:228

Bryde's whale (*Balaenoptera edeni*) from the Louisiana coast, Susan H. Shane and David J. Schmidly, 21:409–410

Bryoandersonia illecebra, 28:240

Bryocladia, 21:459

Bryoflora of southern New Mexico, additions to the, Lloyd R. Stark, 31: 398–399

Bryophytes from Baja California, some, Howard Crum and William C. Steere, 3:114–123

Bryophytes from Guadalupe Island, Baja California, Howard Crum and Harvey A. Miller, 1:116–120

Bryophytes of Garner State Park, Texas, notes on the, Paul V. Prior, 5:43–44

Bryophytes of Huntsville State Park, Texas, Alan J. Neumann, Ann E. Rushing, Evangelina Bazan, and Dale M. J. Mueller, 28:239–242

Bryophytic flora of a West Texas canyon, Paul V. Prior, 6:186–188

Bryozoa from Lake Mead and Lake Mohave, Nevada-Arizona, Gene R. Wilde, Thomas A. Burke, and Charlie Keenan, 26:201

Bryozoan from an unexplored cave at Montezuma Well, Arizona, a, Behrooz Dehdashti and Dean W. Blinn, 31:557–558

Bryum
argenteum, 1:118, 1:119, 3:121, 5:44, 6:186
caespiticium, 1:118
capillare, 3:121
cuspidatum, 3:122
pseudotriguetrum, 30:151

Bubo virginianus, 5:195, 7:258, 9:205, 14: 163–170, 16:19, 16:124–125, 19:453, 21:520, 22:7, 23:305, 23:571, 24:534, 24:553, 26:267, 26:274, 29:206, 29: 474, 31:280, 33:377, 34:492, 36:265, 36:271, 36:277

Bubulcus, 26:37
ibis, 6:105, 20:282–283, 21:475–486, 32:138

Buccal cavity prey retention in largemouth bass (*Micropterus salmoides*), William J. Matthews and Loren G. Hill, 23:307–308

Bucephala
albeola, 20:374, 26:49–52, 31:280, 31: 285, 31:364, 31:365
clangula, 23:158

Bucephalopsis, 21:68, 21:69

Bucephalus elegans, 22:281

Buchanan, Thomas, M., Allen Carter, Sam Henry, and Ken Shirley, Rainbow smelt, *Osmerus mordax* (Pisces: Osmeridae), in the Mississippi River of Arkansas and Tennessee, 27: 225–226

Buchanan, Thomas M., First Arkansas record of *Noturus flavus* (Ictaluridae), 18:98–99

Buchloë, 5:144, 13:147, 13:156, 14:337, 14:340, 14:343, 14:345–347, 17:47, 18:445, 18:446, 19:228, 21:365, 26: 55, 34:428
dactyloides, 2:157, 5:9, 7:170, 9:115, 12: 139, 12:143, 12:304, 13:146, 13:160, 13:385, 13:386, 14:163, 14:173, 14: 331, 14:341, 14:342, 16:51, 16:272, 17:6, 17:8, 18:22, 18:444, 19:294, 19: 430, 21:360, 21:362–364, 21:366, 22: 506, 23:316, 23:319, 24:121, 24:240, 24:433, 25:216, 25:404, 26:53, 27: 245, 27:299–303, 27:312, 27:339, 27: 461, 27:462, 28:53, 28:336, 28:347, 28:388, 28:463, 29:230, 29:326, 29: 329, 29:358, 30:319, 33:481, 35:413

Buchnera
americana, 7:169
floridana, 23:504, 25:316

Buck, David A., see Baugh, Thomas, —

Buck, Paul, and Ralph W. Kelting, A survey of the tall-grass prairie in northeastern Oklahoma, 7:163–175

Bud-bursting in diverse populations of mesquite (Prosopis: Leguminosae)

under uniform conditions, Calvin McMillan and J. Talmer Peacock, 9:181–188
Buddleia, 13:137, 13:138, 13:141
alternifolia, 13:139, 13:140
asiatica, 13:139, 13:140
cestriflora, 13:140
davidii, 13:140
japonica, 13:140
longiflora, 13:140
marrubiifolia, 10:258
racemosa, 13:139–141
speciosissima, 13:140
tubiflora, 13:139, 13:140
Buddleioideae, 13:140
Buddleja, 8:211, 27:362
marrubifolia, 23:291, 23:297
marrubiifolia, 27:30, 30:536
Budington, A. B., and R. L. Gilbertson, Some southwestern lignicolous hymenomycetes of special interest, 17: 409–422
Bueno
margaritacea, 9:100
scimitra, 9:100
Buenoa, 23:620
antigone, 23:618
arida, 22:327, 22:332, 23:618–621
arizonis, 22:327, 22:328, 22:332, 23: 618–621
hungerfordi, 22:327, 22:328, 22:332
margaritacea, 22:328, 22:332, 23:619, 23:620, 26:156
scimitra, 22:328, 22:332, 23:619, 23: 620, 26:156
Bufo, 5:102, 5:169, 5:206, 13:295, 14:210, 18:101, 27:165, 32:75
alvarius, 3:19, 3:21, 3:23, 11:129, 28: 469, 28:470, 32:83, 34:522, 34:523, 34:525
americanus, 3:82, 10:312, 14:205, 16: 197, 26:359, 29:189, 34:377, 34:379
bocourti, 11:129, 35:275
boreas, 3:19, 16:219, 21:503–509, 25: 274, 30:601, 30:604, 32:83, 32:276, 32:277, 34:295
bufo, 33:241
canaliferus, 11:129, 32:83, 35:277
cavifrons, 32:80, 32:83
coccifer, 11:19–23, 12:200, 12:201, 14: 130, 14:131, 26:353–363, 32:80, 32: 83, 35:273, 35:274, 35:277
cognatus, 3:17–19, 3:21, 3:26, 3:227–229, 5:103, 5:106, 5:165, 5:167, 5: 168, 5:202, 5:205, 9:47, 14:204, 14: 205, 14:211, 19:192, 26:359, 27:120, 28:469, 32:13–19, 32:80, 32:83, 33: 241, 34:522–524, 35:393, 35:399, 35: 401
compactilis, 3:19, 3:26, 3:33, 3:36, 3: 71–75, 4:92, 4:94, 4:96, 5:201, 5:204, 5:207, 16:228, 32:80, 32:83
cristatus, 32:80
cycladen, 11:19–22, 12:200–201, 14: 130, 26:353, 26:357
debilis, 3:32, 3:36, 3:38, 4:92, 4:94, 4: 96, 9:47, 25:116, 27:120, 28:469, 28: 470, 32:80, 32:83, 35:399
exsul, 32:277
fowleri, 11:137, 11:302, 17:199
gemmifer, 14:130, 14:131, 32:83
houstonensis, 5:106, 16:185–199, 18: 346, 29:189–195, 34:374–380
kelloggi, 32:83
leutkenii, 26:362
luetkeni, 11:129, 11:130
marinus, 3:18–21, 3:23, 14:130, 16:228, 18:93, 23:685, 26:362, 32:80, 32:83, 34:171, 35:277
marmoreus, 14:130, 14:131, 32:83, 35: 277
mazatlanensis, 32:83
microscaphus, 5:26, 9:107, 12:53, 25: 274, 29:244, 29:245, 32:83, 35:116, 35:118
nelsoni, 32:276–278
occidentalis, 16:228, 18:195, 32:80, 32: 83
perplexus, 32:83
punctatus, 3:19, 3:31, 3:32, 3:36, 4:92, 4:94, 4:96, 4:104, 8:50, 8:225, 11: 132, 11:406, 11:408, 12:45–54, 16: 228, 18:103–105, 19:330, 32:80, 32: 83, 34:523, 34:524, 35:116, 35:118, 36:98
retiformis, 28:469, 28:470, 32:83
speciosus, 9:107, 14:204, 14:205, 14:211, 19:192, 32:80, 33:241
terrestris, 1:181, 1:183, 1:184, 3:18, 5: 166, 7:79, 7:80, 11:302
valliceps, 3:19, 3:71, 5:77, 5:79, 5:84, 5:85, 5:219, 6:105, 8:142–149, 11: 302, 12:105–106, 12:201, 16:185–199, 16:228, 18:93, 19:336, 20:471, 20:538, 20:551, 26:362, 29:190, 29: 191, 29:194, 32:80, 32:83, 34:155–157, 35:277
woodhousei, 1:181, 1:183, 1:184, 3:17–24, 3:26, 3:27, 3:32, 3:37, 3:74, 3: 227, 3:228, 5:103, 5:106, 5:166, 6: 106, 9:107, 11:311, 11:312, 12:45–54, 14:204, 14:205, 14:211, 16:185–199, 19:336, 24:37, 29:245, 32:13–19, 32:80, 32:83, 33:240–243, 34:532, 34:533, 35:116, 35:118, 35:474, 36: 175
woodhousii, 30:367, 34:378, 35:449
Bufo boreas boreas in New Mexico, James B. Campbell and William G. Degenhardt, 16:219
Bufo cycladen (Bufonidae): a case of *nomen dubium*, Kenneth R. Porter, 12: 200–201
Bufo microscaphus Cope in New Mexico, verification of occurrence of, James S. Findley, 9:107
Bufo punctatus in Arizona, observations on a small, isolated population of, William S. Parker, 18:103–105
Bufo valliceps breeding in artifical pools, Clark Hubbs and F. Douglas Martin, 12:105–106
Bufonidae, 12:200–201, 21:503–509, 29: 189–195, 34:155–157, 35:399, 36:98
Buisnictis, 32:239
Bulbochaeta, 10:266
Bulbochaete, 10:229, 23:59, 23:434, 23: 440, 23:446, 25:420
pygmaea, 23:440
rectangularis, 23:440
Bulbostylis, 9:35
capillaris, 35:74
pedunculosa, 12:127
Bulimulidae, 5:151, 9:104, 24:688
Bulimulis dealbatus, 16:310
Bulimulus
alternatus, 5:146, 5:151, 9:104
dealbatus, 4:146, 5:146, 5:151, 16:317, 29:36, 29:37, 29:39, 29:40, 31:280, 31:286
durangoanus, 19:61, 19:62, 29:36
pasonis, 16:89, 16:91, 16:92, 16:104, 16:105, 19:60–64, 29:36, 30:459
Bulimus multilatus, 2:78
Bulkley, Ross V., see Black, Tamara, —
Bulkley, Ross V., see Pimental, Richard, —
Bullfrog attempts to catch dove, Albert P. Blair, 12:201–202
Bullock, Stephen H., Comparison of the distribution of seed and parent-plant populations, 21:383–389
Bullock, Stephen H., see Tejada, Cesar A. Dominguez Perez, —
Bultman, Thomas L., and Stanley H. Faeth, Effect of within-leaf density and leaf size on pupal weight of a leaf-miner, *Cameraria* (Lepidoptera: Gracillariidae), 31:201–206
Bumelia, 14:103
celastrina, 24:168, 24:171, 26:291, 30: 398, 30:400, 30:401, 36:215, 36:216
langinosa, 17:401
languinosa, 22:506, 24:609
lanuginosa, 1:146, 10:43, 14:93, 14:106, 14:107, 16:272, 18:436, 18:438, 18: 439, 20:76, 20:328, 21:482, 22:551, 22:552, 24:169, 24:171, 25:70, 25: 328, 25:332, 27:310, 27:311, 27:385, 27:428, 28:83, 29:83, 29:304, 31:75
persimilis, 32:363
Bumillaria, 8:232
Bunck, Christine M., see Flickinger, Edward L., —
Bunting, Stephen C., see Neuenschwander, Leon F., —
Bupleurum
rotundifolium, 4:155
subovatum, 4:154
Buprestidae, 20:7, 20:9, 24:612, 27:26,

28:474, 28:478, 30:603, 32:418, 32:491
Bur oak (Quercus macrocarpa) in New Mexico?, J. M. Tucker and J. R. Maze, 11:402–405
Burandt, Charles L., Jr., Elray S. Nixon, and R. Larry Willett, Woody vegetation of an inland heronry in East Texas, 21:475–486
Burdick, George, see Wauer, Roland H., —
Burdsall, H. H., Jr., see Gilbertson, R. L., —
Burger, John F., Notes on *Tabanus morbosus* Stone (Diptera: Tabanidae) in Arizona, with a description of the male, 21:117–121
Burke, Barbara M., see Marra, Peter P., —
Burke, H. R., see Rogers, C. E., —
Burke, Horace R., A new species of Endalus Laporte in the limatulas-setosus group, with notes on Endalus celatus Burke (Coleoptera, Curculionidae), 10:9–13
Burke, Horace R., and Danny B. Gates, Bionomics of several North American species of *Anthonomus* (Coleoptera: Curculionidae), 19:313–327
Burke, Horace R., and John E. Hafernik, Biology and taxonomy of the genus *Smicraulax* Pierce (Coleoptera: Curculionidae), 15:309–317
Burke, Horace R., Biological and distributional notes on some Texas weevils (Coleoptera, Curculionidae), 6: 195–197
Burke, Horace R., Coleoptera associated with three species of Solanum in Texas, 8:53–56
Burke, Horace R., New species of Texas weevils, with notes on others (Coleoptera, Curculionidae), 8:162–172
Burke, Horace R., Notes on Texas riffle beetles (Coleoptera, Elmidae), 8: 111–114
Burke, Horace R., review by, 16:129–130
Burke, Horace R., Studies on the genus *Anthonomus* in North and Central America (Coleoptera: Curculionidae) I. Some new and little known species from Mexico, 7:202–210
Burke, Horace R., Three new species of Texas weevils (Coleoptera, Curculionidae), 6:65–72
Burke, Horace R., see Kovarik, Peter W., —
Burke, Thomas A., see Wilde, Gene R., —
Burkett, Ray D., see Sorensen, E. M. B., —
Burmeister, E., and O. W. Van Auken, Effects of light intensity on root and nodule growth of *Acacia smallii* seedlings, 34:54–60
Burnham, Gladys L., Some helminth parasites of the sandhill crane in West Texas, 17:200–201
Burning and mowing on vegetation of Padre Island, effect of, D. Lynn Drawe and Kenneth R. Kattner, 23:273–278
Burning on tillering and aboveground biomass partitioning in little bluestem (*Sachizachyrium scoparium*), influence of, Tony Svejcar and Scott Christiansen, 31:116–118
Burning regime on buried seed banks and canopy coverage in a Kansas tallgrass prairie, effects of, Marc D. Abrams, 33:65–70
Burns, E. E., see Ofcarcik, R. P., —
Burns, Richard J., and Raúl Flores Crespo, Notes on local movement and reproduction of vampire bats in Colima, Mexico, 19:446–449
Burns, Richard J., see Crespo, Raúl Flores, —
Burns, Thomas A., Dick T. Stalling, and William Goodger, Gar ichthyootoxin–its effect on crayfish, with notes on bluegill sunfish, 25:513–515
Burns, Thomas A., Effect of temperature on heart and ventilatory rates of *Sceloporus jarrovi*, 15:465–471
Búrquez, Alberto, see Eguiarte, Luis, —
Burr, Brooks M., and Donald G. Buth, New localities for the rare Mexican clingfish, *Gobiesox fluviatilis*, from Durango and Chihuahua, 22:125–128
Burr, Brooks M., Robert C. Cashner, and William L. Pflieger, *Campostoma oligolepis* and *Notropis ozarcanus* (Pisces: Cyprinidae), two additions to the known fish fauna of the Illinois River, Arkansas and Oklahoma, 24:381–383
Burrow characteristics of the nine-banded armadillo, *Dasypus novemcinctus*, John W. Zimmerman, 35:226–227
Burrow terrets in a gregariously nesting bee, the function of, F. North and H. Lillywhite, 25:373–378
Burrow utilization of the thirteen-lined ground squirrel, observations on the, Paul G. Desha, 11:408–410
Burrowing owl (*Athene cunicularia*) food habits in Oklahoma, notes on, Jack D. Tyler, 28:100–102
Burrows, behavior, and color of the crayfish *Fallicambarus* (*F.*) *devastator* (Decapoda: Cambaridae), notes on the, Horton H. Hobbs, Jr., and Mike Whiteman, 36:127–135
Burrows of the parthenogenetic whiptail lizard *Cnemidophorus laredoensis* (Teiidae) in Webb Co., Texas, J. Martin Walker, Stanley E. Trauth, James M. Britton, and James E. Cordes, 31:408–410
Bursaria, 17:244
Bursera, 18:194, 18:198, 29:212
excelsa, 36:362
hindsiana, 32:23, 32:25
hindsianum, 29:213
laxiflora, 21:128
microphylla, 12:185, 21:127, 21:128, 28:213, 29:213, 30:346, 32:23–25, 36:362
simarouba, 32:363
simaruba, 36:361
Bursey, Charles R., see Goldberg, Stephen R., —
Burton, David W., see McCarthy, Timothy J., —
Burton, Gerald L., see Propst, David L., —
Bury, R. Bruce, and Elizabeth L. Smith, Aspects of the ecology and management of the tortoise *Gopherus berlandieri* at Laguna Atascosa, Texas, 31:387–394
Busch, David E., see Fisher, Stuart G., —
Buscher, Henry N., see Tyler, Jack D., —
Bush, J. K., and O. W. Van Auken, Light requirements for growth of *Prosopis glandulosa* seedlings, 32:469–473
Bush, J. K., see Van Auken, O. W., —
Bushnell, John H., Porifera and Ectoprocta in Mexico: architecture and environment of *Carterius latitentus* (Spongillidae) and *Fredericella australiensis* (Fredericellidae), 15:331–346
Bushnell, John H., see Kaster, Jerry L., —
Buteo
albonotatus, 16:23, 19:1, 19:2
harlani, 7:263
jamaciensis, 17:76
jamaicensis, 16:22, 16:159, 19:111, 21: 245, 22:404–405, 23:305, 27:240, 29: 149–156, 29:474, 31:60, 32:149–150, 34:495, 36:265, 36:270, 36:271
lagopus, 36:270, 36:273
lineatus, 29:152, 34:72–78
magnirostris, 7:255
nitidus, 4:68, 6:1, 18:198–200
regalis, 36:265, 36:270, 36:273
swainsoni, 17:432, 19:111–112, 24:533–534, 36:270, 36:271
swainsonii, 27:240
Buteogallus anthracinus, 7:256, 12:332
Buth, Donald G., see Burr, Brooks M., —
Buthidae, 15:504–505
Butler, Wade, see Whitmore, Donald H., —

Butorides
striatus, 20:134
virescens, 2:31, 4:67, 6:104, 6:105, 11:137
Butt, S. M., see Beley, J. R., —
Butt, S. M., see Ditsworth, T. M., —
Butterfield, Brian P., Walter E. Meshaka, and Stanley E. Trauth, Fecundity and egg mass size of the Illinois chorus frog, *Pseudacris streckeri illinoensis* (Hylidae), from northeastern Arkansas, 34:556–557
Butterworth, Bernard B., Parental relations and the behavior of juvenile kangaroo rats (*Dipodomys*) in captivity, 8:213–220
Button, Kenneth S., and Dean W. Blinn, Planktonic diatom fluctuations in a northern Arizona mountain lake, 20:397–408
Butts, Gregory L., Aerial pursuit of red-tailed hawks (Accipitridae) by turkey (Meleagrididae) hens, 22:404–405
Buxaceae, 11:106, 18:430, 18:441
Bye, Robert, see Palomino H., Guadalupe, —
Bye, Robert A., Jr., and Douglas E. Soltis, *Parnassia townsendii* (Saxifragaceae), a Mexican endemic, 24:209–222
Bye, Robert A., Jr., see Palomino, Guadalupe, —
Byman, David, see Wunder, Bruce A., —
Byron, Earl R., and James F. Saunders, III, Colonization of Lake Tahoe and other western habitats by the copepod, *Skistodiaptomus pallidus* (Herrick) (Calanoida), 26:82–83
Byrsonima crassifolia, 32:363
Byssocorticium neomexicanum, 19:350
Byssomerulius
armeniacus, 19:350
corium, 19:350
incarnatus, 19:350
serpens, 19:350
Bytneria aculeata, 18:198
C. adenophorum, 16:366
Caballeroiella, 26:409, 26:410, 26:413
Cabomba
caroliniana, 6:182, 34:290
Cacalia, 16:377, 18:321
amplifolia, 16:364
ampulacea, 16:364
obtusiloba, 16:364
plantaginea, 4:59, 29:326
pringlei, 16:364
schaffneri, 16:364
sinuata, 16:364
tuberosa, 7:170
Cactaceae, 1:64, 1:66, 1:67, 2:165, 4:58, 11:75, 11:80, 11:86, 11:114, 12:119, 13:383, 18:430, 18:438, 18:440, 18:442, 20:574, 21:316, 22:37, 22:341, 23:296, 23:500, 24:542, 25:104–107, 25:181–195, 25:332, 25:339–349, 25:438, 26:440, 28:215–220, 29:205, 30:77–82, 30:387, 30:399, 32:450, 34:160–164, 34:392–401, 35:64, 35:71, 36:67, 36:338–340
Cacti growing as epiphytes, southwestern, William Reid and Ralph Krappa, 28:120
Cactus flora of White Sands National Monument, New Mexico, additions to the, William H. Reid, Gail R. Patrick, and Rogelio Lozano, 26:205–207
Caddisfly records for New Mexico (Insecta: Trichoptera), new, R. D. Waltz and W. P. McCafferty, 28:413–415
Caddisfly records for New Mexico (Insecta: Trichoptera), new, R. D. Waltz and W. P. McCafferty, 28:353–356
Caecidotea
ancyla, 28:100
steevesi, 28:100
Caecidotea steevesi (Isopoda: Asellidae) from Arkansas, a new record of, Mark D. Schram, 28:100
Caeciliidae, 21:337, 21:342
Caecilius africanus, 21:344
Caecincola
latostoma, 29:377, 29:378, 29:383
parvulus, 12:333, 16:288, 16:292, 16:293, 22:527, 22:528, 27:224
Caeculidae, 28:419
Caenesteriella setosa, 12:383, 12:386, 12:387, 12:393, 12:398, 12:402
Caenestheriella
belfragei, 14:237, 14:242
gynecia, 16:299, 20:409, 22:206
setosa, 20:409–411
Caenidae, 23:554, 25:251, 26:156, 31:17
Caenis, 1:151, 8:136, 14:221, 14:222, 14:224, 14:226, 14:227, 14:237, 14:242, 23:140, 23:554, 25:142, 25:251, 25:538, 25:550, 27:39, 28:190, 31:17, 31:252
delicata, 34:315
Caesalpina palmeri, 13:239
Caesalpinia
gilliesii, 23:297, 24:435, 28:83, 35:72
jamesii, 28:382
parryi, 30:536
Cain, Brian W., and Keith A. Arnold, Black-bellied tree ducks (*Dendrocygna autumnalis*) nesting in the central Brazos Valley of Texas, 18:474–475
Cain, Brian W., and Susan R. Utesch, An unusual color pattern of the green tree frog, Hyla cinerea, 21:235–236
Cain, Brian W., review by, 19:121–122
Cain, Brian W., see Fleming, W. James, —
Cain, Brian W., see Foreman, Larry D., —
Cain, Brother Joseph, A preliminary survey of the algal flora of soils of certain areas of Texas, 9:166–170
Cain, George D., and Eugene H. Studier, *Plagiorchis* (*Plagiorchis*) *micracanthos* Macy, 1931 (Trematoda: Digenea), from *Myotis lucifugus occultus* in Northeast New Mexico, 17:104–105
Caire, William, A breeding population of the northern pygmy mouse, *Baiomys taylori*, in southwestern Oklahoma, 36:364–365
Caire, William, and Lothar Hornuff, Overwintering population dynamics of the bat fly, *Trichobius major* (Diptera: Streblidae), 31:126–129
Caire, William, and Lothar Hornuff, Wing morphology and flight behavior of the bat fly *Trichobius major* (Diptera: Streblidae), 27:356–357
Caire, William, and Mark A. Ports, An adaptive method of predation by the great horned owl on Mexican free-tailed bats, 26:69–70
Caire, William, and Monte L. Thies, The Seminole bat, *Lasiurus seminolus* (Chiroptera: Vespertilionidae), from central Oklahoma, 32:273
Caire, William, and Robert B. Finley, Jr., The desert shrew, *Notiosorex crawfordi* (Coues), from northwestern Colorado, 22:284–285
Caire, William, Joe E. Vaughan, and Victor E. Diersing, First record of *Sorex arizonae* (Insectivora: Soricidae) from Mexico, 23:532–533
Caire, William, Lothar Hornuff, and Mark Ports, Geographic variation in wing areas and femur lengths of the bat fly, *Trichobius major* (Diptera: Streblidae), in western Oklahoma, 26:429–430
Caire, William, Lothar Hornuff, and Nancy Sohrabi, Stimuli used by *Trichobius major* (Diptera: Streblidae) to locate its bat host, *Myotis velifer*, 30:405–412
Caire, William, see Kilpatrick, C. William, —
Caire, William, see Pyle, Richard A., —
Caire, William, see Thies, Monte, —
Cairina, 26:427
moschata, 22:276, 23:158, 29:453–461
Cajophora, 21:439
Cakile
fusiformis, 23:501, 25:316, 25:318
geniculata, 22:37, 23:501, 25:316, 25:318
Calamagrostis, 12:80

canadensis, 4:116, 18:483, 20:434
inexpansa, 18:483
purpurascens, 20:434
Calamagrostis inexpansa (Gramineae) new to Kansas, Robert I. Lonard, 18:483
Calamichthys, 7:119
Calamites, 31:482, 31:486
Calamoceratidae, 28:355, 28:414, 32:289
Calamospiza melanocorys, 4:172, 14:166, 14:168
Calamovilfa, 13:150, 13:156
gigantea, 2:157, 25:325, 25:326, 25:337
longifolia, 12:138, 12:141, 12:144, 13:146, 24:551, 28:335
Calandrinia ciliata, 24:291, 24:292, 24:295, 35:73
Calanoid copepods: new records from Oklahoma, Andrew Robertson, 17:201–203
Calanoid population structure in a Kansas lake after introduction of threadfin shad, Carl W. Prophet, 30:162–163
Calanoida, 26:82–83, 33:41–53
Calathus
advena, 15:325
micropterus, 15:323
Calcarius
lapponicus, 7:266
ornatus, 7:266
Calcitro fisheri, 17:154
Calcitronidae, 17:154
Calcoschizomus latisternum, 17:154
Caldwell, Mary Sherman, Ecology of the Sonoran Desert (rev.), 17:111–112
Calea, 8:184, 16:358, 16:373
hypoleuca, 16:364
salneaefolia, 16:364
urticaefolia, 16:364
zacatechichi, 16:364
Calhoun, S. W., T. L. Beitinger, and E. G. Zimmerman, Similarity in selected temperatures of two allopatric populations of blacktail shiner, *Notropis venustus* (Cyprinidae), 26:441–442
Calidris
alba, 36:110
alpina, 21:240, 36:110
bairdii, 27:154, 36:110, 36:362
canutus, 6:103
fuscicollis, 36:110
mauri, 27:149–159, 36:110
melanotos, 36:110
minutilla, 27:154, 36:110
pusilla, 36:110
pusillus, 27:154
California condor behavior near Mount Pinos, California, Dirk Van Vuren, 24:190–191
Call, C. A., and D. W. Owens, Establishment of *Helianthus maximiliani* (Asteraceae) in abandoned cropland in the post oak savannah of Texas, 31:367–374
Call, C. A., see Skousen, J. G., —
Call structure and species groups in U.S. treefrogs (*Hyla*), W. Frank Blair, 3:77–89
Callahan, J. R., and D. Q. Estep, Tree and ground nests of southern *Eutamias*, 27:234–238
Callahan, J. R., and Russell Davis, A new subspecies of the cliff chipmunk from coastal Sonora, Mexico, 22:67–75
Callahan, J. R., and Russell Davis, Desert chipmunks, 21:127–130
Callahan, J. R., Taxonomic status of *Eutamias bulleri*, 25:1–8
Callanthidium, 18:313
illustre, 22:554–557
Callas, Gerald, see Boudreaux, Jack, —
Callender, Bernard, see Hannan, Herbert H., —
Calliandra, 18:193, 27:326
conferta, 23:297, 30:536, 30:547, 30:548
eriophylla, 16:390, 16:393, 16:397, 17:170, 17:173, 18:194, 22:227, 27:30, 33:108, 35:67, 35:72
humilis, 21:313, 21:314, 33:109, 35:66, 35:72
peninsularis, 35:78
Callibaetis, 8:136, 14:237, 14:242, 23:554, 26:156, 27:441, 27:443, 34:478
montanus, 31:15 17
Callicarpa
americana, 6:47, 6:48, 12:344, 12:345, 18:437, 18:438, 18:439, 20:327, 20:329, 20:333, 21:475, 21:482, 22:137, 29:83, 31:192
japonica, 6:47, 6:48
Callilepis, 11:342, 20:55, 20:58, 20:61, 20:64–67
chisos, 30:7
gosoga, 20:58, 20:61, 20:62, 20:66
imbecilla, 11:343, 30:7
munda, 11:343
Callinectes sapidus, 8:135, 16:438
Callipepla, 31:285
californica, 30:453, 31:105
gambelii, 29:473, 31:256
squamata, 2:35, 2:124, 4:148–152, 4:170, 8:108–111, 11:136, 13:30, 16:6, 21:248, 27:165, 30:543–553
Calliphora
erythrocephala, 31:111
terraenovae, 12:267
vomitoria, 12:267
Calliphoridae, 12:267, 19:65, 19:70, 23:565, 23:566, 23:568, 23:570, 23:571, 23:575, 26:431, 32:418
Callipodida, 34:381–391
Callirhoe bushii (Malvaceae) a variety of C. papaver, U. T. Waterfall, 3:215–216
Callirhoe
bushii, 3:215–216
involucrata, 2:165, 3:215, 19:324, 25:332
leiocarpa, 19:324
papaver, 3:215
Callisaurus, 5:123, 21:17
draconoides, 21:23, 22:53, 23:48, 26:101, 26:103, 26:104, 26:111, 26:113, 30:469, 30:470, 32:107, 34:523, 35:377–383
Callisoma, 11:413–414
Callithamnion, 21:459
Callitriche terrestris, 21:411
Calmamovilfa, 13:147
Calochortus, 21:383, 21:385
ambiguus, 35:66, 35:74
catalinae, 21:384
clavatus, 21:384
kennedyi, 35:74
nuttallii, 12:139, 12:141, 12:143
Calocitta formosa, 18:195, 18:197, 18:199
Caloglyphus boharti, 13:325–334
Calomyxa metallica, 10:223, 23:690
Caloneis, 25:420
amphisbaena, 22:414, 26:312–314
bacillaris, 26:314
bacillum, 22:458, 24:152, 26:314, 28:245
hyalina, 26:314
lewisii, 22:458, 23:89, 24:152
lewissii, 28:245
limosa, 24:152, 28:245, 30:464, 30:465
oregonica, 26:314
silicula, 23:89, 26:314
trinodis, 10:40
ventricosa, 22:414, 22:459, 24:152, 28:245
Calopsectra, 1:152
guerla, 14:239, 14:245
Calopteron, 10:15
Calopterygidae, 34:440
Calopteryx, 8:82
maculatum, 8:68, 8:69
Caloric and micronutrient content of *Nuphar polysepalum*, Scott J. Herrmann, 21:373–382
Calosectra mancus, 1:152
Calosoma parvicollis, 28:474
Calothorax lucifer, 15:135–136, 16:22, 28:143–148, 32:174, 36:363
Calothrix
braunii, 10:231, 10:232
ghosei, 23:443
minima, 11:202
parietina, 26:32
Caltha, 16:219
leptosepala, 19:131–138, 20:431
Calycoseris wrightii, 21:315, 22:341, 35:64, 35:70
Calylophus
australis, 23:503, 25:317, 36:123
berlandieri, 25:315
drummondianus, 23:319, 23:503

serrulatus, 25:325, 25:332
Calypogeia trichomanis, 1:120
Calypogeja fissa, 28:240
Calypte
anna, 26:254, 30:453
costae, 29:473
Calyptocarpus vialis, 24:688
Calyptridium
monandrum, 35:64, 35:73
parryi, 35:73
Calyptrocarpus, 5:15
Calystegia macrostegia, 31:179, 31:182
Calythea, 19:70
Camaenidae, 7:52
Camallanus, 28:399, 28:403, 30:174
oxycephalus, 12:334, 16:290, 16:294, 22:361, 22:363, 22:365, 22:528, 27:224, 27:225, 29:380, 29:382
trispinosus, 22:533
Camarillo R., José L., see Cortés, Rafael Aguilar, —
Camariosporium, 24:367
Camassia, 24:123, 24:125
fraseri, 24:124
scilloides, 7:170, 24:124
Cambala
reddelli, 12:263
speobia, 12:263
Cambalidae, 12:263
Cambarellus, 18:177–185, 19:172, 22:271
ninae, 18:177, 18:183, 18:184
puer, 18:177, 18:183–185, 19:168, 19:169, 19:175, 19:176, 30:193
shufeldti, 18:184, 18:185, 26:38, 26:39
shufeldtii, 22:272
shutfeldti, 23:554
texanus, 18:177, 18:178, 18:180, 18:183–185
Cambaridae, 21:443–449, 22:271–275, 36:127–135
Cambarus, 11:311, 19:171, 22:271, 22:272, 24:35, 24:36
diogenes, 19:168, 19:174, 19:175, 25:236, 33:120, 36:129, 36:132
ludovicianus, 36:132
setosus, 17:310
shufeldtii, 33:120
Camel (genus *Camelops*) from the Pleistocene of Aguascalientes, Mexico, a new species of, Oswaldo Mooser and Walter W. Dalquist, 19:341–345
Camelidae, 26:280
Camelina microcarpa, 12:139, 25:329, 29:411
Camellia, 13:220, 14:427
japonica, 14:429, 16:324, 18:436, 18:438
sinensis, 16:321
Camelops, 21:14, 22:337, 24:234, 26:281, 32:238, 32:282, 36:180
hesternus, 12:13, 19:341, 19:344, 26:267, 26:280, 26:283
huerfanensis, 12:13
mexicanus, 19:344
niobrarensis, 12:13, 22:260, 22:266
sulcatus, 12:4, 12:12–14, 19:345
traviswhitei, 19:341–345
Camelopsocus, 30:21
Cameraria, 31:201–206
Cameron, Guy N., W. Bradley Kincaid, Cathy A. Way, and J. O. Woodrow, Jr., Daily movement patterns of *Sigmodon hispidus*, 24:63–69
Cameron, Guy N., see Gregory, Michael J., —
Camin, Joseph H., see Baker, Edward W., —
Camissonia
boothii, 23:609, 23:611
californica, 35:64, 35:73
chamaenerioides, 35:64, 35:73
Campanula
rapunculoides, 18:323
rotundifolia, 12:139, 12:323, 20:428
uniflora, 20:428
Campanulaceae, 2:44, 18:323, 19:329, 20:428, 24:187, 25:335, 35:71
Campbell, Bruce H., An aqueduct as a potential barrier to the movements of small mammals, 26:84–85
Campbell, C. J., and J. E. Strong, Salt gland anatomy in Tamarix pentandra (Tamaricaceae), 9:232–238
Campbell, Howard, An unusually long rattle string in *Crotalus atrox* (Serpentes: Crotalidae), 3:233
Campbell, Howard, Experimental feeding of wild quail in New Mexico, 4:169–175
Campbell, Howard, Fall foods of Gambel's quail (Lophortyx gambelii) in New Mexico, 2:122–128
Campbell, J. A., see Hoffmann, Robert S., —
Campbell, James B., and William G. Degenhardt, *Bufo boreas boreas* in New Mexico, 16:219
Campbell, John M., and William J. Clark, Gamogenesis in some southern populations of periphytic pond Cladocera, 34:344–348
Campbell, Jonathan A., A confusing specimen of rattlesnake from Cerro Tancítaro, Michoacán, México, 27:353
Campbell, Jonathan A., and Ty M. Kubin, A key to the larvae of *Plectrohyla* (Hylidae), with a description of the tadpole presumed to be *Plectrohyla avia*, 35:91–94
Campbell, Jonathan A., *Crotalus scutulatus* (Viperidae) in Jalisco, Mexico, 24:693–694
Campbell, Jonathan A., Rediscovery of a rare Mexican lizard, *Norops milleri* (Sauria: Iguanidae), 34:560–561
Campbell, Malcolm R., Records of albinotic oppossum from central California, 25:560
Campbell, Marial, see Heske, Edward J., —
Campbell, Stephen L., see Hillis, David M., —
Campbell, Thomas M., III, and Tim W. Clark, Observation of badger copulatory and agonistic behavior, 28:107–108
Campbell-Kissock, Linda, Lytle H. Blankenship, and J. W. Stewart, Plant and animal foods of bobwhite and scaled quail in Southwest Texas, 30:543–553
Campeloma
decisum, 3:225
subolidum, 27:349, 27:350
Campephilus imperialis, 29:243
Camper, Jeffrey D., Mode of reproduction in the smallmouth salamander, *Ambystoma texanum* (Ambystomatidae), in Iowa, 35:99–100
Campodeidae, 12:264
Camponotus, 17:54, 18:39–43, 19:70, 29:442, 32:386
anthrax, 18:39
festinatus, 28:140
herculeanus, 31:91
laevigatus, 27:135–142
nearcticus, 18:39, 18:42, 18:43
nevadensis, 18:39, 18:42
obscuripes, 31:91
ocreatus, 25:181, 25:185, 25:187, 25:189, 25:192, 28:140
pylartes, 28:140
sayi, 28:140
texanus, 28:140
vicinus, 2:127, 17:49, 17:50, 17:52, 17:53
Camponotus (Hymenoptera: Formicidae) from Nevada, a new species of, Robert E. Gregg, 18:39–43
Campos, E. G., see Eads, R. B., —
Campostoma, 12:465, 33:143
anomalum, 2:94, 2:97, 3:14, 4:164, 9:106, 12:463, 12:464, 15:140, 16:442, 17:378, 19:261, 20:415, 21:67–70, 21:495, 22:543, 24:381–383, 24:482, 29:497, 30:24–26, 30:306, 30:560, 31:154, 31:377–379, 32:439, 33:137–142, 33:144, 33:145, 34:229, 34:408, 34:440, 36:286
oligolepis, 21:67–70, 24:381–383, 30:206
ornatum, 2:99, 17:375–379
Campostoma oligolepis and *Notropis ozarcanus* (Pisces: Cyprinidae), two additions to the known fish fauna of the Illinois River, Arkansas and Oklahoma, Brooks M. Burr, Robert C. Cashner, and William L. Pflieger, 24:381–383
Campsis, 2:132

radicans, 2:131, 16:403–412, 18:430, 18:438, 18:441, 27:429, 27:432
Campsomeris, 32:357–362
completa, 32:359, 32:361
limosa, 32:359, 32:361
pilipes, 32:358, 32:359, 32:361
plumipes, 32:359, 32:361
tolteca, 32:358, 32:359, 32:361
Camptocercus, 12:59, 12:62
oklahomensis, 4:188, 4:192
rectirostris, 4:188, 4:192, 14:324
Camptocerus, 10:266
Camptostoma imberbe, 18:245
Camptothecium arenarium, 1:118
Campylacantha olivacea, 27:203, 27:205, 32:464
Campylium
chrysophyllum, 28:240, 30:151
hispidulum, 30:151, 31:398
Campylodiscus clypeus, 26:312, 26:316
Campylorhynchus
brunneicapillus, 11:136, 16:6, 18:195, 21:128, 27:165, 28:149–156, 29:473, 31:111–114, 36:363
zonatus, 4:74
Canacomyrica, 11:106, 11:107
Canaris, Albert G., see Garcia, Carlos A., —
Canavalia maritima, 23:502, 25:321
Candida sonorensis, 33:362, 33:363
Canidae, 1:97, 7:227–235, 10:318, 20:497, 20:499, 24:485–499, 26:327, 27:183–186, 31:281
Canis, 10:149, 24:485–499
dirus, 21:14
familiaris, 21:124, 24:485, 29:89
frustror, 7:232
latrans, 4:30, 4:31, 6:22, 6:75, 7:227–235, 7:240, 8:48–49, 10:318–319, 11:500–501, 12:3, 12:9, 12:156, 13:19, 16:155, 16:437, 20:499, 21:14, 21:124, 21:399–400, 21:558–559, 23:18, 23:152–153, 23:565, 23:566, 23:571, 24:485, 24:487, 24:494, 24:554, 24:681, 24:709, 25:113–114, 25:117–118, 25:275–278, 26:67–69, 26:293, 26:317–318, 26:335, 26:395, 26:432, 28:318, 28:320, 29:89, 30:105, 30:225, 30:226, 30:299, 30:317–318, 30:340, 30:342, 30:450, 30:461–463, 31:139–148, 31:215, 31:281, 32:152–155, 32:158, 32:161, 33:163, 33:487, 34:281, 35:26, 35:101, 35:233, 36:246, 36:255
lupus, 4:33, 12:10, 13:19, 20:499, 24:486, 26:326, 29:243, 31:216, 32:158, 32:162, 32:163
niger, 6:22, 7:227–235, 8:49, 10:318–319
rufus, 21:124, 21:125, 21:399–400, 24:485
Canis latrans and *C. rufus* vocalization: a continuum, Howard McCarley and Curtis Carley, 21:399–400
Cannabis, 36:369
sativa, 17:197, 21:559
Cannacria gravida, 2:7, 2:14
Cannibalism, 1:105–108, 20:147–148, 23:617–622, 32:155–156, 36:153–157
Cannibalism and possible predation by an adult bobcat (*Felis rufus*), David S. Zezulak and Steven C. Minta, 32:155–156
Cannibalism in *Sceloporus torquatus torquatus* Wiegmann (Reptilia: Sauria), M. A. Staton and Paul J. Conzelmann, 20:147–148
Cannon, Richard W., and Fritz L. Knopf, Species composition of a willow community relative to seasonal grazing histories in Colorado, 29:234–237
Canopy rainfall interception and throughfall in burned and unburned tallgrass prairie, Frank S. Gilliam, Tim R. Seastedt, and Alan K. Knapp, 32:267–271
Canotia holacantha, 23:674, 36:304, 36:305
Cantharidae, 13:51, 13:53, 13:286, 16:405, 20:7, 32:151, 32:418
Canthium parviflorum, 12:83
Canthocamptidae, 4:190
Canthocamptus, 17:244
robertcokeri, 4:190, 4:193
Canthon
imitator, 12:269
laevis, 2:173, 28:101
simplex, 30:603
Canthydrus, 24:409, 24:410
binotatus, 24:420
centralis, 24:415
curtus, 24:428
floridanus, 24:422
insularis, 24:421
levis, 24:423
lineatus, 24:415
majusculus, 24:423
mexicanus, 24:415
punctipennis, 24:426
rufipes, 24:424
similaris, 24:422
simoni, 24:418
simplex, 24:422
subsignatus, 24:421
varians, 24:421
Canton, Steven P., and James V. Ward, The aquatic insects, with emphasis on Trichoptera, of a Colorado stream affected by coal strip-mine drainage, 25:453–460
Canton, Steven P., Comparative limnology and biota of mine spoils ponds in Colorado, 27:33–42
Capella gallinago, 11:137, 17:210, 32:86, 32:88, 32:89, 36:110
Capillaria, 29:380, 29:382, 29:383
palmata, 4:63
recurvirostrae, 32:85, 32:87–90
Capitella capitata, 34:150, 34:152
Capnia, 25:26, 36:327
barbata, 31:503, 31:505–507, 31:509
californica, 31:503, 31:505, 31:506, 31:508, 31:509, 36:326
confusa, 28:130
decepta, 36:326
fibula, 31:503, 31:505–508, 31:510
gracilaria, 28:130, 36:326
Capniidae, 28:130, 36:326
Capnura, 36:327
fibula, 36:326
Capparaceae, 24:187
Capparidaceae, 1:64, 2:162, 3:133–144, 4:110, 10:57–64, 14:115–121, 18:430, 18:439, 22:341, 25:329, 35:71, 35:370–371
Capparidaceae–V. Capparidaceae of New Mexico, studies in the, Hugh H. Iltis, 3:133–144
Capparidaceae IX. Capparis pachaca and C. oxysepala: taxonomy and geography, studies in the, Hugh H. Iltis, 10:57–64
Capparidaceae XII: *Polanisia dodecandra riograndensis* spp. nov., studies in the, Hugh H. Iltis, 14:115–121
Capparis
incana, 35:370–371
oxysepala, 10:57–64
oxysepela, 10:57
pachaca, 10:57–64
pseudocacao, 10:63
verrucosa, 10:63
Capparis incana (Capparidaceae) in extreme southern Texas, additional records of, James H. Everitt, Fleet S. Lentz, and Lindley Lentz, 35:370–371
Capra hircus, 32:148
Caprella, 36:353
Caprellidae, 36:353
Capreolus capreolus, 35:4
Caprifoliaceae, 18:430, 18:441, 20:439, 25:334, 35:71
Caprilfoliaceae, 13:383
Caprimulgidae, 4:81
Caprimulgus vociferus, 16:25, 19:1, 19:4
Caprobrotus, 35:15
Caprolagus, 33:395
Capromeryx, 22:13, 31:277, 31:281, 31:284, 31:287, 32:239
minimus, 12:4, 12:15
Capsella bursa-pastoris, 1:121, 1:122, 1:124, 25:329
Capsicum annuum, 26:303, 26:304, 30:397, 30:400, 30:401, 36:215
Capture-recapture data for *Sigmodon hispidus*, attributes of, Fred S. Guthery and Nancy H. Herbert, 28:108–111
Carabidae, 12:253, 12:268, 13:286, 14:166, 15:55–69, 15:319–329, 19:109, 20:7, 20:9, 23:566, 23:569, 23:571,

23:575, 26:157, 26:158, 28:100, 28:101, 28:376, 28:377, 28:474, 28:478, 30:148–150, 30:550, 30:603, 32:386, 32:396, 32:418, 36:51
Carabus taedatus, 15:323
Caracara cheriway, 26:440
Caracara kleptoparasitizes marsh hawk, Kirk L. Hamilton, 26:440
Caragana arborescens, 28:336
Carangidae, 1:158, 32:226
Caranx hippos, 32:230, 36:206
Carapace pits in the three-toed box turtle, Terrapene carolina triunguis (Chelonia-Emydidae), Charles C. Carpenter, 1:83–86
Carapace regeneration in *Terrapene* (Chelonia: Testudinidae), Francis L. Rose, 31:131–134
Carassius, 16:36
auratus, 1:23, 1:25, 2:92, 4:162, 15:52, 15:140, 18:191, 25:298, 25:491, 28:170, 28:221, 32:216, 32:218, 32:409, 32:410, 35:179, 35:206, 35:225, 36:203, 36:204
Carbon dioxide exchange characteristics of some prairie grass seedlings, Paul G. Risser and Forrest L. Johnson, 18:85–91
Carbon reduction pathways and standing crop in three Chihuahuan Desert plant communities, J. P. Syvertsen, G. L. Nickell, R. W. Spellenberg, and G. L. Cunningham, 21:311–320
Carcarhinus limbatus, 1:163
Carcinops gilensis, 32:491, 32:494
Cardamine cordifolia, 20:430
Cardinalis
cardinalis, 21:240, 26:254, 31:191–199, 35:466
sinuatus, 29:507, 29:508
Cardiocladius, 25:141
obscurus, 1:152
Cardiophorus, 28:475, 28:478
Cardiospermum
corindum, 29:213
halicacabum, 2:165
Cardium, 7:133
Carduaceae, 18:430, 18:438, 18:439
Carduelidae, 36:100
Carduelis
lawrencei, 36:100
pinus, 34:493, 36:100, 36:248
psaltria, 26:254, 29:474, 30:453, 34:495, 36:100, 36:103, 36:363
tristis, 30:453, 36:100
Carduus, 26:5
nutans, 3:220
pycnocephalus, 3:220
Carduus nutans L. (Compositae), a European thistle in northwestern Louisiana, Lloyd H. Shinners, 3:220
Caretta caretta, 23:459, 28:281
Carex, 4:186, 12:349, 14:342, 16:93, 16:204, 17:47, 18:242, 20:425, 21:248, 22:137, 23:280, 25:24, 25:70, 26:252, 27:34, 27:35, 27:300, 27:429, 28:254, 28:255, 29:305, 30:336, 30:339, 31:24, 33:68, 34:442, 35:388, 35:390, 35:436
albonigra, 20:433
amphibola, 20:323, 20:327, 20:331, 20:333
annectens, 2:159
aquatilis, 20:433
arapahoensis, 20:433
aurea, 9:108
backii, 18:323
brevior, 12:139
chalciolepis, 20:433
cherokeensis, 20:327, 20:331, 20:333, 21:483
conoidea, 32:35
ebenea, 20:433
egglestonii, 28:290
elynoides, 18:241, 20:433
filifolia, 12:134, 12:138, 12:140, 12:143, 12:144, 14:331, 17:197, 21:362, 25:260, 29:411
flaccosperma, 20:331
foenea, 12:323, 20:433
folliculata, 10:317–318
geophila, 35:66, 35:74
gracilescens, 10:317–318
granularis, 10:317–318
haleana, 10:317
heliophila, 12:138, 12:140, 12:141, 12:144, 21:359, 21:360, 21:362–366, 21:368, 21:369, 24:551
hystricina, 12:139, 12:142
illota, 20:433
lanuginosa, 2:159
laxiflora, 19:162
leucodonta, 35:74
lonchocarpa, 10:317
meadii, 4:56
microdonta, 29:326, 29:329
muhlenbergii, 20:331
nebraskensis, 12:139
nigricans, 20:433
nova, 20:433
occidentalis, 36:38
oreocharis, 18:241
phaeocephala, 20:433
planostachys, 16:272, 16:274, 16:276, 27:312
praticola, 18:241
prenglei, 20:217
pyrenaica, 20:433
saximontana, 12:137, 12:139, 12:143, 18:324
scopulorum, 20:433, 20:434
siccata, 12:139
sprengelii, 12:138, 12:139
tenax, 10:317–318
tenera, 32:35
thurberi, 27:226
typhina, 10:317–318
ultra, 35:74
vernacula, 20:434
Carex aurea Nutt. in Texas Panhandle, Marshall C. Johnston, 9:108
Carex folliculata var. australis, C. gracilescens, C. granularis, C. tenax and C. typhina (Cyperaceae) in Texas, Marshall C. Johnston, 10:317–318
Carey, Andrew B., see Johnson, Mark K., —
Cargo stylirostris, 29:65
Carica papaya, 32:363
Carissa macrocarpa, 23:500, 25:321
Carl, Gary, and Robert D. Brown, Comparative digestive efficiency and feed intake of the collared peccary, 31:79–85
Carley, Curtis, see McCarley, Howard, —
Carley, Curtis J., Eugene D. Fleharty, and Michael A. Mares, Occurrence and activity of *Reithrodontomys megalotis*, *Microtus ochrogaster*, and *Peromyscus maniculatus* as recorded by a photographic device, 15:209–216
Carley, Curtis J., see Ramsey, Paul R., —
Carlhubbsia, 32:233
kidderi, 32:229
Carlowrightia, 30:543
arizonica, 25:425, 25:426, 35:70, 36:305
linearifolia, 21:315, 25:425, 33:108
mexicana, 25:426
parvifolia, 25:425, 25:426
serpyllifolia, 25:426
texana, 25:426
torreyana, 25:426
Carlowrightia (Acanthaceae) and a key to the species of the United States, range extensions of, Thomas F. Daniel, 25:425–426
Carls, E. Glenn, Robert I. Lonard, and Dennis B. Fenn, Notes on the vegetation and flora of North Padre Island, Texas, 36:121–125
Carlson, Clarence A., see Muth, Robert T., —
Carlson, Clarence A., see Propst, David L., —
Carmenta phoradendri, 29:436–438
Carminatia tenuiflora, 35:70
Carnegea gigantea, 27:457
Carnegia
gigantea, 12:120, 12:121, 22:196, 23:475, 23:481, 28:115, 32:105, 33:158
gigantica, 22:162
Carnegiea, 11:80, 22:227, 34:523
gigantea, 16:419, 18:128, 20:70, 21:128, 23:673, 23:674, 25:339–349, 27:315, 28:219, 30:78, 31:112, 31:469–476, 33:362–363, 34:40, 34:281–284, 34:393, 34:423, 34:521, 35:67, 35:71, 36:96, 36:302, 36:303, 36:305

Carnivora, 10:78, 13:449–451, 35:343–346
Carnivore notes from the Navajo Indian Reservation, Arthur F. Halloran and Freeman E. Taber, 10:139–140
Carnivores and ungulates of the Aransas National Wildlife Refuge, Texas, the, Arthur F. Halloran, 6:21–26
Carnivorous behavior by a white-tailed antelope ground squirrel, *Ammospermophilus leucurus*, John R. Morgart, 30:304–305
Carolina wren found in eastern woodrat nest, James G. Dickson, 20:413–414
Carollia, 7:64, 12:407, 12:419, 12:421, 12:422, 32:364
brevicauda, 15:2, 15:4, 15:6–8, 21:543, 21:544, 28:374, 29:513, 29:514, 31:532
castanea, 7:71, 15:4, 15:6, 15:10, 29:513, 29:514
perspicillata, 12:413, 12:414, 12:420, 12:427, 15:2, 15:3, 15:9, 15:220, 16:450, 21:543, 28:374, 31:532, 32:135
subrufa, 12:414, 12:420, 12:427, 16:450, 21:543, 24:542, 31:532
Carophyllaceae, 24:293
Carothers, S. W., see Minckley, C. O., —
Carothers, Steven W., Additional records of *Notiosorex c. crawfordi* in Arizona, 13:449
Carothers, Steven W., and George A. Ruffner, Notes on *Tadarida macrotis* in northwestern Arizona, 15:395
Carothers, Steven W., see Ruffner, George A., —
Carothers, Steven W., see Willson, Mary F., —
Carpenter, Charles C., A population of Sceloporus undulatus consobrinus in south-central Oklahoma, 4:110–111
Carpenter, Charles C., and Gene Grubits, III, Dominance shifts in the tree lizard (*Urosaurus ornatus*–Iguanidae), 5:123–128
Carpenter, Charles C., and James C. Gillingham, A combat ritual between two male speckled kingsnakes (*Lampropeltis getulus holbrooki*: Colubridae, Serpentes) with indications of dominance, 22:517–524
Carpenter, Charles C., and Julia K. Yoshida, Predation on lizards by *Callisoma* (Coleoptera), 11:413–414
Carpenter, Charles C., Carapace pits in the three-toed box turtle, Terrapene carolina triunguis (Chelonia-Emydidae), 1:83–86
Carpenter, Charles C., Harold L. Cleveland, William A. Talbot, J. Michael Goode, Hal J. Merriman, and David R. Taylor, A Uta invasion of Oklahoma, 6:192–193
Carpenter, Charles C., Patterns of social behavior of Merriam's canyon lizard (*Sceloporus m. merriami*-Iguanidae), 6:138–148
Carpenter, Charles C., see Gillingham, James C., —
Carpenter, Geoffrey C., see Graves, Brent M., —
Carpenter, H. L., see Morrison, E. O., —
Carpenter, James W., Notes on the biology and behavior of captive boat-billed herons, *Cochlearius cochlearius*, 16:31–41
Carpenter, Len H., see Smith, Michael H., —
Carpenter, Rose M., The jumping spiders (Salticidae) of Wichita County, Texas, 17:161–168
Carphephorus, 12:131
Carphochaetae, 16:364
Carphochaete bigelovii, 35:66, 35:70
Carphophis
amoena, 1:182, 16:220
amoenus, 20:473
vermis, 20:477, 27:229
Carpinus caroliniana, 6:181, 12:345, 21:482, 21:483, 28:241
Carpiodes, 7:81, 7:128, 7:150
caprio, 36:204
carpio, 4:161, 7:82, 7:125, 14:370, 24:200–201, 25:58, 25:305, 25:515, 27:110–112, 28:328, 30:560, 31:159, 32:216, 32:409, 32:410, 35:406, 35:407, 36:189, 36:190, 36:203, 36:259, 36:260
cyprinus, 31:149, 31:151, 31:152
velifer, 31:151, 31:152, 31:159
Carpioides carpio, 17:376–378
Carpobrotus, 35:18
Carpodacus
cassinii, 7:265, 25:561, 34:493, 36:248
mexicanus, 11:136, 16:6, 18:196, 22:370, 24:572, 29:474, 30:453, 32:172, 32:174
purpureus, 7:265, 14:452
Carpolithus, 16:112, 16:115
Carpophilus, 32:151
dimidiatus, 32:491, 32:493
humeralis, 32:491, 32:493
Carpoxis, 2:141
inermis, 2:150
nitida, 2:146
prinoides, 2:150
retusa, 2:150
spinosa, 2:146
Carr, Claudia J., see Hall, Marion T., —
Carr, John L., and Timothy W. Houseal, Post-hibernation behavior in *Terrapene carolina triunguis* (Emydidae), 26:199–200
Carr, John L., see Houseal, Timothy W., —
Carraway, Leslie N., and B. J. Verts, Relative brain size in some western *Sorex*, 33:386–388
Carraway, Leslie N., Records of reproduction in *Sorex pacificus*, 33:479–480
Carrillo, Alejandro, see Metcalf, Artie L., —
Carrillo, Belinda A., see Prophet, Carl W., —
Carrion by the beetle, Canthon laevis (Coleoptera, Scarabaeidae), use of, Arthur N. Bragg, 2:173
Carrion communities in the northern Chihuahuan Desert, Marsha McKinnerney, 23:563–576
Carrion locating efficiency in burying beetles, *Nicrophorus carolinus* (L.) (Silphidae), Marsha Reeves Conley, 27:11–15
Carroll, John H., James C. Randolph, and Richard G. Hunter, Community metabolism in a southeastern Oklahoma mountain stream, 27:365–367
Carroll, John H., Jr., and Michael Bradley, Distribution and species diversity of summer fish populations in two channelized rivers in Northeast Texas, 22:128–134
Carter, Allen, see Buchanan, Thomas, M., —
Carter, Dilford C., Ronald H. Pine, and William B. Davis, Notes on Middle American bats, 11:488–499
Carter, Dilford C., see Davis, William B., —
Carter, Dilford C., see Jones, J. Knox, Jr., —
Carter, Jack L., and Gaylin L. Nickell, The effects of various wavelengths of visible light on thallus growth and gemmae cup production in *Marchantia polymorpha* L. (Marchantiaceae), 12:113–118
Carter, William A., see Stewart, Bruce G., —
Carteria
klebsii, 20:47, 20:48
sphaerica, 20:48
Carterius
latitentus, 15:331–346
stepanowii, 15:339
tentaspermus, 15:340
tubispermus, 15:340
Carthamus
lanatus, 3:220
tinctorius, 16:365
Carthamus lanatus L. var. baeticus (Boissier & Reuter) P. coutinho (Compositae): another introduced

thistle in central Texas, Lloyd H. Shinners, 3:220
Carthartes aura, 16:22, 34:492
Cartwright, Michael E., see Trauth, Stanley E., —
Caruallanus, 28:401
Carufel, Louis H., see Minckley, W. L., —
Carulaspis, 18:429
visci, 15:280, 15:281, 18:434
Carunculina
glans, 27:350
parva, 14:225, 14:226, 22:246, 27:350, 27:360, 27:361, 29:233
Carvacho, Alberto, Rubén Ríos, Cuauhtémoc León, y Anamaría Escofet, *Sterna antillarum browni* en el Golfo de California: observaciones sobre una colonia reproductora en una zona vulnerable al impacto turistico, 34: 124–130
Carvacho, Alberto, y Rodrigo Olson, Nuevos registros para la fauna carcinologica del noreste de Mexico y descripcion de una nueva especie: *Eualus subtilis*, n. sp. (Crustacea: Decapoda: Natantia), 29:59–71
Carvex nebraskensis, 12:142
Cary, John R., see Glazener, W. C., —
Cary, Steven J., see Jacobi, Gerald Z., —
Carya, 11:89, 11:91, 11:93, 11:94, 11:100, 12:342, 12:345, 15:360, 20:328, 20: 330, 27:425, 27:431, 29:82, 34:101
aquatica, 21:479, 21:480, 21:482
cathayensis, 11:72
cordiformis, 21:482, 25:283, 29:83
glabra, 21:516
illinoensis, 1:146, 18:432, 18:438, 18: 440, 22:506, 22:551, 25:210–212, 27: 428, 28:63
illinoiensis, 24:224, 25:379
illinoinensis, 21:480, 21:482, 24:169–171, 27:383, 27:385, 20:328, 20:329, 20:333, 32:306, 33:324, 33:327
mexicana, 35:366
ovata, 24:388, 34:73
pecan, 20:333
poilanei, 11:72
texana, 8:115, 20:76, 22:137, 24:464, 25:283, 27:56, 27:58, 27:59, 29:83–85
tomentosa, 22:137, 29:83–85, 34:73, 36: 172
tonkinensis, 11:72
Carychiidae, 5:155
Carychium, 5:150
exiguum, 27:239, 27:240
exile, 5:145, 5:155
Caryophyllaceae, 1:67, 2:162, 4:56, 12: 148, 17:181, 18:323, 20:428, 24:188, 25:329, 33:175, 35:71
Caryophyllid cestodes from Arkansas, new distributional records for, Morris Mauney, Jr., 24:685–686
Caryothraustes poliogaster, 4:78, 4:80
Cashner, Robert C., and Royal D. Suttkus, The status of the rock bass population in Blue Spring, New Mexico, with comments on the introduction of rock bass in the western United States, 23:463–472
Cashner, Robert C., see Burr, Brooks M., —
Cashner, Robert C., see Grady, James M., —
Cashner, Robert C., see Suttkus, Royal D. —
Casimiroa, 11:241
Casinaria limenitides, 29:441, 29:442
Casmerodius albus, 6:105, 18:195, 18:199
Caspiopetalidae, 34:381, 34:382
Cassia, 10:8, 20:574, 34:200, 35:388, 35: 390
argentea, 12:336
bauhinioides, 8:192, 21:314, 21:315, 25: 365
bauhinoides, 22:343, 23:297, 30:546, 30: 548
durangensis, 8:192
fasciculata, 2:163, 7:170, 16:403–412, 22:37, 22:39, 22:40, 22:42, 22:44, 23: 502, 25:316, 25:330, 27:117, 27:118, 28:367, 32:35
fasiculata, 12:347
leptophylla, 16:406
lindheimeriana, 1:66, 8:192, 23:297, 25: 365
obtusifolia, 34:196
occidentalis, 34:196
orcuttiana, 8:192
roemeriana, 1:64, 16:273, 16:276, 29: 301
sophera, 16:406
Cassidix
major, 21:240
mexicanus, 6:103, 7:260, 11:137, 12: 332, 18:196, 21:240
Cassin's sparrow in Oklahoma, eastward records of, W. Marvin Davis, 8:49–50
Castanea pumila, 12:345
Castela, 10:63
erecta, 36:215
nicholsoni, 18:436, 18:438, 18:439
texana, 26:303, 26:304, 30:400
Castianeira, 11:343, 20:59
alteranda, 30:4, 30:10
amoena, 30:4
descripta, 11:344, 30:4
longipalpus, 11:344, 30:4
occidens, 20:59, 20:61, 20:62, 29:231, 30:4
trilineata, 11:344, 30:8
Castilleja, 18:193, 24:544, 33:220, 36:306
arvensie, 27:362
brunnescens, 18:369
bryantii, 35:78
chromosa, 25:560
citrina, 24:433
confusa, 16:203–205
indivisa, 23:504, 25:321
integra, 1:65, 35:73
lanata, 35:65, 35:73
latebracteata, 23:297
miniata, 20:432
occidentalis, 20:432
patriotica, 24:291, 24:292
purpurea, 25:334
rhexifolia, 20:432
scabrida, 34:442
sessiliflora, 17:6, 35:65, 35:73
sulphurea, 33:221, 33:223
tenuiflora, 35:73
wootoni, 12:323
Castillo, G. Vera, see Yeaton, R. I., —
Casto, Stanley D., A new name for *Cuculiphilus* (Acarina: Syringophilidae), 23:158
Casto, Stanley D., *Cuculiphilus lobatus* gen. n., sp. n. representing a new subfamily of quill mites (Acarina: Syringophilidae) from the groove-billed ani, *Crotophaga sulcirostris* (Cuculiformes: Cuculidae), 22:169–175
Casto, Stanley, see McDaniel, Burrus, —
Castor canadensis, 5:21–24, 8:150, 13:17, 16:210, 18:350, 21:131–133, 23:423, 26:329, 26:330, 28:317–319, 28:322, 32:158, 32:160
Castoridae, 26:327
Castoroides ohioensis (Rodentia) in Arkansas, Loren Gilbert Hill, 8:150–153
Castostomus
clarki, 25:490, 25:491, 25:495, 25:496
insignis, 29:506
Casuarina, 11:92
Cataclysta, 23:555, 23:556, 25:142, 25:251, 25:382, 25:383
Catalpa, 14:91, 18:430, 18:438, 28:63
speciosa, 1:146, 2:168, 19:161, 27:428, 27:429
Cataractocoris marginventris, 31:538
Catastomus plebius, 32:409
Cate, James R., see Jones, Robert W., —
Cate, Rodney L., see Shipley, Michael M., —
Cathartes aura, 2:31, 4:68, 7:255, 16:165, 17:148, 18:195, 18:199, 19:3, 23:305–307, 23:565, 23:571, 26:254, 26:267, 26:273, 26:281, 29:474, 30:462, 31: 284, 36:266, 36:270
Cathartidae, 4:81, 23:307, 26:273
Catharus
guttata, 29:473
guttatus, 34:495, 36:363
ustulatus, 19:1, 19:5

Catherpes mexicanus, 16:11, 18:195, 24:564, 29:474, 34:490, 36:100, 36:363
Cathesticum erectum, 12:73
Catinella vermeta, 16:311, 16:316, 16:318, 27:239
Catopinae, 23:227–238
Catoptrophorus semipalmatus, 11:136, 35:237–240, 36:110
Catostomidae, 4:161, 6:53, 7:81–153, 8:136, 14:166, 24:200–201, 25:45, 26:31–36, 28:120–123, 30:305–306, 31:399–401, 32:216, 32:226, 32:229, 32:234, 32:411–413, 33:364–365, 35:34, 35:36, 35:38, 35:406
Catostomous latipinnis, 24:687
Catostomus, 14:310, 28:181, 34:132
  ardens, 28:170
  bernardini, 36:260
  catastomus, 7:81
  catostomus, 7:82, 29:498, 31:159, 36:126
  clarki, 23:520, 27:437–440, 27:442, 27:444, 30:505, 30:506, 34:131, 36:159
  commersoni, 7:82, 14:306, 14:307, 15:140, 19:408, 24:201, 28:328, 29:498, 30:560, 31:159, 31:379, 32:410, 33:469, 34:229, 34:408, 34:440, 36:189, 36:190, 36:253, 36:287
  cypho, 28:167
  discobolus, 14:307, 19:406–408, 25:41, 25:43, 25:45, 26:389, 26:391, 28:120, 35:190, 35:427, 35:428, 36:253
  griseus, 31:159
  insignis, 11:313, 11:321, 17:103, 28:399, 28:401–404, 32:351–356, 34:131, 34:189, 34:406, 34:408, 36:259
  latipinnis, 5:174, 5:175, 11:323, 14:306, 14:307, 14:309, 14:310, 19:406–408, 23:520, 25:41, 25:43, 25:45, 26:389, 26:391, 28:122, 28:170, 32:355, 35:190, 35:427, 35:428, 36:253
  luxatus, 6:198–199
  macrocheilus, 7:82, 7:104, 7:108, 7:114, 7:124, 7:128, 11:301, 22:537, 24:201
  occidentalis, 35:250, 35:253
  plebeius, 29:399, 31:153
  plebius, 22:127, 32:410
  teres, 31:159
Catotstomus plebeius, 31:152
Cattle egret in New Mexico, the status of the, John P. Hubbard and A. L. Gennaro, 20:282–283
Cattle egrets, inland heronries, and the availability of crayfish, Raymond C. Telfair, II, 26:37–41
Caucalis microcarpa, 24:291, 24:292, 24:295
Caudal vertebrae of the Veracruz glass lizard, *Ophisaurus ceroni*, J. Alan Holman, 11:299–300
Caudata, 17:435–437, 33:124–126, 33:234–236, 34:145–146, 34:438–441, 36:60–66
Caulanthus
  crassicaulis, 18:399
  glaber, 18:398, 18:399
  inflatus, 18:306
Caulerpa
  mexicana, 21:460, 21:461
  racemosa, 18:169
Causus, 20:554
Cavaliere, A. R., Common fleshy fungi from central Arizona, 8:196–203
Cave myotis roosting in barn swallow nests, Jerome A. Jackson, Bette J. Schardien, C. Dwight Cooley, and Bernard E. Rowe, 27:436–464
Caves by white-tailed deer, use of, Paul R. Krausman, 24:203
Cavia, 16:455
Ceanothus, 12:82, 19:112, 21:384, 31:177, 31:178
  americana, 14:439, 18:435, 18:438, 18:441
  americanus, 12:345, 32:30, 32:35
  crassifolius, 12:177, 31:179, 31:182
  cuneatus, 30:466
  fendleri, 15:153, 36:246
  greggi, 33:109
  greggii, 10:258, 26:252, 27:169, 30:394, 35:67, 35:73
  gregii, 32:384
  herbaceus, 4:57
  leucodermis, 12:177, 31:179, 31:181, 31:182
  martinii, 23:156–157
  megacarpa, 28:48
  ochraceus, 24:210
  ovatus, 17:6
  tomentosus, 12:177
Ceballos, Gerardo, and Alvaro Miranda, Notes on the biology of Mexican flying squirrels (*Glaucomys volans*) (Rodentia: Sciuridae), 30:449–450
Ceballos, Gerardo, and Carlos Galindo, *Glaucomys volans goldmani* (Rodentia; Sciuridae) in central Mexico, 28:375–376
Ceballos, Gerardo, see Ramírez-Pulido, José, —
Cecidomyiidae, 14:238, 14:244, 33:114–117
Cediopsylla, 33:487
Cedrus, 18:434, 18:438
Ceiba
  acuminata, 32:176, 32:363
  pentandra, 18:194, 18:198
Celastraceae, 16:111, 16:112, 18:430, 18:439, 23:296, 35:71
Celastrus scandens, 12:139
Celeus castaneus, 4:69
Celithemis
  elisa, 2:5, 2:13, 4:132
  eponina, 2:5, 2:13, 6:112, 12:372
  fasciata, 2:5, 2:13, 4:132
  monomelaena, 2:12
  verna, 2:6, 2:13, 4:132
Cellular slime molds (Dictyosteliales) of selected plant communities of southern Oklahoma and northern Texas, John C. Landolt, 31:267–269
Celtis, 5:144, 9:81, 14:108, 14:109, 15:282, 15:285, 16:272, 16:274, 17:398, 18:193, 19:164, 20:333, 21:552, 22:275, 24:171, 24:434, 24:564, 25:70, 25:207, 25:210, 25:211, 25:398, 25:402, 25:405, 25:408, 27:24–26, 29:205, 29:435, 30:543, 31:287
  aculaeta, 17:401
  aculeata, 18:436, 18:438
  barbouri, 11:211, 11:212
  besseyi, 11:211
  hatcheri, 11:211–213, 11:216
  laevigata, 10:43, 12:110, 12:345, 12:471–474, 20:323, 20:328, 20:330, 20:334, 20:371, 20:413, 21:242, 21:475, 21:480, 21:482, 21:483, 24:168, 24:170, 24:171, 24:688, 25:328, 26:303, 26:304, 27:383, 27:385, 27:428, 27:431, 29:83, 30:398, 30:400, 30:567, 32:469, 33:324, 33:365, 35:316–321, 36:215
  lindheimeri, 24:168, 24:171, 24:177
  microendocarpica, 22:392
  mississippiensis, 14:415, 14:423, 15:294, 18:437, 18:438
  occidentalis, 12:137, 14:134–136, 14:425, 18:437, 18:439, 19:155, 19:158–161, 19:164, 19:441, 22:551, 25:548, 27:428, 28:83, 29:357, 33:244
  pallida, 2:172, 13:232, 17:192, 18:437, 18:438, 22:227, 23:10, 23:291, 23:298, 24:99, 24:130, 24:298, 24:302, 24:305, 24:688, 25:404, 26:84, 26:184, 26:237, 26:291, 26:303, 26:304, 29:229, 29:436, 30:398–401, 30:536, 30:543, 30:546, 30:548, 33:37, 34:422, 35:74, 35:229, 35:371, 35:437, 36:215, 36:216, 36:303, 36:304
  phenacodorum, 11:211, 11:212
  reticulata, 1:56, 1:59, 1:63, 2:160, 5:117, 5:120, 11:212, 11:214, 11:215, 13:85, 13:160, 16:10, 16:87, 18:315, 19:112, 19:330, 21:242, 22:340, 22:345, 22:346, 22:348, 24:130, 24:133, 24:135, 24:138, 24:168, 24:170, 24:171, 24:225, 25:328, 25:364, 25:365, 26:253, 26:264, 26:265, 27:310, 27:311, 27:321, 27:428, 28:63, 28:82–84, 35:74, 35:80, 35:81, 36:305
  spinosa, 2:172, 4:99, 16:334, 18:436–438, 31:387
  tala, 2:172
  willistoni, 11:211–215
  laevigata, 1:146
Celtis spinosa Sprengel var. *pallida* (Torrey) M. C. Johnston, new combination, Marshall C. Johnston, 2:172
Cemophora coccinea, 1:182, 36:174
Cenchris ciliaris, 29:229
Cenchrus, 5:120
  brownei, 12:73

ciliaris, 23:351, 23:505, 24:305, 24:306, 25:321, 28:242, 30:398, 31:408, 33:58, 35:89, 35:349
echinatus, 12:73, 23:505, 25:321
incertus, 10:50, 19:282, 19:289, 23:505, 24:98, 25:321, 25:326, 25:428–429, 35:74
insertus, 31:36, 35:390
myosuriodes, 10:52
myosuroides, 4:117, 5:8, 12:73
pauciflora, 32:395
pauciflorus, 1:67, 2:157, 4:117, 5:8, 17:47
Centarium beyrichii, 4:58
Centaurea, 24:191, 26:5
americana, 4:59, 22:137
melitensis, 3:220, 35:18, 35:70
militensis, 31:182, 31:183
repens, 3:220
solstitialis, 35:18
Centaurium
calycosum, 35:72
texense, 1:64
Centotheca, 11:158
lappacea, 11:391
Centrachidae, 8:137
Central American bats with description of a new subspecies of Mormoops, notes on, William B. Davis and Dilford C. Carter, 7:64–74
Central mudminnow (*Umbra limi*) in Missouri, with an analysis of summer foods, the, Christopher P. Kofron and A. Alan Schreiber, 28:371–372
Centrarchidae, 4:166, 12:332–334, 15:357, 17:371–374, 20:177–184, 21:493–501, 22:250, 22:525, 22:527, 24:35, 25:297–311, 26:433–436, 27:223–225, 28:182, 31:528, 32:216, 32:226, 32:230, 35:346–348, 35:406, 36:189
Centrarchus, 35:346
macropterus, 1:18, 2:96, 6:202, 27:110–112, 32:522, 35:347
Centratherum, 9:27
punctatum, 9:29
Centrelus kerrensis, 34:223
Centris, 23:605
Centrocercus urophasianus, 22:369, 22:370
Centrolenella viridissima, 32:78, 32:81
Centromerus, 11:366
latidens, 11:367
Centronopus, 18:310
Centropomidae, 32:226, 32:230, 35:45
Centropomus, 35:45
nigrescens, 32:230
parallelus, 32:230, 36:205
robalito, 32:230
undecimalis, 20:462, 20:463, 28:104, 28:466, 32:230, 36:205
Centroptilum, 8:136, 25:142, 25:381
Centrorhynchidae, 17:198
Centrorhynchus, 17:198, 17:200
Centrosema, 12:350
virginianum, 12:347
Centruroides, 25:100
sculpturatus, 15:504–505
Centurio, 12:407, 12:423, 12:425
senax, 35:152
senex, 12:416, 12:417, 12:420, 12:427, 18:199, 18:200, 24:542, 31:533
Centurus
aurifrons, 4:70, 7:259, 18:195, 22:276
carolinus, 17:148
pucherani, 4:70
uropygialis, 21:128
Ceonothus greggii, 16:15
Cephalanthus, 1:18, 4:186
occidentalis, 2:168, 6:175, 6:178, 14:91, 18:194, 18:435, 18:438, 21:475, 21:478, 21:480, 21:482, 24:169–171, 25:334, 27:385
Cephalic and appendicular osteology of the fish family Catostomidae. Part I, *Cycleptus elongatus* (Lesueur), comparative, Branley A. Branson, 7:81–153
Cephalocereus
chrysacanthus, 30:78
euphorbioides, 30:78
leucocephalus, 18:193, 30:78
palmeri, 30:78
salvadorensis, 30:78
sartorianus, 30:78
Cephalodella, 23:636
Cephalohibiscus peekelii, 18:482
Cephalozia connivens, 28:240
Cephidae, 29:510
Ceraclea
annulicornis, 31:436
cophus, 31:436
maculata, 23:383, 31:436
Cerambycidae, 6:18, 17:195, 20:7, 20:9, 24:605, 24:606, 24:608–610, 26:440, 27:23–27, 28:474, 28:478, 30:603, 32:386, 32:491, 32:494, 33:282
Cerambycidae co-inhabiting girdles of *Oncideres pustulata* LeConte (Coleoptera: Cerambycidae), notes on, Frank T. Hovore, and Richard L. Penrose, 27:23–27
Cerapachys augustae, 28:139
Cerasterias, 17:247
staurastoides, 22:310
Cerastium
arvense, 12:324
beeringianum, 20:428
texanum, 35:71
Ceraticelus, 30:3, 30:6
similis, 30:121
Ceratichthyes tenellus, 19:261
Ceratichthys
perspicuus, 2:102
vigilax, 2:102
Ceratina, 2:130
nanula, 25:105
Ceratinops crenata, 30:3, 30:9
Ceratinopsis, 30:3, 30:121
purpurescens, 30:6
Ceratiomyxa fruticulosa, 10:222
Ceratiomyxaceae, 10:222
Ceratium, 9:168, 10:188–210, 10:266, 12:312, 14:323, 17:13, 17:14, 17:17, 17:18, 17:239, 17:243, 17:244, 17:246, 17:247, 23:56–58, 23:60, 23:452, 25:414, 25:420, 27:38
hirundinella, 10:232, 23:445, 23:446, 24:159
Ceratocaulis, 33:85
Ceratoides, 24:405
lanata, 21:315, 24:399, 24:401, 24:404, 27:300, 31:55, 31:61, 32:193
Ceratonia siliqua, 18:432, 18:438
Ceratophyllaceae, 2:162, 33:175, 34:290
Ceratophyllidae, 35:310–315
Ceratophyllum, 1:18, 2:101, 4:4, 4:8, 16:440, 18:254, 23:539, 23:550, 23:551, 23:559
demersum, 2:162, 6:182, 15:122, 20:210, 21:381, 23:548, 24:540, 26:60, 33:170, 33:173, 33:175, 34:290
demursum, 32:522
Ceratophyllus, 12:268
celsus, 14:371
petrochelidoni, 14:371
Ceratopogonidae, 12:372, 12:383, 13:47, 14:244, 23:139, 23:268, 23:555, 24:197, 25:141, 25:250, 25:381, 25:538, 25:548, 26:157, 26:158, 28:34, 32:412, 34:253, 34:315, 36:164, 36:167
Ceratopongonidae, 12:375
Ceratopteris thalictroides, 34:290
Cercaria, 16:288, 16:290
Cercidium, 8:207, 10:63, 17:398, 18:432, 18:438, 18:440, 23:669, 23:670, 24:280, 26:341, 26:416, 29:74, 29:76, 34:283
floridanum, 21:392, 31:469
floridum, 24:703, 32:105, 33:250, 35:72, 36:95
macrum, 26:184, 31:101, 31:102, 36:215
microphyllum, 12:120, 16:419, 17:86, 20:574, 21:127, 21:128, 22:226, 22:227, 23:673, 23:674, 25:357, 26:84, 29:213, 29:475, 31:112, 31:469–473, 31:529, 32:23, 33:158, 33:250, 33:438, 34:40, 34:144, 35:329, 35:330, 35:332–336, 36:94, 36:302–304
texanum, 30:546, 30:548
Cercidum, 12:121
Cercis
canadensis, 20:76, 20:328, 20:331, 21:482, 27:310, 27:311, 32:273, 33:67, 33:68
occidentalis, 16:272, 24:564
Cercocarpus, 13:156, 13:164, 14:152, 14:155, 17:318, 30:386, 30:393, 30:394
betuloides, 10:258, 12:177, 19:112, 26:251, 31:289
breviflorus, 1:64, 10:258, 15:29, 15:151,

15:159, 15:160, 16:267, 19:352, 28:83, 28:200, 30:385, 30:387–392
intricatus, 16:452, 22:62, 26:397, 34:41, 34:442
ledifolia, 25:462
ledifolius, 10:310, 29:1
mojadensis, 36:358
montanus, 12:143, 12:357, 13:146, 13:160, 13:161, 14:150, 14:163, 15:151, 15:152, 15:160, 16:268, 18:374, 18:375, 19:59, 20:437, 20:439, 20:443, 22:349, 24:130, 24:133, 24:134, 24:137, 24:550, 24:710, 25:362, 26:366, 26:397, 27:143, 29:230, 30:574, 31:319–329, 32:111, 32:181, 32:292, 32:384, 33:236, 34:488, 35:65, 35:73, 36:200, 36:255
Cercopeus
bolli, 8:162–164, 8:166, 8:167
clispus, 8:166
Cercopidae, 20:7, 32:396
Cercyon, 28:475
Cercyonis pegala, 21:34
Ceresidae, 33:117
Cereus, 23:669, 24:280, 32:493
dayami, 30:78
forbesii, 30:78
giganteus, 12:185, 16:419, 17:86, 21:252, 22:225, 22:227, 25:357–360, 26:416, 33:438, 33:442
gonacanthus, 26:205, 26:206
grenadensis, 30:78, 30:80
hildmannianus, 30:78
imbricata, 17:229
obtusus, 30:78
pentagonus, 30:397, 30:400, 30:401
peruvianus, 30:78
thurberi, 29:213
vargasianus, 30:78
xanthocarpus, 30:78
Ceriagrion tenellum, 6:133, 6:135, 8:69
Ceriodaphnia, 10:266, 17:244, 17:247, 23:686, 26:245, 26:247, 30:242, 30:247, 36:240
biscuspidatus, 26:244
lacustris, 4:187, 4:192, 14:323, 14:324, 21:465–467, 22:417, 23:169
laticaudata, 4:187, 4:192
quadrangula, 4:187, 4:192, 23:164, 23:169, 24:1, 24:2, 24:6, 34:345, 34:347
quadrangulata, 15:103, 15:105
reticulata, 4:187, 4:192, 12:59, 12:62, 12:65, 12:66, 12:68, 14:324, 23:164, 23:165, 26:244, 27:38, 36:239
rigaudi, 4:187, 4:192
sphaericus, 26:244
vernalis, 26:244
Cerion mumiola, 24:196
Cerionidae, 24:196
Ceriosporopsis, 24:367
Cernotina, 25:252
calcea, 23:383
spicata, 23:383
Cerocarpus
breviflorus, 15:159
montana, 7:270
montanus, 16:15
Cerratoides lanata, 33:91
Cervantes, Fernando A., see Uribe-Alcocer, Manuel, —
Cervidae, 1:97, 20:497, 20:499, 23:63–70, 26:279, 26:327
Cervus, 34:279, 34:280
canadensis, 23:63, 23:279, 30:109, 31:494
canadersis, 30:437–441
elaphos, 34:453
elaphus, 22:279, 23:63–70, 26:74, 26:333, 29:335, 30:300, 30:574, 31:411, 32:158, 32:164, 32:166, 33:249, 35:4, 35:362–363
merriami, 23:63–70
nippon, 35:4
roosevelti, 23:65
Ceryle alcyon, 4:69, 18:195, 34:495
Cesonia
bilineata, 11:343, 30:7
sincera, 20:58, 30:4
Cestoda, 15:272
Cestrum nitidum, 12:155
Cetacea, 18:453–464, 33:247–248
Cetaceans of Texas waters, annotated checklist and key to the, David J. Schmidly and Betty A. Melcher, 18:453–464
Ceuthophilus, 18:103, 23:233, 24:76
carlsbadensis, 12:264, 12:265, 12:270
conicaudus, 12:265
isletae, 12:264
longipes, 12:253, 12:265, 12:268, 12:270
occultus, 12:270
polingi, 12:270
rehni, 12:265, 12:268
silvestris, 12:270
utahensis, 25:394
Cevallia sinuata, 1:56, 21:433–441, 22:343, 23:297, 30:536
Chabreck, R. H., B. U. Constantin, and R. B. Hamilton, Use of chemical ant repellents during small mammal trapping, 31:109–110
Chaenactis, 17:335, 17:339, 26:397
fremontii, 17:339, 18:306, 23:609, 23:611
sterioides, 21:51
stevioides, 12:233
stevioides, 21:315, 34:546–548, 36:306
xantiana, 27:371
sonorensis, 9:104
tuba, 9:104, 26:343
Chaenobryttus
coronarius, 2:103, 3:8, 3:10
gulosus, 2:100, 2:103, 4:166, 12:335, 15:141, 16:285, 16:288, 16:293, 22:544, 32:522, 32:524
Chaenobrytus coronarius, 8:137
Chaenorrhinum minus, 18:341
Chaerophyllum procumbens, 25:70
Chaetoceraceae, 26:313
Chaetoceros muelleri, 26:312, 26:313
Chaetocladius, 34:480
Chaetoderma luna, 19:350
Chaetodipterus faber, 1:100–104, 28:465
Chaetodipus, 10:282–287, 34:85, 36:103, 36:307, 36:309
baileyi, 35:331, 36:100, 36:101
hispidus, 35:86, 35:111–114, 35:160, 35:201, 35:202, 36:100, 36:344–346, 36:364
intermedius, 30:491–501, 33:100–102, 35:331, 35:335, 36:101
nelsoni, 35:454–455
penicillatus, 35:331, 35:335, 35:457, 36:90, 36:91, 36:101
Chaetogaster
diastrophus, 18:151, 18:163, 24:509, 24:519, 27:288
limnaei, 31:542–544
Chaetogaster limnaei (Oligochaeta: Naididae) in Oklahoma, Jan Jeffrey Hoover and Michael J. Lodes, 31:542–544
Chaetopappa, 4:204, 15:181
asteroides, 4:59
bellioides, 15:176
Chaetopeltis orbicularis, 23:441
Chaetophora, 9:168, 25:420
attenuata, 23:440
incrassata, 23:440
Chaetophoraceae, 11:197
Chaetophractus vellerosus, 24:697
Chaetospaeridum, 10:266
Chaetura pelagica, 17:148
Chalceopla simpliciella, 18:308
Chalcidae, 24:608
Chalcididae, 29:442, 33:276, 33:279, 33:282
Chalcolepidius behrensi, 24:607, 24:609–611
Chalif, Edward L., see Peterson, Roger Tory, —
Chalybion, 11:369
californicum, 6:52
Chamaea fasciata, 30:453
Chamaebatiaria millefolium, 24:189, 24:627
Chamaecrista
fasciculata, 36:123, 36:124
nictitans, 35:72
Chamaecyparis, 11:445
Chamaeleo jacksoni, 31:13
Chamaemyidae, 4:154
Chamaesaracha, 23:298
conioides, 1:67, 10:35, 25:334
conoides, 35:73
coronopus, 1:67, 23:129, 35:74
sordida, 10:37, 12:81, 22:343, 30:546, 30:548, 35:74
Chamaesiphon
confervicola, 23:444
incrustans, 24:158

Chamaesyce, 5:170, 13:386, 13:387, 14:342, 30:543, 35:63
albomarginata, 35:64, 35:71
capitellata, 35:71
fendleri, 2:164
florida, 35:66, 35:71
glyptosperma, 2:164, 23:129, 29:280
hirta, 35:71
hyssopifolia, 35:66, 35:71
indivisa, 35:66, 35:72
maculata, 2:164
missurica, 2:164, 5:170
pediculifera, 35:72
perennans, 5:170
revoluta, 35:66, 35:72
serpyllifolia, 35:67, 35:72
serrula, 35:72
stictospora, 35:72
Chamaethlypis poliocephala, 4:77
Chandler, Clay M., and Julian T. Darlington, A survey of the epigean planarians (Turbellaria, Tricladida, Paludicola) of New Mexico, 19:387–394
Chandler, Clay M., see Darlington, Julian T., —
Chandlerella corophila, 35:458
Chaney, Tim, see Schneider, Edward L., —
Changes in resource usage of *Sceloporus jarrovi* (Sauria: Iguanidae) during periods of high and low food abundance, Carol A. Simon and George A. Middendorf, 30:83–88
Changes in seasonal population structures of two species of *Diaptomus* (Calanoida, Copepoda) subsequent to introductions of threadfin and gizzard shad, Carl W. Prophet, 33:41–53
Chaoboridae, 23:555, 25:394
Chaoboris punctipennis, 5:223
Chaoborus, 8:136, 8:139, 14:238
larvae, 22:102
punctipennis, 14:221, 14:224, 14:226, 14:228, 14:244, 23:135, 23:139
Chaorboris punctipennis, 5:224
Chapman, Brian R., and Robert L. Packard, An ecological study of Merriam's pocket mouse in southeastern Texas, 19:281–291
Chapman, Brian R., see Bolen, Eric G., —
Chapman, Brian R., see Howell, Freddie G., —
Chapman, Brian R., see Spencer, Sandra G., —
Chapman, Brian R., see Thebeau, Larry C., —
Chapman, Joseph A., and Raymond P. Morgan, II, Onset of the breeding season and size of first litters in two species of cottontails from southwestern Texas, 19:277–280
Chapmannia, 7:29, 7:35
Chara, 4:159, 6:112, 8:93, 8:230, 10:229–232, 12:209, 12:214, 13:106, 13:250, 13:424, 14:33–35, 14:38, 14:173, 19:186, 20:217, 23:59, 23:450, 24:161, 24:314, 24:691, 25:85, 25:379, 25:413, 25:414, 25:535, 26:62–64, 26:232, 29:498, 36:9
contraria, 2:152
fibrosa, 23:441
globularis, 2:152, 2:153, 21:462, 23:441, 24:668
zeylandica, 2:152, 23:441
Characeae, 2:152
Characidae, 4:161, 32:216, 32:226, 32:228, 35:34, 35:36, 35:38
Characium, 8:232, 10:266
ambiguum, 23:436
pringsheimii, 23:436
rostratum, 24:156
Characodon
garmani, 9:62, 29:399
lateralis, 9:62, 9:66, 29:399
Characteristics and measurements of captive hybrid deer in Arizona, Gerald I. Day, 25:434–438
Charadrii, 29:143–147
Charadriidae, 34:125
Charadriiformes, 17:210–211
Charadriiformes in the Texas Big Bend Country, occurrence and status of certain, Roland H. Wauer and James F. Scudday, 17:210–211
Charadrius
alexandrinus, 6:104, 14:362, 17:210, 21:347–357, 34:124–130
melodus, 36:109
montanus, 21:356, 30:451–452
semipalmatus, 14:362, 17:210, 36:110
vociferous, 21:454
vociferus, 7:257, 11:136, 17:80, 17:210, 18:195, 31:280, 31:285, 34:495, 36:110
wilsonia, 7:257, 35:240, 36:108
Charcharinus leucas, 16:437, 16:438
Charina bottae, 11:298–299
Charophyceae, 23:51, 25:420
Chasmanthium, 11:145, 11:182, 11:184, 11:186, 11:382, 11:391, 11:393, 11:394, 11:415–455
gracile, 11:415, 11:433
latifolium, 11:415–455
laxum, 11:415–455
nitidum, 11:415–455
ornithorhynchum, 11:415–455
sessiliflora, 12:347, 12:349
sessiliflorum, 11:415–455
Chasmistes, 7:81, 11:301
brevirostris, 7:82
Chauliodes, 23:555
Chauliognathus scutellaris, 32:151
Check list of aquatic and semiaquatic Hemiptera (Insecta) of Oklahoma, Kurt F. Schaefer and William A. Drew, 9:99–101
Check list of the Branchiopoda (Anostraca) of Arizona with records of *Artemia salina* and *Streptocephalus dorothae*, Richard K. Koehn and Gerald A. Cole, 9:315–316
Cheek pouch contents of Ord's kangaroo rat (*Dipodomys ordii*), analysis of, Troy L. Best and Barbara Hoditschek, 27:117–119
Cheilanthes
alabamensis, 10:258
eatoni, 30:389, 35:69
feei, 1:57, 1:62, 23:297, 35:65, 35:69
fendleri, 35:69
horridula, 23:297
kaulfussii, 22:137, 22:138
lindheimeri, 22:138, 35:69
pringlei, 24:291, 24:294
tomentosa, 22:138, 33:287
villosa, 22:343
wootoni, 22:137, 22:138
wrightii, 35:66, 35:69
Cheilanthoid fern records from the Edwards Plateau, Texas, confirmation of several, David S. Seigler, 22:137–139
Cheiracanthium inclusum, 11:344
Cheiroseius, 28:225–230
areolacus, 28:225, 28:228, 28:229
cascadensis, 28:226, 28:228, 28:229
floridianus, 28:226, 28:229
greeneae, 28:229
jamaicensis, 28:226, 28:229
laelaptoides, 28:226, 28:229
necorniger, 28:228, 28:229
signatus, 28:229
tennesseensis, 28:226, 28:229
Cheiroseius Berlese with a description of a new species from Texas (Acarina: Ascidae), a new distribution record for the genus, B. McDaniel and Eric G. Bolen, 28:225–230
Cheladonta micheneri, 35:111, 35:113
Chelanops, 12:259
Cheliferidae, 32:491
Chelonariidae, 19:437–439
Chelonarium lecontei, 19:437–439
Chelonarium lecontei Thomson (Coleoptera: Chelonariidae), new distributional record for, Donald W. Tuff, 19:437–439
Chelonethida, 2:83–88
Chelonia, 1:83–86, 16:171–184, 31:131–134
Chelonia mydas, 28:281, 35:97
Cheloniidae, 23:459, 28:281–288
Chelydra serpentina, 1:182, 1:85, 5:79, 19:21, 19:23, 19:24, 19:26, 19:37, 19:40, 19:42, 19:45, 19:109, 19:110, 20:575, 20:576, 21:547, 23:459, 29:345–347, 30:416, 32:515, 32:517–519, 35:474

Chelydridae, 21:547–548, 23:459
Chemical analyses and algal composition in a waste-stabilization pond system, Varley E. Wiedeman, 10:188–210
Chemical ant repellents during small mammal trapping, use of, R. H. Chabreck, B. U. Constantin, and R. B. Hamilton, 31:109–110
Chemical composition and in vitro digestibility of deer browse three years after a wildfire, Scott C. Meneely and Sanford D. Schemnitz, 26:365–374
Chemical composition of rodents: use of whole body concentrations for estimation of standing crops of elements, James G. Wiener, Donald W. Kaufman, Glennis A. Kaufman, John B. Gentry, Michel H. Smith, and Paul R. Ramsey, 22:77–78
Chemnaspidiotus liquidambaris, 14:96
Chemosensory behaviors of neonate prairie rattlesnakes, *Crotalus viridis*, Brent M. Graves, Geoffrey C. Carpenter, and David Duvall, 32:515–517
Chemotaxis of Oedogonium sperms, Larry R. Hoffman, 5:111–116
Chemotaxonomy of *Ribes*, John Mexal and William C. Martin, 21:523–530
Chen
caerulescens, 5:107, 34:246, 34:247
hyperborea, 5:107
rossi, 5:107
Cheney, Carl D., see Parmenter, Robert R., —
Chenopodiaceae, 1:63, 1:66, 1:68, 2:124, 2:161, 6:49–50, 12:148, 13:383, 15:142–143, 15:412, 18:318, 18:430, 18:438, 19:249–255, 20:215, 20:218, 20:439, 22:37, 22:341, 23:296, 23:500, 25:328, 27:118, 29:223–228, 30:377–384, 31:34, 33:451–463, 35:18, 35:71, 35:351–353, 36:122
Chenopodium, 2:125, 13:162, 13:163, 14:352, 15:412, 21:362, 24:130, 28:335, 31:34–36, 35:434, 35:437
album, 13:387, 14:179, 14:181, 14:183, 14:342, 15:412, 25:328, 27:7, 27:373, 27:462, 28:254, 28:255, 29:250, 30:320, 30:339, 30:341, 35:351–353, 35:436
ambrosioides, 35:351, 35:353
berlandieri, 15:412, 19:254, 29:411, 35:351–353
desiccatum, 2:161, 12:139, 12:142
fremantii, 12:139
fremontii, 1:63, 2:161, 35:71
glabrescens, 19:249–255
graveolens, 35:351
hybridum, 2:161, 12:139
incanum, 21:313–315, 23:129, 29:280
incisum, 27:7
incognitum, 19:254
lanceolatum, 14:342
leptophyllum, 15:412
leptophyllum, 23:129, 25:328
murale, 35:351
neomexicanum, 19:253, 35:71
olidum, 19:249, 19:254
parryi, 19:253
pratericola, 29:409, 29:411, 29:414–418
viride, 15:412
vulvaria, 19:253
watsonii, 19:249–254
Chenopopiaceae, 29:250
Chermes
capparis, 13:218
hederae, 13:218
cimicoides, 2:84
Chernetidae, 2:83–88, 12:259, 25:89–93, 32:491
Chernetinae, 2:83–88
Chernoff, Barry, and H. Dale Hall, Meristic and morphometric characters of a population of *Lucania parva* (Pisces: Cyprinodontidae) isolated in False River, Louisiana, 24:181–185
Cherry, Marlin O., The chromosome number of Chrysopsis pilosa (Compositae): a correction, 4:201–203
Chersodromus rubriventris, 16:229, 25:429
Chersodromus rubriventris (Colubridae), an additional specimen of, Michael J. McCoid, Jack W. Sites, Jr., and James R. Dixon, 25:429
Chesser, Ronald K., see Schnell, Gary D., —
Cheumatopsyche, 1:152, 14:224, 14:226, 14:238, 14:243, 23:223, 23:382, 23:384, 23:385, 25:142, 25:145, 25:147, 25:149, 25:249, 25:252, 25:253, 25:382, 25:383, 25:550, 32:412, 34:480, 36:286
aphanta, 23:383
campyla, 23:383, 31:427
enonis, 31:428
gracilis, 31:428
pettiti, 23:383, 31:428, 34:316
smithi, 31:428
wabasha, 31:428
Chevreuxia americana, 32:85, 32:87, 32:88, 32:90
Chew, Robert M., Mammalian predation on honey ants, *Myrmecocystus* (Formicidae), 24:677–682
Cheyletidae, 21:278
Cheyletus, 21:277, 21:278
Chichlasoma
cyanoguttatum, 26:409, 26:411
nigrofasciatum, 25:487, 25:495, 25:496
Chick recognition in purple martins (Passeriformes: Hirundinidae), Charles R. Brown, 24:683–685
Chigger from the Texas tortoise, *Gopherus berlandieri*, the first record of a, M. Lee Goff and Frank W. Judd, 26:83–84
Chihuahua pine in New Mexico, a range extension for the, John M. Tucker, 5:226
Chihuahuan bats, additional records of some, Michael A. Bogan and Daniel F. Williams, 15:131–134
Chihuahuan Desert vegetation of limestone and basalt slopes in West Texas, Mitch Aide and O. W. Van Auken, 30:533–542
Chilianthus, 13:138
arboreus, 13:140
Chilomeniscus cinctus, 34:522
Chilometopon
ensifer, 28:476
pallidium, 28:476
Chilomycterus schoepfi, 20:463, 28:465
Chilonycteris, 14:359
parnellii, 14:358
psilotis, 14:358
Chilopsis, 3:30
linearis, 1:67, 1:88, 2:125, 14:101, 14:102, 15:152, 16:5, 17:289, 18:430, 18:438, 20:114, 20:218, 21:314, 21:315, 22:341, 22:429, 22:431, 23:239–245, 24:447, 24:703, 26:133–145, 28:83, 28:99, 35:71, 35:381, 35:382
Chimarra, 23:384, 25:252, 25:382, 25:383
aterrima, 1:152
obscura, 1:152, 23:383
utahensis, 28:353, 28:413, 36:286
Chinonanthus virginicus, 12:345
Chiococca alba, 30:397, 30:398, 30:400, 30:401, 31:260, 35:371, 36:215
Chionactis, 35:221, 36:310
occipitalis, 12:180, 12:182–184, 12:187, 16:445–447, 26:272, 34:523, 36:99
palarostris, 12:182, 36:99, 36:103, 36:104
saxatilis, 12:180–188
Chionanthus virginicus, 12:344
Chionaspis, 15:280, 18:427
acericola, 15:282, 15:283, 18:430
americana, 15:280, 15:282, 15:284, 18:436, 18:437
aspidistrae, 17:389
brasiliensis, 17:389
euonymi, 17:399
furfura, 15:282, 15:285, 15:286, 18:435, 18:437
furfurus, 15:285
gleditsiae, 15:282, 15:285, 15:287, 15:288, 18:432
latus, 17:389
lintneri, 15:282, 15:288, 15:289, 18:433
longiloba, 15:280, 15:288, 15:290, 18:436
nyassae, 16:337
ortholobis, 15:291
pinifoliae, 16:337–339
pinifolii, 16:338
plantani, 16:340
prunicola, 17:393
quercus, 17:396

salicis-nigrae, 15:282, 15:291, 15:292, 18:436
spartinae, 15:303
sylvatica, 15:280, 15:291, 15:293, 18:431
Chionophila jamesii, 20:432
Chip vocalization of Palmer's chipmunk (*Tamias palmeri*), William L. Gannon and William T. Stanley, 36:315–317
Chiracanthium, 11:343
inclusum, 25:264, 30:4
Chirmarra utahensis, 31:447
Chirocephalidae, 9:68, 20:91
Chirocephalopsis, 25:543
Chirocephalus diaphanus, 16:302
Chiroderma, 12:407, 12:423–425
isthmicum, 11:495
salvini, 11:495, 18:199, 18:200, 23:155, 24:542
villosum, 11:494, 11:495, 12:415, 12:416, 12:420, 12:427, 31:533
Chironectes minimus, 33:232
Chironomidae, 5:222, 8:229, 8:230, 8:232, 12:372, 12:375, 12:383, 12:388, 12:398, 12:403, 12:404, 14:244, 23:217, 23:219, 23:268, 23:385, 23:555, 23:556, 23:560, 25:27, 25:141, 25:149, 25:250, 25:255, 25:273, 25:393, 25:394, 25:538, 25:547, 25:548, 25:550, 26:157, 26:158, 26:307, 27:44, 27:440, 27:441, 27:443, 28:35, 28:39, 28:190, 32:288, 32:289, 32:396, 32:412, 32:443, 33:177, 33:181, 33:182, 34:181, 34:184, 34:250, 34:253, 34:315, 34:480, 35:253, 36:161, 36:162, 36:164, 36:167, 36:353
Chironomini, 23:138, 23:140
Chironomus, 12:63, 21:154, 23:139, 23:555, 25:141, 25:143, 25:393, 25:550, 26:157, 26:309, 34:480
attenuatus, 12:372, 12:384, 25:250, 25:254
californicus, 12:375, 12:384
crassicaudatus, 12:375
darbyi, 12:384
monochromus, 12:375
plumosus, 23:142
stigmaterus, 12:372, 12:375, 12:384
Chiroptera, 1:194, 4:134–142, 11:308–310, 12:329–330, 12:484–485, 15:396–397, 18:112–114, 24:71–78, 24:389, 26:91–92, 26:215, 28:374, 30:306–307, 30:322–323, 30:371–375, 31:331–340, 32:273, 32:363–370, 32:508–509, 33:385
Chiropterotriton
chondrostega, 16:228
magnipes, 16:228
multidentata, 16:228
Chiroptonyssus, 20:247, 20:251
haematophagus, 20:241, 20:246, 20:247, 20:250–252
robustipes, 20:241, 20:244, 20:246, 20:247, 20:252
venezolanus, 20:241, 20:246, 20:247, 20:250, 20:252
Chiroseius, 28:229
areolacus, 28:225, 28:229
cascadensis, 28:226, 28:229
floridianus, 28:227, 28:229
greeneae, 28:226, 28:229
jamaicensis, 28:228, 28:229
laelaptoides, 28:228, 28:229
tennesseensis, 28:227, 28:229
Chirothrips simplex, 36:52
Chisel-toothed kangaroo rat in Joshua Tree National Monument, current status of the, Blair A. Csuti, 24:530–533
Chlaenius obsoletus, 28:474
Chlamydamonas, 25:420
Chlamydomonas, 5:112, 9:167–169, 10:188–210, 12:117, 36:239
angulosa, 20:48
cienkowskii, 23:438, 24:157
globosa, 20:48, 22:310
nivalis, 17:312
snowii, 24:157
Chlamydotheca
arcuata, 25:381, 25:383
unispinosa, 5:158
Chlamytherium septentrionale, 21:14
Chlora exaltata, 2:40
Chlorangium, 22:112
Chloranthaceae, 11:107
Chlorella, 10:188–210, 22:306, 25:420, 27:82, 27:84
pyrenoidosa, 10:188–210, 22:308–310, 22:316, 36:240
sorokiniana, 13:129
vulgaris, 36:238, 36:239
Chloridoideae, 5:7–11
Chlorion aerarium, 24:608, 24:611
Chloris, 27:461
andropogonoides, 5:9, 19:289
berroi, 10:72
canterai, 10:72–73
chloridea, 12:76
ciliata, 5:9, 10:50, 10:51, 10:72, 12:73
cuculata, 4:118
cucullata, 14:352, 16:272, 22:36, 22:551, 23:505, 24:98, 25:321, 35:390
distichophylla, 4:118
gayana, 4:118, 10:50, 10:51, 18:434, 18:438, 18:441, 23:505, 25:321
inflata, 10:76
petraea, 36:123
pluriflora, 23:505, 25:321
polydactyla, 10:72
subdolichostachya, 23:505, 25:321
verticillata, 2:157, 4:118, 7:169, 9:114, 14:342, 25:326, 36:354
verticillatus, 30:320
virgata, 2:157, 10:76, 12:76, 12:84, 21:314, 35:74
Chloris canterai Arech. (Gramineae) in Texas, distribution of, Dennis Anderson, 10:72–73
Chloris infata Link (Gramineae) in southern Texas, a new report for the United States, Dennis Anderson, 10:76
Chlorobotrys regularis, 10:230, 10:231
Chloroceryle americana, 7:258, 18:195, 36:363
Chlorococcaceae, 11:197
Chlorococcum, 10:188–210, 18:99, 18:100, 22:414, 24:156, 33:319
Chlorogonium minimum, 20:48
Chloroperlidae, 34:253, 35:132, 36:326
Chlorophyceae, 8:229, 8:232, 17:244, 20:45, 20:47, 20:48, 22:310, 23:51, 23:53, 23:56, 23:57, 25:351–356, 25:411, 25:414, 25:416–420, 25:422, 28:372, 35:207
Chlorophylls and carotenoids in aspen bark (*Populus tremuloides*), Mary L. Barr and Loren D. Potter, 19:147–154
Chlorophyllum
molybites, 21:231
molybdites, 29:260, 29:262
Chlorophyta, 17:18, 26:432–433
Chlorophytum, 12:84
Chloropidae, 19:70, 27:330
Chlorosarcinopsis, 9:168, 33:317, 33:319
Chloroscombrus chrysurus, 1:162, 36:206
Chlorotheciaceae, 11:200
Chlorotylium cataractum, 11:197
Chlorura chlorura, 17:100, 22:370, 22:371
Chlosyne
californica, 29:476, 29:478, 29:479
gorgone, 21:34
Chmura, Cynthia M., see Wygoda, Mark L., —
Choate, Jerry R., and Eugene D. Fleharty, Habitat preference and spatial relations of shrews in a mixed grassland in Kansas, 18:110–112
Choate, Jerry R., and J. Knox Jones, Jr., Additional notes on reproduction in the Mexican vole, *Microtus mexicanus*, 14:356–358
Choate, Jerry R., and Mark D. Engstrom, review by, 24:207–208
Choate, Jerry R., and Michael P. Moulton, review by, 24:717
Choate, Jerry R., and Michael P. Reed, Least shrew, *Cryptotis parva*, in southwestern Kansas and southeastern Colorado, 33:361–362
Choate, Jerry R., and Percy L. Clifton, Noteworthy records of bats from Tamaulipas, Mexico, 14:358–360
Choate, Jerry R., Post-settlement history of mammals in western Kansas, 32:157–168
Choate, Jerry R., review by, 22:287
Choate, Jerry R., Robert C. Dowler, and Janet E. Krause, Mensural discrim-

ination between *Peromyscus leucopus* and *P. maniculatus* (Rodentia) in Kansas, 24:249–258
Choate, Jerry R., see Finley, Robert B., Jr., —
Choate, Jerry R., see Lovell, David C., —
Choate, Jerry R., see Mellott, Ron S., —
Choate, Jerry R., see Moulton, Michael P., —
Choate, Jerry R., see Reed, Michael P., —
Choate, Jerry R., see Svoboda, Peggy L., —
Chodatella, 10:188–210
Choeroniscus, 12:407, 12:421, 12:422, 12:426
godmani, 11:492, 12:411, 12:413, 12:420, 12:427
Choeronycteris, 4:15, 12:407, 12:421, 12:422, 12:426
mexicana, 4:14, 7:76, 9:43, 11:143, 11:306, 12:330, 15:13, 15:21, 23:155, 32:134, 32:135, 32:392, 33:494, 35:78
mexicanus, 30:445
Choeronycteris mexicana, 32:494
Choeronyteris mexicana, 12:411, 12:412, 12:420, 12:427
Choisya arizonica, 35:64, 35:73
Choking of Colorado squawfish, *Ptychocheilus lucius* (Cyprinidae), on channel catfish, *Ictalurus punctatus* (Ictaluridae), as a cause of mortality, Richard Pimental, Ross V. Bulkley, and Harold M. Tyus, 30:154–158
Choloepus, 36:183
Chondestes grammacus, 2:32, 18:196, 22:370, 22:371, 28:101, 29:506–509, 30:213–224, 31:260
Chondrohierax uncinatus, 24:687, 35:370
Chordeiles
acutipennis, 7:258, 10:172, 16:19, 36:363
minor, 2:31, 9:133, 22:369, 22:370, 31:280, 34:492
Chorizanthe, 17:335
rigida, 12:185
Chorizaspidiotus
cueroensis, 14:425
gutierreziae, 14:437
Choroterpes, 28:35, 28:39, 28:190, 34:315
mexicanus, 25:142, 25:147, 25:248, 25:251, 25:253, 25:254, 25:381, 31:17, 36:286
Chortinaspis, 18:426
cottami, 13:221–223, 18:434
frankliniana, 13:221, 13:223, 18:435
graminella, 13:221, 13:223, 13:225, 18:435
subchortina, 13:221, 13:223, 13:224, 13:225, 18:434, 18:435
Choucair, Paul C., see Spencer, Sandra G., —
Chrapliwy, Pete S., and Arthur J. Ward, Jr., New records of the western hooknosed snake, Ficimia cana (Cope), in West Texas, 8:52–53
Christensen, Carl C., and Richard L. Reeder, New records of *Sonorella* (Pulmonata: Helminthoglyptidae) from the Table Top Mountains, Pinal County, Arizona, with a description of *Sonorella milleri*, new species, 26:341–344
Christian, D. P., and P. E. Lederle, Seed properties and water balance in desert granivores, 29:181–188
Christian, Donald P., see Shump, Karl A., Jr., —
Christiansen, J. L., and B. J. Gallaway, Raccoon removal, nesting success, and hatchling emergence in Iowa turtles with special reference to *Kinosternon flavescens* (Kinosternidae), 29:343–348
Christiansen, James L., James A. Cooper, and John W. Bickham, Reproduction of *Kinosternon flavescens* (Kinosternidae) in Iowa, 29:349–351
Christiansen, James L., James A. Cooper, John W. Bickham, Benny J. Gallaway, and Marlin D. Springer, Aspects of the natural history of the yellow mud turtle *Kinosternon flavescens* (Kinosternidae) in Iowa: a proposed endangered species, 30:413–425
Christiansen, James L., see Degenhardt, William G., —
Christiansen, Scott, see Svejcar, Tony, —
Christianson, Lee, see Baker, Robert J., —
Chromatographic studies of Laphamia and related genera of Compositae, preliminary, A. Michael Powell and Hing Shya Tsang, 11:190–195
Chromobacterium, 36:370, 36:371
Chromosomal and behavioral studies of Mexican *Drosophila*. VI. Effects of density on larval digging and pupation in *Drosophila pseudoobscura*, M. I. Gaso, F. González, J. Guzmán, L. Levine, O. Olvera, R. F. Rockwell, and M. E. de la Rosa, 33:445–449
Chromosomal evolution in *Geomys* as revealed by G- and C-band analysis, Mazin B. Qumsiyeh, Cornelio Sanchez-Hernandez, Scott K. Davis, John C. Patton, and Robert J. Baker, 33:1–13
Chromosomal studies of the Pelobatidae (Salientia) and some instances of ploidy, Aaron O. Wasserman, 15:239–248
Chromosome characteristics of Texas species of *Grindelia* (Compositae) and some interspecific hybrids, Max P. Dunford, 16:131–142
Chromosome counts and cytological observations of certain Texas Gramineae under transplanted conditions, Louis H. Bragg, 9:306–308
Chromosome counts of western American plants-I, miscellaneous, James L. Reveal and Eloise S. Styer, 18:397–402
Chromosome number as an indication of relationships of *Astragalus*, section Strigulosi (Leguminosae), with descriptive notes on *Astragalus altus*, Richard Spellenberg, 18:393–396
Chromosome number for *Hymenoxys odorata* DC. (Compositae) and correction of an erroneous count for *H. subintegra* Ckll., a new, John L. Strother, 11:502
Chromosome number of Chrysopsis pilosa (Compositae): a correction, the, Marlin O. Cherry, 4:201–203
Chromosome number reports for some Compositae, first, Lowell E. Urbatsch, 20:283–285
Chromosome numbers and geographic distribution of Lindheimera, Engelmannia, and Berlandiera (Compositae-Heliantheae-Melamponinae), B. L. Turner and M. C. Johnston, 1:125–132
Chromosome numbers for Ampelopsis arborea (Vitaceae) and Linaria texana (Scrophulariaceae), Walter H. Lewis, 3:214
Chromosome numbers for Claytonia virginica (Portulacaceae), three, Walter H. Lewis, 3:130–132
Chromosome numbers for five American species of Calicarpa, Lantana, and Phyla (Verbenaceae), Walter H. Lewis, 6:47–48
Chromosome numbers for four North American asclepias, Walter H. Lewis, 6:46–47
Chromosome numbers for three United States species of Xyris (Xyridaceae), Walter H. Lewis, 6:99–100
Chromosome numbers from some federally proposed threatened or endangered southwestern angiosperms and other miscellaneous taxa, Richard Spellenberg, 24:187–189
Chromosome numbers in *Bouteloua rothrockii*, Frank W. Gould, 21:401–403
Chromosome numbers in Chihuahuan Desert Cactaceae. II. Trans-Pecos Texas, James F. Weedin, A. Michael Powell, and Donald O. Kolle, 34:160–164
Chromosome numbers in Compositae from the southwestern United States, Thomas J. Watson, Jr., 18:117–124

Chromosome numbers in Hymenoxys (Compositae), John L. Strother, 11: 223–227
Chromosome numbers in the *Aristida purpurea* complex (Gramineae), Donald G. DeLisle, 18:79–83
Chromosome numbers in the Compositae. VIII. Mexican and Central American species, B. L. Turner and R. M. King, 9:27–39
Chromosome numbers in Vernonia: section Lepidoploa: subsection Paniculatae verae, G. E. Hunter, 9:239–244
Chromosome numbers of some Chihuahuan Desert Compositae, A. Michael Powell and S. Sikes, 15:175–186
Chromosome numbers of some grasses from the southwestern United States and Mexico, Stephan L. Hatch, 25: 278–280
Chromosome polymorphism in *Thomomys talpoides agrestis* Merriam (Rodentia-Geomyidae), Charles S. Thaeler, Jr., 21:105–115
Chromosomes and evolutionary trends in the pocket mouse subgenus *Perognathus* (Rodentia: Heteromyidae), James L. Patton, 12:429–438
Chromosomes and phyletic position of *Aster sonorae* Gray (Asteraceae-Sect. Oxytripolium), B. L. Turner, John Bacon, and Thomas Wendt, 19:361–364
Chromosomes and serum proteins of the Utah prairie dog, *Cynomys parvidens* (Sciuridae), John J. Pizzimenti and Charles F. Nadler, 17:279–286
Chromosomes of *Aplodontia rufa* (Sciuridae), additional information on, James H. McMillin and Dallas A. Sutton, 17:307–308
Chromosomes of East Texas Hedyotis (Rubiaceae), Walter H. Lewis, 3: 204–207
Chromosomes of some vespertilionid bats of the genera *Lasiurus* and *Plecotus*, Robert J. Baker and James T. Mascarello, 14:249–251
Chromosomes of the desert shrew, *Notiosorex crawfordi* (Coues), Robert J. Baker and T. C. Hsu, 14:448–449
Chromosomes of the Townsend pocket gopher, Thomomys townsendii, Fred A. Wentworth and Dallas A. Sutton, 14:157–161
Chroococcaceae, 11:201
Chroococcidiopsis, 33:316, 33:317
Chroococcus, 18:96, 20:50
indicus, 23:444
minor, 10:230, 10:232, 23:444, 24:158
minutus, 23:444, 24:158
pallidus, 23:444
turgidus, 10:230, 10:232, 23:444
varians, 23:443
Chroomonas, 10:188–210
Chrosomes, 16:444
Chrosomus
eos, 31:157
erythrogaster, 12:464, 13:55–60, 16: 442–444, 31:157, 34:226
oreas, 16:444
Chrotopterus, 34:417
auritus, 11:492
Chryosothamnus, 20:153
Chrysactinia
mexicana, 10:257, 10:259, 11:242
pinnata, 16:365
Chrysanthemum, 16:361
Chrysemis, 20:285
Chrysemys, 19:34
picta, 3:231, 5:77, 5:78, 5:81, 5:85, 5: 86, 13:107, 13:372, 16:173, 19:21, 19:23, 19:33, 19:36, 19:37, 19:40, 19: 44, 20:281, 23:459, 27:448, 29:345–347, 29:350, 30:416, 30:418, 31:5, 31:6, 31:299, 31:300, 31:303, 32:517, 32:519–521
scripta, 23:457–461, 25:515
Chrysididae, 32:419, 32:422
Chrysobothris
analis, 27:26
caurina, 20:7, 20:9
femoralis, 24:612
Chrysochernes, 2:84
Chrysochloris, 10:149, 10:150
Chrysococcus biporus, 20:52
Chrysogonum, 26:5
Chrysoma laricifolia, 14:437, 14:439, 18: 430, 18:438
Chrysomela, 32:386
Chrysomelidae, 8:54, 10:1–8, 19:70, 19: 108, 20:7, 20:8, 24:536–537, 26:163, 27:329, 27:330, 28:101, 28:130, 28: 475, 28:478, 29:18, 30:549, 30:550, 30:603, 32:151, 32:386, 32:396, 32: 418
Chrysomphalus, 13:226, 18:425
agavis, 13:202
albopictus, 13:204
aonidum, 13:230
aurantii, 13:210, 13:212
bifasciculatus, 13:227, 13:228
castigatus, 13:227
covilleae, 14:439
dictyospermi, 13:277, 13:299, 18:432, 18:436
ficus, 13:230, 13:231, 18:430, 18:432–434, 18:436
koebelei, 13:204
lilacinus, 14:415
minor, 13:227
nigropunctatus, 14:418
obscura, 14:418
obscurus, 14:418
perseae, 13:204
scutiformis, 13:207
smilacis, 14:420
tenebricosus, 14:423
Chrysophyceae, 17:245, 20:45, 20:47, 20: 50, 22:311, 23:51, 23:56, 23:57, 23: 59, 25:420
Chrysopidae, 6:18, 28:377, 29:442, 36:51
Chrysopis, 29:442
pilosa, 7:170
Chrysopogon montanus, 4:118
Chrysops, 14:238
Chrysopsis, 16:370, 20:381
foliosa, 17:47
graminifolia, 12:347
hispida, 1:65
oregona, 18:119, 18:120
pilosa, 2:172, 4:201–203
villosa, 1:65, 14:331, 24:552
Chrysosporium, 32:133
Chrysothammus, 25:134
Chrysothamnus, 11:67, 11:68, 13:164, 15: 24, 15:264, 16:370, 17:40, 17:318, 24:553, 24:627, 25:261, 26:265, 26: 397, 30:448, 32:193, 32:388
baileyi, 8:188
depressus, 35:323
nauseosus, 1:53, 1:65, 9:58, 12:139, 13: 160, 14:404, 15:159, 16:205, 19:112, 21:362, 23:129, 23:132, 25:197–205, 25:462, 27:371, 28:83, 28:417, 28: 423, 29:277, 29:280, 29:281, 30:437, 31:347–351, 31:355, 31:357, 31:415, 32:475–482, 33:91, 34:442, 34:488, 35:67, 35:70
nauseousus, 13:161
parryi, 25:202, 25:203, 31:24
patens, 18:369
pulchellus, 1:65, 14:439, 15:152, 15:159, 18:431, 18:438, 25:204, 30:536, 30: 537
spathulatus, 25:203
teretifolius, 32:475, 32:477, 32:479, 36: 305
viscidiflorus, 16:202, 16:203, 16:205, 22:429, 24:113, 24:544, 28:126, 29: 362, 30:451, 32:475, 32:477, 32:479
Chthoniidae, 20:13–27
Chthonius, 20:13
Churchill, Steven P., Robert B. Kaul, and David M. Sutherland, New and noteworthy plant records for Nebraska, 21:403–405
Churchill, Steven P., see Sutherland, David M., —
Chydoridae, 4:188, 34:345, 36:237, 36: 241
Chydorus, 8:232, 13:47
brevilabris, 34:345, 34:346
gibbus, 4:189, 4:192
globosus, 4:189, 4:192
sphaericus, 4:185, 4:189, 4:192, 5:109, 12:59, 12:62, 14:324, 23:169, 24:1, 24:2, 24:6, 26:244, 36:239
Chyletidae, 28:419
Chymomyza olympia, 5:89

Chyranda centralis, 31:439
Chyromya, 6:89
Chyromyiidae, 6:86–91
Cibdelis, 18:310
Cicada stress sound: an assay of its effectiveness as a predator defense mechanism, Robert L. Smith and William M. Langley, 23:187–195
Cicadas caught by dragon flies, Arthur N. Bragg, 3:226–227
Cicadellidae, 2:127, 5:222, 5:223, 20:7, 27:172, 27:173, 27:179, 27:329, 27:330, 27:332, 28:377, 29:438, 30:549, 30:550, 30:604, 32:396, 36:51
Cicadidae, 6:18, 17:208, 25:553, 28:377, 29:511, 32:417, 32:422
Ciccaba
nigrolineata, 20:585–586
virgata, 4:68, 4:80
Cicer arietinum, 12:151
Cichlasoma, 26:409–413
bifasciatum, 32:231
cyanoguttatum, 2:92, 2:99, 15:257, 25:86–87, 25:535, 28:375, 36:203, 36:204, 36:208, 36:209
friedrichsthali, 32:231
grammodes, 32:227, 32:231, 32:233
guttulatum, 32:231
hartwegi, 32:227, 32:231, 32:233
helleri, 32:231
heterodontum, 32:233
heterospilum, 32:231
incertae, 32:232
intermedium, 32:231
irregulare, 32:231
istlanum, 35:34, 35:35, 35:43, 35:46
krophthalmus, 32:231
lentiginosum, 32:231
longimanus, 32:227
macracanthum, 32:231, 32:233
margaritiferum, 32:227
meeki, 32:231
nigrofasciatum, 9:248–250, 28:221–223, 30:513
octofasciatum, 32:231
pasionis, 32:231
pearsei, 32:232
robertsoni, 32:227, 32:231
rostrata, 32:227
salvini, 32:231
severum, 9:249, 9:250, 28:221, 28:222
socolofi, 32:227, 32:231
steindachneri, 15:257
synspilum, 32:231
trimaculatum, 32:231, 32:233
urophthalmus, 32:231
Cichlidae, 28:374–375, 30:456–459, 31:528, 32:226, 32:231, 35:34, 35:35, 35:43, 35:406
Cichlosoma cyanoguttatum, 28:327, 28:328, 29:378, 29:382–384
Cichoriaceae, 13:383
Cichorieae, 18:343, 20:139
Cichorium, 18:119
intybus, 18:117, 18:123
Cicindela, 21:353, 29:93–104, 34:468–477
cuprascens, 29:93, 29:97, 29:99, 29:100, 29:102
denverensis, 29:97, 29:100
formosa, 29:93, 29:97–102, 34:468, 34:470, 34:471, 34:473–475
fulgida, 29:93, 29:97, 29:99–101
hirticollis, 29:93, 29:97, 29:99–102
lengi, 29:93, 29:97, 29:100, 29:102
lepida, 29:93, 29:97–101
limbalis, 34:473
longilabris, 29:93, 29:97, 29:99–101
nevadica, 29:93, 29:97, 29:99–102
nigrocerulea, 29:93, 29:97, 29:99, 29:100
obsoleta, 29:93, 29:97, 29:99–101, 34:468, 34:470–475
ocellata, 29:100, 34:468, 34:470, 34:472, 34:474
oregona, 29:93, 29:97, 29:99–102
pulchra, 29:93, 29:97–101
punctulata, 29:93, 29:97, 29:99–101, 34:468, 34:470–473, 34:475
purpurea, 29:93, 29:97, 29:99–101, 34:473
pusilla, 29:93, 29:97, 29:99–101
repanda, 29:83, 29:97, 29:99–102
rufiventris, 34:468, 34:470–473, 34:475
scutellaris, 29:93, 29:97–101, 34:468, 34:470, 34:471, 34:473–475
sedecimpunctata, 29:97, 29:100
sexguttata, 34:468, 34:470, 34:471, 34:473–475
sperata, 29:97
splendida, 34:468, 34:470, 34:471, 34:473, 34:474
tenuisignata, 29:93, 29:97, 29:99–101
tranquebarica, 29:93, 29:97, 29:99–102
willistoni, 24:196
Cicindelidae, 14:166, 20:7, 20:9, 24:196, 28:475, 28:478, 29:93–104, 32:418, 34:468–477
Ciconiidae, 6:105
Cictynidae, 30:121
Cicurina
arcuata, 11:353, 30:7
parma, 20:59
robusta, 11:353, 15:320
varians, 11:353, 12:260
Cicuta maculata, 2:166
Cienfuegosia
affinis, 36:75, 36:82
drummondii, 36:75, 36:81, 36:82
gerrardii, 18:482
heteroclada, 36:77, 36:81
integrifolia, 36:77
intermedia, 18:479–481, 36:75–83
rosei, 36:75, 36:82
Cienfuegosia intermedia, the unresolved mystery of, Paul A. Fryxell, 18:479–481
Cienkowskia reticulata, 10:226
Cimex
adjunctus, 13:446
pilosella, 5:228
pilosellus, 20:241, 20:249
Cimicidae, 20:241, 20:245, 20:249, 23:305–307
Cinara ponderosae, 20:7
Cincinatia integra, 3:225
Cincindela nevadica, 28:475
Cincinnatia, 5:150
Cinclus mexicanus, 24:571, 34:490
Cinnamomum camphora, 18:432, 18:438
Cinygma, 28:190
Cinygmula, 25:26, 25:27
Cionella lubrica, 7:58, 16:98, 16:104, 22:11, 22:12
Cionellidae, 7:58
Cionistes, 15:315
Cionomimus insolens, 15:315
Cionothrix praelonga, 16:366
Circaea quadrisulcata, 12:139
Circium
acantholipis, 16:365
canescens, 12:139
pallidum, 12:323
palustre, 12:139
undulatum, 12:139
vulgare, 12:139
Circotettix rabula, 32:203–211
Circulaspis, 18:417, 18:429
*biburs*a, 18:418, 18:435
fistulata, 18:418, 18:419, 18:435
fistulella, 18:418–420, 18:435
Circus
cyaneus, 22:369, 26:440, 36:265, 36:269, 36:270
hudsonius, 17:74
Cirolana
mayana, 20:485
parva, 20:481, 20:483–485
Cirolanidae, 35:239
Cirratritadites annulatus, 17:405
Cirrophthirus testudinarius, 32:85, 32:87
Cirsium, 2:130, 4:19, 17:47, 22:346, 23:299, 26:5, 26:266, 29:304, 36:306
arizonicum, 35:66, 35:70
discolor, 7:170, 32:32, 32:35
neomexicanum, 35:18, 35:70
nidulum, 35:18
occidentale, 35:18
ochrocentrum, 1:68, 2:169, 21:313, 27:7, 27:329, 30:339, 35:70
rothrockii, 5:102
scopulorum, 20:429
texanum, 23:316, 23:500, 25:321
turneri, 5:101–102
undulatum, 4:59, 10:259, 13:162, 13:387, 17:6, 24:381, 24:552, 25:335, 29:326, 29:329, 30:336
vulgare, 35:18
wheeleri, 1:67, 27:329
Cirsium turneri (Compositae), new species from Trans-Pecos Texas, Barton H. Warnock, 5:101–102
Cirsum, 13:249

Cisneros, Rose Mary, see Sommerfeld, Milton R., —
Cisseps fulvicolis, 21:34
Cissus, 12:148
incisa, 23:504, 25:321, 25:331
incisus, 17:103
pulcherrima, 16:112
Cistaceae, 12:87–96, 32:278–279
Cistothorus palustris, 36:100
Citellus, 13:403, 14:293, 16:437
beecheyi, 12:249, 21:130
columbianus, 16:347
harrisi, 11:471
harrisii, 9:104–105, 10:69–72, 10:156–166
interpres, 12:193, 13:270
lateralis, 9:107
leucurus, 10:165, 11:142, 12:231–251
mexicana, 10:18
mexicanus, 1:30–34, 16:347
mohavensis, 10:165, 12:249
nelsoni, 12:235, 12:236, 12:249
spilosoma, 13:148–152, 13:156
tereticaudus, 10:69–72, 10:156–166, 11:471, 12:197–198
tridecemlineatus, 11:325–337, 11:408–410, 13:148–152, 13:156, 13:402, 13:404, 13:405, 21:454
variegatus, 7:240, 13:270
Citharexylum
berlandieri, 30:397, 30:398, 30:400, 30:401, 35:371, 36:214, 36:215
spathulatum, 31:101, 31:102
Citharichthys
gilberti, 32:232
spilopterus, 20:463, 36:207
Citrullus vulgaris, 26:68
Citrus, 16:325, 28:67, 29:507
grandis, 18:435, 18:438, 18:439
limon, 18:435, 18:438, 18:440
nobilis, 18:436, 18:438, 18:441
paradisica, 30:401, 36:216
sinensis, 13:212, 13:230, 16:332, 18:436, 18:438, 18:440, 30:401, 36:216
Cittotaenia, 33:488
Cixiidae, 30:610–611, 32:151
Claassenia sabulosa, 35:130–134
Claborn, David M., and Sherman A. Phillips, Jr., Temporal foraging activities of *Solenopsis invicta* (Hymenoptera: Formicidae) and other predominant ants of central Texas, 31:555–557
Cladium, 27:381
jaimaicense, 22:47
jamaicense, 20:217, 23:505, 25:197, 25:316
Cladocera, 4:185–194, 12:55–69, 14:324, 21:254–555, 23:164–165, 23:168–170, 23:686–688, 26:74–75, 26:217–218, 28:118–119, 34:344–348, 36:237–242
Cladocera and Copepoda of Lyon County, Kansas, annotated check list of the, Carl W. Prophet, Ted F. Andrews, and Clyde E. Goulden, 4:185–194
Cladophora, 8:230, 11:201, 12:209, 12:214, 12:312, 12:314, 14:246, 14:369, 22:414, 23:216, 23:223, 23:382, 25:243, 25:379, 25:420, 25:548, 34:131, 35:194, 36:159
callicoma, 11:197, 23:440, 24:157
crispata, 23:440
fracta, 23:440
glomerata, 26:32–34, 28:33, 28:239
insignis, 23:440
kutzingianum, 11:197
Cladophoraceae, 11:197
Cladosporium, 27:20, 32:133
cladosporioides, 24:367, 27:18
oxysporum, 27:18
Cladotanytarsus, 12:375, 23:140, 25:141, 25:250, 25:254, 25:381
Clambidae, 32:418
Claopodium whippleanum, 1:118, 1:119
Clappia
suaedaefolia, 23:500, 25:321
suaedifolia, 1:57, 1:65, 1:68
Claravis pretiosa, 4:68
Clarias batrachus, 28:221
Claricola squamiceps, 22:435
Clark, Carolyn A., see Hatch, Stephen L., —
Clark, Donald R., Jr., and Carl S. Lieb, Notes on reproduction in the night snake (*Hypsiglena torquata*), 18:248–252
Clark, Donald R., Jr., and James C. Kroll, Thermal ecology of anoline lizards: temperate versus tropical strategies, 19:9–19
Clark, Donald R., Jr., and Robert R. Fleet, The rough earth snake (*Virginia striatula*): ecology of a Texas population, 20:467–478
Clark, Donald R., review by, 18:359–360
Clark, Lesley D., and Neil E. West, Further studies of *Eurotia lanata* germination in relation to salinity, 15:371–375
Clark, Thomas O., Albinistic Gambel's quail from eastern Arizona, 27:220
Clark, Tim W., and R. H. Denniston, On the descriptive ethology of Richardson's ground squirrel, 15:193–200
Clark, Tim W., Food uses of the Richardson ground squirrel (*Spermophilus richardsoni elegans*) in the Laramie Basin of Wyoming, 13:248–249
Clark, Tim W., Notes on the biology of the thirteen-lined ground squirrel in the Laramie Plains, Wyoming, 15:499–502
Clark, Tim W., Plants used as food by mule deer in Oklahoma in relation to habitat, 13:159–166
Clark, Tim W., see Campbell, Thomas M., III, —
Clark, Tim W., see Skryja, David D., —
Clark, W. E., see Rogers, C. E., —
Clark, William A., see O'Farrell, Michael J., —
Clark, William H., and Paul E. Blom, Observations of ants (Hymenoptera: Formicidae: Myrmicinae, Formicinae, Dolichoderinae) utilizing carrion, 36:140–142
Clark, William H., and Shirley S. Kendall, First record of the Blackburnian warbler, *Dendroica fusca*, from the central desert in Baja California, Mexico, 31:544
Clark, William H., see Blom, Paul E., —
Clark, William H., see Giezentanner, Keith I., —
Clark, William H., see Yensen, Eric, —
Clark, William J., see Campbell, John M., —
Clark, William J., see Reimer, Rollin D., —
Clark, William J., see Respess, Richard O., —
Clarke, Robert F., see McCarley, Howard, —
Clarkia, 5:50
elegans, 5:51
Clarkson, Robert W., and James C. Rorabaugh, Status of leopard frogs (*Rana pipiens* complex: Ranidae) in Arizona and southeastern California, 34:531–538
Clary, W. P., D. M. Beale, and R. C. Holmgren, Melanistic pronghorn fawns on the Desert Experimental Range, Utah, 30:159–161
Clary, Warren P., see Ffolliott, Peter F., —
Clasmatodon parvulus, 5:44, 28:240
Clasping reflex observed in juvenile spade foots, the, Arthur N. Bragg, 3:229
Clastoderma, 9:157
debaryanum, 9:160, 10:224
Clava-Herculis, 21:482
Clavaria
apiculata, 8:203
flavobrunnescens, 8:203
Clavariaceae, 8:196–203
Clavaspis, 18:425
coursetiae, 13:232, 13:233, 18:432, 18:435, 18:437
covilleae, 13:232
herculeana, 13:230, 13:234, 13:235, 18:432
mori, 13:231, 13:236, 13:237, 18:433
pedilanthi, 13:236, 13:238
subsimilis, 13:237–239, 18:431, 18:432, 18:436
subsimillis, 13:232
texana, 13:231, 13:240, 13:242, 18:431

ulmi, 13:231, 13:240, 13:242, 18:437
Clavidae, 23:363–370, 25:252, 28:112–113
Clavispora opuntiae, 33:363
Claytonia
asarifolia, 3:132
lanceolata, 19:71, 28:289–291
megarhiza, 20:426
perfoliata, 3:132, 28:291, 35:19
sibirica, 28:291
virginica, 1:122, 3:130–132, 3:204, 28:291
Cleaning symbiosis between *Pica pica* and *Odocoileus hemionus*, a possible, Susan Weinberg Margulis, 32:138–139
Cleidodiscus
bedardi, 12:334, 16:283, 16:286
chelatus, 16:283, 16:286
diversus, 16:283, 16:286
globus, 16:293
longus, 12:334, 16:283, 16:286
nematocirrus, 12:334, 16:283, 16:286
pricei, 16:283, 16:286
robustus, 12:334, 16:283, 16:286
similis, 16:293
uniformis, 12:334
vancleavei, 12:334, 16:283, 16:286
Cleidogona chisosi, 34:223
Cleidogonidae, 34:223
Cleistocactus
baumannii, 30:78
dependens, 30:78
mendozae, 30:78
parapetiensis, 30:78
smaragdiflorus, 30:78
strausii, 30:78
tarijensis, 30:78
Clelia scytalina, 35:278
Clematis, 12:215
bigelovii, 28:83
drummondii, 23:503, 24:301–303, 24:305, 25:321, 30:400, 33:335, 33:336, 35:73, 36:215
hirsutissima, 12:139
ligusticifolia, 1:57, 15:151, 28:83, 34:488, 35:65, 35:73
lingusticifolia, 12:139, 12:209
neomexicana, 1:63
Clemmys guttata, 23:459
Cleome, 3:134, 13:162
albiflora, 3:139
breviflora, 3:138, 3:139
dodecandra, 3:135
integrifolia, 3:139
lanceolata, 10:63
lutea, 3:133, 3:138–140
multicaulis, 3:133, 3:138, 3:141, 3:142, 4:110
serrulata, 2:162, 3:133, 3:138, 3:139, 3:141, 13:161, 16:205, 28:232, 30:339
sonorae, 3:142, 4:110
trachysperma, 3:136
uniglandulosa, 3:136
Cleome multicaulis (Capparidaceae) in western Texas, Marshall C. Johnston and Barton H. Warnock, 4:110
Cleomella, 3:134
angustifolia, 2:162
longipes, 3:133, 3:142
Cleonus, 28:475
Cleridae, 8:54, 20:7, 23:566, 23:568, 23:569, 23:571, 27:26, 28:475, 28:478, 30:603, 32:491, 32:494
Clerodendron inerme, 9:234
Clethrionomys gapperi, 12:198, 17:325, 20:417, 22:289, 22:292, 22:293, 22:295, 22:297, 22:299, 22:300, 23:284, 24:244, 25:36, 26:333, 26:334, 26:337, 32:242
Cletocamptus albuquerquensis, 13:429
Cleveland, Arthur G., First record of *Baiomys taylori* north of the Red River, 31:547
Cleveland, Harold L., see Carpenter, Charles C., —
Clibadium, 9:27
arboreum, 16:365
surinamense, 9:28, 9:31
Cliburn, J. William, see Crain, J. Larry, —
Cliff chipmunk from coastal Sonora, Mexico, a new subspecies of the, J. R. Callahan and Russell Davis, 22:67–75
Clifton, Percy L., see Choate, Jerry R., —
Climacia
areolaris, 23:384, 23:385, 25:251, 25:255
californica, 24:196
Climaciella brunnea, 24:605, 24:606
Climacium americanum, 28:240
Climbing activity in wild-ranging Gila monsters, *Heloderma suspectum* (Helodermatidae), John K. Cross and Matt S. Rand, 24:703–705
Clinocottus analis, 36:348–353
Clinostomum
marginatum, 16:288, 16:290, 16:293, 21:68, 21:69, 22:527, 22:528, 27:224, 28:399, 28:400, 28:401, 28:403, 29:378
metacercariae, 27:224
Clinostomus
elongatus, 16:442
funduloides, 16:442, 33:142
Clinotanypus, 23:139
Clioperla clio, 35:133
Clistoronia
formosa, 31:439
maculata, 31:439
Clitocybe
aurantiaca, 8:198
nuda, 29:263
paropsis, 8:198
Clitoria
mariana, 4:57
mexicana, 12:152
Cloacitrema, 32:85, 32:87, 32:88, 32:90
Cloeon, 12:372, 12:384, 12:387
Clomena, 34:61
Closteriopsis, 10:188–210, 22:308
longissima, 20:48, 23:437
Closterium, 8:232, 10:188–210, 10:266, 10:270, 12:311, 17:14, 17:16, 17:18, 17:244, 17:247, 18:99, 18:100, 22:112, 23:434, 23:452, 25:420
acerosum, 11:198, 23:439, 24:157
aciculare, 23:438
acutum, 23:438, 24:157
braunii, 11:198
calosporum, 23:439, 24:157
cosatum, 24:157
dianae, 10:230, 10:231
didymotocum, 11:198
ehrenbergii, 23:438
leibleinii, 10:230, 23:439, 24:157
lunula, 11:198
moniliferum, 23:439, 24:158
ralfsii, 11:198
turgidum, 11:198
venus, 10:230, 10:231
Clostridium botulinum, 23:693, 25:566
Cloutman, Donald G., and Larry L. Olmsted, A survey of the fishes of the Cossatot River in southwestern Arkansas, 19:257–266
Cloutman, Donald G., Parasitism in relation to taxonomy of the sympatric sibling species of stonerollers, *Campostoma anomalum pullum* (Agassiz) and *C. oligolepis* Hubbs and Greene, in the White River, Arkansas, 21:67–70
Clubiona, 11:343, 15:328, 29:231, 30:8
abboti, 11:344, 30:121
abbotii, 30:4
johnsoni, 21:43
plumbi, 21:43
praematura, 15:322
riparia, 21:43
Clubionidae, 11:343, 11:344, 15:322, 15:328, 20:6, 20:9, 20:59, 20:61, 20:62, 21:43, 29:231, 30:1, 30:4, 30:8, 30:10, 30:121, 30:122, 32:396
Clubionoides excepta, 30:8
Clupea harengus, 13:309
Clupeidae, 4:160, 23:247–261, 24:695–697, 31:528, 32:216, 32:226, 32:228, 35:406
Clusters of limber pine trees: a hypothesis of plant-animal coaction, Robert G. Woodmansee, 21:511–517
Clutch development and variation in fat-body mass and liver mass of female keeled earless lizards, *Holbrookia propinqua* (Sauria: Iguanidae), relationship between, Kyle W. Selcer, 31:9–14
Clutch formation in the turtle, *Kinosternon flavescens* (Testudines: Kinosternidae), David R. Long, 31:1–8

Clutch limit in the Charadrii: an experiment with American avocets, the 4-egg, F. S. Shipley, 29:143–147
Clutch parameters and pond use in some Chihuahuan Desert anurans, Bruce D. Woodward, 32:13–19
Clutch size and parasitism of the Texas spotted whiptail, *Cnemidophorus gularis* (Sauria: Teiidae), from south-central Texas, Michael R. Gannon and Kevin B. Willis, 35:215–217
Clutch size and reproductive success of adult and subadult purple martins, Charles R. Brown, 23:597–603
Clyclotella stelligera, 23:91
Cnemidophorous, 17:81
Cnemidophorus, 2:35, 4:108, 5:46, 5:123, 11:411, 15:245, 20:505, 20:507, 21:520, 25:117, 26:102, 30:266, 32:107, 32:415, 32:420, 33:490
arubensis, 32:394
bacatus, 28:1–3, 28:6
burti, 11:57, 22:54, 26:270, 32:510–511, 34:522, 36:99, 36:366
calidipes, 28:4
canus, 28:1–3, 28:6
catalinensis, 28:1–3, 28:6
celeripes, 28:2, 28:3, 28:6, 28:7
ceralbensis, 32:392–395
communis, 27:241–243
costatus, 18:195, 18:199, 34:541–546
deppei, 14:132, 14:133, 23:685, 35:277
deppii, 15:399
estebanensis, 28:1, 28:2, 28:6
exanguis, 22:54, 26:109, 26:111, 26:113, 28:376
exsanguis, 8:50, 11:56, 11:57, 18:280, 18:284, 18:285, 19:193, 19:330, 22:134, 30:613, 34:296, 34:418–420
flagellicaudus, 11:57, 22:54
grahami, 28:3
gularis, 8:56, 11:56, 11:57, 11:408, 14:196, 15:138, 16:228, 18:93, 18:279–283, 18:287, 19:194, 21:288, 21:292, 22:134, 28:376–377, 30:163–164, 31:405–408, 31:409, 32:279–281, 32:393, 32:511–512, 34:297, 34:418–420, 35:89–91, 35:215–217, 36:242–244
guttatus, 14:132, 14:133, 35:277
hyperythrus, 10:278–281, 10:313, 11:275–289, 14:196, 21:252, 21:253, 32:394, 34:418
inornatus, 4:92, 4:94, 4:100, 4:101, 11:54–71, 13:454, 18:279–282, 18:287, 19:194, 21:23, 22:54, 22:134, 27:232–234, 27:242, 28:9–20, 30:613, 32:393, 32:432, 34:297
labialis, 11:57, 28:4
laredoensis, 30:310, 31:408–410, 32:279, 32:281, 34:296–298, 35:89–91, 36:242–244
marmoratus, 33:121–124
martyris, 28:1–8, 32:394
maximus, 28:2, 28:6, 28:7
melanostethus, 3:94, 3:95, 5:29
motaguae, 27:242, 28:4, 35:274, 35:277
neomexicanus, 26:72–74, 31:409, 34:296, 34:297
octòlineatus, 11:57, 11:69
parvisocius, 27:242, 28:4, 32:393
perplexus, 2:105–121, 3:33, 3:45, 11:56, 11:68
sacki, 2:105–121, 3:31–33, 3:44, 4:92, 4:93, 4:95, 4:100, 4:101, 4:196, 5:219, 8:56, 11:56, 11:57, 15:138, 16:228, 27:242, 28:4, 28:376
sackii, 35:274
scalaris, 16:11, 16:228, 25:116
septemvittatus, 8:50, 10:172, 11:57, 18:280, 18:287, 18:288, 22:134
sexlineatus, 1:134, 1:182, 5:105, 5:106, 6:193, 6:201, 10:280, 10:313, 11:56, 11:57, 11:279, 11:280, 11:284, 13:454, 14:196, 14:197, 19:218, 20:468, 20:554, 21:252, 21:253, 28:3, 30:368, 30:599, 31:406, 31:407, 31:409, 32:279, 32:281, 32:395–397, 33:121, 34:296, 34:297, 35:474, 35:475
sonorae, 11:57, 22:54, 29:514, 34:296
stictogrammus, 5:29, 11:57
tesselatus, 1:134, 2:105–121, 3:33, 3:43, 3:94, 3:95, 3:100, 4:101, 4:106, 4:195–200, 5:105, 5:106, 11:68, 13:454–455, 18:280, 18:286–288, 19:193, 22:134, 26:74, 28:2, 28:3, 30:613, 31:409, 32:511, 32:512, 34:296, 34:297
tessellatus, 28:3
tigris, 2:105–121, 3:31, 3:32, 3:39, 3:43, 3:45, 3:49, 3:94–101, 4:92, 4:93, 4:95, 4:98, 4:100, 4:101, 4:106, 4:195–200, 5:25, 5:29–32, 5:34, 5:105, 5:106, 10:172, 10:278, 11:280, 11:412, 12:186, 12:187, 14:189–202, 16:7, 17:207–208, 18:279, 18:280, 18:285–288, 19:194, 19:218, 21:252–254, 22:54, 22:61, 22:134, 26:101, 26:103, 26:104, 26:109, 26:111, 26:113, 26:267, 26:270, 28:1–4, 28:6, 28:9, 28:16, 29:137–140, 29:510, 29:511, 30:469, 30:471, 31:62, 31:63, 32:103, 32:106, 32:107, 32:393, 32:427–433, 32:510, 33:121, 34:297, 34:418, 34:420, 34:460, 34:461, 34:463, 34:465, 34:466, 34:519, 34:523–525, 35:377–383, 36:99, 36:308, 36:366
uniparens, 22:54, 30:610, 30:613, 34:296, 34:297, 34:420, 35:377–379
variolosus, 3:94
velox, 11:54–71, 13:106, 22:54, 26:111, 26:113, 26:270, 34:296
Cnemidophorus gularis in New Mexico, John W. Wright, 8:56
Cnemidophorus tigris variolosus, a revived subspecies of whiptail lizard from Mexico, Richard G. Zweifel, 3:94–101
Cnidaria, 9:109, 25:426–428
Cnidoscolus, 8:121–126
texanus, 8:121, 8:122, 8:124, 10:211, 10:212, 20:391–396, 33:336
Cnidoscolus and *Jatropha* (Euphorbiaceae) in far western Texas, the species of, Marshall C. Johnston and Barton H. Warnock, 8:121–126
Coachwhip preys on horned lizard, Jack D. Tyler, 22:146
Coahuilan box turtle, *Terrapene coahuila* (Testudines, Emydidae), remarks on the, Robert G. Webb, Wendell L. Minckley, and James E. Craddock, 8:89–99
Coat color polymorphism of Abert's squirrel, *Sciurus aberti*, in Colorado, Craig A. Ramey and Donald J. Nash, 21:209–217
Coates-Estrada, Rosamond, and Alejandro Estrada, Occurrence of the white bat, *Diclidurus virgo* (Chiroptera: Emballonuridae), in the region of "Los Tuxtlas," Veracruz, 30:322–323
Coats, A. M., Flowers and their histories (rev.), 1:142–144
Coats, Catherine E., and Wm. F. Mahler, Distribution of *Barbula whitehouseae* (Pottiaceae), new to Oklahoma, and additional county records, 30:151–152
Cobb, Vincent A., Reproductive notes on the eggs and offspring of *Tantilla gracilis* (Serpentes: Colubridae), with evidence of communal nesting, 35:222–224
Cobb, Vincent A., see Ford, Neil B., —
Coccidae, 29:437
Coccinelidae, 20:9
Coccinella
difficilis, 28:475
transversoguttata, 19:70
Coccinellidae, 2:127, 8:54, 19:70, 19:109, 20:148, 28:475, 28:478, 29:442, 32:418, 36:51
Coccoidea, 13:201–242, 14:89–113, 14:411–440, 15:275–308, 16:321–340, 17:389–404, 18:417–442
Coccoloba barbadensis, 32:363
Cocconeis, 19:418, 20:51, 20:197, 20:203, 25:416, 25:420
diminuta, 26:313
disculus, 20:201
pediculus, 20:49, 20:201, 24:152, 24:159, 26:32, 26:33, 26:313
placentula, 10:40, 20:201, 22:414, 22:459, 22:460, 23:89, 23:93, 24:152, 26:32, 26:313, 35:209
rugosa, 24:152
Coccothraustes vespertinus, 34:493
Coccotorus, 15:309
Cocculus, 20:333

carolinus, 20:325, 20:327, 20:333, 25:211, 25:212
diversifolius, 30:400, 36:215
Coccus
beckii, 16:323
gloverii, 16:324
ulmi, 16:326
visci, 15:280
Coccyzus americanus, 2:28, 2:31, 10:142, 16:20
Cochisensis, 33:287
Cochlearius cochlearius, 7:255, 16:31–41
Cochlicopa lubrica, 21:410, 21:411, 29:36, 29:40, 29:41
Cochliobolus cynodontis, 27:18
Cochliomyia macellaria, 26:431
Cochlospermaceae, 35:71
Cochlospermum vitifolium, 32:363
Cochrane, Theodore S., and Hugh H. Iltis, *Asclepias otarioides* Fourn. (Asclepiadaceae), the valid name for *Asclepias lanuginosa* Hbk., 17:105
Cochrane, Theodore S., *Asclepias otarioides* (Asclepiadaceae), addenda, 17:312
Cocinellidae, 20:7
Cocos nucifera, 32:363
Codoma ornata, 35:453
Codonella, 22:417
Coelastraceae, 11:198
Coelastrum, 10:188–210, 17:13, 17:16, 17:18, 23:452
cambricum, 11:198
microporum, 23:436, 24:156
reticulatum, 23:436
sphaericum, 20:48, 23:436
Coelenterata, 13:107
Coeloglossum, 13:338
viride, 13:335, 13:340
Coelospaerium, 17:17
Coelosphaerium, 10:266, 17:13, 17:244
dubium, 23:444, 24:158
kuetzingianum, 23:444
naegelianum, 23:444
Coelospherium pallidum, 11:201
Coelotanypus, 23:139
Coelus, 30:603
Coenagriidae, 8:57–84
Coenagrionidae, 2:9, 9:297–304, 23:222, 23:554, 25:252, 26:156, 32:131–134, 32:289
Coenagronidae, 17:81, 17:82
Coenargrionidae, 31:252
Coendou mexicanus, 35:233
Coenonycha, 28:476, 28:478
Coerebidae, 4:81
Coexistence and competitive displacement involving two native ant species (Hymenoptera: Formicidae), William MacKay and Emma MacKay, 27:135–142
Coexistence of a mosquito and a dytiscid beetle predator in an intermittent stream in northern Arizona, Jean Stout, 27:273–277
Cohen, Allen C., and Jacqueline L. Cohen, Ingestion of blister beetles by a Texas horned lizard, 35:369
Cohen, Jacquelin L., see Cohen, Allen C., —
Cohen, Will E., Richard J. Reiner, Fred C. Bryant, D. Lynn Drawe, and Lisa C. Bradley, Daytime activity of white-tailed deer in response to short-duration and continuous grazing, 34:428–431
Cokendolpher, James C., and Norman V. Horner, The female of *Xysticus robinsoni* (Araneae: Thomisidae), 25:109–111
Cokendolpher, James C., and Scott A. Stockwell, A new species of harvestman from Arizona (Arachnida: Opiliones: Palpatores: *Dalquestia*), 31:49–53
Cokendolpher, James C., and Sherman A. Phillips, Jr., Rate of spread of the red imported fire ant, *Solenopsis invicta* (Hymenoptera: Formicidae), in Texas, 34:443–449
Cokendolpher, James C., David L. Holub, and Dennis C. Parmley, Additional records of mammals from north-central Texas, 24:376–377
Cokendolpher, James C., see Francke, Oscar F., —
Colacium vesiculosum, 23:445
Colactis, 34:381, 34:383
briggsi, 34:385
Colaptes, 23:700, 31:280
auratus, 15:359, 17:148, 22:369, 22:370, 25:561, 28:113, 29:473, 30:453, 34:490, 36:362
cafer, 16:26, 17:76
Cold death of fishes at Port Aransas, Texas: January 1982, Scott A. Holt and G. Joan Holt, 28:464–466
Cold kill of the nereid polychaete *Neanthes succinea* (Frey & Leuckart), a case of, Mark J. Poff, Grady E. Williams, III, and James T. McBee, 19:333–334
Cold shock on Colorado squawfish larvae, effects of, Charles R. Berry, Jr., 33:193–197
Coldenia, 21:50, 30:543
canescens, 10:259, 22:341, 23:296, 30:545, 30:546, 30:548
greggii, 22:341, 23:291, 23:296, 30:536, 30:537
hispidissima, 1:65, 20:56, 22:341
nuttallii, 18:324
Coldiron, Donna R., see O'Kane, Kevin D., —
Cole, Charles L., see Phillips, Sherman A., Jr., —
Cole, Gerald A., and W. L. Minckley, *Sphaerolana*, a new genus of cirolanid isopod from northern Mexico, with description of two new species, 15:71–81
Cole, Gerald A., see Koehn, Richard K., —
Cole, Gerald A., see Minckley, W. L., —
Colegyne ramosissima, 31:112
Coleochaete, 25:420
scutata, 23:440
Coleogyne, 9:52, 9:55, 9:57, 19:129
ramosissima, 9:51, 9:56, 9:58, 9:59, 12:163, 12:233, 14:404, 16:454, 22:54, 22:428, 22:431, 24:531, 24:532, 25:175, 26:260, 26:264, 26:265, 26:270, 26:283, 26:296, 26:396, 26:397, 29:465, 36:338
ramossissima, 22:62
ramossissma, 10:310
Coleonyx, 3:31, 26:280, 33:490
brevis, 4:92, 4:94, 4:97, 9:47, 10:172, 18:103, 20:508, 23:308, 23:309, 25:569
elegans, 30:368, 35:277
reticulatus, 18:101–103, 23:308–309
variegatus, 3:32, 3:39, 12:185, 12:237, 22:49, 22:51, 22:52, 22:60, 22:61, 26:111, 26:267, 30:469, 30:471, 33:489, 34:519, 34:523, 36:98, 36:303, 36:308
Coleoptera, 6:65–72, 6:195–197, 7:202–210, 8:53–56, 8:111–114, 8:162–172, 9:314–315, 10:1–8, 10:9–13, 10:14–16, 10:73–74, 11:413–414, 13:193–200, 15:309–317, 15:319–329, 16:341–355, 18:305–316, 19:313–327, 19:437–439, 20:303–314, 23:227–238, 24:409–429, 26:215–216, 27:23–27, 28:473–478, 29:93–104, 30:53–57, 30:445–448, 31:341–344, 31:521–525, 33:199–203, 34:196–212, 34:468–477
Coleoptera associated with three species of Solanum in Texas, Horace R. Burke, 8:53–56
Coleoptera of Sand Mountain and Blow Sand Mountains, Nevada, R. C. Bechtel, L. M. Hanks, and R. W. Rust, 28:473–478
Coleosporium, 16:363, 16:374, 16:432
anceps, 16:379
crowellii, 10:35
dahliae, 16:365
elephantopodis, 16:366
eupatorii, 16:366
grahami, 16:364
paraphysatum, 16:372
reichei, 16:378
steviae, 16:364, 16:378
terebinthinaceae, 16:376
vernoniae, 16:381
viguierae, 8:181, 16:379, 16:382, 16:384
Coleosporum asterum, 16:378

Colias, 32:210
eurytheme, 21:34
Colibri
coruscans, 25:465
thalassinus, 10:312
Colinus, 31:285
virginiana, 21:454, 33:55
virginianus, 4:169, 7:256, 8:108–111, 17:296, 17:433–435, 20:507, 21:451, 27:222, 30:33–39, 30:543–553, 31:101, 32:378, 35:229–231
Collared peccaries in juniper and Ponderosa pine habitats, observations of, Scott C. Meneely, 30:305
Colletes, 2:131
Colletidae, 20:8, 28:377, 32:419, 32:420, 32:422
Colletotrichum gleosporioides, 13:102
Collier, G. Donald, and J. Juan Spillett, Factors influencing the distribution of the Utah prairie dog, *Cynomys parvidens* (Sciuridae), 20:151–158
Collier, Gerald, see Plymale, Harry H., —
Collier, Glenn, see Dalquest, Walter W., —
Collins, George F., see Schmidly, David J., —
Collins, James P., and Michael A. Lewis, Overwintering tadpoles and breeding season variation in the *Rana pipiens* complex in Arizona, 24:371–373
Collins, James P., Craig Young, Judd Howell, and W. L. Minckley, Impact of flooding in a Sonoran Desert stream, including elimination of an endangered fish population (*Poeciliopsis o. occidentalis*, Poeciliidae), 26:415–423
Collins, Scott L., see Adams, Dwight E., —
Collisella
digitalis, 36:353
scabra, 36:353
Collomia linearis, 12:139, 28:290
Collops, 36:51
bipuntatus, 20:7
Collum, Laura A., and Thomas H. Fritts, Sperm whales (*Physeter catodon*) in the Gulf of Mexico, 30:101–104
Collybia dryophila, 8:198
Colobopsis, 28:140
Colocasia esculenta, 26:210–211, 33:499
Coloejeunea
cardiocarpa, 28:240
minutissima, 28:240
Cologania, 9:207, 9:209, 9:217
affinis, 12:152
congesta, 12:152
pulchella, 12:152
Colomovilfa longifolia, 30:339
Colonization of benthic diatoms in a new farm pond and its feeder creek, William W. Troeger, 28:244–248
Colonization of Lake Tahoe and other western habitats by the copepod, *Skistodiaptomus pallidus* (Herrick) (Calanoida), Earl R. Byron and James F. Saunders, III, 26:82–83
Colony size of the desert subterranean termite *Heterotermes aureus* (Isoptera: Rhinotermitidae), Susan C. Jones, 35:285–291
Colony survivorship in *Pogonomyrmex occidentalis*, western harvester ant, in western Nebraska, K. H. Keeler, 33:480–482
Colony survivorship in the western harvester ant (*Pogonomyrmex occidentalis*) in western Nebraska, preliminary report of, K. H. Keeler, 27:245–246
Color pattern of the green tree frog, Hyla cinerea, an unusual, Brian W. Cain and Susan R. Utesch, 21:235–236
Color pattern variation in *Crotalus lepidus lepidus* (Viperidae) in southwestern Texas, Jerry W. Vincent, 27:263–272
Color phases of the reddish egret (*Dichromanassa rufescens*) in Texas, notes on the, Eric G. Bolen and Clarence Cottam, 20:133–134
Color variations of *Corallorhiza* in New Mexico, Thomas K. Todsen and Thomas A. Todsen, 16:121–122
Color variations of ground squirrels (*Citellus mexicanus*, Sciuridae) in Texas, W. H. McCarley, 1:30–34
Colorado chipmunk in southeastern Utah, observations of the, Carl E. Wadsworth, 16:451–454
Colorado flora, V, with nomenclature revisions, additions to the, William A. Weber, 18:317–329
Colorado River squawfish and razorback sucker from the San Juan and Colorado rivers in New Mexico and Arizona, recent collections of the, C. O. Minckley and S. W. Carothers, 24:686–687
Colorado squawfish and razorback sucker in the San Juan River, Colorado, New Mexico, and Utah, status of, Steven P. Platania, Kevin R. Bestgen, Miles A. Moretti, David L. Propst, and James E. Brooks, 36:147–150
Colorado squawfish, *Ptychocheilus lucius* (Cyprinidae), with a channel catfish, *Ictalurus punctatus* (Ictaluridae), lodged in its throat, Charles W. McAda, 28:119–120
Coloration and skull characteristics in a Louisiana gray squirrel, aberrant, John W. Goertz and H. Wayne Tubbs, 12:109
Coloration in Clethrionomys gapperi from Colorado, aberrant, W. Glen Bradley, 12:198
Coloration in *Myotis velifer incautus*, aberrant, George C. Rogers, 10:311
Colpius, 23:555
Colton, Harold S., see Ruffner, George A., —
Coltricia perennis, 19:355
Coluber, 14:204, 14:209, 14:210, 19:196, 26:267, 26:270, 33:380
arizonae, 4:21, 5:226
constrictor, 1:182, 4:40, 5:77, 5:82, 5:85, 11:52, 11:137, 13:106, 19:194, 19:215–217, 25:118, 31:260, 33:476, 33:500–501, 35:273, 35:278, 35:474, 36:172, 36:175
flagellum, 4:92, 4:95, 4:102, 14:211
testaceus, 4:102
Colubrid snake of the genus *Chionactis* from Arizona, a new, Richard S. Funk, 12:180–188
Colubridae, 1:27–29, 5:227, 10:167–178, 16:124, 17:208–209, 19:215–217, 21:548–551, 22:54, 22:55, 22:187–194, 22:275, 22:517–524, 23:538, 23:692, 24:698–701, 24:701–703, 25:118–120, 25:269, 25:429, 26:270, 26:385–388, 26:436–437, 27:220–221, 27:228–230, 28:105–107, 29:445–452, 31:55–64, 31:111, 31:243–244, 31:246–249, 31:307–318, 33:473–477, 33:488–490, 35:115–122, 35:221–222, 35:222–224, 36:99
Colubrina, 30:543
greggii, 14:257, 24:138
stricta, 14:257
texensis, 14:257, 24:168, 24:170, 24:171, 24:302, 29:436
viridus, 29:213
Colubrina stricta Engelmann ex M. C. Johnston (Rhamnaceae), new species from Texas, Nuevo Leon and Coahuila, Marshall C. Johnston, 14:257
Columba
fasciata, 14:362, 16:26, 24:199, 24:391–393, 34:495, 35:82–84, 36:248
flavirostris, 7:257, 18:244
leucocephala, 35:83
livia, 17:148, 23:306, 34:495
palumbus, 23:702
Columbidae, 4:81, 34:143, 36:260
Columbigallina
passerina, 7:257, 18:195, 20:507
talpacoti, 4:68
Columbina passerina, 28:113
Colura, Robert L., see Hysmith, Bruce T., —
Colurella obtusa, 23:636
Colybia butyracea, 29:263
Colydiidae, 32:491, 32:494

Colymbetes, 28:475
Comandra
pallida, 1:54, 1:63, 12:139, 35:73
richardsiana, 32:35
umbellata, 35:73
Comatricha, 9:156, 9:157, 16:143
cornea, 10:221, 10:224, 16:145
dictyospora, 23:689, 23:690
elegans, 10:224, 16:145, 23:691
fimbriata, 9:158, 9:159, 10:221, 10:224
irregularis, 9:163
laxa, 9:160–165, 10:224, 23:691
lurida, 16:145, 23:691
nigra, 16:145
nodulifera, 16:146
synsporos, 9:155
tenerrima, 16:146
typhoides, 9:163, 10:224, 23:691
Combat ritual between two male speckled kingsnakes (*Lampropeltis getulus holbrooki*: Colubridae, Serpentes) with indications of dominance, a, Charles C. Carpenter and James C. Gillingham, 22:517–524
Combretaceae, 16:112, 32:313–319
Combretum, 17:221
bartonii, 16:112
farinosum, 32:313
Combs, Lisa M., see Gregory, Michael J., —
Commander, Darrell, see McClung, G. Dan, —
Commandra
pallida, 17:6
umbellata, 33:67, 33:68
Commelina, 31:34, 31:36, 35:388, 35:390
dianthifolia, 35:74
elegans, 12:149
erecta, 2:159, 22:37, 23:504, 25:315, 25:327, 28:382, 30:546, 30:548, 33:333, 33:336, 33:337, 35:74, 36:122, 36:341
Commelinaceae, 2:159, 4:129, 6:99, 12:148, 22:37, 23:504, 24:188, 25:327, 31:34, 35:74, 36:122
Commelinantia pringlei, 12:149
Commicarpus scandens, 35:73
Common barn-owl killed by a prairie falcon, David E. Andersen, 33:377–378
Common barn-owl pellets from Louisiana, an analysis of, Peter P. Marra, Barbara M. Burke, and Ignazio Albergamo, 34:142–144
Common crane (*Grus grus*) sighted in West Texas, Thomas C. Tacha, Donald C. Martin, and Craig T. Patterson, 25:569
Communal hibernation of the lizard *Cnemidophorus tigris* (Teiidae) in Colorado, C. J. McCoy, 19:218
Community metabolism in a southeastern Oklahoma mountain stream, John H. Carroll, James C. Randolph, and Richard G. Hunter, 27:365–367
Comparative digestive efficiency and feed intake of the collared peccary, Gary Carl and Robert D. Brown, 31:79–85
Comparative ecology of *Thamnophis elegans, T. cyrtopsis*, and *T. rufipunctatus* in New Mexico, Eugene D. Fleharty, 12:207–229
Comparative study of display behavior in *Phrynosoma* (Iguanidae), a, Robert T. Lynn, 10:25–30
Comparative success in the application of aging techniques to a population of winter-trapped mink, Elmer C. Birney and Eugene D. Fleharty, 13:275–282
Comparison of the effects of the severe freezes of 1983 and 1989 on native woody plants in the lower Rio Grande Valley, Texas, Robert I. Lonard and Frank W. Judd, 36:213–217
Comperia, 13:337
Competition among coexisting heteromyids in the Southwest, quantification of, Cliff Lemen and Patricia Waring Freeman, 28:41–46
Competition between hummingbirds and insects for the nectar of two species of shrubs, James H. Brown, Astrid Kodric-Brown, Thomas G. Whitham, and Hedley W. Bond, 26:133–145
Comportamiento del vampiro (*Desmodus rotundus*) en cautiverio, Raúl Flores Crespo, Samuel B. Linhart, y Richard J. Burns, 17:139–143
Compositae, 1:65, 1:67, 1:68, 1:88, 1:125–132, 2:124, 2:169, 3:219, 3:220, 4:59, 4:201–208, 5:12–15, 5:101–102, 5:225–226, 8:177–179, 8:179, 9:27–39, 9:189–202, 9:315, 10:65–68, 10:212, 10:238–240, 10:311, 10:312, 11:118–122, 11:190–195, 11:223–227, 11:456–466, 11:502, 12:82, 12:106–109, 12:127–133, 12:149, 12:337, 12:347, 12:469–471, 12:475–476, 13:109–115, 13:250–251, 13:383, 13:384, 14:372, 15:415, 16:121, 16:131–142, 16:357–386, 17:4, 17:181–190, 18:117–124, 18:320–325, 18:327, 18:335–339, 18:343, 18:369, 18:431, 18:437–440, 19:123–126, 19:329, 20:139, 20:219, 20:283–285, 20:286–287, 20:392, 20:428, 20:574, 21:27–29, 22:31, 22:35, 22:38, 22:341, 22:342, 23:182, 23:296, 23:357, 23:497, 23:500, 23:507, 23:508, 24:97–114, 24:292, 24:294, 24:380, 24:386–387, 24:439–446, 24:603–612, 24:637–643, 24:645–653, 25:111, 26:5–12, 26:88–90, 26:353, 27:118, 27:124, 28:290, 29:182, 29:242–234, 29:353, 31:34, 33:175, 33:221, 36:77, 36:114, 36:122, 36:124
Compsocus, 29:178
Compton, Thomas L., Coyote predation of an adult deer in southwestern Colorado, 25:113–114
Comstockaspis
coniferarum, 14:93
perniciosa, 14:433
Comstockiella, 18:424
sabalis, 14:89, 14:90, 18:434
Conacephalum, 12:142
Conant, Roger, A field guide to reptiles and amphibians of the United States and Canada east of the 100th meridian (rev.), 3:239–240
Conant, Roger, A field guide to reptiles and amphibians of eastern central North America (rev.), 21:257–258
Conant, Roger, see Tinkle, Donald W., —
Conanthalictus
conanthi, 29:372
dicksoni, 29:372
Conchapelopia, 25:141, 25:381, 32:289
Conchostraca, 16:297–305, 20:409–411, 22:205–212, 32:1–4, 32:67–74
Condalia, 5:143, 17:192, 17:398, 21:139, 30:290, 30:543
ericoides, 23:291, 23:297, 27:30
fasciculata, 11:126
globosa, 29:213
hookeri, 23:10, 24:168, 24:170, 24:171, 24:298, 24:302, 24:303, 24:305, 26:291, 26:303, 26:304, 30:400, 30:401, 31:260, 31:387, 36:215
lycioides, 16:10
lycioides, 15:152, 17:171, 17:174, 20:340, 23:291, 26:84, 28:83, 35:381
obovata, 14:109, 14:110, 18:435, 18:438, 24:99, 35:229
obtusifolia, 13:343, 35:80, 35:81
spathulata, 1:66, 15:152, 16:87, 17:397, 21:315, 22:340, 22:343, 23:291, 23:297, 28:83
velutina, 11:125–126
warnockii, 35:73
Condalia fasciculata and Ziziphus obtusifolia (Rhamnaceae) near Tehuacan, southern Puebla, Marshall C. Johnston, 11:126
Condalia velutina I. M. Johnston (Rhamnaceae) at Guanajuato, rediscovery of, Marshall C. Johnston, 11:125–126
Cone indehiscence in a peripheral population of piñon pines (*Pinus edulis*), M. Lisa Floyd and David D. Hanna, 35:146–150
Conepatus, 7:240, 13:265, 16:458
mesoleucus, 4:33, 17:315, 20:499, 23:565, 24:681
Congeria leucopheata, 8:135
Coniontis, 18:309, 18:310, 30:603

Coniophanes
bipunctatus, 23:685
fissidens, 35:271
imperialis, 34:171, 35:274, 35:278
piceivittis, 35:278
Coniophora
arida, 19:349
corrugis, 19:349
mustialaensis, 17:409, 17:411, 17:412, 19:349
olivascens, 19:349
puteana, 19:349
suffocata, 19:349
Coniophoraceae, 19:349
Coniophorella olivacea, 19:349
Coniopterygidae, 24:349
Conklin, August, A study of ant populations at the plains-foothill border, Colorado, 17:43–54
Conkling's roadrunner–a subspecies of the California roadrunner?, Arthur H. Harris and Celinda R. Crews, 28:407–412
Conley, Marsha Reeves, Apparent predation on horned lark by loggerhead shrike, 27:367
Conley, Marsha Reeves, Carrion locating efficiency in burying beetles, *Nicrophorus carolinus* (L.) (Silphidae), 27: 11–15
Conley, Walt, see Thompson, Thomas G., —
Conn, J. S., and E. K. Snyder-Conn, The relationship of the rock outcrop microhabitat to germination, water relations, and phenology of *Erythrina flabelliformis* (Fabaceae) in southern Arizona, 25:443–451
Conner, John V., and C. Fred Bryan, *Leptodora kindtii* (Focke) (Crustacea: Cladocera) in southern Louisiana since 1973, 28:118–119
Conner, Richard N., and Kathleen A. O'Halloran, A comparison of the MacArthur foliage density estimate with actual leaf surface area and biomass, 31:270–273
Conner, Richard N., see Ehrhart, Richard L., —
Conochilus, 10:266, 17:244
Conodon nobilis, 28:104, 28:105, 36:206
Conolophus subcristatus, 30:471
Conomyrma, 21:7, 28:138, 31:555
bicolor, 21:3, 21:7, 26:430, 28:140, 33: 276
insana, 21:3, 21:6, 21:7, 25:181, 25: 185, 25:187, 25:193, 28:140, 29:442
Conophis, 35:274
vittatus, 35:278
Conophthorus, 26:378
ponderosa, 26:375, 26:376
ponderosae, 26:375, 26:376
Conopsis nasus, 16:229
Conotrachelus, 26:378
neomexicanus, 26:375–377
Conotylidae, 12:263
Constant sex ratios of progeny in nutritionally stressed wild house mice, Kenneth L. Cramer, 33:255–261
Constantin, B. U., see Chabreck, R. H., —
Constantine, Denny G., Long-tongued bat and spotted bat at Las Vegas, Nevada, 32:392
Constantine, Denny G., Spotted bat and big free-tailed bat in northern New Mexico, 6:92–97
Constantz, George D., Reproductive effort in *Poeciliopsis occidentalis* (Poeciliidae), 19:47–52
Constrictor, 12:444
constrictor, 8:221
Consuelo Lorenzo-Monterrubio, Consuelo, see Uribe-Alcocer, Manuel, —
Consumption of an adult mouse by a free-ranging neonate prairie rattlesnake, Brent M. Graves, 36:143
Conte, Fred C., Occurrence of Taphromysis *louisiana* Banner (Crustacea, Mysidacea) in marsh embayments on the Texas coast, 17:203–205
Contemporary plant communities of upland grasslands of the coastal sand plain, Texas, David D. Diamond and Timothy E. Fulbright, 35:385–392
Continuous breeding at a barn owl nest in Texas, Mark C. Witmer and Rick E. Patrick, 32:402–403
Contopus
borealis, 33:251, 34:492
pertinax, 4:73, 18:199, 29:503
sordidulus, 2:31, 24:571, 25:561, 29:473, 34:490
Contracaecum, 16:293, 22:361, 22:362, 22: 528, 22:530, 22:537, 25:487, 27:224, 29:380, 29:383
bancrofti, 11:312
micropapillatus, 11:312
multipapillatum, 27:224
Contracecum spiculigerum, 12:334
Contrachelus leucophaeatus, 32:151
Contreras-B., Armando J., y Carlos H. Treviño-S., Notas sobre predacion de aves en reptiles, 32:505–506
Contreras-Balderas, Armando J., New records of birds from Nuevo Leon, Mexico, 33:251–252
Contreras-Balderas, Armando J., y Juan A. Garcia-Salas, Pico anormal en *Toxostoma curvirostre*, 36:137–140
Contreras-Balderas, Armando J., see de la Garza, Fernando Montiel, —
Contreras-Balderas, Salvador, see Edwards, Robert J., —
Convallaria majalis, 32:526
Convergent evolution in perching and patrolling site preferences of some hill-topping insects of the Sonoran Desert, John Alcock, 29:475–480
Convolvulaceae, 1:64, 1:67, 2:167, 4:58, 6:100–101, 12:149, 15:414, 18:319, 22:38, 23:296, 23:501, 25:333, 30: 546, 30:548, 31:34, 35:64, 35:71, 36: 77, 36:122
Convolvulus, 24:130, 25:365
arvensis, 2:130, 30:546, 30:548
equitans, 35:71, 36:354
incanus, 4:58
sepium, 19:162
shumardianus, 6:101
Conway, Dawn K., and Karen L. P. Benson, A range extension for nesting Botteri's sparrow, *Aimophila botterii*, in southern Texas, 35:348–349
Conway, John R., Nest architecture and population of the honey ant, *Myrmecocystus mexicanus* Wesmael (Formicidae), in Colorado, 28:21–31
Conyza, 9:189, 20:332
asperifolia, 16:362
canadensis, 2:169, 12:139, 19:155, 19: 160, 19:162, 20:325, 23:320, 23:500, 24:641, 25:210, 25:321, 25:335, 27: 462, 29:411, 35:70
chilensis, 9:30
coulteri, 23:296, 28:99, 35:70
halimifolia, 9:196
sophiaefolia, 35:70
subspathulata, 9:30
Conzelmann, Paul J., see Staton, M. A., —
Coody, Christopher J., see Watkins, Julian F., II, —
Cooing activity and nesting of mourning doves in northeastern Colorado, Thomas E. Olson, Clait E. Braun, and Ronald A. Ryder, 28:335–340
Cook, Joseph A., see Bednarz, James C., —
Cook, Terry L., see Rykiel, Edward J., Jr., —
Cooley, C. Dwight, see Jackson, Jerome A., —
Coolidge effect in northern grasshopper mice (*Onychomys leucogaster*), the, Donald A. Dewsbury, 26:193–197
Coons, John S., A beetle's mechanical defense against an avian predator, 29:503
Cooper, David J., Abert's squirrel above treeline on the San Francisco Peaks, Arizona, 32:507
Cooper, James A., see Christiansen, James L., —
Cooper, James J., and Steven Vigg, Species composition and seasonal succession of the zooplankton community of eutrophic Lahontan Reservoir, Nevada, 30:239–252
Cooper, James M., and Jerry Wilhm,

Spatial and temporal variation in productivity, species diversity, and pigment diversity of periphyton in a stream receiving domestic and oil refinery effluents, 19:413–428
Cooper, William E., Jr., Caroline S. Adams, and James L. Dobie, Female color change in the keeled earless lizard, *Holbrookia propinqua*: relationship to the reproductive cycle, 28:275–280
Cooperia drummondii, 25:314, 25:321
Copelatus, 31:522
caelatipennis, 24:196, 31:523
chevrolati, 26:157
chevrolatis, 14:238
glyphicus, 12:383
Copepoda, 4:185–194, 12:55–69, 33:41–53
Copestylum marginatum, 26:441
Cophosaurus, 21:17
texana, 26:111
texanum, 34:461, 34:463, 34:465, 34:466
texanus, 19:330, 21:23, 21:24, 21:288, 21:292, 26:204, 35:377–383
Coppola, John, Wind dispersal of *Arceuthobium americanum* pollen, 34:291–293
Coprinaceae, 29:257, 29:264
Coprinus
atramentarius, 8:198
domesticus, 29:264
Coptotermes formosanus, 35:286–288
Coptotomus loticus, 31:523
Copulation in nature between all-female *Cnemidophorus laredoensis* and gonochoristic *Cnemidophorus gularis* (Teiidae), James M. Walker, Ramadan M. Abuhteba, and James E. Cordes, 36:242–244
Copulatory behavior in *Dendrocygna*, Eric G. Bolen and M. Kent Rylander, 18:348–350
Copulatory behavior of *Dipodomys microps* (Heteromyidae), Philip R. Behrends 25:562–563
Coragyps
atratus, 4:68, 16:152, 17:148, 18:195, 18:199, 31:284
occidentalis, 31:277, 31:280, 31:284, 31:287
Coragypus atraturs, 30:462
Corallhorhiza wisteriana, 21:404
Corallobothrium
filmbriatum, 22:528
fimbriatum, 22:530, 29:377, 29:379, 29:382, 29:384
gigantum, 22:528
Corallorhiza
maculata, 13:335, 13:341, 14:447, 16:121
striata, 13:335, 13:341, 14:447, 16:121, 16:122
wisteriana, 14:447–448
Coras
lamellosus, 11:353
medicinalis, 11:353
Corbicula
convexa, 30:454–456
fluminea, 27:350, 29:233
manilensis, 22:235, 22:238, 22:239, 22:249, 22:280–281, 22:397–400, 23:536, 25:143, 25:149, 25:253, 25:255, 25:382
Corbicula manilensis (Pelecypoda: Corbiculidae) in south central United States, new distributional records of, Kevin D. O'Kane, Joseph C. Britton, and Donna R. Coldiron, 22:397–400
Corbicula manilensis (Pelecypoda: Corbiculidae) in Texas, extensions of the known range of, J. R. Baker, 23:536
Corbicula manilensis (Philippi) (Pelecypoda: Corbiculidae) as an intermediate host for Digenea in Lake Texoma, assessment of, Marsch Ridings Harrell, Ronald B. Harrell, and Horace H. Bailey, 22:280–281
Corbiculacea, 30:454–456
Corbiculidae, 22:238, 22:280–281, 22:397–400, 23:536, 25:253, 27:350
Cordes, James E., see Walker, J. Martin, —
Cordes, James E., see Walker, James M., —
Cordia, 12:85, 31:173
alliodora, 32:363
boissieri, 30:397, 30:398, 30:400, 31:102, 36:213, 36:215, 36:216
dentata, 32:363
elaeagnoides, 32:363
morelosana, 32:363
parvifolia, 29:213
Cordulegaster obliquus, 2:2, 2:13, 4:131
Cordulegasteridae, 2:2
Cordulia, 14:237
Cordyceps, 29:78
Cordylanthus
laxiflorus, 35:64, 35:73
tenuifolius, 27:7
wrightii, 24:189
Cordylophora
caspia, 18:253–255
lacustris, 9:109, 13:107, 23:363–370, 25:252, 25:255, 28:112–113, 29:365
Cordylophora lacustris (Coelenterata: Hydrozoa) comparatively abundant in Keystone Reservoir, Oklahoma, John D. Ransom, 13:107
Cordylophora lacustris Allman, 1871 (Hydroida: Clavidae) from Texas, additional records of, G. Dan McClung and Jack R. Davis, 28:112–113
Cordylophora lacustris Allman, 1871 (Hydroida: Clavidae) in Texas with morphological and ecological notes, first records of, G. Dan McClung, Jack R. Davis, Darrell Commander, John Pettitt, and Ellen C. Cover, 23:363–370
Cordylophora lacustris and *Craspedacusta sowerbii* (Cnidaria: Hydrozoa) in Oklahoma, Albert P. Blair, 9:109
Cordylospasta, 21:49
parvicollis, 18:308, 18:310
Coregonus artedii, 20:315
Coreidae, 24:608, 25:105, 25:181, 25:189, 26:375, 26:376, 28:377, 29:435, 29:437, 32:396, 32:417, 32:422, 32:491, 32:492
Coreocarpus
arizonicus, 23:373, 35:70
dissectus, 23:373
involutus, 23:373
parthenioides, 23:373
shrevei, 23:373
Coreopsis, 5:12–15, 15:416, 16:363, 16:384, 18:119, 23:372, 31:406
basalis, 5:12–14
bicolor, 5:13
cardaminaefolia, 18:122
cardaminefolia, 5:12–14, 19:289
cordylocarpa, 12:149, 16:365
drummondii, 5:12
grandiflora, 7:170, 9:37
lanceolata, 5:12–14, 9:37
linifolia, 5:12–14
mutica, 8:187, 16:365
nuecensis, 5:12–14, 23:500, 25:322
palmata, 32:35
petrophiloides, 9:28, 9:33, 9:37
pubescens, 5:12–14
tinctoria, 5:12–14, 13:122, 15:416, 31:494, 31:495, 31:497, 36:122
tripteris, 32:35
Corethra, 10:272
Coriarachne, 11:345
utahensis, 15:324
versicolor, 11:348, 30:8
Corimelaenidae, 30:550
Corinna bicalcarata, 20:59
Coriolellus carbonarius, 19:355
Coriolus
hirsutus, 19:355
pubescens, 19:355
Corisella
edulis, 9:99, 12:372, 12:384, 12:387, 12:403
inscripta, 26:156
tarsalis, 9:99, 12:372, 12:384, 12:387, 12:403, 26:156
Corispermum hyssopifolium, 27:117, 27:118
Corixidae, 1:6, 1:15, 8:135, 9:99, 12:372, 12:384, 15:99, 15:101, 19:109, 23:554, 24:317, 25:251, 25:391, 25:393, 25:394, 26:156, 28:35, 32:289, 35:253
Corizidae, 2:127

Corkum, K. C., see McDonald, J. N., —
Corman, Troy E., see Duncan, Douglas K., —
Cormohipparion, 25:505–508
Cornaceae, 1:64, 2:166, 5:48, 18:431, 18:438, 18:440, 25:332
Cornett, James W., and Jon M. Stewart, Palm burning and increased spadix production, 31:552–553
Cornett, James W., Erratum, 28:386
Cornett, James W., Interbreeding between *Uma inornata* and *Uma notata*, 27:223
Cornus, 14:423, 14:433, 18:431, 18:438, 18:439
drummondi, 19:158–161, 19:163, 33:324
drummondii, 2:155, 2:166, 5:117, 20:76, 20:328, 20:329, 20:334, 21:482, 24:388, 25:211, 25:332, 27:57, 27:58, 27:385, 27:386, 27:429, 35:437
excelsa, 11:302
florida, 12:344, 12:345, 21:482, 22:137, 23:265, 28:63, 28:239, 31:192
foemina, 21:482
racemosa, 21:482
stolenifera, 12:143
stolonifera, 12:136, 12:137, 15:151, 15:152, 28:83, 32:264
Corollospora maritima, 24:367
Coroxidae, 8:229
Correction of the name of the host of the trematode *Lageronia jimenezi* Iruegas-Buentello and Salinas-Lopez 1989, Norman J. Scott, Jr., and David M. Hillis, 34:569
Correction: *Typhlotriton spelaeus*, not *Eurycea tynerensis*, C. Kenneth Dodd, Jr., 27:367–368
Correlation of the local distributions of *Dipodomys microps* and *D. merriami* and of the annual grass *Bromus rubens*, Richard H. Rowland and Frederick B. Turner, 9:56–61
Corrodopsylla
barrerai, 34:562
curvata, 34:562, 36:114
hamiltoni, 34:561–563
Corrodopsylla hamiltoni (Siphonaptera: Hystricopsyllidae) in Texas, first record of, Chris T. McAllister, 34:561–563
Cortaderia selloana, 28:63
Cortés, Rafael Aguilar, José L. Camarillo R., and Robert L. Bezy, Distribution, species status, and reproductive mode of the xantusiid lizard *Lepidophyma pajapanensis*, 35:373–374
Corticiaceae, 19:349
Corticium subillaqueatum, 17:420
Cortinariaceae, 29:257, 29:261, 29:264
Cortinarius, 29:261
heliotropicus, 29:264
iodes, 29:264
sanguineus, 29:264
semisanguineus, 29:264
violaceus, 8:199
Corvidae, 4:81
Corvus
brachyrhynchos, 22:371, 30:453, 32:283, 32:378, 34:492
brachyrhyncos, 22:369
brachyrhynochos, 21:356
corax, 11:136, 16:20, 16:152, 18:195, 18:199, 23:306, 28:409, 29:474, 31:280, 34:492
cryptoleucus, 16:20, 18:199
imparatus, 18:245
Corydalidae, 23:555, 25:251
Corydalis, 28:291
aurea, 21:313, 28:289, 28:290, 35:73
caseana, 28:289, 28:290, 28:292
micrantha, 33:335, 33:336
Corydalus
cognatus, 23:218, 23:219, 36:286
cornutus, 1:151, 8:136, 14:238, 25:142, 25:251, 25:253, 25:382
Corynoneura, 25:141, 34:184, 34:185, 34:315
Corynorhinus
rafinesquei, 1:137, 1:138, 3:105, 4:61, 4:63, 4:139–141
townsendii, 4:15
Coryopsis, 18:198
Corypantha vivipara, 4:58
Coryphantha, 23:296, 23:299, 25:365
dasyacantha, 34:161
duncanii, 34:160, 34:161
fragrans, 26:205
hesteri, 34:160, 34:161
macromeris, 21:315, 26:205
missouriensis, 34:161
ramillosa, 34:160, 34:161
scheeri, 26:205
sneedii, 34:161
vivipara, 21:315, 22:341, 25:332, 25:438, 26:205, 34:161, 35:65, 35:71, 36:305
Coryphoideae, 33:498
Corytophanes percarinatus, 35:275
Coscinodiscaceae, 10:40
Coscinodiscus, 22:415, 22:458, 24:156
lacustris, 22:413
Cosmarium, 8:232, 17:244, 19:418, 22:112, 22:459, 23:58, 23:59, 23:434, 23:452, 25:414, 25:416
angulosum, 10:228, 10:230
askenasyi, 11:198
binum, 11:198
boeckii, 11:198
canaliculatum, 23:438
constrictum, 11:199
cymatopleurum, 11:199
denticulatum, 20:576
favum, 23:438
formosulum, 11:199, 23:438
garrolense, 10:227–233, 20:47, 20:48
granatum, 10:230, 10:231, 23:438, 24:158
laeve, 10:228, 10:231, 11:199
margaritatum, 20:576
moniliforme, 20:576
nagelianum, 11:199
obtusatum, 23:438
ornatum, 23:438, 24:158
ovale, 20:576
polonicum, 11:199
porrectum, 23:438
pseudopyramidatum, 23:438
punctulatum, 23:438
pyramidatum, 11:199
quasillus, 11:199, 23:438
regnesii, 23:438
reniforme, 23:438
sportella, 23:438
suborbiculare, 22:310
subprotumidum, 11:199
turpinii, 11:199, 23:438, 24:158
undulatum, 11:199, 23:438
vexatum, 11:199
Cosmerium, 23:57
Cosmocercoides, 21:503, 21:505, 21:506, 21:508
dukae, 17:198
Cosmochthiniidae, 28:463
Cosmochthonius, 29:239
Cosmopterigidae, 31:204
Cosmopterygidae, 18:308
Cosmos, 5:15, 15:183, 16:363, 18:119
caudatus, 9:33
parviflorus, 15:177, 18:122, 35:70
Costigan, Pat, see Bragg, Thomas B., —
Cothran, E. Gus, see Felley, James D., —
Cotingidae, 4:81
Cotinis mutabilis, 24:607, 24:609–611
Cotinus, 32:491
obovatus, 30:597
Cottam, C., see Bolen, E. G., —
Cottam, Clarence, Angus M. Woodbury, and Herbert H. Frost, Birds of Utah (rev.), 24:397–398
Cottam, Clarence, Eric G. Bolen, and Robert Zink, Sabine's gull on South Texas coast, 20:134–135
Cottam, Clarence, see Bolen, Eric G., —
Cottea pappopharoides, 35:66, 35:74
Cottidae, 35:453, 36:348–353
Cotton rat in Nebraska, the, Douglas Liesveld and Kent Fiala, 21:559
Cotton rat, Sigmodon hispidus, in New Mexico, extension of the known range of the, Sydney Anderson and William N. Berg, 4:40–42
Cottontail drownings, Donald L. Forcum, Kenneth W. Weeks, John R. Wheeler, and Bryan E. Miller, 16:218
Cottus, 34:440, 35:195
asper, 25:389
bairdi, 5:175, 14:306, 14:309, 14:310,

20:316, 20:415, 20:416, 26:389, 30:205
carolinae, 30:25, 30:205, 31:379, 32:439
Cotula, 27:362
Coturnix coturnix, 7:263, 31:105
Coturnyx coturnyx, 27:220
Cotylaspis, 24:558, 24:561
Cotylogaster, 24:558, 24:560
Cotylogasteroides, 24:558, 24:560
Couesius, 24:501
dissimilis, 36:126
plumbeus, 24:502, 24:503, 31:149, 31:152, 31:153, 36:125–127
Coursetia
axillaris, 30:400, 36:214–216
glandulosa, 13:232
Courtenay, Walter R., Jr., and James E. Deacon, Fish introductions in the American Southwest: a case history of Rogers Spring, Nevada, 28:221–224
Courtenay, Walter R., Jr., James E. Deacon, Donald W. Sada, Robert C. Allan, and Gary L. Vinyard, Comparative status of fishes along the course of the pluvial White River, Nevada, 30:503–524
Courtship and copulatory behavior of *Cnemidophorus tigris tigris* (Sauria: Teiidae), Clark R. Mahrdt, 21:252–254
Courtship and copulatory behavior of the Mexican milk snake, *Lampropeltis triangulum sinaloae* (Colubridae), James C. Gillingham, Charles C. Carpenter, Bruce J. Brecke, and James B. Murphy, 22:187–194
Courtship and mating of *Dasymutilla* Ashmead (Hymenoptera: Mutillidae) in California, notes on the, Donald G. Manley, 21:552–554
Courtship behavior and spermatophore deposition by the subterranean salamander, *Typhlomolge rathbuni* (Caudata, Plethodontidae), David L. Bechler, 33:124–126
Courtship behavior of *Phidippus femoratus* (Araneae, Salticidae), the, Robert R. Jackson, 27:187–195
Courtship behavior of the ringed salamander (*Ambystoma annulatum*) observations in the field, James R. Spotila, 21:412–413
Courtship behavior of the rough green snake, *Opheodrys aestivus* (Colubridae: Serpentes), S. K. Goldsmith, 33:473–477
Cover, Ellen C., see McClung, G. Dan, —
Cover illustration, *Cryptocellus osorioi*, (Arachnida: Ricinulei), the, Robert W. Mitchell, 14:123–138.
Cover illustration, *Euderma maculatum*, (Chiroptera: Vespertilionidae), the, Chester O. Martin, 18:112–114
Covich, Alan P., see Holt, Jack R., —
Covich, Alan P., see Shepard, William D., —
Covillea glutinosa, 13:232
Cowania
ericaefolia, 10:257, 10:259
mexicana, 16:452, 24:627, 26:397, 27:2, 27:169, 27:176, 35:65, 35:73
stansburiana, 15:24
Cowley, David E., and James E. Sublette, Distribution of fishes in the Black River drainage, Eddy County, New Mexico, 32:213–221
Cowley, David E., and James E. Sublette, Food habits of *Moxostoma congestum* and *Cycleptus elongatus* (Catostomidae: Cypriniformes) in Black River, Eddy County, New Mexico, 32:411–413
Cox, B. J., Affinities of *Lupinus prunophilus* Jones and *L. ammophilus* Greene (Papilionaceae), 20:159–170
Cox, Elenor R., see Baca, Bart J., —
Cox, Elenor R., see Kirk, William L., —
Cox, Elenor R., see Meyers, Dewey G., —
Coyote food habits in southeastern Arizona, Joseph Charles Ortega, 32:152–155
Coyote foods in southwestern Colorado, James G. MacCracken, 26:317–318
Coyote predation of an adult deer in southwestern Colorado, Thomas L. Compton, 25:113–114
Coyote-deer interactions during the fawning season in Oklahoma, John A. Litvaitis and William S. Bartush, 25:117–118
Coyotes, *Canis latrans*, from the southeastern United States, recent records of, John L. Paradiso, 11:500–501
Crabs from the Gulf of California, a report on a collection of, Beatrice R. Vogel, 11:139–140
Cracca
caribaea, 35:66, 35:72
edwardsii, 35:72
Cracidae, 10:288–301
Craddock, James E., see Webb, Robert G., —
Crago
alba, 29:65
munitella, 29:65
Craig, E. H., see Craig, T. H., —
Craig, Erica H., see Marti, Carl D., —
Craig, T. H., E. H. Craig, and Edward Steele, Recent nesting and sight records of mountain plovers in northwestern New Mexico, 30:451–452
Craig, Timothy H., see Marti, Carl D., —
Crain, J. Larry, and J. William Cliburn, *Pituophis melanoleucus lodingi* from the western part of its range, 15:496–497
Crain, J. Larry, and J. William Cliburn, *Sternothaerus minor peltifer* in Louisiana, 16:444–445
Cramer, Kenneth L., Constant sex ratios of progeny in nutritionally stressed wild house mice, 33:255–261
Crane, Nancy L., and Milton R. Sommerfeld, Phytoplankton ecology of Lynx Lake, Arizona, 22:305–320
Crangon
alaskensis, 29:65
alba, 29:65
crangon, 29:65
munitella, 29:65
munitellus, 29:65
nigricauda, 29:65
stylirostris, 29:65
vulgaris, 29:65
Crangonidae, 29:65
Crangonyctidae, 28:100
Crangonyx, 15:101, 33:375
Craspedacusta
sowerbii, 9:109, 25:426–428
sowerbyi, 21:465
Crassiphiala bulboglossa, 21:67–70, 22:361
Crassulaceae, 4:56, 18:331, 20:430, 35:64, 35:71
Crataegus, 6:112, 11:302, 12:344, 12:345, 14:91, 14:93, 14:101, 14:431, 15:285, 18:435, 18:438, 18:439, 21:480, 21:482, 28:64, 29:83
erythropoda, 28:83
marshallii, 21:480, 21:482
oxycanthoides, 32:526
succulenta, 12:137
viridis, 1:146, 27:428, 27:429
spathulata, 21:475, 21:480, 21:482, 21:483
Craterium
aureum, 16:146
leucocephalum, 10:225, 16:146
paraguayense, 16:147, 16:143
Cratidus, 18:310
Cratogeomys, 33:1, 33:10, 33:11
castanops, 2:34, 35:108, 36:29–33, 36:36
Craven, Richard E., and Bradford E. Brown, Benthic macroinvertebrates of Boomer Lake, Payne County, Oklahoma, 14:221–230
Craven, Richard E., *Stylaria lucustris* (Oligochaeta-Naididae) in Oklahoma, 13:249–250
Crawfish of the genus *Cambarellus* from Texas, with new Texas distributional records for the genus (Decapoda, Astacidae), a new, Douglas W. Albaugh and Joe B. Black, 18:177–185
Crawford, Daniel J., The validity of *Che-*

nopodium glabrescens (Chenopodiaceae), 19:249–255
Crawford, John A., and Eric G. Bolen, Effects of lek disturbances on lesser prairie chickens, 21:238–240
Crawford, John A., Morphology and behavior of greater x lesser prairie chicken hybrids, 23:591–596
Crawford's desert shrew first reported from Nuevo Leon, Peter L. Dalby and Rollin H. Baker, 12:195–196
Crax rubra, 7:256
Crayfish fauna on the Southern University campus, Baton Rouge, Louisiana, observations on the, Robert L. Rogers and Jay V. Huner, 33:120–121
Creaseriella, 15:71, 15:77, 15:78
anops, 15:76
Creel, Gordon C., and W. A. Thornton, A note on the distribution and specific status of the fox genus *Vulpes* in West Texas, 15:402–404
Creel, Gordon C., and W. A. Thornton, Comparative study of a *Vulpes fulva-Vulpes macrotis* hybrid fox karyotype, 18:465–468
Creel, Gordon C., Hemigrapsus estellinensis: a new grapsoid crab from North Texas, 8:236–241
Creel, Gordon C., see Thornton, W. A., —
Creeping wintergreen into New Mexico, a range extension of, Harold A. Mackay, 15:142
Cremanthodium, 18:320
gypsophilum, 18:321
humile, 18:321
nobile, 18:321
Cremastocheilus
angularis, 28:476
puncticollis, 28:476
Crematogaster, 21:6, 28:138, 29:442, 33:113
browni, 28:139
clara, 26:430
colei, 28:139
depilis, 25:181, 25:185–192, 28:139
isolata, 28:139
laeviuscula, 26:8, 29:441, 31:555
lineolata, 17:49, 17:50, 17:52, 17:53, 27:466, 27:467
minutissima, 28:139
opuntiae, 25:182
punctulata, 26:8, 28:139
sordiula, 27:466
Crenichthys, 17:55
baileyi, 9:245–248, 9:249–251, 12:31–44, 16:62, 25:485–503, 27:437–440, 27:443, 27:444, 28:222, 30:505, 30:506, 30:508, 30:510, 30:513, 30:517, 30:519
nevadae, 9:245–247, 25:488, 25:489, 27:437–439, 27:442, 27:443
Creophilis maxillosus, 26:430
Crepidostomum, 28:403
cooperi, 12:333, 16:288, 16:292, 16:293, 18:405, 18:406, 18:411–413, 22:281, 22:527, 22:528, 28:399, 28:401, 29:378, 29:505, 29:506
farionis, 28:399, 28:401, 29:505, 29:506
gracilis, 18:413
ictaluri, 22:527, 22:528
illinoiense, 18:413
illinoiensis, 22:281
Crepidotus fulvotomentosus, 8:199
Crepis
occidentalis, 12:139
runcinata, 10:311
Crepis runcinata Torrey & Gray var. runcinata (Compositae) in Dallam County, species new to Texas, Marshall C. Johnston, 10:311
Creptotrematina aguirrepequenoi, 29:377, 29:378, 29:382, 29:384
Crescentia alata, 32:363
Crespo, Raúl Flores, Samuel B. Linhart, y Richard J. Burns, Comportamiento del vampiro (*Desmodus rotundus*) en cautiverio, 17:139–143
Crespo, Raúl Flores, see Burns, Richard J., —
Cressa truxillensis, 1:67, 15:120
Crews, Celinda R., see Fries, Joe N., —
Crews, Celinda R., see Harris, Arthur H., —
Cribraria, 9:157
elegans, 10:223
intricata, 10:223
languescens, 16:143
minutissima, 10:223
violacea, 10:223, 16:143, 23:690
Cribrariaceae, 10:223, 16:143, 23:690
Cricetidae, 20:497, 20:498, 20:505, 21:469–474, 22:57, 22:58, 25:125–126, 26:125–131, 26:201–202, 26:218–220, 26:276, 26:327, 27:358–359, 28:372–374, 31:280, 31:410–411, 32:188, 33:397–403, 35:159, 35:173–176, 35:202, 35:371–373
Cricotopus, 1:152, 14:239, 14:245, 23:140, 23:555, 25:27, 25:145, 25:550, 34:315, 34:316
bicinctus, 12:375, 25:250, 25:253, 25:254, 25:381
infuscatus, 32:412
trifascia, 25:141, 25:149
Crier, John K., see Elias, Donald J., —
Crioscolia, 32:357–362
alcione, 32:360, 32:361
flammicoma, 32:360, 32:361
Cristaria coccinea, 23:657
Cristatella jamesii, 2:162, 3:133, 3:136
Crocodylus acutus, 35:278
Croizat, Léon, Observations on the ovary of the Juglandaceae, 11:72–117
Croizat, Leon, On approaching the subgeneric classification of Euphorbia peplidion and E. tetrapora, 10:241–247
Cronartium, 16:366
Cronkite, Donald, see Long, Charles A., —
Cronquist, Arthur, Significance of orthogenesis in angiosperm taxonomy, 1:97–99
Croptilon
divaricatum, 2:169, 12:337, 23:500, 25:322, 25:335
hirtellum, 35:387, 35:390
rafinesque, 12:337
Croptilon rafinesque (Compositae) a member of the Mexican flora, Marshall C. Johnston, 12:337
Cross, Earle A., Descriptions of three new species of mites phoretic upon native bees, 13:325–334
Cross, Earle A., see Grim, J. Norman, —
Cross, Frank B., Occurrence of the Arkansas River shiner, *Notropis girardi* Hubbs and Ortenburger, in the Red River system, 14:370
Cross, Frank B., see Echelle, Anthony A., —
Cross, Frank B., see Hubbs, Clark, —
Cross, Jeffrey N., Status and ecology of the Virgin River roundtail chub, *Gila robusta seminuda* (Osteichthyes: Cyprinidae), 23:519–527
Cross, John K., and Matt S. Rand, Climbing activity in wild-ranging Gila monsters, *Heloderma suspectum* (Helodermatidae), 24:703–705
Crossidium
aberrans, 3:119
crassinerve, 31:398
seriatum, 3:114, 3:117–119
Crossidius hirtipes, 28:474, 28:478
Crossin, Richard S., Oscar H. Soule, Robert G. Webb, and Rollin H. Baker, Biotic relationships in the Canon del Rio Mezquital, Durango, Mexico, 18:187–200
Crossosoma bigelovii, 26:264, 26:265, 36:305, 36:312
Crosswhite, Frank S., Concerning Penstemon unilateralis and Penstemon secundiflorus, 10:318
Crosswhite, Frank S., Hybridization of Penstemon barbatus (Scrophulariaceae) of section Elmigera with species of a section Habroanthus, 10:234–237
Crosswhite, Frank S., Penstemon coriaceus the correct name of Penstemon schaffneri (Scrophulariaceae), 15:142
Crotalaria, 12:152
eriocarpa, 12:152
incana, 23:502, 25:316, 25:318
pumila, 35:66, 35:72

sagittalis, 7:170, 12:347
Crotalidae, 1:27–29, 3:233, 5:227, 10:31–34, 22:56, 26:272, 33:370–373, 36:99
Crotalis viridis, 36:141
Crotalus, 7:270, 16:437, 19:196, 20:554, 22:10, 22:193, 30:491, 31:260, 31:280, 33:381
adamanteus, 3:233
atrox, 1:182–184, 3:17, 3:25, 3:26, 3:31, 3:33, 3:51, 3:52, 3:233, 4:92, 4:95, 4:105, 4:107, 5:33, 5:106, 5:226, 5:227, 8:221, 11:411, 11:412, 12:186, 14:204, 14:209–211, 16:8, 16:229, 19:195, 19:330, 20:149, 20:285, 20:416–417, 20:503–515, 20:554, 20:555, 22:53, 22:56, 22:469–485, 27:163, 31:262, 32:273–276, 33:370–373, 34:519, 34:523–525
basiliscus, 2:19, 2:25
californicus, 20:285, 20:286
cerastes, 11:141, 11:142, 20:285, 27:161, 34:523–525, 36:99, 36:100, 36:103
durissus, 16:229, 35:278
exsul, 20:285
gloydi, 2:25
horridus, 1:182, 13:372, 20:507, 32:515, 33:344, 33:372, 34:466
intermedius, 2:19, 2:25, 27:353
lepidus, 3:33, 3:51, 3:52, 4:93, 4:95, 4:106, 5:227, 18:101, 27:163, 27:263–272
luzifer, 20:285, 20:286
mitchelli, 11:134, 12:186, 20:285–286, 22:56, 22:61, 26:267, 26:272, 26:273, 26:283, 27:154, 34:522, 36:100
mitschelli, 20:285, 20:286
mollossus, 16:16
molossus, 3:33, 3:52, 4:93, 4:95, 4:105, 4:107, 5:33, 8:226, 10:170, 10:171, 12:186, 16:229, 19:330, 22:53, 22:56, 27:163
oregonus, 20:285
palmeri, 27:265
pricei, 27:353, 29:244, 35:367–368
ruber, 20:285
scutulatus, 3:33, 3:52, 8:226, 12:186, 16:229, 20:285, 20:286, 22:469–485, 24:693–694, 27:163, 32:273–276, 34:523, 36:100
tigris, 2:26, 27:265, 36:100
transversus, 27:353
trigris, 2:19
triseriatus, 16:229
viridis, 1:27–29, 3:33, 3:52, 5:34, 11:49–53, 11:140–142, 11:411, 11:412, 20:285, 20:286, 20:507, 21:245, 22:56, 22:146, 26:267, 26:272, 26:273, 26:283, 31:61, 32:275, 32:515–517, 33:339–345, 33:372, 36:100, 36:143
Crotalus scutulatus (Viperidae) in Jalisco, Mexico, Jonathan A. Campbell, 24:693–694
Crotaphytus
collaris, 1:134, 1:181, 1:183, 1:184, 3:17, 3:25, 3:26, 3:31, 3:32, 3:39, 4:92, 4:94, 4:97, 5:105, 5:106, 10:172, 14:204, 14:206, 14:210, 14:211, 15:138, 15:469, 15:470, 19:193, 19:196, 19:330, 20:8, 20:554, 21:520, 22:52, 22:61, 26:101, 26:111, 26:267, 26:268, 26:283, 27:358–359, 28:275, 28:278, 28:279, 30:363–370, 30:597–600, 31:407, 32:415–426, 34:522–524, 36:98, 36:308
insularis, 36:98
reticulatus, 3:25, 27:359, 30:598
wislizeni, 3:32, 3:39, 4:195–200, 5:105, 5:106, 11:413, 14:206
Croton, 3:175–203, 7:1–22, 12:193, 13:163, 21:248, 22:346, 26:122, 30:543, 30:546, 30:548, 31:34–37, 33:108, 33:109, 33:233–234, 33:368, 35:387, 35:388, 35:390
abruptus, 7:1, 7:4, 7:18, 7:20
albinoides, 3:192, 3:193
argyranthemus, 3:175, 3:179, 3:194, 3:197
balsamiferus, 3:200
berlandieri, 3:192, 3:199
californicus, 3:194, 3:195, 6:51, 7:21
capitatus, 3:175, 3:176, 3:178, 3:190–193, 7:170, 23:501, 25:322, 25:428, 33:333, 33:335, 33:336, 35:436
ciliatoglandulosus, 3:175, 3:179–181, 3:198, 3:199
cortesianus, 3:175, 3:178, 3:181, 3:198, 3:200, 3:201
coryi, 3:175, 3:178, 3:193, 3:194
corymbulosus, 3:175–177, 3:182, 3:186, 3:187, 5:171, 16:390, 16:393, 16:397, 33:369, 36:55
dioicus, 3:175, 3:179, 3:180, 3:182, 3:195, 7:3, 7:5, 8:182, 25:364, 25:365, 30:536, 30:537, 30:540
engelmanni, 3:192
engelmannii, 3:191
eremophilus, 3:186
fruticulosus, 3:175, 3:178, 3:180, 3:181, 3:198, 3:201, 3:202, 7:3, 7:20, 10:259, 23:291, 23:297
glandulosa, 25:331
glandulosus, 3:175, 3:177, 3:181–183, 7:1, 7:3, 7:8, 7:170, 8:162, 12:347
gracilis, 3:195
humilis, 3:175, 3:179, 3:180, 3:198, 3:199, 3:201, 3:202
incanus, 36:215
leucophyllus, 3:175, 3:177, 3:184, 3:185, 3:189, 7:21
lindheimeri, 3:191, 3:193
lindheimerianus, 3:175–177, 3:184, 3:188, 3:189, 7:3, 7:13–15, 7:22, 20:381
luteovirens, 3:196
monanthogynous, 4:52, 4:57
monanthogynus, 3:175–177, 3:181, 3:183, 3:184, 7:3, 7:9, 7:170, 29:301, 29:304
muelleri, 3:192, 3:193
muricatum, 3:196
neomexicanus, 3:195, 3:196
palmeri, 3:175, 3:185, 3:189
parksii, 3:175, 3:176, 3:179, 3:180, 3:194, 3:197
pottsii, 3:186, 5:171, 7:3, 7:11–13, 8:182, 21:314, 21:315, 23:297, 25:364, 25:365, 27:206, 35:65, 35:72
punctatus, 3:175, 3:179–181, 3:194, 3:195, 22:37, 22:39, 22:40, 22:44, 23:501, 25:316, 26:345–350, 28:365–368, 36:122
sanctilazari, 7:19
suaveolens, 3:175, 3:178, 3:181, 3:186, 3:198, 3:200, 7:3, 7:16
suberosus, 33:233
texansis, 27:461
texensis, 2:164, 3:175, 3:176, 3:179, 3:180, 3:194, 3:196, 3:197, 7:1, 7:3, 7:6, 12:139, 13:387, 16:205, 24:99, 25:331, 25:428, 30:339, 33:333, 33:336
torreyanus, 3:175, 3:178, 3:180, 3:198–200, 7:3, 7:15, 30:400
trichocarpum, 3:200
virens, 3:196, 3:197
wigginsii, 34:521
Croton (Euphorbiaceae) occurring in far western Texas, the ten species of, Marshall C. Johnston and Barton H. Warnock, 7:1–22
Croton pottsii, earlier name for C. corymbulosus, Marshall C. Johnston, 5:171
Crotophaga sulcirostris, 4:68, 7:258, 13:452, 22:169–175, 23:158
Crotophytis wislizeni, 18:307
Cruciferae, 1:63, 1:66, 1:67, 2:162, 3:213, 4:56, 15:413, 17:181, 18:323, 18:368, 20:430, 20:574, 22:37, 22:342, 23:296, 23:501, 25:329, 25:336
Crucigenia
apiculata, 20:47, 20:48, 23:436
irregularis, 23:436
quadrata, 23:436, 24:156
rectangularis, 23:436
tetrapedia, 20:47, 20:48
truncata, 24:156
Crum, Howard, and Harvey A. Miller, Bryophytes from Guadalupe Island, Baja California, 1:116–120
Crum, Howard, and William C. Steere, Some bryophytes from Baja California, 3:114–123
Crum, Howard, Two new species of Barbula (Musci) from the Southwest, 1:35–38
Crustacea, 17:203–205, 20:138, 20:409–411, 20:582–585, 21:254–255, 22:205–212, 23:164–165, 23:168–170, 23:686–688, 24:93–95, 24:390–391, 25:541–546, 26:74–75, 28:118–119,

29:59–71, 29:362–363, 31:254–256, 32:67–74
Crustoderma dryinum, 19:350
Cruz Díaz, Gustavo A., see Wilson, Larry David, —
Crynellus fraternus, 23:534, 23:535
Cryphea glomerata, 28:240, 28:241
Cryphocricos, 25:142, 25:147, 25:251, 25:253, 25:381, 25:383
Cryptantha, 11:205–210, 17:335, 25:560, 26:397
ambigua, 18:324
angustifolia, 21:315, 35:64, 35:71
atwoodii, 19:127–130
auriculata, 11:205, 11:206, 11:209, 11:210
barbigera, 35:64, 35:71, 36:306
capitata, 19:127
chaney, 11:205–207
coroniformis, 11:205–209
crassisepala, 11:207, 11:209, 21:315
decipiens, 11:208, 35:64, 35:71
echinella, 18:324
flavoculata, 24:381
holoptera, 11:207
intermedia, 27:371, 31:182
jamesii, 2:167, 12:139, 19:129, 21:315, 28:382
maratima, 12:185
maritima, 11:208
micrantha, 21:315, 35:64, 35:71
minima, 2:167, 9:114, 11:209, 25:333, 29:280
minimus, 21:362, 21:368
nevadensis, 35:64, 35:71
pterocarya, 22:341, 26:266, 35:64, 35:71, 36:306
texana, 11:208
virginensis, 26:265
Cryptantha atwoodii (Boraginaceae) a new species from Arizona, Larry C. Higgins, 19:127–130
Cryptanthe
crassisepala, 1:65
fulvocanescens, 1:56, 1:67
thyrsiflora, 1:65
Cryptanthus, 6:100
Crypthemichionaspis ulmi, 16:321
Cryptic moth, *Schinia masoni* (Noctuidae), on *Gaillardia aristata* (Compositae) in Colorado, a, John W. Ferner and Montiel Rosenthal, 26:88–90
Cryptobranchidae, 34:438–441, 36:60–66
Cryptobranchus alleganiensis, 1:181, 23:428, 28:272, 34:438–441, 36:60–66
Cryptocellus
dorothea, 14:137
lampeli, 14:137
osorioi, 14:136–138
pelaezi, 14:137
Cryptocephalus, 10:1–8
albicans, 10:2
atrofasciatus, 10:2
basalis, 10:2
bivius, 10:7
brunneovittatus, 10:2, 10:3
confluens, 10:3
confluentus, 10:3
cribripennis, 10:3
defectus, 10:3
duryi, 10:3
egregius, 10:3
fulguratus, 10:3
gibbicollis, 10:4
guttulatellus, 10:4
guttulatus, 10:4
irroratus, 10:4
leucomelas, 10:4
luteolus, 10:3
merus, 10:4
mucoreus, 10:4
mutabilis, 10:4, 10:7
notatus, 10:4, 10:5
ochraceous, 10:5
pinicola, 20:7, 20:8
pumilus, 10:5
quadruplex, 10:5
reinhardi, 10:1, 10:5–7
simulans, 10:7
texanus, 10:7
tinctus, 10:7
trivittatus, 10:7
trizonatus, 10:7, 10:8
venustus, 10:8
Cryptocephalus in Texas (Coleoptera: Chrysomelidae), checklist and description of a new species of the genus, J. A. Sundman, 10:1–8
Cryptocheilus terminatum, 26:430
Cryptochironomus, 1:152, 12:375, 12:384, 23:139, 25:550
fulvus, 14:239, 14:244, 14:245
Cryptococcus
cereanus, 33:362, 33:363
dimennae, 33:363
kuetzingii, 33:363
laurentii, 33:363
Cryptoglossa, 18:311
Cryptolobus, 9:210
Cryptomeria japonica, 9:158
Cryptomonas, 10:188–210, 27:84
Cryptonyssus, 20:246, 20:250
desultorius, 20:241, 20:248
Cryptophyceae, 23:108, 23:109
Cryptophyllaspis liquidambaris, 14:96
Cryptopidae, 12:262
Cryptotis, 7:243, 7:249, 29:199
mayensis, 12:204–205
mexicana, 21:543, 28:379, 36:114
parva, 5:195, 5:196, 10:214–218, 10:315, 13:15, 14:358, 15:65, 15:220, 15:221, 16:437, 16:447–448, 16:448–449, 18:110–112, 21:14, 22:14, 22:15, 22:150, 25:71, 26:54, 26:55, 26:70, 26:203, 30:340, 30:600–601, 31:277, 31:279, 31:401, 31:403–405, 33:361–362, 33:495, 34:142, 34:143, 34:561, 34:562, 35:86, 35:200, 36:344, 36:345
pergracilis, 15:221
Cryptotis mayensis from the Yucatan Peninsula, Mexico, new records of, Ticul Alvarez and Antonio Martinez, 12:204–205
Cryptotis parva (Soricidae: Insectivora) in New Mexico, with review of its status on the Llano Estacado, second record of, Robert D. Owen and Meredith J. Hamilton, 31:403–405
Cryptotis parva from Coahuila, Mexico and comments on the taxonomy of least shrews in Texas, Gerald G. Raun, 10:214–218
Crypturellus cinnamomeus, 4:67, 7:254
Crystallaria asprella, 19:218–219
Crystallaria asprella in Oklahoma, first published records of, Hague L. Lindsay and Warren H. Adams, 19:218–219
Crystopteris fragilis, 12:137
Crytocephalus amatus, 10:2
Crytochironomus fulvus, 25:141
Crytonyssus desultorius, 20:244
Crytosomum scelopori, 30:470
Csuti, Blair A., Current status of the chisel-toothed kangaroo rat in Joshua Tree National Monument, 24:530–533
Ctenacanthus, 22:278, 31:488, 31:491
amblyxiphias, 31:484, 31:485
Ctenathe bainburrantha, 16:32
Ctenidae, 29:231
Ctenium aromaticum, 28:455
Ctenizidae, 11:368, 20:58, 30:6
Ctenolucius hujeta, 28:261, 28:267, 28:268
Ctenopharyngodon idella, 34:18
Ctenosaura, 35:274
pectinata, 14:130, 18:195, 35:277
similis, 15:398, 35:277
Ctenus, 14:84
Cubaris, 29:318
arizonicus, 29:315
Cucujidae, 20:25
Cuculidae, 4:81, 22:169–175
Cuculiformes, 22:169–175
Cuculiphilus lobatus, 22:169–175, 23:158
Cuculiphilus (Acarina: Syringophilidae), a new name for, Stanley D. Casto, 23:158
Cuculiphilus lobatus gen. n., sp. n. representing a new subfamily of quill mites (Acarina: Syringophilidae) from the groove-billed ani, *Crotophaga sulcirostris* (Cuculiformes: Cuculidae), Stanley D. Casto, 22:169–175
Cuculus canorus, 10:142
Cucumis, 8:7
Cucurbita, 14:141–148, 23:299, 36:306
andreana, 14:143–145, 14:147
cordata, 14:146

cylindrata, 12:365–368, 14:146
digitata, 8:1–8, 12:365–368, 14:146, 35:66, 35:71
ecuadorensis, 14:142–147
foetidissima, 1:65, 2:169, 8:1–8, 14:146, 17:47, 21:314, 21:315, 22:342, 23:296, 25:335, 28:99, 35:71
maxima, 14:141–147
moschata, 14:143, 14:144, 14:147
palmata, 8:1–8, 12:365–368, 14:144, *pamata*, 12:185
pepo, 14:142, 14:144, 14:147
Cucurbita for electrophoretic variants of esterase and leucine aminopeptidase, a partial survey of the genus, J. R. Wall, 14:141–148
Cucurbitaceae, 1:65, 2:126, 2:169, 8:1–9, 12:150, 22:342, 23:296, 24:295, 25:335, 26:353, 29:250, 35:71
Cuellar, Hector S., Description of a pollen release mechanism in the flower of the Mexican hackberry tree, *Celtis laevigata*, 12:471–474
Cuellar, Orlando, see Hubbs, Clark, —
Cuk, Luka, see Seiler, Gerald J., —
Culaea inconstans, 29:497, 29:498, 31:153, 31:160
Culea inconstans, 34:229
Culex, 23:545, 23:555, 23:557
erythrothorax, 12:375
peus, 12:375
pipiens, 12:375, 31:522
tarsalis, 12:372, 12:375, 12:384, 12:388, 26:157
Culicidae, 5:222, 5:223, 8:229, 12:372, 12:375, 12:384, 12:388, 13:47, 14:244, 15:99, 23:555, 24:197, 24:317, 26:157, 27:44, 32:443
Culicoides, 14:238, 14:244, 23:555, 25:559, 27:442
haematopotus, 12:375
hieroglyphicus, 12:375
multipunctatus, 24:197
ousairani, 24:197
salihi, 24:197
spinosus, 24:197
variipennis, 12:372, 12:375, 24:197, 26:157
weesei, 24:197
Culiffe, F., see Baker, Edward W., —
Culiseta inornata, 12:375, 14:238, 14:244, 27:273, 27:274
Cully, Anne C., see Knight, Paul J., —
Cully, Anne C., see Stahlecker, Dale W., —
Cully, Jack F., Jr., Autumnal breeding acorn woodpeckers in southern New Mexico, 32:399
Cully, Jack F., Jr., see Hoditschek, Barbara, —
Culoptila, 28:353, 28:413
cantha, 31:426
thoracica, 28:354, 28:414, 31:426
Culture of roundtail chub, *Gila robusta robusta* (Cyprinidae), through the larval period, Robert T. Muth, Charles M. Haynes, and Clarence A. Carlson, 30:152–154
Cultus, 36:326, 36:328
Cumacea, 20:485
Cummings, Timothy R., see Platania, Steven P., —
Cummins, George B., Additional uredinales of the Big Bend area of Texas, 10:35–38
Cummins, George B., The uredinales on Mexican Gramineae, 12:70–86
Cummins, George B., Uredinales of the Big Bend National Park and adjacent areas of Texas, 8:181–195
Cummins, George B., see Hennen, Joe F., —
Cumminsiella
texana, 8:181
wootoniana, 8:181
Cunaxidae, 28:419
Cundiff, M. F., see McCarley, Howard, —
Cunipidae, 32:463–468
Cunningham, G. L., see Balding, F. R., —
Cunningham, G. L., see Royce, Christopher L., —
Cunningham, G. L., see Syvertsen, J. P., —
Cunningham, John D., Field observations on the thermal relations of rattlesnakes, 11:140–142
Cunningham, John D., Observations on the taxonomy and natural history of the rubber boa, *Charina bottae*, 11:298–299
Cunninghamella echinulata, 24:367
Cupanites formosus, 16:112
Cuphea carthagenensis, 25:428
Cupidaspis cupressi, 16:328
Cupressaceae, 20:136–137, 20:218, 20:428, 25:9–21, 25:325, 27:279–286, 35:69
Cupressus, 13:103, 22:155, 32:135
arizonica, 13:102, 16:16, 16:328, 17:290, 17:424, 18:434, 18:438, 20:364, 21:305, 24:214, 25:9–21, 27:87, 27:88, 28:462, 34:40
bakeri, 13:102
goveniana, 16:328
macnabiana, 13:207
sempervirens, 18:434, 18:439
Cura, 25:472
foremanii, 24:141, 24:143, 24:146
Curculioides, 14:136
Curculionidae, 2:127, 6:65–72, 6:195–197, 7:202–210, 8:55, 8:162–172, 10:9–13, 13:286, 14:166, 15:309–317, 19:313–327, 20:7, 20:9, 20:303–314, 23:555, 26:163, 26:375, 27:26, 27:329, 27:330, 28:101, 28:377, 28:475, 28:478, 29:435, 29:437, 29:438, 30:549, 30:550, 30:603, 31:523, 32:151, 32:386, 32:388, 32:416, 32:418, 32:421, 32:422, 32:424, 32:491–494, 34:196–212, 36:75
Curculonidae, 28:466
Curd, Milton R., see Moore, George A., —
Current abundance of Gambusia gaigei, an endangered fish species, Clark Hubbs and Harold J. Brodrick, 8:46–48
Curtisia foremani, 1:151
Curvularia, 27:19, 32:133
lunata, 24:367
Cuscuta, 15:414, 21:313, 30:547, 30:549
applanata, 35:71
cephalanthi, 18:319
coryli, 18:319
cuspidata, 2:167, 18:319, 25:333
denticulata, 18:319
indecora, 18:319
occidentalis, 18:319
pentagona, 18:319, 23:296
squamata, 15:414
umbellata, 1:64, 18:319, 21:313–315
umbrosa, 18:319
Cushing, Bruce S., see Gore, James A., —
Cushing, Colbert E., see Gaines, William L., —
Cuterebra, 21:245, 29:475, 29:476, 29:479
Cuterebridae, 32:418, 32:422
Cutter, William L., Notes on some mammals from northern Texas, 4:30–34
Cuvieronius, 21:14
Cwik, M. J., and J. D. Dodd, Vegetation changes on an old rice field following herbicide treatment, 20:379–390
Cyanerpes cyaneus, 4:76
Cyanistic bullfrog from southwestern Oklahoma, Jack D. Tyler, 27:218
Cyanocitta
cristata, 9:102, 17:432–433, 21:240, 25:553, 26:90–91, 28:69
stelleri, 22:369, 22:371, 25:462, 34:490
Cyanocompsa
cyanoides, 4:78, 4:80
parellina, 7:260
Cyanocorax yncas, 18:245
Cyanogenic glycosides in ant-acacias of Mexico and Central America, David S. Seigler and John E. Ebinger, 32:499–503
Cyanomonas americana, 23:103–110
Cyanophyceae, 20:45, 20:47, 20:50, 20:51
Cyanophyllum magnificum, 14:103
Cyanophyta, 17:18
Cyathea, 13:367
Cyathissa percara, 29:435–443
Cybister fimbriolatus, 26:157, 31:523
Cyclanthera dissecta, 24:291, 24:292, 24:295
Cyclantheropsis, 8:7

Cyclaspis, 20:481, 20:482
Cycleptus, 6:6, 7:82, 7:84, 7:87, 7:91, 7:96, 7:104–106, 7:108, 7:116, 7:128, 7:133, 7:143, 7:149
  elongatus, 2:100, 4:162, 6:2, 6:5, 7:81–153, 17:376–378, 30:560, 32:213, 32:215, 32:216, 32:408, 32:410, 32:411–413
Cyclocephala
  immaculata, 5:222
  longula, 28:476
Cyclocoelum
  lanceolatum, 32:85, 32:87, 32:88, 32:90
  oculeum, 32:90
  tringae, 32:85, 32:87, 32:88, 32:90
  vanelli, 32:85, 32:87, 32:88, 32:90
Cycloloma
  atriplicifolia, 31:34, 31:35
  atriplicifolium, 2:161, 25:328, 27:117, 27:118
Cyclonaias tuberculata, 27:350
Cycloneda sanguinea, 8:54
Cyclopidae, 4:189, 12:258
Cyclops, 1:12, 10:266, 10:270, 12:63, 12:66, 12:67, 17:244, 17:247, 20:105, 20:107, 25:389, 26:245
  bicolor, 4:189, 4:193
  bicuspidatus, 4:190, 4:193, 14:323, 14:324, 22:417, 23:169, 26:244, 27:38, 33:465–470
  varicans, 4:189, 4:193
  vernalis, 1:6, 1:9–11, 1:15, 4:189, 4:191, 4:193, 4:194, 5:109, 12:258, 14:324, 21:254, 23:169, 30:239, 30:240, 30:242, 30:243
Cyclopsetta fimbriata, 36:207
Cycloptilum squamosum, 29:442
Cyclosa, 11:361
  conica, 21:43
  turbinata, 11:365, 30:3
Cyclotella, 10:266, 20:51, 21:246, 22:310, 22:414, 22:415, 22:418, 25:538
  atomus, 20:49, 20:50, 22:413, 22:458, 22:460, 24:156
  comta, 24:156
  glomerata, 20:201
  meneghiniana, 19:418, 20:49, 20:50, 22:413, 22:458, 22:460, 22:464, 24:156, 26:313, 28:245
  operculata, 24:156
  stelligera, 22:458, 23:89, 24:156
  striata, 20:49, 20:50, 24:156
Cydia, 26:378
  piperana, 26:375–377
Cydnidae, 30:550
Cydonia japonica, 14:433, 18:435, 18:439
Cygnus atratus, 25:128
Cylindraceus latirostris, 2:95
Cylindrocapsa geminella, 23:441
Cylindrocystis diplospora, 23:439
Cylindrophis rufus, 27:229
Cylindropuntia
  imbricata, 20:56
  leptocaulis, 20:56
Cylindrospermum indicum, 23:443
Cylindrotheca gracilis, 26:315
Cylisticidae, 29:310
Cylisticus convexus, 22:378, 22:381, 29:309, 29:310, 29:312, 29:313, 29:318
Cylloepus, 8:113
  abnormis, 8:114
  caicus, 24:196
  danforthi, 24:196
  parkeri, 8:114, 24:196
  sexualis, 8:114
Cymatodera, 30:603
  fuchsil, 28:475
Cymatopleura, 25:420
  elliptica, 22:459, 26:316
  solea, 20:201, 22:413, 24:152, 26:316
Cymbalaris muralis, 35:423
Cymbella, 10:188–210, 10:266, 18:99, 18:100, 20:51, 22:543, 23:59, 24:162, 25:243, 25:420, 25:538, 35:206, 35:208
  affinis, 19:418, 20:201, 20:405, 24:152, 26:315
  aspera, 10:40
  cesatii, 35:209
  cistula, 26:315, 35:209
  cymbiformis, 26:315
  hustedtii, 26:32, 26:33
  leptoceros, 24:152
  lunata, 24:152
  mexicana, 26:315
  mexicanum, 20:49, 20:201, 22:310
  microcephala, 26:315
  minuta, 22:459, 22:460, 24:152, 26:315, 28:246, 30:464, 35:209
  muelleri, 24:152
  parva, 20:201
  prostrata, 24:152, 26:315
  pusilla, 26:315, 28:246
  rupicola, 24:152
  triangulum, 24:152, 26:315, 28:246
  tumida, 22:414, 23:89, 24:152, 24:159, 35:209
  turgidula, 24:152, 30:464, 30:465
  ventricosa, 20:201, 22:414
Cymbellaceae, 10:40, 26:315, 28:246
Cymbiodyta fimbriata, 14:238
Cymbopogon
  martini, 10:52
  martinii, 4:118
  schoenanthus, 4:118
Cymindis
  borealis, 15:323
  cribricollis, 15:323
Cymopteris acaulis, 29:411
Cymopterus
  acaulis, 12:139, 12:140
  hendersonii, 23:157
Cymothoa, 31:254, 31:255
Cynanthus latirostris, 4:69, 32:174, 36:363
Cynara, 35:18
Cynoctonum mitreola, 25:332
Cynodon, 15:409, 25:402, 25:404, 25:405, 35:434
  dactylon, 2:157, 4:118, 5:9, 8:58, 8:187, 10:50, 11:326, 12:76, 14:178, 14:179, 15:394, 15:409, 18:421, 18:435, 18:438, 18:439, 20:372, 20:383, 20:384, 23:505, 24:99, 25:207, 25:210, 25:322, 25:326, 25:336, 25:401, 26:418, 27:429, 28:462, 33:106, 33:357, 33:374, 35:74, 35:159, 35:316, 35:411–415, 35:436, 35:439
Cynomys, 18:473–474, 22:10, 22:11, 22:14, 29:199, 31:277, 31:280, 31:284
  gunnisoni, 12:5, 12:6, 17:279–285, 18:350, 19:453, 26:43–45, 26:317, 29:157
  leucerus, 20:139
  leucurus, 15:195, 17:279–285, 23:173–180, 26:43–45, 26:331, 26:332, 28:95, 29:157, 36:273
  ludovicianus, 6:75, 6:108, 12:5, 12:6, 13:16, 13:148, 13:155, 13:156, 14:165, 14:168, 17:281, 17:283, 18:350, 20:141, 21:14, 22:258, 22:266, 23:173–180, 24:376, 26:43, 26:44, 28:100, 28:463, 30:340, 30:341, 31:279, 32:186, 32:191, 32:293, 33:496, 35:107
  mexicanus, 26:43, 26:44, 26:46
  niobrarensis, 12:5
  parvidens, 17:279–286, 20:139–142, 20:151–158, 26:43, 26:44
  spispiza, 12:5
  vetus, 12:1, 12:3, 12:5, 12:6, 12:28
Cynoscion
  arenarius, 1:100–104, 28:465, 34:340, 36:207
  nebulosus, 20:461–464, 28:327, 28:329, 28:464, 34:340, 36:206
  nothus, 1:161
Cynthia cardui, 30:158–159
Cyperaceae, 1:66, 1:67, 2:159, 4:56, 4:129, 9:310–313, 9:317, 10:144, 10:317–318, 11:123–124, 11:414, 15:389, 15:410, 18:323, 20:433, 22:31, 22:35, 22:36, 23:505, 25:211, 25:327, 26:118, 28:290, 30:607–608, 31:34, 33:110–112, 33:175, 35:64, 35:74, 36:122
Cyperacites, 33:110
Cyperocarpus, 33:110
Cyperus, 6:98, 10:36, 14:180, 14:342, 21:38, 23:52, 28:382, 29:358, 30:546, 30:548
  acuminatus, 7:170, 7:172, 9:310, 31:495
  aggregatus, 30:607, 30:608
  aristatus, 2:159, 35:66, 35:74
  aristus, 9:310
  bipartitus, 11:125
  brevifolius, 11:123
  cayennensis, 30:607–608
  cuspidatus, 9:310
  densicaespitosus, 11:124
  diandrus, 11:125
  esculentus, 35:74
  exculentus, 21:313, 21:314

fendlerianus, 2:159, 35:74
filiculmis, 7:169
flavescens, 11:125
flavus, 11:125, 30:607–608, 35:74
huarmensis, 11:124–125, 30:607, 35:74
lupulinus, 33:68
niger, 11:125, 33:171, 33:175
obesus, 30:608
odoratus, 27:226, 33:374
onerosus, 9:308–310, 27:228
ovularis, 7:169, 12:349, 23:505, 25:322, 25:327, 30:547, 30:549
polystachyos, 23:505, 25:322
pringlei, 35:64, 35:74
pseudovegetus, 9:310
rivularis, 11:125
rotundus, 20:327, 20:330, 23:505, 25:322, 36:122
rusbyi, 35:74
schweinitzii, 12:139, 25:327, 31:34–36
semiochraceus, 33:171, 33:172, 33:175
sesquiflorus, 11:123, 11:124
strigosus, 2:159, 7:170
surinamensis, 9:310
tenuifolius, 11:123, 11:124
uniflorus, 23:505, 24:434, 25:322
virens, 9:310
Cyperus cayennensis (*C. flavus*), Cyperaceae, the correct name for, Gordon C. Tucker, 30:607–608
Cyperus niger Ruiz et Pavon var. castaneus (Pursh) Kükenthal the correct name for Cyperus rivularis Kunth, Marshall C. Johnston, 11:125
Cyperus onerosus M. C. Johnston sp. nov., Marshall C. Johnston, 9:308–310
Cyphella fulvescens, 19:353
Cyphellaceae, 19:353
Cyphellopsis anomala, 19:353
Cypherotylus californicus, 10:73, 10:74
Cyphomeris
gypsophilioides, 23:297, 25:365
gypsophiloides, 22:343
Cyphomyrmex wheeleri, 28:140
Cyphon, 14:238
Cypraea cervinetta, 18:174
Cypriconcha gnathostomata, 12:383
Cyprideis, 25:252, 25:255
Cyprindon, 24:318
Cyprinella lutrensis, 35:406–408, 36:187, 36:189, 36:190, 36:286, 36:287
Cyprinidae, 1:69–77, 4:162, 5:174–175, 6:53, 7:41–50, 7:90, 8:136, 8:228–235, 11:307, 12:384, 13:55–60, 15:347, 20:445–459, 22:89–98, 22:511–516, 22:527, 23:511–517, 23:519–527, 24:35, 24:381–383, 24:501–507, 25:45, 25:385–390, 25:525–528, 25:564, 26:31–36, 26:78–81, 26:223–230, 26:441–442, 28:119–120, 29:133–135, 29:354–356, 29:495–496, 30:152–154, 30:154–158, 31:527–529, 32:216, 32:251–260, 32:435–438, 33:27–33, 34:109–117, 34:225–231, 34:232–244, 34:402–412, 34:415–416, 34:535, 35:45, 35:211–215, 35:406, 35:446–448, 36:7–13, 36:189, 36:244–245
Cypriniformes, 32:411–413
Cyprinis carpio, 15:52, 15:53
Cyprinodon, 2:93, 15:463, 22:325, 25:501, 26:71–72, 30:185, 35:338–340
atrorus, 19:187, 25:536, 25:537
baconi, 14:368, 24:540, 25:539
bifasciatus, 17:56, 20:109, 24:540, 25:85, 25:537
bigasciatus, 19:370
bovinus, 2:101, 9:63, 19:179–190, 19:365, 19:367, 19:368, 19:375, 19:376, 23:487, 23:489, 23:490, 23:493, 23:496, 25:536, 26:431
diabolis, 20:105–111, 22:538, 25:536, 30:476
elegans, 2:99, 19:180, 19:187, 19:375, 24:534–536
eximius, 9:65, 10:314, 17:376, 19:180, 19:187, 19:188, 19:375, 25:81–88, 35:446–448
hubbsi, 31:97
latifaciatus, 19:180
latifasciatus, 9:62–67
macularis, 10:227
macularius, 11:322, 11:323, 17:55, 17:59, 18:235, 19:370, 24:538–541, 25:487, 25:496, 25:536
meeki, 29:399
nazas, 29:399
nevadensis, 9:64, 14:368, 19:370, 24:538–541, 25:536, 25:537, 25:539, 27:53, 30:475–484, 31:544–546
nevalensis, 20:108
pecosensis, 25:535, 25:536, 30:560, 35:338, 35:339
rubrofluviatilis, 2:99, 14:368, 16:55–63, 17:55–60, 17:205–206, 19:180, 19:187, 19:188, 19:375, 22:95, 22:142–143, 23:397–400, 24:540, 25:535, 25:536, 31:96
salinus, 19:372, 22:538–540
tularosa, 19:365–377, 26:71, 27:43–54
variegatus, 1:161, 2:95, 9:62, 9:64, 9:65, 14:368–369, 17:55, 17:56, 17:206, 19:180, 19:181, 19:187, 19:188, 19:365–367, 19:375, 19:376, 20:463, 22:324, 23:487, 23:489, 23:493, 24:540, 25:85, 25:272, 25:536, 25:539, 31:95–100, 34:338–340, 34:341, 36:203, 36:205, 36:208, 36:209
Cyprinodon nevadensis mionectes, an endangered pupfish from Ash Meadows, Nevada, new distributional records for, Thomas Baugh, Jack E. Williams, David A. Buck, and James E. Deacon, 31:544–546
Cyprinodon rubrofluviatilis (Cyprinodontidae) from the Colorado and Arkansas river systems, Texas, first records of, Anthony A. Echelle, Alice F. Echelle, and Frank B. Cross, 22:142–143
Cyprinodon tularosa, a new cyprinodontid fish from the Tularosa Basin, New Mexico, Robert Rush Miller and Anthony A. Echelle, 19:365–377
Cyprinodontidae, 4:164, 8:136, 14:368–369, 16:55–63, 18:229–239, 20:105–111, 22:142–143, 22:544, 24:181–185, 24:534–536, 24:538–541, 25:81–88, 25:271–272, 25:485–503, 25:535–540, 26:321–324, 27:43–54, 31:528, 32:216, 32:226, 32:227, 32:229, 32:522–525, 35:338–340, 35:446–448, 36:189
Cyprinus, 13:47
carpie, 11:311
carpio, 1:23, 2:92, 4:162, 9:66, 14:306, 14:307, 14:310, 15:140, 18:36, 18:344, 19:260, 19:407, 19:408, 19:410, 22:143, 22:145, 22:250, 23:487, 23:520, 25:58, 25:298, 25:305, 26:60, 26:389, 26:391, 27:112, 28:170, 28:328, 28:371, 30:185, 30:515, 30:560, 31:149, 31:152, 31:154, 32:216, 32:409, 32:410, 32:522, 33:139, 34:189, 34:340, 34:408, 35:87, 35:190, 35:406, 36:190, 36:203, 36:204, 36:208, 36:253, 36:259, 36:260, 36:287
Cypripedium, 15:411
acaule, 13:335, 13:336
arietinum, 13:335, 13:336
calceolus, 13:336, 15:411
candidum, 13:335, 13:337
fasciculatum, 13:335, 13:337
passerinum, 13:335, 13:337
pubescens, 13:335, 13:337
regale, 13:335
reginae, 13:337
Cyprogenia aberti, 27:350
Cypseloides niger, 4:68, 34:559–560
Cyptaspidiotus shastae, 13:207
Cyptotrama chrysopeplum, 29:263
Cyrilla racemiflora, 23:265, 34:154
Cyrinus carpio, 33:365
Cyrnellus
fraternus, 23:381–385
markinalis, 23:385
Cyrpinodontidae, 32:522–525
Cyrpinus carpio, 32:353
Cyrtodactylus scaber, 29:499–500, 31:129–131
Cyrtodactylus scaber (Gekkonidae): a new gecko to the fauna of the United States, Kyle W. Selcer and Roy A. Bloom, 29:499–500
Cyrtonaias tampicoensis, 34:564
Cyrtonyx, 31:285
montezumae, 16:125, 18:195, 18:197
Cyrtosomum, 30:469
heynemani, 30:368
readi, 30:368, 30:469, 30:470
scelopori, 30:469

Cysteodemus
armatus, 21:49–54
wislizeni, 21:49
Cystoderma cinnabarinum, 8:199
Cystopteris fragilis, 12:139, 20:427, 34:442
Cyta latirostris, 21:277, 21:278
Cytheridae, 25:252
Cytogenetic distinction between *Teloxys* and *Chenopodium* (Chenopodiaceae), Guadalupe Palomino H., Myrna Segura D., Robert Bye, and Pedro Mercado R., 35:351–353
Cytogenetic observations on some euoenotheras (Onagraceae) of northwestern Arkansas, Victor J. Hoff, 11:217–222
Cytological adaptation in the gills of the Red River pupfish, *Cyprinodon rubrofluviatilis*, J. Larry Renfro and Loren G. Hill, 17:205–207
Cytological and morphological variation in *Panicum virgatum* L., Jere N. Brunken and James R. Estes, 19: 379–385
Cytological difference between the Eupanicoideae and the Chloridoideae (Gramineae), a, Walter V. Brown, 5:7–11
Cytological note on *Heliotropium angiospermum* Murray, a, Shamim A. Faruqi, 6:100
Cytology of five Mexican species of *Datura* L. (Solanaceae), Guadalupe Palomino, Raul Viveros, and Robert A. Bye, Jr., 33:85–90
Cytophaga, 15:422
Cytotaxonomical notes on some American orchids, Åskell Löve and William Simon, 13:335–342
Cytotype distribution of *Atriplex canescens* (Chenopodiaceae) of southern New Mexico and adjacent Texas, Max P. Dunford, 29:223–228
Cytotypes in *Cevallia sinuata* (Loasaceae), A. Michael Powell, Shirley A. Powell, and A. Spencer Tomb, 21: 433–441
Cyzicus, 12:383, 12:386, 12:398
Czaplewski, Nicholas J., Jim I. Mead, Teh-Lung Ku, and Larry D. Agenbroad, Radiometric age assignment for Papago Springs cave deposits, southeastern Arizona, 34:278–281
Czaplewski, Nicholas J., see Warner, Richard M., —
Czarnecki, David B., Dean W. Blinn, and Marjory Penton, The diatom flora of the lower Chevelon Creek area of Arizona: an inland brackish water system, 26:311–317

Dacne quadrimaculata, 10:73
Dacnitoides, 28:178, 28:399, 28:401–403
cotylophora, 22:528
Dacryobolus
karstenii, 19:350
sudans, 19:350
Dactylaspis, 18:428
lobata, 15:294, 15:295, 18:437
Dactylis
aschersoniana, 9:308
glomerata, 4:116, 12:78, 18:89
Dactylobaetis, 36:164, 36:167
mexicanus, 25:142, 31:17
Dactyloctenium aegyptium, 23:505, 25:322
Dactylogyrus
aureus, 16:283, 16:284
katherineae, 21:68
Dactyloides, 34:428
Dactylomys dactylinus, 16:455
Dactylorhiza aristata, 13:335, 13:337
Dactyloscopidae, 32:226, 32:232
Dactyloscopus amnis, 32:227, 32:232
Dactylothece confluens, 20:47, 20:48
Dactylotum variegatum, 27:201, 27:203, 27:205, 27:203, 27:205
Dactylus glomerata, 23:280
Daddy, F., M. J. Trlica, and C. D. Bonham, Vegetation and soil water differences among big sagebrush communities with different grazing histories, 33:413–424
Daedalea confragosa, 19:355
Dahl, B. E., see Baker, R. L., —
Dahlia, 5:15
rosea, 16:365
variabilis, 16:365
Daily activity cycles of *Crenichthys baileyi*, a fish endemic to Nevada, James E. Deacon and Brian L. Wilson, 12: 31–44
Daily cycle of wintering sissor-tailed flycatchers in the San Jose area of Costa Rica, the, Alan Feduccia, 17:296–297
Daily movement patterns of *Sigmodon hispidus*, Guy N. Cameron, W. Bradley Kincaid, Cathy A. Way, and J. O. Woodrow, Jr., 24:63–69
Dalby, Peter L., and Rollin H. Baker, Crawford's desert shrew first reported from Nuevo Leon, 12:195–196
Dale, Edward E., Jr., The grasslands of Platt National Park, Oklahoma, 4: 45–60
Dalea, 5:98, 15:389–391, 18:193, 25:364, 25:365, 29:509, 30:564, 32:388, 33: 108, 33:109, 34:523, 35:63
albiflora, 35:64, 35:72
aurea, 4:57
bicolor, 36:77
brachystachys, 35:65, 35:72
candida, 4:57, 24:188, 35:65, 35:72
carthoginensis, 18:194
cylindriceps, 24:188
emarginata, 22:37, 23:502, 25:322
enneandra, 14:342
formosa, 1:56, 1:64, 10:259, 15:152, 15: 160, 16:10, 21:315, 22:340, 22:343, 23:297, 26:87, 26:366, 27:326, 27: 339, 35:65, 35:72
fremontii, 17:335, 17:339, 24:401
frutescens, 8:194
grayi, 35:72
lachnostachya, 24:188
lachnostachys, 35:72
lanata, 2:163, 23:502, 25:322, 25:330
lasiathera, 30:543, 30:546, 30:548
laxiflora, 2:163, 4:57
mollis, 15:187–191
multiflora, 4:57, 8:162
nana, 2:163, 35:65, 35:72
neomexicana, 15:187–191, 23:297, 32: 452, 35:72
oligophylla, 2:163
parryi, 12:185
pogonathera, 35:72
pringlei, 35:66, 35:72
purpurea, 4:50, 33:68
scariosa, 24:188
schottii, 10:84
scoparia, 1:64, 2:122, 2:125, 16:205
spinosa, 11:395–401, 34:521
tenuifolia, 2:163
versicolor, 35:66, 35:72
villosa, 2:163
wrightii, 35:65, 35:72
Dalquest, Walter W., and Claude W. Hibbard, 1,350-year-old vertebrate remains from Montague County, Texas, 10:315–316
Dalquest, Walter W., and Edward L. Roth, The pallid bat (*Antrozous*) of the Edwards Plateau, 15:395–396
Dalquest, Walter W., and Edward Roth, Late Pleistocene mammals from a cave in Tamaulipas, Mexico, 15: 217–230
Dalquest, Walter W., and Glenn Collier, Notes on Dipodomys elator, a rare kangaroo rat, 9:146–150
Dalquest, Walter W., and M. John Kocurko, Geology and vertebrate paleontology of a lower Permian delta margin in Baylor County, Texas, 31: 477–492
Dalquest, Walter W., and M. John Kocurko, Notes on Permian fishes from Lake Kemp, Baylor County, Texas, with a synopsis of Texas palaeoniscoid fishes, 33:263–274
Dalquest, Walter W., and Ted M. Emsoff, Acanthodian fish remains from the Permian of Texas, 22:278
Dalquest, Walter W., and William Kilpatrick, Dynamics of pocket gopher distribution on the Edwards Plateau of Texas, 18:1–9
Dalquest, Walter W., Flood dispersal of brook silverside, Labidesthes sicculus, 2:173–174

Dalquest, Walter W., Frederick B. Stangl, Jr., and M. John Kocurko, Zoogeographic implications of Holocene mammal remains from ancient beaver ponds in Oklahoma and New Mexico, 35:105–110
Dalquest, Walter W., *Hesperohipparion* (Mammalia: Equidae), a new genus of horse from the Hemphillian of North America, with description of new species, 25:505–512
Dalquest, Walter W., Identification of genera of American rabbits of Blancan age, 24:275–278
Dalquest, Walter W., Mammals of north-central Texas, 13:13–22
Dalquest, Walter W., Mammals of the Holloman local fauna, Pleistocene of Oklahoma, 22:255–268
Dalquest, Walter W., Mammals of the Pleistocene Slaton local fauna of Texas, 12:1–30
Dalquest, Walter W., Mississippi silversides (Menidia audens) instead of brook silversides (Labidesthes sicculus): a correction, 3:227
Dalquest, Walter W., The montane vole in northeastern New Mexico and adjacent Colorado, 20:138–139
Dalquest, Walter W., Two species of Bison contemporaneous in early Recent deposits in Texas, 6:73–78
Dalquest, Walter W., see Stangl, Frederick B., Jr., —
Dalquestia
concho, 31:49
formosa, 31:50, 31:53
grasshoffi, 31:50
rothorum, 31:49–53
rugosa, 31:50
Dalquist, Walter W., see Mooser, Oswaldo, —
Dama dama, 6:22, 13:415, 35:4
Danaidae, 21:34
Danaus plexippus, 21:34, 30:158
Daneke, Dennis, Melvin Sunquist, and Stephen Berwick, Notes on kit fox biology in Utah, 29:361–362
Daniel, Thomas F., New and reconsidered Mexican Acanthaceae. II., 31: 169–175
Daniel, Thomas F., Range extensions of *Carlowrightia* (Acanthaceae) and a key to the species of the United States, 25:425–426
Danthonia
caespitosa, 21:260
parryi, 12:323, 24:551
spicata, 4:120, 20:331
Daoud, H. S., see Wilbur, Robert L., —
Dapanus, 11:354
mira, 11:355
miurs, 11:355
Daphni pulex, 12:65
Daphnia, 1:12, 8:231, 8:232, 12:58, 13: 47, 17:244, 23:640, 25:140, 25:388, 25:389, 25:392, 26:245, 26:247, 27: 83, 33:471, 36:237
ambigua, 4:187, 14:324, 21:465, 22:417, 23:169, 30:162
brachyurum, 26:244
catawba, 14:324
galeata, 21:465, 23:164, 30:162, 30:239, 30:240, 30:242–244, 30:247, 36:239
gracilis, 24:4
laevis, 14:324
longispina, 4:186, 4:187, 4:192, 14:324
magna, 36:239, 36:240
middendorffiana, 22:102
parvula, 14:323, 14:324, 21:254, 21:465, 22:417, 23:164, 23:165, 23:169, 26: 244, 30:162
psittacea, 1:10
pulex, 1:6, 1:10, 1:15, 4:186, 4:191, 4: 192, 12:59, 12:62, 12:64–66, 14:324, 21:465, 24:1, 24:2, 24:4, 26:244, 30: 248, 33:465–470, 34:121, 36:239, 36: 240
rectrocurva, 23:169, 23:170
rosea, 14:324, 23:164, 36:239
schodleri, 30:239, 30:240, 30:242, 30: 244
Daphnidae, 4:186
Daphniidae, 34:345
Darkness on egg deposition by *Etheostoma lepidum* females, effects of, Clark Hubbs and Paulette S. Martin, 10:302–306
Darlington, Julian T., and Clay M. Chandler, A survey of the planarians (Tricladida: Paludicola) of Arkansas, 24:141–148
Darlington, Julian T., and Clay M. Chandler, *Phagocata velata* (Tricladida), an additional planarian from Arkansas, 26:207–208
Darlington, Julian T., see Chandler, Clay M., —
Darter associates of Etheostoma cragini (Percidae), Albert P. Blair and Johanne Windle, 6:201–202
Dascyllus aruanus, 24:80
Dasya
pedicellata, 21:460
rigidula, 21:459–461
Dasyaceae, 21:459
Dasyatis sabina, 20:463
Dasyhelea, 25:250
Dasylirion, 1:57, 7:179, 10:257, 14:420, 18:194, 18:433, 18:439, 21:147, 22: 345, 22:346, 23:296, 24:121, 24:130, 25:363–365, 25:557, 27:30, 27:381, 32:285
cedrosanum, 20:217
leiophyllum, 2:111, 3:30, 4:101, 10:256, 10:259, 15:33, 15:136, 23:587, 24: 136, 28:143, 30:536, 30:538, 36:70
leiphyllum, 16:10
wheeleri, 1:56, 1:63, 15:152, 15:159, 16: 87, 16:90, 17:423, 22:340, 22:341, 25:444, 27:321, 30:389–391, 31:277
wheelerii, 1:55, 35:66, 35:74
Dasyliron wheeleri, 30:610, 30:611
Dasymutilla, 21:552–554, 33:276
aureola, 21:553
clytemnestra, 21:553, 21:554
formicalia, 21:553
gloriosa, 21:553
sackenii, 21:553, 21:554
Dasypeltis atra, 27:229
Dasypodidae, 32:237–243, 32:507–508, 33:229–231
Dasypus
bellus, 12:5, 32:237–243
novemcinctus, 9:48–49, 11:303, 12:3, 12:4, 21:242, 24:697–698, 26:68, 31: 547, 32:237–243, 32:507–508, 33: 229–231, 34:414, 35:226–227, 35: 473, 36:183
Datames sulfureus, 17:33
Datura, 4:83, 4:86, 4:87, 11:74, 20:574, 33:85–90
ceratocaula, 33:85
discolor, 33:85–89
ferox, 33:85
innoxia, 33:85
inoxia, 33:85–89
lanosa, 33:85–89
leichhardtii, 33:85
meteloides, 21:314, 33:85, 35:74
pruinosa, 33:85
quercifolia, 33:85
stramonium, 1:67, 2:168, 33:85–89
wrightii, 23:298, 33:85–89, 35:74
Daucus
carota, 30:548, 35:18, 35:436
pusillus, 23:320, 35:67, 35:70, 36:306
David, Robert E., see Loudenslager, Eric J., —
Davies, Ronald W., see Blinn, Dean W., —
Davis, Bill J., and Harley W. Reno, Rediscovery of the slender chub, *Hybopsis cahni* Hubbs & Crowe (Cyprinidae) at the type locality in Claiborne County, Tennessee, 11: 307
Davis, Billy J., and Ned Hollenback, New records for the bird-voiced treefrog, *Hyla avivoca* (Hylidae), from Arkansas and Louisiana, 23:161–162
Davis, Charles A., see Griffing, James P., —
Davis, Drew, see Heins, David C., —
Davis, Jack R., and David G. Huffman, A comparison of the helminth parasites of *Gambusia affinis* and *Gambusia geiseri* (Osteichthyes: Poeciliidae) from the upper San Marcos River, 22:359–366
Davis, Jack R., Die-offs of an endan-

gered pupfish, *Cyprinodon elegans* (Cyprinodontidae), 24:534–536
Davis, Jack R., Diet of the Pecos River pupfish, *Cyprinodon pecosensis* (Cyprinodontidae), 25:535–540
Davis, Jack R., Erratum, 29:365
Davis, Jack R., New distributional records of Naucoridae (Hemiptera) from the United States and Mexico, with morphological and taxonomic notes, 31:535–539
Davis, Jack R., Rediscovery, distribution, and populational status of *Cyprinodon eximius* (Cyprinodontidae) in Devil's River, Texas, 25:81–88
Davis, Jack R., Species composition and diversity of benthic macroinvertebrates of lower Devil's River, Texas, 25:379–384
Davis, Jack R., Species composition and diversity of benthic macroinvertebrate populations of the Pecos River, Texas, 25:241–256
Davis, Jack R., Species composition and diversity of benthic macroinvertebrates in the upper Rio Grande, Texas, 25:137–150
Davis, Jack R., see Harman, Walter J., —
Davis, Jack R., see McClung, G. Dan, —
Davis, L. Irby, A field guide to the birds of Mexico and central America (rev.), 17:217–218
Davis, L. Irby, Acoustic evidence of relationship in Ortalis (Cracidae), 10: 288–301
Davis, L. Irby, Biological acoustics and the use of the sound spectrograph, 9:118–145
Davis, L. Irby, Voice structure in Spizella, 9:255–296
Davis Mountains kingsnake, *Lampropeltis mexicana alterna*, in Texas, western records of the, Richard D. Worthington and Edward R. Arvizo, 19:330–331
Davis, Richard B., see Short, Henry L, —
Davis, Richard M., and Richard B. Loomis, The intranasal chigger *Microtrombicula merrihewi* (Acarina: Trombiculidae) in the North American free-tailed bat, *Tadarida brasiliensis*, 15:437–458
Davis, Russell, and David E. Brown, Documentation of the transplanting of Abert's squirrels, 33:490–492
Davis, Russell, and Steven J. Bissell, Distribution of Abert's squirrel (*Sciurus aberti*) in Colorado: evidence for a recent expansion of range, 34:306–309
Davis, Russell, see Callahan, J. R., —
Davis, Russell, see Sidner, Ronnie, —
Davis, Scott K., see Qumsiyeh, Mazin B., —
Davis, W. Marvin, and Arthur F. Halloran, Notes on birds of the Wichita Mountains Wildlife Refuge, 7:262–266
Davis, W. Marvin, Eastward records of Cassin's sparrow in Oklahoma, 8: 49–50
Davis, Walter R., II, see Martin, Robert F., —
Davis, Wayne H., and Roger W. Barbour, Life history data on some southwestern *Myotis*, 15:261–263
Davis, Wayne H., see Hardin, James W., —
Davis, William B., A review of the small fruit bats (genus *Artibeus*) of Middle America Part I, 14:15–29
Davis, William B., A review of the small fruit bats (genus *Artibeus*) of Middle America Part II, 14:389–402
Davis, William B., and Dilford C. Carter, Notes on Central American bats with description of a new subspecies of Mormoops, 7:64–74
Davis, William B., and James R. Dixon, Notes on Mexican snakes (Ophidia), 2:19–27
Davis, William B., Notes on the Mexican shrew Megasorex gigas (Merriam), 2:174–175
Davis, William B., Review of South American bats of the genus *Eptesicus*, 11:245–274
Davis, William B., The mammals of Texas (rev.), 5:176
Davis, William B., see Carter, Dilford C., —
Dawkins, Ross C., see Maxwell, Terry C., —
Day, Gerald I., Characteristics and measurements of captive hybrid deer in Arizona, 25:434–438
Daytime activity of white-tailed deer in response to short-duration and continuous grazing, Will E. Cohen, Richard J. Reiner, Fred C. Bryant, D. Lynn Drawe, and Lisa C. Bradley, 34:428–431
Dayton, Arthur D., see Shuman, Theresa W., —
DDE and toxaphene residues in fishes and birds reflect local contamination in the lower Rio Grande Valley, Texas, elevated, Donald H. White, Christine A. Mitchell, Harry D. Kennedy, Alexander J. Krynitsky, and Michael A. Ribick, 28:325–333
de la Garza, Fernando Montiel, and Armando J. Contreras-Balderas, First hook-billed kite specimen from Nuevo Leon, Mexico, 35:370
de la Rosa, M. E., see Gaso, M I., —
De La Rosa, M. E., see Olvera, O., —
Deacon, James E., and Brian L. Wilson, Daily activity cycles of *Crenichthys baileyi*, a fish endemic to Nevada, 12: 31–44
Deacon, James E., W. Glen Bradley, and Kenneth S. Moor, Habitat of the lizard Zantusia vigilis in southern Nevada, 11:126–128
Deacon, James E., see Baugh, Thomas, —
Deacon, James E., see Bradley, W. Glen, —
Deacon, James E., see Courtenay, Walter R., Jr., —
Deacon, James E., see Hubbs, Clark, —
Deacon, James E., see Minckley, C. D., —
Dean, D. A., see Nyffeler, M., —
Dean, David A., see Agnew, Charles W., —
Dean, Robert H., see Dixon, James R., —
Dean, S. Michael, see Hubbs, Clark, —
deCalesta, David S., Spring and summer foods of Audubon's cottontail rabbit (*Sylvilagus audubonii*) in north-central Colorado, 24:549–553
Decapod crustaceans of the Navasota River system in central Texas, Rollin D. Reimer and William J. Clark, 19:167–178
Decapoda, 11:412–413, 18:97–98, 18: 177–185, 21:443–449, 22:271–275, 24:613–619, 29:59–71, 30:189–194, 36:127–135
Deciduous dentition of the Central American phyllostomid bats *Macrotus waterhousii* and *Pteronotus suapurensis*, the, Craig E. Nelson, 11: 142–143
Decline and threatened extinction of Texas wild rice (*Zizania texana* Hitchc.), the, Wm. H. P. Emery, 12: 203–204
Decomposition rate of piñon (*Pinus edulis* Engelm.) ovulate cones, Frank Forcella, 24:383–386
Decomposition rates of various quantities of buried litter in a desert, Sandra Urbaniak and Walter G. Whitford, 28:111–112
Decrease in abundance of *Vulpia octoflora* upon removal of *Gutierrezia microcephala* in a New Mexico grassland, Matthew A. Parker, 29:353–354
Defensive head posture in horned lizards (*Phrynosoma*: Sauria: Iguanidae), Wade C. Sherbrooke, 32:512–515
Defoliation of sand shinnery oak, (*Quercus havardii* Rydb.) in western Texas by *Hemileuca* sp. (Lepidoptera:

Saturniidae) larvae, James K. Wangberg, 28:383–384
Degenhardt, Paula B., see Degenhardt, William G., —
Degenhardt, William G., and James L. Christiansen, Distribution and habitats of turtles in New Mexico, 19: 21–46
Degenhardt, William G., and Paula B. Degenhardt, The host-parasite relationship between Elaphe subocularis (Reptilia: Colubridae) and Aponomma elaphensis (Acarina: Ixodidae), 10:167–178
Degenhardt, William G., The discovery of *Aponomma elaphensis* larvae (Acarina: Ixodidae) on *Elaphe subocularis* (Reptilia: Colubridae), 31:111
Degenhardt, William G., see Campbell, James B., —
DeGraffenreid, Joseph, see Baldridge, Robert S., —
Dehdashti, Behrooz, and Dean W. Blinn, A bryozoan from an unexplored cave at Montezuma Well, Arizona, 31: 557–558
Dehoney, Betty, and William S. Gaud, Seasonal analysis of aquatic invertebrates and detritus in a small mountain stream in Arizona, 28:189–198
Deirochelys reticularia, 23:459, 31:6, 31: 7
Delibes, Miguel, and Fernando Hiraldo, Food habits of the bobcat in two habitats of the southern Chihuahuan Desert, 32:457–461
DeLisle, Donald G., Chromosome numbers in the *Aristida purpurea* complex (Gramineae), 18:79–83
DeLisle, Donald G., Notes on some plant chromosome numbers, 10:211–213
Dellahoussaye, A. J., see Fouquette, M. J., Jr., —
Delnicki, Don, and Eric G. Bolen, Natural nest site availability for black-bellied whistling ducks in South Texas, 20:371–378
Delnicki, Don E., and Eric G. Bolen, Use of black-bellied whistling duck nest sites by other species, 22:275–277
Delophon, 34:381
Delph, Lynda F., see Key, Laura J., —
Delphinidae, 33:247–248
Delphinium, 12:323, 24:552, 36:342
andesicola, 24:291, 24:292
barbeyi, 20:431, 33:220, 33:221, 33:223
nelsoni, 28:289–292
nelsonii, 33:224
novomexicanum, 24:189
scaposum, 24:189, 35:65, 35:73
virescens, 25:329
Deltistes, 7:81
luxatus, 7:82
Deltocephalus sonorus, 5:223
Demansia psamnophis, 33:488
Demigretta gularis, 15:495
Demographic analysis of a Rio Grande turkey population, W. C. Glazener, Dean Ransom, Jr., John R. Cary, and Orrin J. Rongstad, 35:23–27
Demographic analysis of fenced populations of the whiptail lizard, *Cnemidophorus tigris*, in southern Nevada, a, Frederick B. Turner, Philip A. Medica, Joseph R. Lannom, Jr., and Gerard A. Hoddenbach, 14:189–202
Demos, E. K., T. W. Wrenn, and G. J. Williams, III, Further evidence of photoperiod ecotypes in *Acer negundo* L. (Aceraceae), 19:395–402
DeMott, Sara L., and Gaye P. Lindsey, Pygmy shrew, *Microsorex hoyi*, in Gunnison County, Colorado, 20: 417–418
Dendragapus obscurus, 22:369, 22:370, 34: 263
Dendroalsia abietina, 1:118
Dendrobates auratus, 35:361
Dendrobias, 27:24
mandibularis, 24:607, 24:609, 24:611, 24:612, 27:25
Dendrocephalus, 9:68
Dendrochernes, 25:89, 25:90
morosus, 20:26
Dendrocincla anabatina, 4:70
Dendrocoelidae, 24:141–148
Dendrocoelopsis americana, 24:141, 24: 143, 24:146, 24:147
Dendrocolaptes certhia, 4:70
Dendrocolaptidae, 4:81
Dendrocopos
borealis, 17:145, 20:374
scalaris, 11:137, 16:6, 18:195, 18:199
villosus, 22:369, 22:371
pubescens, 17:149
villosus, 17:149
Dendroctonus frontalis, 23:71–75
Dendrocygna, 18:348–350, 23:158
arborea, 9:81, 18:349
autumnalis, 5:108, 7:255, 9:78–88, 12: 198, 15:394–395, 18:348, 18:474–475, 20:212, 20:371–378, 22:275–277, 25:127, 27:222, 29:454, 31:105, 31:107–109, 34:11
bicolor, 8:46, 9:78, 18:348, 20:212
viduata, 18:348
Dendroica
aestiva, 21:240
auduboni, 7:265, 11:136, 18:107, 18: 108, 18:196, 18:199
caerulescens, 18:107
chrysoparia, 12:110, 21:552
coronata, 11:136, 18:246, 22:371, 25: 561, 29:474, 34:492, 36:248
fusca, 18:108, 31:544
graciae, 18:108, 34:495
magnolia, 4:76, 18:107
nigrescens, 12:110, 18:107, 18:196, 18: 199, 29:474, 34:491
occidentalis, 3:233–234, 18:108
palmarum, 18:109, 18:246
pensylvanica, 18:108, 19:1, 19:6
petechia, 2:31, 18:107, 22:370, 26:254, 34:260, 34:262, 34:267, 34:491
pinus, 16:186
striata, 18:108
townsendi, 14:253, 18:108, 29:474
virens, 4:76, 12:110, 14:363, 18:108
Dendryphiella arenaria, 24:367, 27:17, 27: 18
Dendy, J. S., see Sublette, James E., —
Denniston, R. H., see Clark, Tim W., —
Dennstaedtia globulifera, 22:137
Denoux, Guy J., see Poirrier, Michael A., —
Density-dependent cannibalism in the endangered Sonoran topminnow (*Poeciliopsis occidentalis*), Gary K. Meffe, 29:500–503
Denson, Render D., Aggression and tumbling among armadillos, 24:697–698
Denticula
elegans, 26:315, 35:209
frigida, 10:40
rainierensis, 26:315
thermalis, 26:312, 26:315
Dentition of a gray fox, abnormal, David A. Easterla, 13:362–364
Deomys, 20:273
DePree, Elaine, and John A. Ludwig, Vegetative and reproductive growth patterns in desert willow (*Chilopsis linearis* (Cav.) Sweet), 23:239–245
Dermacarus hypudaei, 24:689
Dermacentor
albipictus, 33:487
andersoni, 10:169
Dermancentor parumapertus, 16:436
Dermanura
jucundum, 14:15, 14:393
phaeotis, 14:395
rava, 14:24
Dermanyssidae, 6:19, 10:17, 10:19, 12: 261, 21:278
Dermanyssus
gallinae, 5:228
hirundinis, 21:277, 21:278
prognephilus, 23:600
triscutatus, 21:278
Dermatophagoides evansi, 21:277, 21:278
Dermatophyton radians, 11:197
Dermestes, 17:95
marmoratus, 26:430, 28:475, 28:478
Dermestidae, 2:127, 20:7, 23:566, 23:568, 23:570–572, 26:430, 28:475, 30:550, 33:282
Dermocarpaceae, 11:201
Dermochelys coriacea, 23:458, 28:281
Dermophis mexicanus, 35:277
Dermorphis mexicanus, 11:128

Dero, 14:224, 14:226, 23:554, 23:558, 23:560
carteri, 27:288, 27:289
digitata, 14:231, 14:237, 14:240, 14:241, 18:151, 18:163, 23:135, 23:139, 24:509, 24:517, 24:520–524, 25:140, 25:264, 27:292
flabelliger, 25:261–264
furcata, 24:509, 24:519
furcatus, 18:154, 18:163, 27:290
huaronensis, 27:288–290
nivea, 18:153, 18:163
obtusa, 18:151, 18:163, 27:292
pectinata, 24:509–511, 27:292, 27:293
plumosa, 27:287, 27:293, 27:294
tonkinensis, 27:290, 27:291
vagus, 18:153, 18:154
vaqus, 18:163
Deroceras
aenigma, 27:239, 27:240
laeve, 4:143–146, 7:55, 16:86, 16:93, 16:104
reticulatum, 4:143, 4:144, 24:688
Deropegus, 26:410, 26:413
Derosomus setosus, 8:164
Deschampsia caespitosa, 20:434
Descriptive ethology of Richardson's ground squirrel, on the, Tim W. Clark and R. H. Denniston, 15:193–200
Descurainea pinnata, 21:315
Descurainia, 33:426
pinnata, 1:63, 2:162, 12:139, 22:342, 23:320, 25:329, 29:411, 30:339, 35:71
sophia, 27:7
Descurania pinnata, 33:428
Desert chipmunks, J. R. Callahan and Russell Davis, 21:127–130
Desert short-horned lizard (Phrynosoma douglassi ornatissimum-Iguanidae) from Colorado, an unusually large, W. Charles Kerfoot, 7:78–79
Desert shrew, *Notiosorex crawfordi* (Coues), from northwestern Colorado, the, William Caire and Robert B. Finley, Jr., 22:284–285
Desert shrew, *Notiosorex crawfordi* (Coues), notes on distribution of the, Frank J. Turkowski and Carl K. Brown, 14:128
Desert shrew, *Notiosorex crawfordi*, in Hidalgo, Mexico, the, Timothy C. Kaspar and J. Knox Jones, Jr., 22:155–156
Desert shrew, Notiosorex crawfordi, in New Mexico, a third locality record for the, J. Knox Jones, Jr., 4:111–112
Desert shrew, *Notiosorex crawfordi*, in south-central Utah, the, Gerard A. Hoddenbach, 23:536–537
Desert shrew, Notiosorex, in San Miguel County, New Mexico, the, Robert G. Lindeborg, 5:108–109
Desert shrews (*Notiosorex crawfordi*) from Baja California, Mexico, records of, Eric Yensen and William H. Clark, 31:529–530
Desha, Paul G., Observations on the burrow utilization of the thirteen-lined ground squirrel, 11:408–410
Desha, Paul G., Variation in a population of kangaroo rats, *Dipodomys ordii medius* (*Rodentia: Heteromyidae*) from the High Plains of Texas, 12:275–289
Desiccation rates and temperature relationships of *Terrapene ornata* following scute removal, Francis L. Rose, 14:67–72
Desmanthodium
fruticosum, 16:366
ovatum, 16:366
Desmanthus
cooleyi, 27:7, 35:72
illinoensis, 2:163, 4:57, 7:169, 25:330
obtusus, 30:548
velutinus, 16:273
virgatus, 23:502, 25:322, 30:543, 30:546, 30:548, 35:436
Desmatodon
convolutus, 1:117–119, 3:119, 31:398
guepinii, 1:118
obtusifolius, 5:43, 6:187
rigidulus, 31:398
Desmidiaceae, 11:198, 15:103, 15:104, 35:207
Desmidium, 10:266, 17:244, 22:112, 25:420
aptogonum, 24:158
baileyi, 20:576
baileyii, 24:158
grevillii, 24:158
swartzii, 11:200, 20:576, 23:439
Desmids from Wellborn, Texas, an unusual assemblage of, William L. Kirk and Elenor R. Cox, 20:576
Desmodium, 12:350
amplifolium, 12:152
batocaulon, 35:72
callilepis, 12:152
canadense, 32:35
ciliare, 12:347
cinerascens, 35:72
conzattii, 12:152
elegans, 12:152
ghiesbreghtii, 12:152
glabrum, 12:152
hirsutum, 12:153
illinoense, 32:35
illinoenses, 7:170
neomexicanum, 12:152, 35:72
orbiculare, 12:151
polystachyum, 12:152
prehensile, 12:152
procumbens, 12:153, 35:72
rosei, 35:72
scorpiurum, 12:152
sessilifolium, 7:170, 27:57
strobilaceum, 12:152, 12:154
uncinatum, 12:152
Desmodus, 17:427
rotundus, 6:17, 11:306, 13:361, 14:358, 15:4, 15:220, 15:452, 16:449, 16:450, 17:139–143, 19:446–449, 23:155, 24:541, 24:542, 32:135, 32:136, 32:364, 33:100, 35:152, 35:154
Desmognathus
auriculatus, 30:207
brimleyorum, 24:482, 28:271, 30:196, 30:207, 33:234–236, 35:468, 35:469, 35:471
fuscus, 1:181, 1:183, 1:184, 10:143, 11:137, 23:428, 28:271, 33:235, 35:469, 35:471
ochrophaeus, 33:235, 33:236, 35:469
santeetlah, 35:469, 35:471
Desmostachya bipinnata, 11:391
Destruction of harvester ant colonies by invading fire ants in south-central Texas (Hymenoptera: Formicidae), Allan W. Hook and Sanford D. Porter, 35:477–478
Determining vigor of natural and planted stands of sea oats on the Texas Gulf Coast, R. L. Baker and B. E. Dahl, 26:117–123
DeVelice, R. L., and J. T. Fisher, One-year Ponderosa pine seedling produces pollen, 27:211–213
Development, mating behavior, and vocalization of captive ringtails, notes on the, Edgar P. Bailey, 19:117–119
Developmental rates and tolerances of the Red River pupfish, *Cyprinodon rubrofluviatilis*, Anthony A. Echelle, Clark Hubbs, and Alice F. Echelle, 17:55–60
Developmental temperature tolerance of central Texas populations of two anuran amphibians *Bufo valliceps* and *Pseudacris streckeri*, Clark Hubbs, Thomas Wright, and Orlando Cuellar, 8:142–149
DeWolf, Gordon P., review by, 2:177–179
Dewsbury, Donald A., The Coolidge effect in northern grasshopper mice (*Onychomys leucogaster*), 26:193–197
Dexter, Deborah M., The sandy-beach fauna of Mexico, 20:479–485
Dexteria, 20:91
floridana, 20:96, 20:101
Deyoe, C. W., see Tiemeier, O. W., —
DeYoung, Charles A., see Boydstun, Charles P., —
Diabrotic undecimpunctata, 26:162
Diabrotica
balteata, 8:54
punctata, 2:126

undecimpunctata, 8:55, 23:303, 26:163
Diachea leucopodia, 10:224
Diachus, 10:1
Diactis, 34:381
Diacyclops bicuspidatus, 22:102, 22:103
Diadasia, 25:105–107
bituberculata, 25:373–378
enavata, 1:89, 2:130
rinconis, 32:151
Diadophis, 5:228
dugesi, 9:47, 9:48
punctatus, 1:182, 3:32, 3:33, 3:46, 5:77, 5:82, 5:85, 5:227, 6:201, 9:47, 9:48, 16:16, 18:102, 21:123, 24:694, 27:229, 31:61, 35:474
regalis, 3:46, 9:47, 9:48
Diaemus youngi, 32:135
Dial, Ben E., Distributional notes on reptiles and amphibians from northeastern Texas, 10:143–144
Dialictus, 26:163, 30:75, 32:151, 36:341
nymphalis, 20:392
occidentalis, 19:70
ruidosensis, 30:73, 30:74
viridatulus, 19:70
Dialytes, 32:386
Diamesa, 23:140, 25:27
fulva, 1:152
Diamond, David D., and Fred E. Smeins, Remnant grassland vegetation and ecological affinities of the upper coastal prairie of Texas, 29:321–334
Diamond, David D., and Timothy E. Fulbright, Contemporary plant communities of upland grasslands of the coastal sand plain, Texas, 35:385–392
Dianemaceae, 10:223, 23:690
Dianthera americana, 1:149, 1:155
Dianthidium sayi, 2:130
Dianthus caryophyllus, 12:148
Diaphanasoma leuchtenbergianum, 21:465, 21:466
Diaphanosoma, 10:266, 17:244, 26:245, 36:240
brachyurum, 4:186, 4:191, 4:192, 14:323, 14:324, 21:254, 22:417, 23:164, 23:165, 26:244
leuchtenbergianum, 23:169, 24:1, 24:2, 30:239, 30:240, 30:242, 30:245, 30:247
Diapterus
auratus, 28:104, 36:206
brevirostris, 32:231
peruvianus, 32:231
Diaptomidae, 4:190
Diaptomus, 1:12, 10:266, 10:270, 17:201, 17:239, 17:243, 17:244, 17:247, 26:245, 26:247, 26:248, 27:38, 33:41–53, 33:465, 33:467–470
ashlandi, 33:466
clavipes, 1:6, 1:11, 1:15, 4:190, 4:192, 4:193, 21:465, 21:466, 23:169
clavipes, 14:324, 33:466, 34:121
conepedatus, 15:103–105
dorsalis, 17:202, 17:203, 24:1, 24:2, 24:5, 24:8
oregonensis, 4:190, 4:193, 14:324
pallidus, 4:190, 4:192, 4:193, 14:324, 14:331, 21:254, 22:417, 23:169, 26:244, 30:162, 30:163, 33:41–52
saltillinus, 4:190, 4:193, 17:202, 17:203
sanguineus, 4:190, 4:193, 15:103–105
saskatchewanensis, 17:202
shoshone, 12:58, 12:59, 12:63, 12:65, 12:66, 22:102
sicilis, 30:239, 30:240, 30:242, 30:243
siciloides, 1:6, 1:11, 1:15, 4:190, 4:192, 4:193, 14:323, 14:324, 21:254, 23:169, 26:244, 30:162, 30:163, 33:41–52
stagnalis, 15:103–105
Diaspididae, 13:201–242, 14:89–113, 14:411–440, 15:275–308, 16:321–340, 17:389–404, 18:417–442, 18:437, 29:437
Diaspidini, 15:275–308, 16:321–340, 17:389–404
Diaspidiotus, 14:90, 14:101, 14:103, 14:107, 14:429, 14:433, 18:425
ancylus, 18:430–433, 18:435–437, 14:91, 14:92
bumelia, 18:433
bumeliae, 14:90, 14:93, 14:94, 18:435, 18:436
coniferarum, 14:91, 14:93, 14:95, 18:434
coursetiae, 13:232
crystallinus, 14:91, 14:94, 14:96, 18:432
lataniae, 14:109
liquidambaris, 14:91, 14:96–98, 18:431
mori, 13:236
obioensis, 14:91
osborni, 14:91, 14:98, 14:99, 18:431
popularum, 14:111
solus, 14:91
uvae, 14:91, 14:98–100, 18:430, 18:433–435, 18:437
Diaspis, 18:429
amygdali, 17:393
ancylus, 14:91
boisduvalii, 15:294, 15:296, 15:297
cacti, 15:296
calyptroides, 15:296
carueli, 15:280
cattleyae, 15:296
catyptroides, 15:296
celtidis, 17:398
diospyri, 15:294, 15:296, 15:298, 18:431
echinocacti, 15:294, 15:296, 15:299, 18:430
lanatus, 17:393
parlatoris, 16:330
patelliformis, 17:393
pentagona, 17:393
radicicola, 15:294, 15:300, 15:301
rosae, 15:277
snowii, 14:98
texensis, 15:294, 15:300, 15:302, 18:430, 18:432, 18:436
toumeyi, 15:294, 15:303, 15:304, 18:430
Diatom flora of Kansas, a contribution to the, Daniel E. Wujek, 10:39–41
Diatom flora of the lower Chevelon Creek area of Arizona: an inland brackish water system, the, David B. Czarnecki, Dean W. Blinn, and Marjory Penton, 26:311–317
Diatom populations in rhithron and potamon communities in Oak Creek, Arizona, investigation of, Randy Johnson, Tony Richards, and Dean W. Blinn, 20:197–204
Diatom *Terpsinöe musica* Ehrenb. (Anaulaceae) in Brazos County, Texas, the, William L. Kirk and Fred E. Smeins, 21:246–247
Diatoma, 22:415
hiemale, 22:413
tenue, 26:312, 26:313, 28:245
vulgare, 20:49, 20:201, 22:413, 22:459, 22:464, 24:152
Diatoms from Kansas, Thomas L. Wenke and Mark E. Eberle, 30:464–465
Diatraea grandiosella, 24:441
Diaz, Gustavo A. Cruz, see Wilson, Larry David, —
Dicamptodon, 13:370
Dicanthelium oligosanthes, 31:369
Dicera horni, 30:603
Diceratosmia, 2:130
Dicerophallus echeagarayi, 32:227
Diceroprocta apache, 23:187–195, 29:73–79
Dichaetophora, 18:118
campestris, 18:120
Dichanthelium, 35:386, 35:388, 35:390, 35:434, 35:437, 36:123
angustifolium, 23:505, 25:315
boscii, 25:279
commutatum, 25:279
oligosanthes, 27:433, 29:326, 29:329, 29:330, 33:68, 35:435, 35:436, 35:438
ravenelii, 25:279
Dichanthium
annulatum, 4:118, 23:505, 25:322
aristatum, 25:314, 25:322
Dichelostemma pulchellum, 35:64, 35:74
Dicholostemma pulchella, 31:180
Dichomitus squalens, 19:355
Dichothrix baueriana, 11:202
Dichromanassa rufescens, 20:133–134
Dichromena colorata, 20:217, 22:36, 23:505, 25:316
Dick-Peddie, W. A., see Freeman, C. E., —
Dick-Peddie, W. A., see Hanks, Jess P., —

Dick-Peddie, William A., see Boles, Patrick H., —
Dick-Peddie, William A., see Gross, Frederick A., —
Dickerman, Robert W., The scaled antpitta, *Grallaria guatimalensis*, in Mexico, 35:460–463
Dickerson, Jaime E., Jr., James V. Robinson, James T. Gilley, and John D. Wagner, Inter-male aggression distance of *Plathemis lydia* (Drury) (Odonata: Libellulidae), 27:457–458
Dickson, Gerald W., see Sutton, George Miksch, —
Dickson, James G., Carolina wren found in eastern woodrat nest, 20:413–414
Dickson, James G., see Rudolph, D. Craig, —
Diclidurus
albus, 35:241–244
virgo, 30:322–323
Dicliptera, 12:148
resupinata, 35:70
Dicosmoecus
atripes, 31:440
gilvipes, 31:440
jucundus, 31:440
Dicotyles, 31:79–85
tajacu, 22:271, 23:339–346, 24:203, 27:457, 30:305, 32:152, 32:153, 33:107
Dicranella varia, 22:136
Dicranocarpus parviflorus, 1:67
Dicranota, 28:130
Dicraurus leptocladus, 23:296
Dicrocoeliidae, 29:363–365
Dicrocoelium rileyi, 4:63, 4:64
Dicrotendipes, 12:375, 12:384, 14:239, 14:245, 23:139, 25:141, 25:145, 25:538, 25:550, 34:315
californicus, 32:412
neomodestus, 25:249, 25:250, 25:254
Dictydiaethalium plumbeum, 10:222
Dictydium cancellatum, 10:223
Dictyna, 11:370, 29:230, 29:231, 30:121, 34:354
annexa, 30:2, 30:3
bellans, 11:341, 30:3
bicornis, 30:2, 30:3
bostoniensis, 11:341, 30:3
calcarata, 11:341, 20:58, 33:216
colorodensis, 11:341
consulta, 30:2, 30:3
florens, 33:216
foliacea, 11:341
formidolosa, 11:341, 30:6
iviei, 30:3
longispina, 11:341
melva, 30:6
oasa, 20:58
personata, 20:58, 20:61, 20:62
reticulata, 20:58, 20:62, 20:64
segregata, 30:2, 30:3, 33:215–218
stulta, 34:350, 34:353
sublata, 11:341, 30:3, 33:216
volucripes, 30:3, 33:216
Dictynidae, 11:340, 11:370, 20:58, 20:61, 20:62, 29:231, 30:2, 30:3, 30:6, 30:122, 33:215–218, 34:350
Dictyopharidae, 32:396
Dictyopserma, 13:227
Dictyosphaeriaceae, 11:197
Dictyosphaerium, 10:188–210, 10:266, 17:244
pulchellum, 24:156
Dictyosteliales, 31:267–269
Dictyostelium
aureo-stipes, 31:268
discoideum, 31:268
giganteum, 31:268
lacteum, 31:268
minutum, 31:268
mucoroides, 31:268
polycephalum, 31:268
purpureum, 31:268
rosarium, 31:268
sphaerocephalum, 31:268
Dictyuchus monosporus, 12:314
Dicyna volucripes, 11:341
Dicyphus gracilentus, 24:196
Didelphidae, 33:231–233
Didelphis, 28:69
albiventris, 33:232
marsupalis, 20:377, 22:277
marsupialis, 10:142–143, 13:15, 15:221, 16:437, 21:14, 28:379, 29:513, 29:514, 33:232, 34:413
virginiana, 25:560, 26:293, 28:316–319, 30:462, 31:401, 32:158–160, 34:246, 34:247, 34:413, 36:344, 36:345
virginianus, 30:225, 30:226
Diderma
chondrioderma, 10:226
globosum, 23:690
hemisphaericum, 16:149, 23:691
Didiplis diandra, 21:411
Didymella magnesii, 24:367
Didymiaceae, 10:226, 16:149, 23:690, 23:691
Didymium
clavus, 10:226, 23:691
difforme, 16:149, 23:691
iridis, 9:155, 10:226
nigripes, 9:157, 10:226
ovoideum, 10:221, 10:226
squamulosum, 10:226
trachysporum, 10:221, 10:226
Didymocentrus lesueurii, 29:387
Didymodon
australasiae, 31:398
tophaceus, 5:43, 5:44
tophaceus, 3:116, 6:186
trifarius, 6:186
Didymops, 8:135, 14:237
transversa, 2:4, 2:13, 4:132
Didymosphaeria
enalia, 24:367
rhizophorae, 24:367
Die-offs of an endangered pupfish, *Cyprinodon elegans* (Cyprinodontidae), Jack R. Davis, 24:534–536
Diel capture rates of a freshwater shrimp, Clark Hubbs and Jana Velderman, 16:122–123
Diel feeding chronologies in two Sonoran Desert stream fishes, *Agosia chrysogaster* (Cyprinidae) and *Pantosteus clarki* (Catostomidae), Stuart G. Fisher, David E. Busch, and Nancy B. Grimm, 26:31–36
Diel food utilization by the Virgin River spinedace, *Lepidomeda mollispinis mollispinis*, and speckled dace, *Rhinichthys osculus*, in Beaver Dam Wash, Utah, Ted R. Angradi, J. Scott Spaulding, and Edward D. Koch, 36:158–170
Diel variation in species composition and diversity, density, and chlorophyll content of phytoplankton in an intermittent stream in Oklahoma, Robert Mahnken and Jerry Wilhm, 27:79–86
Diemictylus viridescens, 1:181
Diener, Richard A., New records of snakes in southwestern Kansas, 1:27–29
Dieringer, Gregg, Pollination ecology of *Streptanthus bracteatus* (Brassicaceae): a rare central Texas endemic, 36:341–343
Diersing, James E., see Diersing, Victor E., —
Diersing, Victor E., and Donald F. Hoffmeister, The rock mouse, *Peromyscus difficilis*, in western Texas, 19:213
Diersing, Victor E., and James E. Diersing, Additional records of *Baiomys taylori taylori* (Thomas) in Texas, 24:707–708
Diersing, Victor E., Noteworthy records of Merriam's shrew, *Sorex merriami*, from New Mexico, 24:708–709
Diersing, Victor E., Systematics of flying squirrels, *Glaucomys volans* (Linnaeus), from Mexico, Guatemala, and Honduras, 25:157–171
Diersing, Victor E., see Caire, William, —
Diersing, Victor E., see Hoffmeister, Donald F., —
Diet and fecal nutritive quality in mule deer, relationships between, George Mubanga, Jerry L. Holechek, Raul Valdez, and Sanford D. Schemnitz, 30:573–578
Diet and feeding behavior of teiid lizards from Trans-Pecos, Texas, James F. Scudday and James R. Dixon, 18:279–289
Diet and feeding behavior of the California red-legged frog, *Rana aurora draytonii* (Ranidae), Marc P. Hayes

and Michele R. Tennant, 30:601–605
Diet of a feral population of *Xenopus laevis* (Pipidae) in California, notes on the, Michael J. McCoid and Thomas H. Fritts, 25:272–275
Diet of adult and juvenile six-lined racerunners, *Cnemidophorus sexlineatus* (Sauria: Teiidae), Mark A. Paulissen, 32:395–397
Diet of Rio Grande turkeys in north-central Texas, preliminary study of the, Dee A. Quinton and Alan Kent Montei, 22:550–553
Diet of the Pecos River pupfish, *Cyprinodon pecosensis* (Cyprinodontidae), Jack R. Davis, 25:535–540
Diets of four wild ungulates on winter range in northcentral New Mexico, Thor E. Stephenson, Jerry L. Holechek, and Charles B. Kuykendall, 30:437–441
Diets of two desert mule deer herds in Big Bend National Park, Texas, Bruce D. Leopold and Paul R. Krausman, 32:449–455
Diets of white-tailed deer on the Rolling Plains of Texas, Dee A. Quinton and Ronald G. Horejsi, 22:505–509
Differences in the developmental temperature tolerance of central Texas and more northern stocks of Percina caprodes (Percidae: Osteichthyes), Clark Hubbs and Kirk Strawn, 8: 43–45
Differences in the egg complement of *Hadropterus scierus* from Austin and San Marcos, Clark Hubbs and Martha V. Johnson, 6:9–12
Differential burrowing by hispid cotton rats (*Sigmodon hispidus*: Rodentia), Karl A. Shump, Jr., and Donald P. Christian, 23:696–699
Differential freeze-related mortality in feral populations of introduced veronicellid slugs in extreme southern Texas, Raymond W. Neck, 35:94–95
Differential response of woody and herbaceous species to summer and winter burning in an Oklahoma grassland, Dwight E. Adams, Roger C. Anderson, and Scott L. Collins, 27: 55–61
Difflugia, 10:266, 17:239, 17:243, 17:244, 17:246, 17:247, 27:38
Digenea, 17:104–105, 27:73–78
Digitalis purpurea, 18:324
Digitaria, 20:332, 28:462
  adscendens, 23:505
  bicornis, 25:322
  californica, 12:77, 12:78, 12:82, 23:316, 33:429, 33:430, 35:74, 36:306
  cognata, 12:82
  cognatum, 35:74
  ciliaris, 25:322
  diversiflora, 23:505
  eriantha, 10:50
  insularis, 12:77, 12:82
  milanjiana, 4:117
  sanguinalis, 2:157, 4:117, 5:8, 12:82, 12:349, 15:165–167, 27:329, 34:10, 35:74
  texana, 23:505, 25:322
  valida, 4:117
  violascens, 2:44
Diglena, 8:232
Diguetia
  canites, 11:368
  canities, 30:6
  catamarguensis, 20:30
Diguetidae, 11:368, 30:6
Dilepididae, 15:272
Dilleniaceae, 16:112
Dillenites
  microdentatus, 16:112
  texensis, 16:112
Diller, Lowell V., and Richard L. Wallace, Aspects of the life history and ecology of the desert night snake, *Hypsiglena torquata deserticola*: Colubridae, in southwestern Idaho, 31: 55–64
Dillon, Michael O., Two new species of *Flourensia* (Asteraceae-Heliantheae) from north-central Mexico, 21:145–149
Dimensions, weights, volumes, and calories of some Sonoran Desert seeds, relationships between, O. J. Reichman, 20:573–575
Dimetrodon, 22:278, 31:480, 31:485, 31: 487, 31:490
Dimorphism and cannibalism in tadpoles of Scaphiopus bombifrons (Amphibia, Salientia), Arthur N. Bragg, 1: 105–108
Dimorphococcus lunatus, 11:197
Dina
  dubia, 15:270, 15:271
  lateralis, 15:271
  microstoma, 14:237, 14:241, 14:242, 15: 270, 15:271
  parva, 15:270, 15:271
Dinapate wrightii, 31:553
Dineutus assimilis, 14:238, 26:157
Dinobastis, 1:109, 12:3
  serus, 12:10
Dinobryon, 10:188–210, 10:266, 17:245, 17:247, 22:306, 23:57, 23:58, 23:60, 25:414, 25:420
  divergens, 20:50, 20:51
  sertularia, 20:50, 20:51, 22:311
Dinocardium robustum, 16:438
Dinocheirus, 25:89–90
  arizonensis, 32:491, 32:494
  astutus, 12:259
  stercoreus, 2:83–88
Dinohippus, 18:257
  muelleri, 18:258, 18:260, 18:265
Dinophyceae, 22:311, 23:51, 23:56, 23: 57, 23:60, 23:108, 25:420
Dinopium benghalense, 28:113
Diochetos
  parvovaria, 36:367
  phrynosomatis, 36:366–368
Diodia teres, 7:170, 12:347, 30:546, 30: 548, 35:66, 35:73
Dionda, 15:257, 20:121, 20:123, 33:142
  argentosa, 1:71, 35:448
  diaboli, 1:69–77, 2:93, 3:13, 25:87, 35: 350, 35:446–448
  episcopa, 1:69–71, 1:73, 1:75, 1:77, 2: 99, 9:66, 24:318, 24:535, 25:86, 25: 535, 29:378, 29:399, 32:213, 32:215, 32:216, 32:408, 32:410, 35:448
  nubila, 12:464, 16:442, 19:220, 22:543
  rasconis, 1:69, 1:71, 1:73
Dionda diaboli (Cyprinidae), a new minnow from Texas, Clark Hubbs and William H. Brown, 1:69–77
Diondo erimyzonops, 20:129
Diorchis
  recurvirostrae, 32:85, 32:87, 32:90
  reurvirostrae, 32:88
Dioryctria, 26:378, 35:148
  abietivorella, 26:375–377
  auranticella, 26:375–377
  cambiicola, 26:375, 26:376
  rossi, 26:375, 26:376, 26:378
Diospyros, 33:252
  texana, 3:30, 13:239, 13:240, 13:242, 15:296, 15:311, 16:10, 18:431, 18: 439, 21:101, 23:10, 24:165, 24:168, 24:170–172, 24:225, 24:305, 24:306, 26:291, 26:303, 26:304, 27:311, 27: 385, 29:304, 29:436, 30:398, 30:400, 35:349, 36:215, 36:216
  virginiana, 1:145, 2:155, 2:166, 6:181, 7:170, 21:480, 21:482, 24:387–389, 25:283, 26:68, 27:428, 27:429, 29: 83, 30:597
Diospyros virginiana (Ebenaceae), northwestward range extension of, Thomas B. Bragg, David M. Sutherland, Pat Costigan, and Frank Hershey, 24:387–389
Diospyrus texana, 33:108
Diphascon, 17:27, 35:302–304
  craigi, 35:303, 35:304
  iltisi, 35:303
  oculatum, 35:303
  punctatum, 35:304
  recamieri, 35:303
  scoticum, 35:302, 35:303
  spitzbergense, 35:303
Diphylla, 17:142
  ecaudata, 31:533, 32:136, 35:152
Diplachne dubia, 35:74
Diplacus rugosus, 4:209
Diplocardia
  alba, 15:267

invecta, 15:267
keyesi, 15:267
koebelei, 15:267
Diplocaulus, 31:479, 31:483
magnicornis, 31:485
Diplocentridae, 25:517–523, 29:387–393
Diplocentrus
bigbendensis, 25:518, 25:521, 29:387–393
comondae, 25:518, 25:521
spitzeri, 25:517–523, 29:387
whitei, 25:517
Diploda, 27:18
Diplodia, 24:368
Diplodiscus temperatus, 34:369
Diploneis, 25:420
elliptica, 24:152, 28:245
interrupta, 26:312, 26:314
marginestriata, 24:152
pseudovalis, 26:312, 26:314, 30:464
puella, 20:49, 24:152, 26:314
smithii, 20:49, 20:201, 22:414, 22:458–461, 22:464
Diplophallus
coili, 32:85, 32:87, 32:88, 32:90
polymorphus, 32:90
Diplorhoptrum, 31:555
Diplosalsalis acuta, 23:87
Diplostomatidae, 29:378
Diplostomidae, 12:334–335
Diplostomulum scheuringi, 22:361, 22:363
Diplostomum, 27:224
Diplotaxis, 12:269, 32:386
Diplotemnus
beieri, 20:236
insolitus, 20:232
insularis, 20:231
rothi, 20:231, 20:232, 20:234, 20:239
vachoni, 20:232, 20:233, 20:236
Dipodomys, 2:34, 2:37, 6:193, 8:213–220, 10:145–150, 10:282, 10:283, 12:236, 13:246, 13:403, 14:351–353, 16:435, 16:448, 17:340, 20:505, 22:7, 22:14, 22:86, 25:529–534, 26:204, 26:267, 28:41, 28:43, 28:100, 30:495, 30:498, 31:60, 31:417, 32:458, 32:459, 33:483, 34:85, 35:58, 35:336, 36:89–93, 36:103
agilis, 10:146, 17:98, 18:243, 19:113, 22:78, 22:82, 23:95–101, 25:529–533, 28:50, 28:430, 30:493
antiquarius, 25:529
compactus, 18:242–243, 30:315–317, 36:346
deserti, 8:213–219, 10:145–147, 11:135, 13:195, 17:99, 24:243, 25:533, 26:276, 30:448, 36:100
elator, 9:146–150, 10:146, 13:14, 13:17, 17:99, 23:99, 24:376, 32:53–59, 32:285–286, 35:111–114, 35:356–358, 36:354–356
elephantinus, 10:146
gravipes, 10:146, 25:529–533, 30:499, 32:57, 32:58
heermanni, 8:214, 10:146, 28:342
ingrens, 10:146
insularis, 10:146, 25:529
margaritae, 10:146
merriami, 2:35, 3:112, 6:154, 7:78, 7:240, 8:213–219, 9:56–61, 9:148, 10:69, 10:71, 10:72, 10:145–148, 10:172, 11:134–136, 12:288, 14:351, 14:352, 15:26, 16:7, 16:210, 17:98, 17:333, 17:335–339, 17:341, 17:342, 20:278, 20:498, 20:500, 21:331, 22:78, 22:80, 22:81, 22:83, 22:84, 22:561, 22:562, 23:99, 24:243, 24:280–282, 24:284–287, 24:531, 25:533, 25:563, 25:568, 26:84, 26:85, 26:276, 26:298, 26:299, 27:122, 28:42, 28:44, 28:45, 28:430, 30:316, 30:448, 31:23, 31:548–551, 32:187, 32:188, 32:191, 35:111, 35:113, 35:332, 35:335, 35:457, 36:90–92, 36:100, 36:309
microps, 9:56–61, 10:146, 17:99, 22:78, 22:82, 23:100, 24:530–533, 24:554, 25:562–563, 26:276, 26:298, 26:299, 30:316, 30:448, 31:23, 31:26–31, 31:548–551
nelsoni, 10:146, 20:498, 21:140, 21:141, 25:568, 25:569, 31:280
nitratoides, 10:146, 25:533, 25:563, 27:122
ordi, 6:149–155, 15:26, 16:437, 16:438, 32:187, 32:188
ordii, 1:190–193, 2:35, 5:99–101, 7:78, 9:147, 9:148, 10:146, 12:3, 12:7, 12:275–289, 12:481, 13:17, 13:148–152, 13:156, 13:245, 13:270, 13:402, 13:405, 14:165, 14:168, 14:351, 15:131, 15:497–499, 17:99, 17:315, 17:316, 17:324, 17:325, 20:278, 20:498, 21:327–334, 24:197, 24:554, 24:708, 25:123, 25:216, 25:533, 26:54, 26:55, 26:276, 26:298, 26:299, 26:329, 26:398–403, 26:405, 26:430, 27:117–119, 27:122–123, 28:42, 28:45, 28:101, 28:200, 28:341–346, 30:315–317, 30:340, 30:341, 30:448, 30:493, 30:499, 31:26, 31:27, 31:29, 31:30, 31:124–126, 31:417, 31:418, 32:187, 32:191, 32:285, 32:291, 32:293–295, 32:299, 33:104, 33:303, 33:307, 35:366, 35:457, 36:90–92, 36:100, 36:141, 36:309
ornatus, 9:148, 9:149, 10:146, 10:147, 20:497
panamintinus, 10:146, 17:98, 23:95–101, 24:554, 25:563, 29:1, 29:7–13
paralius, 10:146, 25:529
peninsularis, 10:146, 25:529–533
phillipsi, 9:148, 9:149, 23:155
phillipsii, 10:146, 10:147, 35:111–113
spectabilis, 2:35, 6:154, 9:147, 10:71, 10:146, 13:195, 14:351–353, 16:210, 17:99, 21:140, 21:141, 22:150, 22:151, 28:200, 31:114–116, 31:280, 31:417, 31:548, 32:186, 32:188, 32:191, 35:112, 36:90, 36:91, 36:100
stephensi, 10:146, 17:98, 23:95–101
venustus, 10:146
Dipodomys elator, a rare kangaroo rat, notes on, Walter W. Dalquest and Glenn Collier, 9:146–150
Dipodops richardsoni, 15:497, 15:498
Dipoena, 11:358
abdita, 11:360, 20:59, 30:6
nigra, 11:360, 30:6
Diprionidae, 29:238
Dipsacaceae, 11:89
Dipsadidae, 20:554
Dipsosarus dorsalis, 15:469
Dipsosaurus dorsalis, 11:284, 15:470, 26:111, 30:469, 30:470, 30:472, 32:107, 34:519, 34:523, 34:524
Diptera, 4:83–87, 5:160–164, 6:86–91, 21:117–121, 26:429–430, 27:356–357, 29:356–357, 30:312–315, 30:405–412, 31:126–129, 33:114–117, 34:527–530
Direct measurement of allochthonous litter accumulation in a tallgrass prairie stream, Keith T. Killingbeck, 29:357–358
Dirofilaria immitis, 29:89–92
Discotenes nigrotuberculata, 27:26
Discrimination of coexisting species of *Peromyscus* in south-central New Mexico, Thomas G. Thompson and Walt Conley, 28:199–209
Discus
cronkhitei, 3:225, 7:55, 7:56, 7:58, 7:60, 14:372, 21:410, 21:411, 27:239, 27:240, 29:42
patulus, 3:225
shimeki, 7:55, 7:56, 7:58, 7:60
Disease mortality of waterfowl on Texas playa lakes, Richard L. Moore and C. David Simpson, 25:566–568
Disella, 19:97
lepidota, 19:101
sagittifolia, 19:102
Disonycha alabamae, 24:536–537
Dispersal agent, 3:1–6
Dispersal of a lesser prairie chicken (*Tympanuchus pallidicinctus*), Maple A. Taylor and Fred S. Guthery, 25:124–125
Dispersal of viable saguaro seeds by white-winged doves (*Zenaida asiatica*), G. Olin, S. M. Alcorn, and J. M. Alcorn, 34:281–284
Dispora, 9:168
Dissolved oxygen concentration on temperature selection in the Mississippi silversides, *Menidia audens* (Atherinidae), effect of, M. Anthony Schene, Jr., and Loren G. Hill, 25:120–122
Dissolved oxygen tensions upon the rate of aerial respiration of young spotted

gar, *Lepisosteus oculatus* (Lepisosteidae), effects of, Loren G. Hill, J. Larry Renfro, and Randy Reynolds, 17:273–278
Distichlis, 8:93, 12:85, 15:112, 19:374, 27:44, 27:381, 33:458
condensata, 11:391
distichophylla, 11:391
prostrata, 11:393
scoparia, 11:393
spicata, 1:54, 1:57–59, 1:62, 1:67, 2:157, 11:391, 11:393, 15:117–120, 18:419, 18:420, 18:435, 18:439, 22:36, 23:505, 24:434, 25:317, 25:319, 26:346, 31:24, 31:388, 34:150, 35:349
stricta, 11:127, 11:391, 11:393, 16:204, 20:217, 21:314, 28:249, 28:254–257, 33:91
texana, 4:118, 5:9
Distler, Donald A., Observations on the reproductive habits of captive, *Etheostoma cragini* Gilbert, 16:439–441
Distler, Donald A., see Smith, David L., —
Distoichometra, 21:503, 21:505, 21:506, 21:508
Distribucion espacial en arbustos de desierto: el caso de *Fouquieria splendens*, Alain M. Walkowiak, Mario Salazar, y Elena Solana, 35:363–365
Distribution, abundance, and habitat of the Arkansas darter *Etheostoma cragini* (Percidae) in Colorado, David L. Miller, 29:496–499
Distribution and biology of Tastiotenia festiva (Hymenoptera), notes on the, Howard E. Evans, 6:51–52
Distribution and diagnosis of three species of chipmunks (*Tamias*) in the Front Range of Colorado, Bradley J. Bergstrom and Robert S. Hoffmann, 36:14–28
Distribution and ecology of five eastern New Mexico mammals, notes on the, Troy L. Best, 16:210–211
Distribution and effect of dwarf mistletoes parasitizing *Pinus strobiformis* in Arizona, New Mexico, and northern Mexico, Robert L. Mathiasen, 24:455–461
Distribution and habitats of turtles in New Mexico, William G. Degenhardt and James L. Christiansen, 19:21–46
Distribution and natural history of the crawfish *Orconectes difficilis* (Decapoda: Astacidae) in Louisiana, Jerry G. Walls, 30:189–194
Distribution and records of Colorado Trichoptera, Scott J. Herrmann, David E. Ruiter, and John D. Unzicker, 31:421–457
Distribution and relative abundance of the flat-tailed horned lizard (*Phrynosoma mcallii*) in Arizona, James C. Rorabaugh, Carolyn L. Palermo, and Steven C. Dunn, 32:103–109
Distribution and relative abundance of white-tipped doves in South Texas, Charles P. Boydstun and Charles A. DeYoung, 30:567–571
Distribution and species diversity of summer fish populations in two channelized rivers in Northeast Texas, John H. Carroll, Jr., and Michael Bradley, 22:128–134
Distribution and specific status of the fox genus *Vulpes* in West Texas, a note on the, Gordon C. Creel and W. A. Thorton, 15:402–404
Distribution and status of warmwater fishes in the Platte River drainage, Colorado, the, David L. Propst and Clarence A. Carlson, 31:149–167
Distribution and variation in the Mexican big-eared bat, *Plecotus phyllotis*, notes on, Hugh H. Genoways and J. Knox Jones, Jr., 12:477–480
Distribution, ecology and morphology of the colonial hydroid *Cordylophora caspia* (Pallas) in southern Louisiana, notes on the, Michael A. Poirrier and Guy J. Denoux, 18:253–255
Distribution, habitat, and sexual dimorphism of *Gerrhonotus kingii* (Lacertilia: Anguidae), notes on, R. Alec Knight and Doug Duerre, 32:283–285
Distribution, habitat, and sexual dimorphism of *Gerrhonotus kingii* (Lacertilia: Anguidae), notes on, R. Alec Knight and Doug Duerre, 32:283–285
Distribution, habitat, variation, and status of the goldstripe darter, *Etheostoma parvipinne* Gilbert and Swain, in Arkansas, Henry W. Robison, 22:435–442
Distribution of and key to the neotenic *Eurycea* of Texas, James K. Baker, 6:27–32
Distribution of *Barbula whitehouseae* (Pottiaceae), new to Oklahoma, and additional county records, Catherine E. Coats and Wm. F. Mahler, 30:151–152
Distribution of Emorya suaveolens, additional data concerning the, Eliane M. Norman, 9:206
Distribution of fishes in the Black River drainage, Eddy County, New Mexico, David E. Cowley and James E. Sublette, 32:213–221
Distribution of fishes in the Dolores and Yampa river systems of the upper Colorado Basin, Paul B. Holden and Clair B. Stalnaker, 19:403–412
Distribution of the darters (Percidae, Etheostomatinae) of northeastern Oklahoma, Albert P. Blair, 4:1–13
Distribution of the evening bat, *Nycticeius humeralis*, in Oklahoma, Bryan P. Glass and Stephen R. Humphrey, 15:399–400
Distribution of the headwater catfish *Ictalurus lupus* (Osteichthyes: Ictaluridae), Steven W. Kelsch and Fred S. Hendricks, 35:292–297
Distribution of the smooth green snake, *Opheodrys vernalis blanchardi* Grobman in Texas, remarks on the, Richard D. Worthington, 18:344–346
Distribution of the subspecies of *Sceloporus undulatus* (Reptilia: Iguanidae) in Oklahoma, Clarence J. McCoy, Jr., 6:79–85
Distribution of the subspecies of *Sceloporus undulatus* (Sauria: Iguanidae) in Louisiana, the, Edward C. Morgan, 17:67–72
Distribution, species status, and reproductive mode of the xantusiid lizard *Lepidophyma pajapanensis*, Rafael Aguilar Cortés, José L. Camarillo R., and Robert L. Bezy, 35:373–374
Distribution, status, and notes on the ecology of *Gila robusta* (Cyprinidae) in the Gila River Drainage, New Mexico, Kevin R. Bestgen and David L. Propst, 34:401–412
Distribution, synonymy, and taxonomy of three junipers of southwestern United States and northern Mexico, the, Robert P. Adams and Thomas A. Zanoni, 24:323–329
Distributional affinities of some xerophilous insects (Coleoptera, Lepidoptera) in central California, J. T. Doyen and P. A. Opler, 18:305–316
Distributional and taxonomic notes on some West Texas bats, Tony Mollhagen, 17:427–430
Distributional associates of the saguaro (*Carnegiea gigantea*), Richard L. Hutto, Joseph R. McAuliffe, and Lynee Hogan, 31:469–476
Distributional ecology of *Etheostoma radiosum* (Percidae) and *Etheostoma spectabile*: a test of oxygen tolerances, Larry A. Greenberg, 34:539–541
Distributional records of certain mammals from southern Arizona, Donald F. Hoffmeister, 4:14–19
Distributions and habitats of voles in southeastern Colorado and northeastern New Mexico, Robert B. Finley, Jr., Jerry R. Choate, and Donald F. Hoffmeister, 31:263–266
Disturbances in tall grass prairie sites on an index of diversity and equitabil-

ity, the effect of, Lane Netherland, 24:267–274
Ditaxis, 7:154
mercurialina, 7:155, 18:325
neomexicana, 7:158, 33:108, 33:109
serrata, 7:161
Dithyrea
wislenzeni, 28:382
wislezeni, 28:382
wislizeni, 1:63, 2:162, 36:55
wislizenii, 21:315, 25:329, 27:305, 31:36
Ditrichum pallidum, 28:240, 30:151
Ditsworth, T. M., S. M. Butt, J. R. Beley, C. D. Johnson, and R. P. Balda, Arthropods, plants and transmission lines in Arizona: community dynamics during secondary succession in a pinyon-juniper woodland, 27:167–181
Ditsworth, T. M., see Beley, J. R., —
Dittmer, Howard J., A study of the external surface of Opuntia imbricata (Haworth) DC, 4:35–39
Dittmer, Howard J., and Margaret L. Roser, The periderm of certain members of the Cucurbitaceae, 8:1–9
Ditylenchus phyllobius, 6:197
Diura bicaudata, 35:133
Diurnal foraging patterns of *Pogonomyrmex* harvester ants (Hymenoptera: Formicidae), William P. MacKay and Emma E. MacKay, 34:213–218
Dixa, 25:27
Dixidae, 28:35, 34:480
Dixon, James R., A new name for the snake, Arizona elegans arizonae, 5:226
Dixon, James R., A noteworthy record of *Eumeces multivirgatus* from Texas, 15:502
Dixon, James R., A taxonomic reevaluation of the night snake Hypsiglena ochrorhyncha and relatives, 10:125–131
Dixon, James R., and Robert G. Webb, *Micrurus laticollaris* Peters, from Jalisco, Mexico, 10:77
Dixon, James R., and Robert G. Webb, Variation in a large brood of the Mexican water snake, *Natrix valida valida* (Kennicott) in Sinaloa, 10:140–141
Dixon, James R., and Robert H. Dean, Status of the southern populations of the night snake (*Hypsiglena*: Colubridae) exclusive of California and Baja California, 31:307–318
Dixon, James R., Chesley A. Ketchersid, and Carl S. Lieb, The herpetofauna of Queretaro, Mexico, with remarks on taxonomic problems, 16:225–237
Dixon, James R., Further data on the geckos (*Phyllodactylus*) of islands of the extreme southern Caribbean, 9:203–205
Dixon, James R., Geographic variation and distribution of the long-tailed group of the glossy snake, Arizona elegans Kennicott, 4:20–29
Dixon, James R., Notes on the glossy snake, Arizona elegans, in Texas, 2:132–133
Dixon, James R., Notes on the snake genus *Geophis*, from Nevado de Colima, Jalisco, Mexico, 13:452–454
Dixon, James R., review by, 19:121
Dixon, James R., The gekkonid lizard, *Phyllodactylus unctus* (Cope), in Michoacán, Mexico, 14:255–256
Dixon, James R., The leaf-toed geckos, genus *Phyllodactylus*, of northeastern South America, 7:211–226
Dixon, James R., Two new geckos, genus *Phyllodactylus* (Reptilia: Sauria) from Michoacan, Mexico, 5:37–42
Dixon, James R., see Davis, William B., —
Dixon, James R., see Hendricks, Fred S., —
Dixon, James R., see Kofron, Christopher P., —
Dixon, James R., see McCoid, Michael J., —
Dixon, James R., see Owen, James G., —
Dixon, James R., see Scudday, James F., —
Dixon, James R., see Thomas, Robert A., —
Dixon, Keith L., Spatial organization in a population of Nelson pocket mouse, 3:107–113
Dobie, James L., see Cooper, William E., Jr., —
Docidium, 10:266
Documentation of the transplanting of Abert's squirrels, Russell Davis and David E. Brown, 33:490–492
Dodd, C. Kenneth, Jr., Correction: *Typhlotriton spelaeus*, not *Eurycea tynerensis*, 27:367–368
Dodd, C. Kenneth, Jr., Notes on the feeding behavior of the Oklahoma salamander, *Eurycea tynerensis* (Plethodontidae), 25:111–113
Dodd, C. Kenneth, Jr., see Altig, Ronald, —
Dodd, J. D., see Cwik, M. J., —
Dodd, J. D., see Van Amburg, G. L., —
Dodd, J. D., see Webb, James W., —
Dodecatheon
cusickii, 18:399
macrocarpum, 18:399
meadia, 32:35
pulchellum, 18:398–400
radicatum, 18:399
salina, 18:399
watsonii, 18:399
Dodge, Natt N., 100 desert wildflowers in natural color (rev.), 9:49
Dodonaea viscosa, 18:194
Dodson, Gary, *Xanthoteras* sp. (Hymenoptera: Cunipidae) gall abundance on shinnery oak (*Quercus havardii*) in New Mexico: an indicator of plant stress?, 32:463–468
Doerksen, George, see Hardin, James W., —
Doerr, Ted B., and Fred S. Guthery, Food selection by lesser prairie chickens in Northwest Texas, 28:381–383
Dolabrifera, 18:165
Dole, Jim W., Home range in the canyon tree frog (*Hyla cadaverina*), 19:105–107
Dolemedes triton, 30:121
Dolichoderinae, 36:140–142
Dolichohippus, 18:257, 18:261, 18:265–267, 32:238, 32:239
Dolichopodidae, 25:141, 25:251, 32:396
Dolichopsyllidae, 12:268
Dolichovespula arenaria, 10:16
Dolomedes, 8:65, 30:9
albineus, 30:7
scriptus, 11:354, 21:43
sexpunctatus, 11:355, 21:43
tenebrosus, 21:43, 30:7
triton, 11:354, 11:355, 30:123, 30:125
urinator, 11:355
vittatus, 11:355
Dolophilodes aequalis, 31:447
Dominance shifts in the tree lizard (*Urosaurus ornatus*–Iguanidae), Charles C. Carpenter and Gene Grubits, III, 5:123–128
Dominguez, Juan Francisco Perez, see MacKay, William P., —
Donacia piscatrix, 26:162, 26:163
Donacidae, 20:485
Donax
punctatostriatus, 20:481, 20:482, 20:484
variabilis, 20:481, 20:483
Donkia pulcherrima, 19:354
Doratopsylla hamiltoni, 34:562
Doreyana, 32:505
Doriopsis, 18:166
Dormancy in *Paspalum plicatulum* (Poaceae) seeds, causes of, Timothy E. Fulbright and Kay S. Flenniken, 33:35–39
Dormitator
latifrons, 32:232, 35:45
maculatus, 29:504, 36:207, 36:208
Dorosoma, 13:47, 13:48, 32:233
anale, 32:228
cepedianum, 3:8, 4:160, 4:165, 4:166, 11:201, 11:311, 11:312, 15:140, 17:379, 18:344, 19:260, 22:324, 22:359, 23:247–261, 25:58, 25:298, 27:109–112, 28:327–329, 28:332, 30:458, 30:

560, 31:153, 32:215, 32:216, 32:409, 32:410, 33:41–53, 35:406–408, 36:203, 36:204, 36:208
petenense, 4:161, 4:166, 22:359, 23:258, 27:109–112, 28:117–118, 28:170, 28:221, 30:162, 30:458, 30:509, 32:228, 32:410, 33:41–53, 34:118, 36:203, 36:204, 36:208
Dorris, Troy, see Wilhm, Jerry, —
Dorsett, Debora R., see Heins, David C., —
Dorsoma smithi, 24:695–697
Dort, Wakefield, Jr., and J. Knox Jones, Jr. (eds.), Pleistocene and Recent environments of the central Great Plains (rev.), 16:221
Dorylinae, 19:309–312, 20:85–90, 22:421–425
Dorylus helvolus, 36:141
Dorymyrmex pyramicus, 2:127, 25:193
Dorypetalidae, 34:382
Dorypetalum, 34:382
Doryphoribius doryphorus, 35:303
Dosilia
heterogena, 16:434
plumosa, 16:434
radiospiculata, 16:434
Douglas, Charles L., Apache pocket mouse found in Mesa Verde National Park, Colorado, 8:173
Douglas, Neil H., see Robison, Henry W., —
Dove, Laura B., Dennis A. Baeyens, and Michael V. Plummer, Evaporative water loss in *Opheodrys aestivus* (Colubridae), 27:228–230
Dowell, J. H., see Scribner, K. T., —
Dowler, Robert C., and Hugh H. Genoways, Variation in *Pappogeomys castanops* (Geomyidae) on the Llano Estacado of Texas and New Mexico, 24:577–602
Dowler, Robert C., review by, 22:287
Dowler, Robert C., see Choate, Jerry R., —
Dowler, Robert C., see Engstrom, Mark D., —
Dowling, Herndon G., Geographic relations of Ozarkian amphibians and reptiles, 1:174–189
Dowling, Herndon G., The groundsnake, Sonora episcopa, in Arkansas, 3:231–233
Dowling, Herndon G., The spotted racer, Coluber constrictor anthicus Cope, in Arkansas, 4:40
Downes, William L., Jr., see Hoffmeister, Donald F., —
Downhower, Jerry F., see Jones, J. Knox, Jr., —
Downy woodpecker feeding on mud-dauber wasp nests, Kimberly G. Smith, 31:134
Doyen, J. T., and P. A. Opler, Distributional affinities of some xerophilous insects (Coleoptera, Lepidoptera) in central California, 18:305–316
Draba
aurea, 20:430
crassifolia, 20:430
cuneifolia, 21:315, 35:71
petrophila, 35:64, 35:71
reptans, 25:329
streptocarpa, 20:430
Dracaenaceae, 13:383
Dracopis, 18:119
amplexicaulis, 18:122
Dragonflies (Odonata) from Arkansas, additional, George H. Bick, 4:131–133
Draparnaldia, 8:232, 22:316
Drassodes, 11:342, 15:321, 15:322, 15:328
gosiutus, 30:7
neglectus, 11:343, 15:322
saccatus, 29:231, 30:7
Drassyllus, 30:10
aprilinus, 30:7
dromeus, 30:7
gynosaphes, 30:7
insularis, 20:58
lepidus, 30:4
notonus, 30:4
orgilus, 30:4
rusticus, 11:342, 11:343
texamans, 30:7
Drawe, D. L., see Scifres, C. J., —
Drawe, D. Lynn, and Kenneth R. Kattner, Effect of burning and mowing on vegetation of Padre Island, 23:273–278
Drawe, D. Lynn, see Cohen, Will E., —
Drawe, D. Lynn, see Hansmire, Julie A., —
Drawe, D. Lynn, see Scifres, Charles J., —
Drechslera, 24:367, 27:20
australiensis, 27:18
biseptata, 27:18
ravenelii, 27:18
rostrata, 27:18
Drenner, Ray W., Gary L. Vinyard, W. John O'Brien, James R. Triplett, and Jan Wagner, The zooplankton community of Lacygne Lake: a cooling pond in Kansas, 26:243–249
Drepadinium, 3:194, 3:195
Drepanidotaenia lanceolata, 29:458
Drepanotrema
cultratum, 5:147, 5:156
kermatoide, 24:688
Drew, William A., see Bottrell, Dale G., —
Drew, William A., see Schaefer, Kurt F., —
Drexelia directa, 21:43
Dromogomphus
spinosus, 2:2, 2:13, 4:131
spoliatus, 2:2, 2:13
Dronen, Norman O., Jr., Harold T. Underwood, and Louise A. Rubec, Seasonal fluctuations in the population density of *Alloglossidium corti* (Digenea: Macroderoididae) in channel catfish from the Little Brazos River, Texas, 27:73–78
Dronen, Norman O., Jr., see Ingham, Russell E., —
Dronen, Norman O., Jr., see Underwood, Harold T., —
Drosera, 10:244
Drosophila, 5:89, 14:293, 14:366, 23:303, 23:535, 25:541, 27:260, 31:381, 32:494, 33:362, 36:153
alagitans, 27:362
azteca, 27:362
buskii, 32:491, 32:493
cuauhtemoci, 27:362
falleni, 5:160–163
immigrans, 27:362
magnaquinaria, 5:164
melanogaster, 20:31, 24:204–205, 27:319, 30:2, 33:447, 33:448
mettleri, 27:315–320, 33:363
nebulosa, 25:479
nigrospiracula, 27:315–320, 33:363
pseudoobscura, 25:479–483, 27:319, 27:361–364, 33:445–449
recens, 5:160–163
rellima, 5:160–163
simulans, 24:204–205, 27:319, 33:448
subobscura, 33:447
subquinaria, 5:160–163
transversa, 5:160–163
tripunctata, 27:362
willistoni, 27:319, 27:362, 30:41
Drosophilidae, 4:83–87, 5:89–91, 5:160–164, 32:491
Drought on a grassland in the northern Rolling Plains of Texas, effects of, R. K. Heitschmidt and R. D. Schultz, 30:319–320
Dryadophis melanolomus, 11:130, 11:131, 35:278
Dryas octopetala, 20:432
Drymarchon corais, 8:222, 16:229, 25:118, 25:120, 34:171, 35:278
Drymaria, 17:181
holosteoidee, 20:257
molluginea, 35:71
Drymobius
chloroticus, 31:250
margaretiferus, 16:229
margaritiferus, 5:79, 14:130, 31:250, 34:171, 35:278
melanotropis, 31:249–250
Dryocopus
lineatus, 4:69
pileatus, 17:148
Dryomys nitedula, 10:149
Dryopetalon runcinatum, 35:71
Dryophyllum tennesseense, 16:112

Dryopidae, 14:244, 24:197, 32:288, 32:289
Dryopoidea, 30:53–57
Dryopteris normalis, 12:347
Dubach, Jean, Pinna tissue, a source of allozymic information, 31:419–420
Dubiraphia, 8:114, 23:140, 32:289
brevipennis, 24:196
browni, 24:196
brunnescens, 24:196
minima, 24:196
parva, 24:196
quadrinotata, 24:196
vittata, 14:238, 14:243
Dublachionaspis litorallis, 18:435
Dudley, Doni, Agonistic encounter between a bobcat and two gray foxes, 21:413
Duerre, Doug, see Knight, R. Alec, —
Dugesia, 20:105, 28:190, 28:193
arizonensis, 25:469–472
dorotocephala, 19:387–392, 20:107, 24:141, 24:144, 24:146, 25:469–475
jenkinsae, 25:472
lugubris, 25:475
sanchezi, 25:472
tigrina, 14:237, 19:387–392, 24:141, 24:144–146, 25:140, 25:253, 25:381, 25:472, 25:473
Dugesiella, 16:124, 30:6
hentzi, 11:339
Duke, James, The effects of added weight on walking speeds in *Orconectes virilis* (Decapoda: Astacidae), 24:613–619
Duke, Stephen D., Gary C. Bateman, and Martha M. Bateman, Longevity record for *Myotis californicus*, 24:693
Dumetella carolinensis, 4:74, 4:80, 21:454, 22:369, 34:492
Duncan, Douglas K., and Troy E. Corman, Relative abundance of desert shrews (*Notiosorex crawfordi*) within the San Pedro Riparian National Conservation Area, Arizona, 36:119–121
Duncan, T. O., Freshwater sponges in Beaver Reservoir, Northwest Arkansas, 22:140
Dundee, Harold A., see Liner, Ernest A., —
Dunford, Max P., A statistical analysis of morphological variation in cytotypes of *Atriplex canescens* (Chenopodiaceae), 30:377–384
Dunford, Max P., Chromosome characteristics of Texas species of *Grindelia* (Compositae) and some interspecific hybrids, 16:131–142
Dunford, Max P., Cytotype distribution of *Atriplex canescens* (Chenopodiaceae) of southern New Mexico and adjacent Texas, 29:223–228
Dunhevedia crassa, 4:193
Dunlap, Donald G., and Kipp C. Kruse, Frogs of the *Rana pipiens* complex in the northern and central plains states, 20:559–571
Dunn, Steven C., see Rorabaugh, James C., —
Duplachionaspis, 15:307, 18:428
distchlii, 15:307
litoralis, 15:303, 15:305, 18:435
litorallis, 18:435
mackenzi, 18:435
mackenziei, 15:307, 15:308
spartinae, 15:303–307, 18:435
Dupratzia, 2:38
scoparia, 2:40
Duszynski, Donald W., see Mayberry, Lillian F., —
Dutra, 33:85
Duvall, David, see Graves, Brent M., —
Dwyer, Don D., see Pieper, Rex D., —
Dynamenopsis dianae, 36:353
Dynamics of pocket gopher distribution on the Edwards Plateau of Texas, Walter W. Dalquest and William Kilpatrick, 18:1–9
Dynamics of the spruce-fir forests on the Pinaleno Mountains, Graham Co., Arizona, Julie C. Stromberg and Duncan T. Patten, 36:37–48
Dyschirius perversus, 28:474
Dyschoriste decumbens, 23:296, 35:70
Dysderidae, 30:6
Dysnomia triquetra, 27:351
Dyssodia, 16:370
acerosa, 21:315, 23:296, 30:536, 35:65, 35:70
aurea, 3:219, 5:225, 27:30
belenidium, 5:226
gentryi, 3:219–220
greggii, 16:366
hartwegii, 5:225
mutica, 5:225–226
palmeri, 3:219
papposa, 23:129, 29:280
pentachaeta, 5:225, 10:259, 22:341, 23:296, 35:65, 35:70, 36:77
serratifolia, 16:366
tenuiloba, 5:225, 24:99
texana, 5:225
treculii, 5:225
Dyssodia *gentryi* M. C. Johnston (Compositae), new species, Marshall C. Johnston, 3:219–220
Dyssodia *mutica* M. C. Johnston (Compositae), new species, Marshall C. Johnston, 5:225–226
Dysticulus, 35:250
Dythemis
fugax, 2:8, 2:14
velox, 2:8, 2:15
Dytiscidae, 8:136, 12:372, 12:383, 12:388, 14:243, 15:99, 15:103, 19:109, 23:223, 23:555, 25:393, 25:394, 26:157, 26:158, 28:475, 30:445–448, 30:603, 31:341–344, 31:523, 32:288, 32:289, 35:253, 36:165
Dytiscus
dauricus, 30:485–490, 33:485–486
fasciventris, 30:485, 30:489
marginalis, 30:485, 30:489
verticalis, 30:485, 30:489

Eads, R. B., H. A. Treviño, and E. G. Campos, Ectoparasites of the spiny pocket mouse, Liomys irroratus texensis Merriam, 10:17–21
Eads, R. B., H. A. Trevino, and E. G. Campos, *Triatoma* (Hemiptera: Reduviidae) infected with *Trypanosoma cruzi* in South Texas wood rat dens, 8:38–42
Eagle-livestock relationships: livestock carcass census and wound characteristics, Robert W. Wiley and Eric G. Bolen, 16:151–169
Eakle, Wade L., see Grubb, Teryl G., —
Early secondary succession of a pinyon-juniper woodland in a northern Arizona powerline corridor, M. B. Hessing, C. D. Johnson, and R. P. Balda, 27:1–9
Earthworm from another Mexican cave, on a new species of, G. E. Gates, 15:267–269
East-Texas amphibians, range extensions for some, Howard McCarley and M. F. Cundiff, 10:311–312
Easterla, David A., Abnormal dentition of a gray fox, 13:362–364
Easterla, David A., and John Baccus, A collection of bats from the Fronteriza Mountains, Coahuila, Mexico, 17:424–427
Easterla, David A., and Larry C. Watkins, An aberrant evening bat, 13:447–448
Easterla, David A., and Roland H. Wauer, Bronzed cowbird in West Texas and two bill abnormalities, 17:293–295
Easterla, David A., First records of *Blarina brevicauda minima* in Missouri and Arkansas, 13:448–449
Easterla, David A., Giant desert centipede preys upon snake, 20:411
Easterla, David A., Hispid cotton rat north of the Missouri River, 13:364–365
Easterla, David A., Range extension of the southern bog lemming in Arkansas, 13:364
Easterla, David A., Status of *Leptonycteris nivalis* (Phyllostomatidae) in Big Bend National Park, Texas, 17:287–292
Easterla, David A., The red bat in Big Bend National Park, Texas?, 20:418–420

Easterla, David A., see Whitaker, John O., Jr., —
Eastern big-eared bat (*Plecotus rafinesquii*) in eastern Texas, recent records of the, Jeffrey G. Schultz, Charles D. Fisher, and Steven Hightower, 20:144–145
Eastern collared lizard, *Crotaphytus collaris collaris* (Sauria: Iguanidae) feeding on *Sigmodon hispidus* (Rodentia: Cricetidae), an instance of the, Chris T. McAllister and Stanley E. Trauth, 27:358–359
Eastern harvest mouse and southeastern shrew in Arkansas, new marginal records for the, John A. Sealander, 22:148–149
Eastern harvest mouse, *Reithrodontomys humulis*, in Arkansas, Renn Tumlison, V. Rick McDaniel, and Daniel R. England, 33:105–106
Eastern harvest mouse, Reithrodontomys humulis, in Oklahoma, the, J. Knox Jones, Jr., and Sydney Anderson, 4: 153–154
Eastern summer tanager in New Mexico, John P. Hubbard, 20:420–421
Eatonella congdonii, 18:306
Ebenaceae, 2:166, 18:431, 18:439, 24:387–389
Eberhardt, Lester E., and Homer C. Pickens, Homing in mule deer, 24: 705–706
Eberle, Mark E., see Wenke, Thomas L., —
Ebinger, John E., and David S. Seigler, A new species of ant-acacia (Fabaceae) from Mexico, 32:245–249
Ebinger, John E., see Seigler, David S., —
Ebo, 30:11, 34:350
  albocaudatus, 30:5
  latithorax, 11:347, 11:370
  pepinensis, 11:345, 11:348, 15:323, 20: 60
  punctatus, 30:5, 30:11
Eburia mutica, 27:24
Ecclisomyia, 25:27
  conspersa, 31:440
  maculosa, 31:440
Eccremocactus bradei, 30:78
Echeandia
  altipratensis, 33:382
  campechiana, 33:382
  chiapensis, 33:382, 33:383
  gracilis, 33:382, 33:383
  leptophylla, 27:30, 33:382–384
  longipedicellata, 33:382
  luteola, 33:382
  matudae, 33:382
  mexicana, 33:382, 33:383
  nana, 33:382–384
  terniflora, 33:382, 33:383
Echelle, A. A., see Rutherford, D. Allen, —
Echelle, Alice F., and Anthony A. Echelle, Geographic variation in morphology of a spring-dwelling desert fish, *Gambusia nobilis* (Poeciliidae), 31: 459–468
Echelle, Alice F., see Echelle, Anthony A., —
Echelle, Anthony A., Alice F. Echelle, and D. Allen Rutherford, Polygonal breeding territories in a natural population (Pisces: Cyprinodontidae: *Cyprinodon*), 35:338–340
Echelle, Anthony A., Alice F. Echelle, and Frank B. Cross, First records of *Cyprinodon rubrofluviatilis* (Cyprinodontidae) from the Colorado and Arkansas river systems, Texas, 22: 142–143
Echelle, Anthony A., and Robert Rush Miller, Rediscovery and redescription of the Leon Springs pupfish, *Cyprinodon bovinus*, from Pecos County, Texas, 19:179–190
Echelle, Anthony A., Clark Hubbs, and Alice F. Echelle, Developmental rates and tolerances of the Red River pupfish, *Cyprinodon rubrofluviatilis*, 17:55–60
Echelle, Anthony A., Food habits of young-of-year longnose gar in Lake Texoma, Oklahoma, 13:45–50
Echelle, Anthony A., Stan Wilson, and Loren G. Hill, The effects of four temperature-daylength combinations on ovogenesis in the Red River pupfish, *Cyprinodon rubrofluviatilis* (Cyprinodontidae), 18:229–239
Echelle, Anthony A., see Echelle, Alice F., —
Echelle, Anthony A., see Miller, Robert Rush, —
Echelle, Anthony A., see Wagner, Bruce A., —
Echelle, Mrs. Anthony A., see Fitch, Henry S., —
Echeneis, 35:206
Echinacea
  angustifolia, 14:342, 17:6, 17:8
  pallida, 4:50, 4:59, 7:170, 12:139, 14: 331, 32:35
Echiniscus
  bisetosus, 35:302
  blumi, 35:302, 35:303
  canadensis, 35:303
  granulatus, 35:302
  kerguelensis, 17:21–23, 17:28
  siegristi, 17:21
  suillus, 17:21
  wendti, 35:302, 35:303
Echinocactus, 18:193, 22:227, 25:105, 25: 193, 26:207, 26:397, 31:173
  grusonii, 30:78
  horizonthalonious, 28:115, 28:116
  horizonthalonius, 10:259, 22:341, 23: 296, 25:362, 26:87, 26:205
  polycephalus, 12:185, 22:62, 26:264, 26: 265, 26:283
  texensis, 25:364, 26:440, 30:536, 33:357, 34:161
  uncinatus, 10:259
  virescens, 32:493
Echinocereus, 2:165, 3:30, 22:346, 23:299, 23:475, 23:481, 24:130, 25:364, 25: 365, 26:265, 36:305
  chloranthus, 16:10, 34:161, 34:162
  dasyacanthus, 10:257, 10:259, 34:161
  davisii, 34:162
  engelmannii, 12:121, 17:175, 17:178, 23:674
  enneacanthus, 22:340, 22:341, 23:296, 30:399, 30:400, 30:536, 30:537, 30: 540, 34:161, 36:215
  fendleri, 17:423, 21:315, 26:205, 35:67, 35:71
  gonacanthus, 1:64, 26:205, 26:206
  horizonthalonius, 21:315
  huitcholensis, 30:78
  lloydii, 34:161
  morricalii, 30:78
  pectinatus, 21:315, 23:296, 26:87, 34: 161, 35:71
  reichenbackii, 4:58
  russanthus, 34:161, 34:162
  stramineus, 10:259, 16:10, 34:160, 34: 161
  triglochiadiatus, 16:15
  triglochidiatus, 20:56, 21:315, 23:296, 26:205, 26:206, 28:83, 28:115, 28: 116, 28:120, 30:389, 34:162, 35:65, 35:71
  troglochidiatus, 22:341
  viridiflorus, 34:160, 34:162
Echinochloa, 14:173, 15:409
  colonum, 5:8, 7:170, 23:505, 25:322
  crus-galli, 12:71
  crusgalli, 2:158, 7:170, 14:178, 14:181, 14:183, 27:462, 28:255, 24:375, 30: 606, 31:495, 31:497, 33:175, 33:374
  crusgallii, 15:409
  cruspavonis, 33:172, 33:175
  crusqalli, 24:374
  holciformis, 12:72, 33:175
Echinochola crusgalli, 14:179
Echinocystis, 8:7
  lobata, 30:339
Echinodontiaceae, 19:353
Echinodontium tinctorium, 19:353
Echinodorus, 15:409
  berteroi, 15:409
  rostratos, 24:305
  rostratus, 24:304, 25:399
Echinonyssus
  incomptis, 35:111–113
  perognathi, 35:111–113
Echinopepon wrightii, 35:71
Echinopsis

bridgesii, 30:78
leucantha, 30:78
multiplex, 30:78
obrepanda, 30:78
turbinata, 30:78
Echinosteliaceae, 10:223, 23:690
Echinostelium, 9:159
cribrarioides, 9:155, 9:160, 23:690
elachiston, 9:155, 9:157, 10:221, 10:223
minutum, 9:160, 10:223, 23:690
Echinostoma revolutum, 29:458, 32:85, 32: 87–90
Echinostroma lindoensis, 22:280
Echisthenes hartii, 12:195
Echlin, R. Douglas, see Reid, William H., —
Echnidnophaga gallinacea, 31:135
Eciton
gracellae, 31:256, 31:257
minus, 28:138
pilosum, 28:138
spoliatus, 28:138
Ecitoninae, 30:611–612, 31:256–259, 31: 274–276
Eckert, Robert, see Yeaton, Richard I., —
Eclipta, 16:373
alba, 2:169
Ecogenetic patterns of four shrub species in semi-arid communities of Northwest Colorado, William L. Slauson and Richard T. Ward, 31:319–329
Ecogeographic analysis of the herpetofauna of Texas, an, James G. Owen and James R. Dixon, 34:165–180
Ecologic observations on *Pinus ponderosa* Laws. (Pinaceae) at its easternmost extension in South Dakota, G. R. Hoffman and R. L. Timken, 14:327–336
Ecological and reproductive differentiation in the cryptic species of the *Hyla versicolor* complex (Hylidae), Dennis B. Ralin, 13:283–300
Ecological distribution of birds of the Chisos Mountains, Texas, Roland H. Wauer, 16:1–29
Ecological distribution of cholla cactus (*Opuntia imbricata* (Haw.) DC.) in El Paso County, Colorado, the, Thomas B. Kinraide, 23:117–133
Ecological distribution of rodents on the High Plains of eastern Wyoming, Marvin H. Maxwell and Larry N. Brown, 13:143–158
Ecological distribution of small mammals in the upper Williams Fork Basin, Grand County, Colorado, David M. Armstrong, 22:289–304
Ecological distribution of the genus *Peromyscus*, Don E. Wilson, 13:267–274
Ecological distribution of the subspecies of *Ammospermophilus leucurus* in Colorado, Clarence J. McCoy, Jr., and Pat H. Miller, 9:89–93
Ecological distribution of tiger beetles (Coleoptera: Cicindelidae) in Colfax County, New Mexico, C. Barry Knisley, 29:93–104
Ecological effects of lotus on submersed vegetation in southern Texas, some, Eric G. Bolen, James W. Bennett, and Clarence Cottam, 20:205–214
Ecological notes on some common lizards of southern Mexico and Central America, Henry S. Fitch, Alice V. Fitch (Mrs. Anthony A. Echelle), and Chester W. Fitch, 15:397–399
Ecological notes on two Mexican skinks (genus *Eumeces*), Thomas R. Van Devender and Wayne Van Devender, 20:279–282
Ecological observations on *Urnatella gracilis* Leidy, some, Jack D. McCullough and Betsy Smith, 20: 171–176
Ecological relationships of blue and green-winged teal on the High Plains of Texas in early fall, Joe D. Rollo and Eric G. Bolen, 14:171–188
Ecological studies of muscovy ducks in Mexico, Emilio Rangel Woodyard and Eric G. Bolen, 29:453–461
Ecological study of Merriam's pocket mouse in southeastern Texas, an, Brian R. Chapman and Robert L. Packard, 19:281–291
Ecological survey of a disturbed, naturally acid stream, an, Donald W. Geagan, 8:127–141
Ecology and early life history of largemouth bass and bluegill in Imperial Reservoir, Arizona, Ronald O. Weaver and Charles D. Ziebell, 21: 151–160
Ecology and management of the tortoise *Gopherus berlandieri* at Laguna Atascosa, Texas, aspects of the, R. Bruce Bury and Elizabeth L. Smith, 31:387–394
Ecology and reproduction of the leopard lizard, *Gambelia wislizenii* (Iguanidae), in southeastern Arizona, observations on the, Joseph C. Mitchell, 29:509–511
Ecology and status of the Pecos gambusia, *Gambusia nobilis* (Poeciliidae), in New Mexico, James C. Bednarz, 24: 311–322
Ecology of a population of *Eumeces obsoletus* (Scincidae) in New Mexico, notes on the, Scott C. Belfit and Victoria F. Belfit, 30:612–614
Ecology of *Abronia angustifolia* Greene (Nyctaginaceae) I. Phenology and perennation, the, Christopher L. Royce and G. L. Cunningham, 27: 413–423
Ecology of fishes in Redfield Canyon, Arizona, with emphasis on *Gila robusta intermedia*, J. S. Griffith and T. R. Tiersch, 34:131–134
Ecology of heterotrophic aerobic bacteria of playa lakes and microcosms, Robert W. Gorden and Lucy B. Hill, 15:419–428
Ecology of late Pleistocene and Recent *Microtus* from south-central and south-western New Mexico, the, Richard A. Smartt, 22:1–19
Ecology of raiding behavior in the western slave-making ant *Polyergus breviceps* (Formicidae), Howard Topoff, Brent LaMon, Linda Goodloe, and Myrna Goldstein, 30:259–267
Ecology of small mammals on two isolated buttes in Canyonlands National Park Utah, David W. Johnson, 26:395–407
Ecology of the hitch, *Lavinia exilicauda* (Cyprinidae), a persistent native cyprinid in Clear Lake, California, aspects of the, R. Eugene Geary and Peter B. Moyle, 25:385–390
Ecology of the kinosternid turtles of Oklahoma, comparative, I. Y. Mahmoud, 14:31–66
Ecology of the summer population of Cladocera, Copepoda, and Rotatoria of Fish Lake, Utah, Terence D. Parr, 12:55–69
Ecotophylla alba, 29:512
Ectocyclops phaleratus, 4:193, 14:324, 15: 103, 15:105, 21:465
Ectoparasites (Cimididae and Hippoboscidae) from the turkey vulture in Texas, noteworthy records of two, Nixon Wilson and George V. Oliver, Jr., 23:305–307
Ectoparasites of bats from Big Bend National Park, Texas, John O. Whitaker, Jr., and David A. Easterla, 20:241–254
Ectoparasites of *Dipodomys elator* from north-central Texas with some data from sympatric *Chaetodipus hispidus* and *Perognathus flavus*, Howard H. Thomas, John O. Whitaker, Jr., and Troy L. Best, 35:111–114
Ectoparasites of *Peromyscus maniculatus* in Texas Co., Oklahoma, the, Richard L. Wyman and Kurt Schaefer, 16:435–436
Ectoparasites of *Sorex saussurei* (Saussure's shrew) from Michoacan, Mexico, John O. Whitaker, Jr., John I. Glendinning, and William J. Wrenn, 36:114–115
Ectoparasites of the spiny pocket mouse,

Liomys irroratus texensis Merriam, R. B. Eads, H. A. Treviño, and E. G. Campos, 10:17–21
Ectoparasites on bats in West Texas.–Insecta, new records of, John E. George and R. W. Strandtmann, 5: 228–229
Ectophylla alba, 29:514
Ectopic lung fluke, Barry Jacobs and E. O. Morrison, 11:412
Ecyrus
arcuatus, 27:23
texanus, 27:23
Edaphic factors and the perennial plant community of a Sonoran Desert bajada, Laura J. Key, Lynda F. Delph, Daniel B. Thompson, and Erik P. Van Hoogenstyn, 29:211–222
Edmonds, Vaughan W., and Daniel S. Fertig, Longevity of the pocket mouse, *Perognathus longimembris*, 17:300–301
Edrotes, 18:311
ventricosus, 18:308, 18:311, 28:476
Edwards, Ernest P., A field guide to the birds of Mexico (rev.), 17:313
Edwards, Robert J., and Salvador Contreras-Balderas, Historical changes in the ichthyofauna of the lower Rio Grande (Río Bravo del Norte), Texas and Mexico, 36:201–212
Edwards, Robert J., see Hubbs, Clark, —
Edwards, Robert J., see Pezold, Frank L., —
Edwards, Thomas C., see Stacey, Peter B., —
Egeria densa, 34:290
Egg and young guarding by a Mexican cave-dwelling harvestman, *Hoplobunus boneti* (Arachnida), Robert W. Mitchell, 15:392–394
Egg clutches of the Ouachita dusky salamander, *Desmognathus brimleyorum* (Caudata: Plethodontidae), collected in Arkansas during a summer drought, Stanley E. Trauth, 33:234–236
Egg production by laboratory-cultured Anostraca, Carl W. Prophet, 8:32–37
Egg production of *Streptocephalus seali* Ryder, with notes on the distinctions between certain North American streptocephalids, Felix A. Gaudin, 5:61–65
Egg sac construction and oviposition of the green lynx spider, *Peucetia viridans* (Oxyopidae), Willard H. Whitcomb, 7:198–201
Eggler, Willis A., and Walter G. Moore, The vegetation of Lake Chicot, Louisiana, after eighteen years impoundment, 6:175–183
Eggs, larvae, and early juveniles of the stripped darter, *Etheostoma punctulatum* (Agassiz), from a tributary of the Osage River, Missouri, description of, Thomas P. Simon and Nancy J. Garcia, 35:123–129
Eggs of the gray-bellied salamander, *Eurycea multiplicata griseogaster*, notes on the, James R. Spotila and Patrick H. Ireland, 14:366–368
Eggshell thinning and contaminant levels in bald eagle eggs from Arizona, 1977 to 1985, Teryl G. Grubb, Stanley N. Wiemeyer, and Lloyd F. Kiff, 35:298–301
Egoscue, H. J., Gray fox records from western Utah, 11:143–144
Egoscue, H. J., The kit fox in southwestern Colorado, 9:40
Egoscue, Harold J., Abnormal juvenile pelages and estivation in the Utah prairie dog, *Cynomys parvidens*, 20: 139–142
Egoscue, Harold J., Description of a newborn kit fox, 11:501–502
Egretta thula, 20:282, 26:37
Eguiarte, Luis, and Alberto Búrquez, Reproductive ecology of *Manfreda brachystachya*, an iteroparous species of Agavaceae, 32:169–178
Eguiarte, Luis E., see Martinez del Rio, Carlos, —
Ehretia
anacua, 10:8, 22:280, 24:689, 26:291, 26:303, 26:304, 30:398–400, 31:260, 36:215
elliptica, 10:8
Ehrhart, Richard L., and Richard N. Conner, Habitat selection by the northern cardinal in three eastern Texas forest stands, 31:191–199
Ehrharta longifolia, 4:120
Eichhornia crassipes, 6:182, 23:548, 33: 170, 33:173, 33:175, 34:290, 35:206
Eichornia, 24:411
Eickmeier, William G., and Michael S. Adams, Gas exchange in *Agave lechuguilla* Torr. (Agavaceae) and its ecological implications, 23:473–485
Eickmeier, William G., Physiological effects of transplantation on the desiccation-tolerant pteridophyte *Selaginella lepidophylla* (Selaginellaceae) in Big Bend National Park, 33:287–294
Eimeriidae, 25:125–126
Einhellig, Frank A., see Rasmussen, James A., —
Eisenia foetida, 10:23
Eiseniella tetraedra, 21:71–77
Ekisola, O. F., see Hill, B. H., —
Elachistocleis ovale, 11:130
Elaeagnus
angustifolia, 19:432, 28:251–254, 28: 258, 28:336, 36:218
pungens, 14:415
Elaegnus angustifolia, 28:87
Elaenia viridicata, 4:74
Elakatothrix, 25:420
gelatinosa, 23:440
Elakothrix americana, 20:47, 20:48
Elaktothrix gelatinosa, 22:310
Elaphe, 7:270, 22:193, 33:379, 33:476, 34:15
bairdi, 33:380
climacophora, 27:230
flaviruca, 16:229
guttata, 1:182, 3:33, 3:48, 5:227, 10: 143, 16:229, 17:208–209, 19:194, 19: 196, 27:163, 28:105–107, 33:380, 33: 477
laeta, 17:208, 17:209
obsoleta, 1:182, 3:31, 3:33, 3:48, 9:85, 10:170, 11:137, 16:16, 19:194, 21: 403, 22:147–148, 22:276, 22:523, 23: 18, 24:701–703, 26:70–71, 28:69, 29: 450, 29:451, 31:260, 33:380, 33:477, 35:474, 36:171, 36:172, 36:174–176
subocularis, 3:33, 3:48, 4:95, 4:103, 4: 107, 8:51, 10:167–178, 16:11, 19:194, 27:163, 31:111, 31:118–121, 33:380
triaspis, 16:229
vulpina, 22:188, 33:477
Elaphe guttata (Serpentes: Colubridae), in central and northwestern Louisiana, the status of, Donald E. Hahn, Theron E. Magers, and John W. Goertz, 17:208–209
Elapidae, 22:517, 33:488
Elassoma zonatum, 1:18, 2:96, 8:134, 8: 137, 16:288, 16:290, 22:544, 32:522, 35:346, 35:347
Elassomatidae, 35:346
Elateridae, 13:286, 13:287, 20:7, 24:607, 24:609, 28:101, 28:475, 28:478, 29: 503, 30:603, 32:396, 32:418, 32:420, 32:422
Elatinaceae, 15:414
Elder, Frederick F. B., see Best, Troy L., —
Electrophoretic and morphologic comparisons of *Sylvilagus floridanus* and *S. audubonii* in Texas, Kim T. Scribner and Robert J. Warren, 31:65–71
Eleocharis, 4:159, 4:186, 6:113, 6:114, 6: 122, 6:130, 6:132–135, 8:70, 14:173, 14:186, 15:410, 23:52, 24:314, 25: 399, 25:401–403, 25:405, 27:34, 27: 35, 27:462, 31:495–497, 31:499, 36: 122
aspersum, 6:133
austrotexana, 9:312–313
calva, 2:159
caribaea, 13:122
cellulosa, 20:217, 28:313

compressa, 4:56, 18:241, 18:242, 24:434, 33:67, 33:68
cylindrica, 9:313, 9:317, 10:144
lanceolata, 9:109
macrostachya, 2:159, 6:112, 14:181, 15:410, 24:434
montana, 9:312, 9:313
montevidensis, 9:109, 9:313, 15:410, 23:505, 25:315, 27:226, 33:170, 33:175
nodulosa, 9:312, 9:313
obtusa, 22:36, 22:41–43, 23:505, 25:315
palustris, 9:312
parvula, 8:58
pauciflora, 21:404
quadrangulata, 11:414
ravenelii, 9:312
revenchonii, 15:410
rostellata, 20:217, 28:313
tricostata, 9:313
Eleocharis austrotexana M. C. Johnston (Cyperaceae), sp. nov., Marshall C. Johnston, 9:312–313
Eleocharis cylindrica Buckley (Cyperaceae) in the Sierra Vieja, Presidio County, Texas, the second known precise locality, Marshall C. Johnston, 10:144
Eleocharis cylindrica Buckley (Cyperaceae), precise locality for, Marshall C. Johnston, 9:317
Eleocharis montevidensis Kunth and *E. lanceolata* Fern. (Cyperaceae) in Kansas, Larry J. Harms, 9:109
Eleocharis quadrangulata var. crassior, Rhyncospora harveyl, and Scleria ciliata (Cyperaceae) in Kansas, Ronald L. McGregor, Larry Harms, and Aleta Petrik, 11:414
Eleochris, 23:198
calva, 12:381
Eleodes, 12:237, 16:341–355, 18:310, 21:51, 27:305, 27:308, 32:386
acuticauda, 16:349, 16:352, 16:353
armata, 18:308, 18:311, 28:477
brunnipes, 34:327
carbonarius, 26:430, 27:306, 27:307
caudiferus, 27:306, 27:307
constrictus, 34:319, 34:320, 34:322–327
escholtzii, 12:270
extricatus, 27:306, 27:307, 34:319, 34:320, 34:322–327
fusiformis, 30:149, 30:150
gracilis, 16:341–355, 27:307
grandicollis, 16:341–355, 28:477
hispilabris, 27:306, 27:307
letcheri, 16:346
longicollis, 26:430, 27:306, 27:307
longipilosa, 28:477
nigrinus, 34:319, 34:320, 34:322, 34:323, 34:325–327
obscura, 28:477
opaca, 30:150
pimelioides, 34:319, 34:320, 34:322, 34:323, 34:325–327
quadricollis, 18:308
sponsus, 27:307
suturalis, 30:150
tenuipes, 27:307
Eleofimbris, 33:110–112
svensonii, 33:110
Eleotridae, 28:104, 32:226, 32:232, 35:45
Eleotris picta, 32:227, 32:232, 35:45
Elephantidae, 32:189
Elephantopus
mollis, 16:366
scaber, 16:366
tomentosus, 22:137, 12:347
Elephas
columbi, 12:11, 21:14, 22:256, 22:259
haroldcooki, 12:11, 22:258
imperator, 12:3, 12:10, 12:11
jeffersoni, 12:11
Eleusine
indica, 23:505, 25:322
procera, 11:384
Eleuteria, 3:195
Eleutheranthera, 9:27, 9:37, 16:373
milia, 16:373
ruderalis, 9:31
Eleutherodactylus
alfredi, 23:685
augusti, 3:17, 3:18, 3:26, 16:228
autusti, 3:18
coqui, 35:359, 35:361
decotatus, 16:228
latrans, 4:106, 5:77, 5:79, 5:85, 10:78
rhodophis, 23:685
rhodopis, 35:277
rugulosus, 14:130, 35:277
Eleutherodactylus latrans in Terrell County, Trans-Pecos Texas, James F. Scudday, 10:78
Elevational record for *Euderma maculatum* (Chiroptera: Vespertilionidae), Robert P. Reynolds, 26:91–92
Eley, Rex L., James C. Randolph, and Rudolph J. Miller, Current status of the leopard darter, *Percina pantherina*, 20:343–354
Elf owl in the southwestern United States, current status of the, Jon C. Barlow and Roy Johnson, 12:331–332
Elgaria, 15:37, 15:39, 15:42, 15:43
Elias, Donald J., John K. Crier, and Howard P. Tietjen, A technique for capturing prairie dogs, 18:473–474
Elias, Scott A., Paleoenvironmental significance of late Quaternary insect fossils from packrat middens in south-central New Mexico, 32:383–390
Eliomys quircinus, 10:149
Elionurus barbiculmis, 35:74
Elipsocus westwoodi, 22:28
Elk populations within Guadalupe Mountains National Park, Texas, continued decline of, Susan McAlpine, 35:362–363
Elkins, Ned Z., and Walter G. Whitford, The effects of high salt concentration on desert soil microarthropod density and diversity, 29:239–241
Eller, Roy, and R. W. Strandtmann, Notes on Teneriffiidae (Acarina: Prostigmata), 8:23–31
Elliptio dilatatus, 27:350
Ellis, Dalton, and Joseph L. Schuster, Juniper age and distribution on an isolated butte in Garza County, Texas, 13:343–348
Ellis, David H., and Gale Monson, A historical review of peregrine falcon breeding and summering records for Arizona and the Navajo Indian Reservation, 34:565–569
Ellis, L. Scott, see Hoffmeister, Donald F., —
Ellisia nyctelea, 12:139
Ellison, William L., A comparative study of *Picradeniopsis oppositifolia* and *P. woodhousei* (Compositae) in northeastern New Mexico and the Oklahoma Panhandle, 11:456–466
Ellychnia californica, 30:603
Elmidae, 8:111–114, 8:136, 24:196, 25:250, 25:548, 30:53–57, 32:288, 32:289, 33:199–203, 34:253
Elmoparnus mexicanus, 24:197
Elmyus canadensis, 25:326, 35:85
Elochoris, 27:461
Elodea, 4:4, 12:214
densa, 6:182
occidentalis, 21:380, 21:381
Elophila, 23:555
Elopidae, 32:226, 32:228
Elops
affinis, 30:184, 32:228
saurus, 2:95, 32:228, 34:340, 36:205
Elsianus, 1:152
clypeatus, 24:196
shoemakei, 24:196
texanus, 8:113, 24:196, 25:141, 25:147, 25:250, 25:381, 25:383
zamus, 24:196
Elvirea, 10:266
Elymus, 18:445, 18:446, 36:305
arizonicus, 30:389
canadensis, 2:158, 4:56, 4:117, 10:52, 12:137, 12:139, 12:143, 13:86, 13:385, 13:386, 19:162, 24:240, 24:551, 25:210, 25:404, 28:255, 30:337, 30:339, 32:35, 34:442
interruptus, 8:189
macounii, 22:389
trachycaulus, 34:442
triticoides, 12:80
virginicus, 4:117, 7:170, 8:188, 13:385, 13:386, 18:444, 25:207, 25:211, 25:212
Elyonurus
barbiculmis, 30:391
tripsacoides, 5:8, 33:333, 35:388, 35:390

Elytroleptus rufipennis, 10:14
Emarginea, 29:435
Emballonuridae, 22:403, 30:322–323, 34: 417, 35:241
Embaphion, 18:311, 27:305
contractum, 12:270
contusum, 12:270
planum, 27:306, 27:307
Emberizidae, 33:373–375
Emcelia farinosa, 31:474
Emended description of the monotypic genus *Bartlettia* A. Gray (Senecioneae) with distributional notes, an, A. Michael Powell, 8:117–120
Emergence production and export of aquatic insects from a tallgrass prairie stream, Lawrence J. Gray, 34: 313–318
Emerita
analoga, 20:481, 20:485
rathbunae, 20:481, 20:482, 20:484, 20: 485
talpoida, 20:481, 20:483
Emery, Wm. H. P., Current status of Texas wild rice (*Zizania texana* Hitchc.), 22:393–394
Emery, Wm. H. P., The decline and threatened extinction of Texas wild rice (*Zizania texana* Hitchc.), 12: 203–204
Emilia, 9:39
coccinea, 9:34
sonchifolia, 9:34
Emmel, Thomas C., A new mimetic assemblage of lycid and cerambycid beetles in central Chiapas, Mexico, 10:14–16
Emmel, Thomas E., An introduction to ecology and population biology (rev.), 19:121–122
Emorya, 8:210–212
suaveolens, 8:210, 9:206, 13:137–142
Emorya (Loganiaceae) a member of the Texas flora?, Arthur L. Youngman, 8:210–212
Emorya (Loganiaceae), notes on, Eliane M. Norman and Raymond J. Moore, 13:137–142
Emorya suaveolens in western Texas, verification of occurrence of, Barton H. Warnock, 9:206
Empetrichthys
latos, 9:249, 23:519
merriami, 30:475, 30:481
Empetrichythys, 25:489
Empherozoster antaeus, 12:263, 12:271
Empididae, 25:27, 25:141, 25:251, 25:381, 34:480
Empidonax, 22:369, 22:371, 29:473
difficilis, 16:27, 18:199, 19:5, 25:561, 34:490, 34:491, 36:362
difficillis, 29:474
flaviventris, 4:73
oberholseri, 7:259, 18:195, 18:199, 19: 1, 19:5, 34:490
traillii, 16:20, 24:263, 24:572, 34:260, 34:262, 34:265, 34:267
wrightii, 18:195, 34:490
Emsoff, Ted M., see Dalquest, Walter W., —
Emydidae, 1:83–86, 8:89–99, 16:171–184, 22:400–401, 23:457–461, 24:189, 26: 199–200, 31:299–305
Emydoidea blandingii, 28:371, 32:517
Enallagma, 8:135, 23:554, 25:252, 27:39
antennatum, 2:11, 2:14, 2:16
aspersum, 2:11, 2:14
basidens, 2:11, 2:14, 4:132
carunculatum, 2:11, 2:14, 2:16
civile, 2:11, 2:14, 6:112, 6:124, 6:135, 8:57–84, 26:156
divagans, 2:11, 2:14, 4:132
dubium, 2:11, 2:14, 2:16
exsulans, 2:11, 2:14, 4:131
geminatum, 2:11, 2:14
laurenti, 2:12
piscinarum, 2:12
pollutum, 2:12
praevarum, 2:11, 2:14, 9:297–304
signatum, 2:11, 2:14, 4:132, 8:68, 8:74, 8:77, 8:80
traviatum, 2:11, 2:14
vesperum, 2:11, 2:14
Encelia, 18:119, 24:564, 34:523
adenophora, 16:377
exaristata, 16:378
farinosa, 11:397, 12:185, 15:116, 17:86, 17:174, 21:127, 21:392, 22:62, 23: 607, 23:673, 23:674, 26:261, 26:264, 26:265, 26:283, 27:404, 28:212, 28: 213, 29:213, 31:470, 32:21–25, 32: 27, 34:521, 36:94, 36:303–305
ferinosa, 23:607
frutescens, 12:233, 17:174
viscida, 10:36
Encelioides, 27:7
Enceliopsis, 18:117, 18:119
frutescens, 18:401
nudicaulis, 18:398, 18:401
nutans, 18:119, 18:122
Encephalitis, 35:26
Enchinochloa crusgalli, 14:182
Enchisthenes, 12:407, 12:423, 24:542
hartii, 12:416, 12:417, 12:420, 12:427, 13:361, 24:541
Enchodontid skull from the Austin Chalk (upper Cretaceous) of Dallas, Texas, an, Edward L. Willimon, 18:201–210
Enchodontidae, 18:201–210
Enchodus
amicrodus, 18:202
faujasi, 18:207
gladiolus, 18:207
lewesiensis, 18:207
marchesettii, 18:203, 18:204, 18:207
pertosus, 18:207
petrosus, 18:201–204, 18:207–209
saevus, 18:202
tetraecus, 18:202
Enchytraeidae, 14:237
Encinal mouse, *Peromyscus pectoralis*, for Oklahoma and additional records for north-central Texas, first record of the, C. William Kilpatrick and William Caire, 18:351
Encounter experience on the hunting behavior of the spider wasp, *Pepsis formosa* (Say) (Hymenoptera: Pompilidae), effects of, Fred Punzo and Brian Garman, 34:513–518
Endalus
aeratus, 10:10–13
celatus, 10:9–13
depressus, 6:65, 6:67
laticollis, 6:65, 6:67
pumilis, 10:9–12
Endalus Laporte in the limatulas-setosus group, with notes on Endalus celatus Burke (Coleoptera, Curculionidae), a new species of, Horace R. Burke, 10:9–13
Endangered fishes, *Cyprinodon nevadensis mionectes*, and *Rhinichthys osculus nevadensis*, from two springs in Ash Meadows, Nevada, status of two, Jack E. Williams and Donald W. Sada, 30:475–484
Endangered fishes in the Little Snake River, Colorado, occurrence of two, Edmund J. Wick, John A. Hawkins, and Thomas P. Nesler, 36:251–254
Endemic hummingbirds and madrones of Baja: are they mutually dependent?, Laura Arriaga, Ricardo Rodriquez-Estrella, and Alfredo Ortega-Rubio, 35:76–79
Enders, Frank, see Simon, David, —
Endochironomus, 23:139
Endodontidae, 5:152, 7:55, 9:104
Endohelminths of fishes from the upper San Marcos River, Texas, Harold T. Underwood and Norman O. Dronen, Jr., 29:377–385
Endohelminths of three species of *Oryzomys* (Rodentia: Cricetidae) from San Luis Potosí, Mexico, Harold T. Underwood, James G. Owen, and Mark D. Engstrom, 31:410–411
Endolithic algae on the Colorado Plateau of northern Arizona, distribution of, Robert A. Bell, Patrick V. Athey, and Milton R. Sommerfeld, 33:315–322
Endomycorrhizal (vesicular arbuscular) associations of some arid zone shrubs, Stephen E. Williams and Earl F. Aldon, 20:437–444
Endoparasite of *Holbrookia propinqua propinqua* (Iguanidae), an, Cynthia

Ruiz McKee and Steve Martinez, Jr., 26:75–76
Endoparasites of *Crotaphytus collaris collaris* (Sauria: Iguanidae) from Arkansas, Chris T. McAllister and Stanley E. Trauth, 30:363–370
Endophyllum decoloratum, 16:365
Enemocitrus, 18:436
Energy dynamics of vegetative and reproductive growth in Spanish bayonet (*Yucca baccata* Torr.), Deborah R. Wallen and John A. Ludwig, 23: 409–421
Enerthenema
berkeleyanum, 16:144
papillatum, 10:224
Engaeus, 36:131
leptorhyncus, 36:133
Engelhardia, 11:93, 11:95, 11:98, 11:100, 11:101
spicata, 11:94, 11:96
Engelmannia, 1:132
pinnatifida, 1:125–128, 2:169, 4:59, 25: 335, 26:6–8
England, Daniel R., see Tumlison, Renn, —
Engle, D. M., T. G. Bidwell, A. L. Ewing, and J. R. Williams, A technique for quantifying fire behavior in grassland fire ecology studies, 34:79–84
Englemannia pinnatifida, 10:35, 10:36
Englert, Duwayne C., First records of two species of harvest mice in Nicaragua, 4:152
Engraulidae, 32:226, 32:228
Engstrom, Mark D., and Alfred L. Gardner, Karyotype of *Marmosa canescens* (Marsupialia: Didelphidae): a mouse opossum with 22 chromosomes, 33:231–233
Engstrom, Mark D., Cheryl A. Schmidt, Juan Carlos Morales, and Robert C. Dowler, Records of mammals from Isla Cozumel, Quintana Roo, Mexico, 34:413–415
Engstrom, Mark D., see Choate, Jerry R., —
Engstrom, Mark D., see Jones, J. Knox, Jr., —
Engstrom, Mark D., see Underwood, Harold T., —
Engystomops pustulosus, 11:2
Enhydra lutris, 32:286–287
Enigmatic population of *Gambusia gaigei*, an, Clark Hubbs, Gerard Hoddenbach, and C. Mike Fleming, 31:121–123
Enmallagma civile, 12:372
Enneapogon, 4:119
desvauxi, 22:342
desvauxii, 21:315, 27:30, 32:191, 35:74
Enochrus, 26:157, 28:475
hamiltoni, 31:523
nebulosus, 14:238
ochraceus, 31:523
Enoclerus
quadrisignatus, 27:26
zonatus, 32:491, 32:494
Enoplognatha marmorata, 34:353
Enright, Michael J., see Kee, David T., —
Enterobacter
aerogenes, 23:393
cloacae, 23:393
Enterolobium cyclocarpum, 26:353, 32:363
Enteromorpha, 14:369
clathrata, 8:239
intestinalis, 8:239
prolifera, 11:197
Enteropogon, 4:118
Entodon
beyrichii, 24:214
macropodus, 28:240
seductrix, 5:44, 28:240
Entomobryidae, 12:263, 28:425, 29:239
Entomobryoides purpurascens, 12:263
Entomoneidaceae, 26:315
Entomoneis, 35:209
alata, 26:315
paludosa, 22:459, 26:315
Entomophaga grylli, 31:269
Entonyssidae, 5:106
Entonyssus, 5:106
Entophlyctis aurea, 12:314
Entoprocta, 12:203
Entosphenus, 20:414
Entosthodon, 3:123
Enulius flavitorques, 35:274, 35:278
Environment and hunting on body condition of nonbreeding gadwalls (*Anas strepera*, Anatidae) in southwestern Louisiana, effects of, Gary R. Gaston, 36:318–322
Environmental factors and microhabitats in rain forest of Tabasco, México, Laurence M. Hardy, 23:683–685
Environmental factors influencing semidesert grassland perennial grass demography, R. Gerald Wright and George M. Van Dyne, 21:259–273
Environmental modifications of leaf epidermis and morphological features in *Verbena canadensis*, G. K. Sharma, 17:221–228
Environmental structure on the burrow distribution of thirteen-lined ground squirrels, *Spermophilus tridecemlineatus* (Sciuridae), effects of, Geneva Biffle Murray and Bedford M. Vestal, 24:79–85
Enygrus, 12:444
Eocollis arcanus, 16:281, 16:293, 16:294
Eocyzicus
concavus, 12:383, 12:386, 12:396, 12: 398, 12:402, 18:476, 18:478, 18:479
digueti, 32:74
Eodrilus
albus, 15:267–269
mexicanus, 15:267–269
oxkutzcabensis, 15:267
vasliti, 15:267
Epactiochernes, 25:89, 25:90
Epargyreus clarus, 21:34
Epeira, 11:361
sericata, 11:365
Epeiridae, 11:360
Epeorus deceptivus, 25:26, 25:27
Eperigone, 30:3, 30:9
antraea, 12:260, 12:270
banksi, 30:119–121
eschatologica, 12:260
maculata, 11:367
tridentata, 30:121
Ephebomyrmex, 18:283
Ephedra, 1:190, 7:179, 13:86, 16:87, 19: 129, 22:284, 24:402, 24:627, 25:133, 25:134, 26:264, 26:265, 27:326, 27: 404, 29:205, 32:388, 33:370
antisiphilitica, 24:434, 24:435, 26:291, 30:399, 30:400, 35:80, 35:81
antisyphilitica, 36:215
aspera, 10:259, 22:342, 22:344, 22:346, 23:291, 23:296, 23:299, 24:130, 24: 135, 30:536, 30:538, 30:539, 33:108
californica, 18:306, 28:430,
funera, 17:335, 17:339
nevadensis, 9:58, 9:59, 12:233, 24:399–401, 24:405, 25:174, 26:261, 31:112, 36:305
torreyana, 1:53, 1:62, 16:452, 21:314, 30:564
trifurca, 1:66, 19:246, 19:247, 21:2, 21: 314, 21:315, 21:317, 22:342, 24:710, 25:130, 26:87, 28:417, 30:608, 33: 430, 33:434, 35:69, 36:55, 36:89
trifurcata, 30:613
viridis, 1:62, 14:404, 15:24, 16:347, 16: 432, 26:76, 26:397, 29:1
Ephedraceae, 22:342, 23:296, 35:69
Ephemerella, 28:34
coloradensis, 25:26
doddsi, 25:26
inermis, 28:130
invaria, 1:151
Ephemerellidae, 34:253
Ephemeridae, 31:17
Ephemeroporus acanthodes, 34:345, 34: 347, 34:348
Ephemeroptera, 23:167–168, 31:15–21, 31:396–398
Ephemerum
cohaerens, 5:43
crassinervum, 28:240
Ephippidae, 1:103
Ephorbia
albomarginata, 21:314
glyptosperma, 21:314
micromera, 21:314
serpyllifolia, 21:314
serrula, 21:314
setiloba, 21:314

Ephydra, 14:238, 21:353
salina, 24:197
Ephydridae, 6:86–91, 19:65, 19:70, 23:555, 24:197, 29:455
Epiaeschna heros, 2:3, 2:13
Epialtoides paradigmus, 11:140
Epialtus minimus, 11:140
Epiblema, 18:309
Epicampes, 34:61
Epicauta
alpina, 8:54
californica, 18:308
callosa, 8:54
immaculata, 8:54, 13:51
pennsylvanica, 13:51
sericans, 8:54
texana, 8:54
uniforma, 8:54
vitata, 13:51
Epicoccum, 27:19, 32:133
nigrum, 24:367, 27:18
Epicordulia, 14:224, 14:226
princeps, 2:4, 2:13, 4:132, 6:112
Epidermoptidae, 24:690
Epigean planarians (Turbellaria, Tricladida, Paludicola) of New Mexico, a survey of the, Clay M. Chandler and Julian T. Darlington, 19:387–394
Epilobium, 36:342
adenocaulon, 12:139
anagallidifolium, 20:431
angustifolium, 13:141, 20:431, 33:221, 33:223
brachycarpum, 34:442
canum, 35:73
ciliatum, 35:73
hornemannii, 20:431
lactiflorum, 20:431
latifolium, 20:425, 20:431
minutum, 28:290
ovatifolium, 18:369
Epinephelus
nigritus, 28:465, 36:206, 36:208
punctatus, 32:230
Epischura nevadensis, 26:82, 26:83
Epitedia wenmanni, 16:435
Epithelantha micromeris, 25:362, 25:364
Epithemia, 20:197, 20:203, 25:420
adnata, 24:152, 26:315, 28:247
argus, 26:315
sorex, 20:49, 20:201, 22:310, 22:414, 26:315
turgida, 20:201, 26:315
zebra, 20:405, 23:89, 23:90
Epithemiaceae, 10:40, 26:315, 28:247
Epitrix
fuscula, 8:55
hirtipennis, 8:55
Epizoic communities on the parasitic copepod *Lernaea carassii* (Lernaeidae), occurrence of, Kirk O. Winemiller and Barbara M. Winsborough, 35:206–210
Eptesicus
andinus, 11:245–274
argentinus, 11:255
brasiliensis, 11:245–274
chapmani, 11:258, 11:259
chiralensis, 11:246, 11:251, 11:252
chiriquinus, 11:251
diminutus, 11:271–273
dorianus, 11:245–274
fidelis, 11:271, 11:272
furinalis, 11:245–274, 16:450, 33:100, 35:152
fuscus, 1:194, 1:137, 4:61, 4:63, 4:138, 4:140, 4:141, 5:228, 6:194, 8:175, 9:43, 9:44, 10:311, 11:245–274, 11:309, 12:4, 12:163–171, 12:195, 12:478, 13:15, 13:361, 13:362, 13:445, 13:446, 14:358, 15:13, 15:18, 15:132, 15:133, 15:135, 15:261, 15:264, 15:395, 15:396, 15:452, 16:262–264, 17:104, 17:299, 17:357, 17:359–361, 17:424–426, 19:115, 20:145, 20:242, 20:245, 20:249, 20:250, 20:252, 20:499, 20:500, 21:14, 21:250, 21:251, 21:275, 21:277, 21:278, 21:324, 24:76, 25:124, 26:335, 28:409, 29:481, 30:374, 30:405, 30:407, 30:410, 30:411, 32:135, 32:136, 32:149, 33:494, 35:232, 35:342–343, 35:354, 35:355
gaumeri, 11:265
hilarii, 11:264
inca, 11:251
innoxius, 11:245–274
melanopterus, 11:264
montosus, 11:245–274
Equidae, 1:97, 13:1–12, 25:505, 25:512, 27:403–411
Equids, 22:540–543
Equisetaceae, 2:156, 20:427, 25:325, 35:69
Equisetum, 16:203, 19:115, 25:379, 35:194
arvense, 12:139, 12:142, 20:427, 26:417
hyemale, 2:156, 12:139, 12:142, 34:442
laevigatum, 19:160, 19:162, 25:325, 35:69
Equus, 21:10, 21:13, 22:11, 22:337, 24:231, 24:236, 26:276, 32:238, 32:239, 32:282, 36:180
achates, 22:255, 22:257, 22:263
asinus, 24:564, 27:403–411
burchelli, 27:408
caballus, 12:17, 12:160, 26:317, 27:403
cabalus, 30:437–441
calobatus, 12:4, 12:17, 12:19–23, 12:28, 22:255, 22:263–266
complicatus, 12:17, 21:15, 22:255, 22:257, 22:263–265
conversidens, 12:4, 12:17, 12:18, 12:21, 12:23–25, 12:27, 22:263, 22:265, 35:107
eurystylus, 25:506, 25:508, 25:510
excelsus, 22:265
francisci, 22:263
fraternus, 12:17, 21:15
giganteus, 22:255, 22:265, 22:266
hatcheri, 12:17
littoralis, 22:255, 22:257, 22:266
mesamexicanus, 18:257, 18:261, 18:2650267
niobrarensis, 12:4, 12:17–23
pacificus, 21:15, 22:255, 22:265, 22:266
pectinatus, 12:17
quagga, 27:404
scotti, 12:20, 12:21, 22:255, 22:264–266
semiplicatus, 12:20, 12:21, 22:263
tau, 22:255, 22:263, 22:266
zebra, 27:404
Eradication program on the ecological relationships of fishes in Leon Creek, Texas, results of an, Clark Hubbs, Thomas Lucier, Edie Marsh, Gary P. Garrett, Robert J. Edwards, and Elisabeth Milstead, 23:487–496
Eragostis intermedia, 32:111
Eragrostis, 2:125, 4:126, 25:69, 35:436
airoides, 22:139
arida, 12:85, 21:314
chloromelas, 26:251, 35:74
cilianensis, 2:158, 5:9, 11:391, 12:85, 21:314, 35:74
curtipedicellata, 21:314, 21:315
curtipendicellata, 2:158, 24:103
curvula, 2:158, 4:118, 5:9, 10:53, 10:54, 26:251, 27:329, 36:49–53
diffusa, 12:85, 27:329
elliottii, 22:139
intermedia, 4:118, 4:129, 8:194, 10:53, 12:85, 16:14, 21:59, 26:252, 30:389, 35:74
lehmanniana, 26:251, 35:74
limbata, 12:85
lugens, 24:103
mexicana, 35:74
neomexicana, 12:85
oxylepis, 2:158, 22:36, 23:274, 23:505, 24:98, 25:315, 25:326, 28:367, 28:368
pectinacea, 4:118, 35:74
pilosa, 1:62, 12:85
secundiflora, 35:390, 36:123
sessilispica, 10:211, 10:212
silveana, 23:505, 25:317
spectabilis, 2:158, 4:56, 12:349, 23:506, 25:315
spicata, 4:118
superba, 4:118, 11:391, 35:74
tephrosanthes, 12:85
trichodes, 2:158, 10:50, 25:326
unioloides, 11:391
Eragrotis
intermedia, 7:169
spectabilis, 7:169
Erdelyia saucra, 34:219
Erdman, James, and William A. Weber, Quercus ajoensis in Colorado, 7:269–270
Erechtites, 9:39

hieracifolia, 9:34
Eremobates, 20:60, 25:95, 25:99, 34:51
bantai, 17:33, 17:34, 17:39
ctenidiellus, 17:33, 17:34, 17:40
durangonus, 17:31, 17:39
hessei, 25:132
marathoni, 26:430
mormonus, 17:32, 17:34, 17:39
pallipes, 17:31, 17:33, 17:34, 17:37, 17:39, 20:60
palpisetulosus, 17:33, 17:34, 17:39
septentrionis, 17:33, 17:34
suspectus, 17:31, 17:33, 17:34, 17:39
Eremobatidae, 17:32, 20:60, 20:61, 20:64, 25:132, 25:134
Eremocarpus setigerus, 24:191
Eremochelis, 20:60
bilobatus, 17:33, 17:34, 17:39, 17:40, 20:60, 20:63, 20:64, 25:132
Eremochloa ophiuroides, 5:8
Eremocitrus, 18:439
Eremomyia
humeralis, 19:70
impolita, 19:70
Eremophila alpestris, 14:164, 14:166, 14:168, 21:356, 28:101, 28:102, 32:420, 34:492
Eremorhax, 17:37, 25:132, 25:134
mumai, 17:31, 17:33–36
puebloensis, 17:32, 17:34, 17:36–38
Eremostata californica, 17:33
Eremphila alpestris, 15:199, 27:367
Eretes sticticus, 12:383, 12:388, 26:157
Erethizon, 13:265, 26:282
dorsatum, 3:236–237, 12:194, 13:19, 19:214–215, 22:49, 22:59–61, 24:544–545, 26:267, 26:277, 26:283, 26:335, 30:340, 30:341, 32:158, 32:161, 36:246
dorsatus, 18:350
Erethizontidae, 22:59, 26:277, 26:327
Eretmochelys imbricata, 28:281
Ergasilus, 22:532
arthrosis, 22:529, 22:531
chautauquaensis, 14:324
tenax, 22:529, 22:531
Erianthus strictus, 5:8
Eriastrum diffusum, 21:315, 33:428, 34:546–548, 35:64, 35:73
Ericaceae, 18:431, 18:439, 20:430, 27:124, 35:76
Ericameria
austrotexana, 12:106–109, 20:283, 20:284, 30:400, 36:215
cuneata, 36:305, 36:312
diffusa, 12:108
laricifolia, 20:283, 35:66, 35:70, 36:305
palmeri, 12:106, 20:283
parrasana, 12:108
pinifolia, 20:283
purpusii, 20:283, 20:284
triantha, 12:106, 12:108, 12:109, 20:284
Ericameria austrotexana M. C. Johnston (Compositae), nomen novum, Marshall C. Johnston, 12:106–109
Erichloa
punctata, 23:506
prostrata, 20:430
Erickson, Keith R., see Bowles, John B., —
Ericymba buccata, 15:347–358, 20:445–459
Erigeron, 16:370, 18:118, 20:332, 24:544, 26:265, 27:301, 35:436
arenarius, 1:67
argentatus, 18:119, 18:120
bellidiastrum, 2:169, 25:335
caespitosus, 12:139
canadensis, 1:68, 7:170, 16:203, 16:204, 28:255
compositus, 20:429
consimilis, 18:324, 18:325
coulteri, 20:429
divergens, 1:68, 16:204, 16:205, 21:315, 33:108, 33:109, 34:527, 34:530, 35:67, 35:70
elatior, 20:429
eximius, 18:317, 18:319, 18:320
flagellaris, 12:139, 12:142, 24:552, 35:65, 35:70
formosissimus, 18:320
geiseri, 24:386–387
melanocephalus, 20:429
mimegletes, 24:387
modestus, 24:387, 28:382
myrionactis, 18:120, 22:38, 23:500, 25:316
nematophyllus, 18:324, 18:325
neomexicanus, 35:70
peregrinus, 20:429
philadelphicus, 12:139, 12:142
pinnatisectus, 20:429
platyphyllus, 12:323
procumbens, 36:122
pumilus, 12:139, 29:412
saurinum, 18:325
simplex, 20:429
smithii, 18:369
speciosus, 12:323, 12:326
strigosus, 4:52, 4:59, 12:139, 12:140, 14:331, 19:317, 19:318, 25:69, 32:35, 33:65, 33:67, 33:68
superbus, 18:119, 18:120, 18:317, 18:319, 18:320
tenuis, 7:170, 24:387
ursinus, 20:429
Erigeron geiseri (Compositae) in Oklahoma, Guy L. Nesom, 24:386–387
Erigone, 11:367, 34:350
autumnalis, 11:368, 30:3, 30:9
barrowsi, 30:3
dentigera, 30:119, 30:121–123
whymperi, 20:59
Erigonidae, 34:350
Erigonium multiflorum, 35:388
Erigonum, 12:194
annuum, 29:411
fasciculatum, 28:48
Erimyzon, 7:82, 7:150
oblongus, 2:96, 9:106, 19:262, 22:438, 24:482, 27:110–112, 30:305, 30:306
sucetta, 2:96, 2:100, 3:8, 3:10, 30:305–306
suetta, 8:136
Eriocaulon, 6:100
cinereum, 15:391
Eriocaulon cinereum R. Br. in Louisiana, John W. Thieret, 15:391
Eriocaulonaceae, 6:99
Eriocera fultonensis, 1:151
Eriochioa sericea, 10:52
Eriochloa, 2:126
acuminata, 36:306, 36:307
contracta, 25:402
lemmoni, 35:74
lemmonii, 12:85, 35:66
punctata, 25:322
sericea, 4:117, 5:8, 16:272, 22:551, 22:552
Eriococcus sansobaenus, 27:466
Eriodictyon, 24:380
trichocalyx, 31:179, 31:182
Eriogonium multiflorum, 35:390
Eriogonum, 1:57, 12:233, 17:335, 17:339, 24:544, 28:376, 28:430, 30:439, 31:36, 33:109
abertianum, 1:63, 21:314, 21:315, 22:343, 35:73
annuum, 2:161, 9:114, 12:140, 12:142, 25:328, 28:381, 28:382, 30:580
arborescens, 35:19
bakeri, 12:324
caespitosum, 18:398, 18:399
cognatum, 13:357
corymbosum, 13:359
davidsonii, 34:442
deflexum, 35:64, 35:73
densum, 33:71–80
deserticola, 34:521
douglasii, 18:399
effusum, 21:362, 23:129, 29:280
elongatum, 12:154
fasciculatum, 11:277, 16:342, 16:347, 28:215, 29:11, 29:464, 29:465, 30:20, 30:452
fasiculatum, 10:278
ferrissii, 13:358
flavum, 20:431
giganteum, 35:19
inflatum, 27:247–253
jamesii, 7:270, 15:153
jonesii, 13:359–361
lanosum, 13:359
longifolium, 4:52, 4:56
nidularium, 33:72
nudum, 12:155
ovalifolium, 18:398, 18:399
palmerianum, 33:71, 33:73–77
pharnaceoides, 27:7
polycladon, 16:205, 33:71–80, 35:73
racemosum, 23:154

rotundifolium, 1:66, 21:314, 21:315, 24:189
scoparium, 18:364
tenellum, 1:63
thurberi, 35:64, 35:73
trichopes, 21:314, 21:315
umbellatum, 7:270, 13:357–359, 18:399, 24:553
umbelliferum, 18:364
villiflorum, 18:325
vimineum, 33:71
viridulum, 18:325
wrightii, 1:63, 17:173, 17:174, 21:315, 27:2, 27:7, 30:438, 35:64, 35:73
Eriogonum densum (Polygonaceae), an evaluation of, Richard Spellenberg, Carlos Leiva, and Enrique P. Lessa, 33:71–80
Eriogonum jonesii S. Wats. (Polygonaceae), on the status of, James L. Reveal, 13:359–361
Eriogonum umbellatum Torr. var. *cognatum* (Greene) Reveal (Polygonaceae), comb. nov., James L. Reveal, 13:357–359
Erioneuron, 10:260
avenaceum, 27:30, 35:74
pilosum, 27:461
puchellum, 33:368, 33:369
pulchellum, 21:314, 21:315, 23:297, 27:305, 32:428, 35:64, 35:74, 36:55, 36:306
pulchellus, 33:428, 33:430
Eriophyidae, 16:413
Erioptera, 14:238, 14:244, 25:27
Eriphia squamata, 11:140
Eris, 30:11
aurantia, 30:8
marginata, 30:5
marginatus, 17:163
Erithacus rubecula, 30:220
Erithizon dorsatum, 21:451
Eritrichium, 18:321
aretioides, 20:428
Erkenbeck, Steven, see Best, Troy L., —
Ermine (*Mustela erminea*) in Arizona, first record of the, Howard J. Berna, 36:245–246
Ernst, Carl H., and Roger W. Barbour, Turtles of the United States (rev.), 18:485–486
Erodium, 1:117
cicutarium, 20:574, 27:176, 27:371, 31:182, 31:183, 31:289, 35:72
circutarium, 17:339, 33:428
texanum, 16:347, 21:315, 22:342, 25:365, 27:312, 33:482–485
Erolia melanotis, 14:362
Erotelis smaragdus, 28:104, 36:207
Erotylidae (Coleoptera) of Oklahoma, Dale G. Bottrell and William A. Drew, 10:73–74
Erotylidae, 10:73–74
Erpetogomphus, 23:218, 23:219, 23:221, 23:222, 25:142, 25:252, 28:190, 28:193
designatus, 2:2, 2:13, 4:131, 36:286
Erpobdella
montezuma, 34:431
punctata, 15:269, 15:271
Erratum, Emilio Rangel Woodyard and Eric G. Bolen, 30:171
Erratum, Jack R. Davis, 29:365
Erratum, Teryl C. Grubb, 30:171
Errazurizia megacarpa, 29:213
Errerella bornhemiensis, 11:197
Erteeb, Fathi B., see Tyrl, Ronald J., —
Eruotia lanata, 29:362
Eryngiophyllum pinnatisectum, 23:373
Eryngium
leavenworthii, 4:58
longifolium, 24:214
planum, 18:325
yuccifloium, 29:326, 29:329, 7:169, 12:347, 32:30, 32:35
Eryops, 31:480, 31:483, 31:490
megacephalus, 31:485, 31:489
Erysimum, 24:544
asperum, 12:140, 14:331, 20:430, 25:560, 35:67, 35:71
inconspicuum, 29:412
nivale, 20:430
Erythea
brandegeei, 21:128
edulis, 1:117
Erythemis, 8:135, 23:554
simplicicollis, 2:7, 2:14, 4:132, 6:112, 7:196, 8:65
Erythraea plumieri, 2:40
Erythraeam, 2:40
Erythraeidae, 28:419
Erythraeus, 15:321, 15:323
Erythrina
crista-galli, 18:432, 18:438, 18:439
flabelliformis, 18:194, 18:198, 25:443–451, 30:391, 35:66, 35:72
herbacea, 12:347, 30:397, 30:400, 30:401, 36:215
Erythrodiplax
connata, 2:7, 2:14, 4:132
umbrata, 2:7, 2:14, 27:458
Erythrolamprus, 20:541
Erythromma viridulum, 8:67
Erythronium grandiflorum, 19:71, 28:290, 28:292
Eryx conicus, 27:229
Eschatius conidens, 19:344
Escherichia, 36:370, 36:371
coli, 13:351
Eschscholtzia, 36:307
mexicana, 21:315
Eschscholzia californica, 35:73
Escofet, Anamaría, see Carvacho, Alberto, —
Esenbeckia berlandieri, 31:259–260
Esenbeckia berlandieri (Rutaceae) rediscovered in extreme southern Texas, Michael R. Heep and Robert I. Lonard, 31:259–260
Esocidae, 4:164, 8:136, 28:182
Esox
americanus, 2:97, 3:8, 3:10, 8:134, 19:260, 22:544, 30:306, 32:524, 33:139
lucius, 15:140, 23:247, 31:153, 33:195
niger, 2:94, 4:164, 19:260
vermiculatus, 8:136
Espeletia, 10:257
Espinoza-Velazquez, J., and V. M. Salceda, Inversion polymorphism of a *Drosophila pseudoobscura* population from Saltillo, Coahuila, Mexico, 25:479–483
Establishment of *Helianthus maximiliani* (Asteraceae) in abandoned cropland in the post oak savannah of Texas, C. A. Call and D. W. Owens, 31:367–374
Estep, D. Q., see Callahan, J. R., —
Estes, James R., see Brunken, Jere N., —
Estes, James R., see Perkins, Gaylene, —
Estes, James R., see Tyrl, Ronald J., —
Estimating aboveground biomass in tallgrass prairie with the harvest method: determining proper sample size using jackknifing and Monte Carlo simulations, John M. Briggs and Alan K. Knapp, 36:1–6
Estimating winter sex ratio for bufflehead, Eric G. Bolen and Brian R. Chapman, 26:49–52
Estrada, Alejandro, see Coates-Estrada, Rosamond, —
Eteobalea iridella, 18:308
Etheostoma, 4:181, 11:322, 30:198
asprigene, 20:347, 27:215, 30:209
australe, 29:395, 29:396, 29:399
barratti, 1:18, 2:94, 8:137
blennioides, 4:3, 4:5, 4:10–12, 8:231, 9:106, 17:381, 20:415, 24:482, 30:200, 30:201, 30:205, 31:379, 32:439
boschungi, 24:475, 30:203, 31:207, 32:444, 35:123
boshungi, 32:439
caeruleum, 13:309, 17:381, 20:415, 20:416, 22:543, 23:165, 27:110–112
chlorosomum, 2:97, 3:10, 3:13, 3:15, 4:2, 4:5, 4:9–12, 6:188, 21:162, 21:165, 21:167, 27:112
collettei, 22:438, 22:440, 23:165–167, 27:215–216, 30:196, 30:197, 30:208, 30:209, 34:415, 34:416, 35:135–145
cragini, 4:3, 4:5–7, 4:10–13, 6:201–202, 9:105, 9:106, 16:439–441, 24:475, 29:496, 30:25, 30:26, 30:30, 30:200, 30:203, 31:207–214, 31:379, 32:439, 32:440, 32:444, 35:123, 35:128
euzonum, 30:202, 30:203
exile, 31:162, 34:229
flabellare, 4:3, 4:5, 4:9, 4:10, 4:12, 4:

13, 15:141, 17:381, 20:415, 21:167, 31:379
fonticola, 2:101, 21:487–492, 21:493–501
gracile, 2:93, 2:98, 3:8, 3:10, 4:3, 4:5, 4:9–12, 4:167, 6:188, 6:202, 20:347, 21:161–168, 21:492, 22:438, 22:544, 32:522, 33:97, 33:139
grahami, 2:93, 2:98, 25:87, 29:395, 29:396, 35:446
histrio, 2:95, 19:264, 21:165, 33:137–139
iowae, 31:162
juliae, 13:175–191, 30:202, 30:203, 30:205, 31:213
kanawhae, 30:203
kennicotti, 24:479
lepidum, 2:93, 2:98, 3:13–15, 10:302–306, 13:301–324, 22:545, 22:546, 29:395, 29:396, 30:560, 32:213, 32:215, 32:216, 33:97–99
maculatum, 30:203, 30:206
microperca, 4:3, 4:5, 4:7–10, 4:12, 6:201, 6:202, 8:231, 30:25, 30:26, 30:200, 30:201, 30:205, 31:379, 35:128
micropterus, 29:396
moorei, 30:202, 30:203
nianguae, 30:202, 30:203
nigrum, 15:141, 19:264, 20:347, 21:162, 21:165, 21:167, 21:488, 30:200, 30:201, 30:205, 31:153, 31:162, 33:97, 34:250–259
olmstedi, 23:170, 34:257
osburni, 30:203
pallididorsum, 9:105–107, 16:440, 23:170–171, 24:475–484, 30:196, 30:197, 30:200, 30:203, 30:207, 31:207, 31:212, 32:439, 32:442, 35:123
parvipinne, 2:96, 6:202, 19:221, 19:222, 22:435–442, 27:112
pottsi, 29:395–402
proeliare, 2:96, 3:10, 4:3, 4:5, 4:10, 4:12, 4:13, 4:167, 19:264, 21:165, 22:438, 23:165–167, 27:112
punctulatum, 4:3, 4:5, 4:9–13, 9:106, 12:464, 30:200, 30:203, 31:207, 31:208, 31:212, 31:379, 32:439–447, 34:255, 35:123–129
radiosum, 2:96, 4:167, 9:106, 17:381–387, 19:264, 20:346, 21:165, 21:488, 21:490, 24:482, 27:215, 27:216, 30:25, 30:196, 30:197, 30:200, 30:207, 30:306, 34:415–416, 34:539–541, 35:143
sagitta, 30:203
spectabile, 2:93, 2:94, 2:97, 3:13, 3:15, 4:3–5, 4:9–13, 4:167, 6:188, 8:43, 8:142, 10:303–305, 12:464, 13:301–324, 15:141, 16:441, 17:376, 19:264, 20:346, 20:415, 21:162, 21:167, 21:495, 22:546, 27:216–217, 29:377, 30:24–26, 31:379, 32:439, 33:97, 33:98, 34:257, 34:539–541, 35:128, 35:144
squamiceps, 22:435, 24:479
stigmaeum, 4:2, 4:5, 4:9, 4:10, 4:12, 21:165
swaini, 30:209
tetrazonum, 30:202, 30:203, 31:213
tippecanoe, 30:206
trisella, 31:207, 32:439, 32:440, 32:444, 35:123, 35:128
variatum, 30:203
whipplei, 4:3, 4:5, 4:9–12, 6:201, 6:202, 19:222, 21:165, 22:438, 22:440, 23:170, 23:171, 27:110–112, 30:207, 33:139, 35:135–145
zonale, 4:2, 4:5, 4:10–12, 17:381, 20:415, 32:439
Etheostoma collettei (Percidae) to the fish fauna of Oklahoma and of the Red River drainage in Arkansas, addition of, William J. Matthews and Henry W. Robison, 27:215–216
Etheostomatinae, 4:1–13
Etheostomatinea, 16:65–83
Etheostomatini, 9:105–107
Ethmia charybdis, 18:309
Ethmiidae, 18:308
Etremeus teres, 36:205
Etropus crossotus, 20:463, 36:207
Eualus
dozei, 29:64
drachi, 29:64
herdami, 29:64
herdmani, 29:64
pusiolus, 29:64
subtilis, 29:59–71
Euarctos americanus, 8:174, 10:140
Euastrum, 22:112, 23:59, 23:439, 25:420
binale, 10:231
dubium, 11:198
elegens, 20:576
gemmatum, 24:158
pectinatum, 11:198
verrucosum, 11:198
Eublepharidae, 23:308–309
Euborella annulipes, 32:491
Euborellia annulipes, 32:493
Eubranchinella, 9:68
Eubranchipoda, 20:577–578
Eubranchipus, 25:543, 25:546
bundyi, 20:92, 20:96, 20:100, 20:101, 22:101, 22:102
holmani, 8:32, 8:36, 20:96, 20:100, 20:101
intricatus, 20:96, 20:101
moorei, 15:99, 20:96, 20:100, 20:101
oregonus, 8:32, 20:95, 20:101
ornatus, 20:96, 20:101
serratus, 8:32–35, 20:96, 20:101, 22:101–103
vernalis, 5:63, 20:95, 20:98, 20:101
Eubrianax nobuoi, 24:197
Eucalyptus, 30:452
camaldulensis, 30:397
globulus, 35:19
Eucapnopsis brevicauda, 31:503, 31:505–507, 31:509
Eucephalus, 16:370
Euchlaena mexicana, 12:71
Euchlanis, 8:232, 10:266, 23:636, 23:687
Eucinostomus, 35:239
argenteus, 36:205
currani, 32:227, 32:231
gula, 36:206
melanopterus, 28:104, 28:105, 32:231, 36:206
Eucladium verticillatum, 3:116, 6:186
Eucnemidae, 20:7, 20:9
Eucnide, 21:439
bartonioides, 23:297
Euconulus
chersinus, 5:149, 5:152, 16:310, 16:317
fulvus, 7:54, 7:60, 14:372, 16:100, 16:105, 21:410, 21:411, 29:37, 29:40, 29:41
Eucosma sonomana, 28:96, 28:97
Eucrypta
chrysanthemifolia, 31:182
micrantha, 35:64, 35:72
Eucyclogobius newberryi, 22:557–559
Eucyclops
agilis, 4:189, 4:191, 4:193, 12:258, 14:324, 23:169
prasinus, 4:189, 4:191, 4:193
Eucypris, 1:6, 1:12, 1:13, 1:15
Eudecatoma, 29:52–54
flamminneiventris, 29:51
Euderces
exilis, 27:23
reichei, 27:23
Euderma maculatum, 6:92–97, 15:13, 16:262–264, 18:112–114, 20:246, 20:250, 21:250, 21:251, 24:448, 24:449, 24:451, 24:452, 26:91–92, 26:335, 32:392, 35:233, 35:354–456
Eudiagogus
episcopalis, 34:197
pulcher, 34:196–212
rosenschoeldi, 34:196–212
Eudocimus albus, 6:105
Eudorina, 10:266, 15:104, 17:16, 17:247, 25:420
elegans, 23:434, 23:437, 23:450
Eudusbabekia, 20:241, 20:247, 20:251, 32:505
Eugenes fulgens, 16:25, 19:1, 19:4, 30:74, 32:174, 36:363
Eugerres
axillaris, 32:231
lineatus, 32:231
mexicanus, 32:231
Euglandina texasiana, 21:134, 24:688
Euglena, 8:232, 10:188–210, 15:103, 17:17, 17:244, 22:414, 22:459, 23:56–58, 23:60, 23:452, 24:162, 25:414, 25:416, 25:420, 27:82, 27:84
acus, 23:445, 24:159
elongata, 23:445
gracilis, 24:159–161, 27:83
polymorpha, 23:445
proxima, 20:50, 20:51, 23:445

spirogyra, 11:200
viridis, 19:413, 19:418, 19:423
Euglenaceae, 11:200, 15:103, 15:104
Euglenophyceae, 8:229, 8:232, 20:45, 20:47, 20:50, 20:51, 22:311, 23:51, 23:53, 23:56, 23:57, 25:411, 25:414, 25:417–420, 25:422
Euglenophyta, 17:18
Eukiefferiella, 25:27, 25:141, 25:381
Eulabis, 18:310
Eulimnadia
agassizii, 32:1
alineata, 22:206
antillarum, 22:206, 32:1
antlei, 16:297–305, 22:206, 32:1
inflecta, 12:383, 12:386, 12:398, 15:99, 15:101, 15:102, 22:206, 32:1
margaretae, 22:206
michaeli, 22:206
moorei, 15:101
oryzae, 32:1
packardiana, 22:206
stoningtonensis, 22:206
texana, 22:205–212, 32:1–4, 32:74, 35:393–395, 35:400
thompsoni, 22:206
Eulimnadia texana Packard (Conchostraca: Limnadiidae) in rice fields in southwestern Louisiana, Malcolm F. Vidrine, Stanley L. Sissom, and Roy E. McLaughlin, 32:1–4
Eulittoral ichthyofauna of the Texas Gulf Coast, observations on the, George K. Reid, 1:157–165
Eulophia ecristata, 16:431
Eulophia ecristata (Fernald) Ames (Orchidaceae) in Grant Parish, Louisiana, R. Dale Thomas, 16:431
Eulophidae, 24:197, 29:53
Eumacronychia
nigricornis, 32:281, 35:97, 35:98
sternalis, 35:97
Eumeces, 5:16–20, 16:230, 20:279–282, 25:269
anthracinus, 1:182, 6:105, 6:106, 11:139, 12:199
brevilineatus, 3:43, 4:92, 4:95, 4:101, 20:505
brevirostris, 5:16, 20:281
callicephalus, 5:16, 5:17, 5:19, 16:228
colimensis, 4:42
copei, 20:279, 20:281
egregius, 20:413
fasciatus, 1:134, 1:138–139, 1:182, 9:105, 11:137, 35:473, 35:474
gilberti, 11:133, 26:109, 26:111, 26:113, 30:613
laticeps, 11:137–139, 35:474
lynxe, 5:16–18, 16:225, 16:228, 16:233, 16:234, 20:281
multilineatus, 5:16, 5:18
multivirgatus, 5:16, 5:18, 5:28, 12:104–105, 15:502, 19:193, 20:279, 20:280
obsoletus, 3:33, 3:43, 4:93, 4:95, 4:101, 5:16, 5:19, 5:28, 15:470, 19:193, 20:8, 23:538–539, 26:113, 30:612–614
parviauriculatus, 5:16, 5:19
septentrionalis, 6:201, 10:144, 12:199
skiltonianus, 11:133
tetragrammus, 5:77–79, 5:81, 5:85, 16:225, 16:228, 16:232, 16:233
Eumeces colimensis (Sauria, Scincidae), in Sinaloa, Mexico, Robert G. Webb, 4:42
Eumeces multivirgatus from Texas, a noteworthy record of, James R. Dixon, 15:502
Eumeces obsoletus in Arkansas, first records of, Henry W. Robison and Neil H. Douglas, 23:538–539
Eumelus wetherbyi, 4:143, 4:144
Eumenes, 33:276, 33:282
Eumops, 15:228
bonariensis, 34:414, 35:151–153, 35:157
glaucinus, 11:498, 11:499, 35:151–154, 35:157
underwoodi, 4:14, 4:16, 11:498, 12:195, 15:13, 15:21
perotis, 15:13, 15:21, 15:134–135, 15:223, 17:297–300, 20:242, 20:245, 20:247, 20:251, 20:252
Eumops perotis from Black Gap Wildlife Refuge, Dan W. Walton and John D. Kimbrough, 15:134–135
Eumops perotis (Molossidae), observations on a colony of, Harry M. Ohlendorf, 17:279–300
Eumorpha achemon, 30:69, 30:71–73, 30:75
Eunapius fragilis, 16:434
Eunotia
curvata, 22:459, 24:152, 28:245
fallax, 28:245
incisa, 28:245
major, 24:152
naegelii, 24:152
pectinalis, 28:245
perpusilla, 24:152
septentrionalis, 24:152
Eunotiaceae, 28:245
Euoenothera, 11:217–222
Euonymus, 13:210, 13:230, 13:232, 13:233, 16:332
americanus, 21:482
glanduliferus, 13:353–357, 16:112, 16:115
japonica, 17:400, 18:430, 18:439
latifolius, 17:400
splendens, 13:353, 13:355
Euophrys diminuta, 30:8
Euorthocladius, 1:152
Eupanicoideae, 5:7–11
Euparlatoria, 16:332
Euparyphus, 23:221, 23:223, 25:141, 36:158, 36:160–164, 36:166–168
Euparypus, 31:252, 31:253
Eupatorieae, 29:57–58
Eupatorium, 12:84, 12:127–133, 15:175, 16:358, 18:117, 18:118, 35:436
altissimum, 32:35
angulare, 9:28, 9:29, 9:34
anisochromum, 9:29
bertholdii, 16:366
betonicifolium, 22:38, 22:42, 23:500, 25:317, 35:390
betonicum, 16:366
betonisifolium, 35:387
biglovii, 16:366
brevipes, 16:368
capillifolium, 12:347
chrysostyloides, 12:130
chrysostylum, 12:130
coahuilense, 12:128, 12:129
collinum, 12:128, 16:366
daleoides, 16:369
deltoideum, 16:368
dryophyllum, 16:368
espinosarum, 16:368
eximium, 9:29
fendleri, 12:469
gonzalezii, 16:366
greggii, 15:176, 16:357, 16:366–368, 23:296, 35:70
gregii, 16:367
guadalupense, 9:27, 9:34
herbaceum, 12:469–471, 34:442, 35:70
hirstutum, 16:368
holwayanum, 12:128, 12:130, 16:366
hymenolepis, 16:366
iresinoides, 9:29, 9:30
ivaefolium, 12:128
leucolepis, 10:211, 10:212
longifolium, 16:368
longipes, 9:27, 9:30, 9:35, 12:127, 12:128
malvaefolium, 16:368
mendezii, 16:366
micromera, 36:56
morifolium, 16:366
neaeanum, 12:128, 12:130, 16:366
nemorosum, 9:30
ovalifolium, 16:368
palmeri, 12:128
pazcuarense, 16:366
pedunculosum, 12:128
perfoliatum, 2:169
porphyranthenum, 16:366
pulchellum, 16:366
pycnocephalum, 16:366
rothrockii, 12:469–471
rugosum, 33:374
sagittatum, 16:368
schaffneri, 16:366
seartinum, 14:109
seratinum, 18:431, 18:439, 18:440
serotinum, 7:170, 20:329
sinclairii, 9:28, 9:30, 9:34
smithii, 16:368
solidaginifolium, 12:128, 15:176, 23:296
sordidum, 16:366
sphenopodum, 12:130

spiraefolium, 16:368
trinervium, 12:128
tubiflorum, 16:369
wrightii, 15:176
Eupatorium rothrockii and *E. herbaceum* (Compositae) in Texas, Marshall C. Johnston, 12:469–471
Eupatrium, 29:57
Eupelmidae, 29:50
Eupelmus, 19:326, 29:50, 29:53–55
Eupeodes volucris, 19:70
Eupera
cubensis, 22:239, 25:143, 25:382
onestae, 30:530
Euphagus
carolinus, 14:253
cyanocephalus, 14:253, 29:474, 30:453, 34:491
Eupherusa eximia, 4:69, 4:80
Euphorbia, 2:125, 11:77, 12:194, 15:413, 17:1, 17:9, 20:574, 21:248, 22:346, 24:130, 25:336, 28:255, 28:376, 29:213, 30:543, 31:34–37, 32:452, 33:109
acalyphoides, 10:246
albomarginata, 1:66, 21:315
ammannioides, 22:37, 23:501, 25:316
antisyphilitica, 10:256, 10:259, 15:277, 16:6, 18:431, 18:439, 18:442, 22:349, 23:291, 23:297, 25:557, 25:568, 30:536, 30:537, 30:539
arizonica, 22:342
arkansana, 10:243
astyla, 5:97
brachycera, 8:182
cinerascens, 23:297
cordifolia, 23:501, 25:316
corollata, 4:57, 7:169, 12:347, 23:625, 32:30, 32:35
crenulata, 18:325
cyathophora, 12:150, 23:501
dentata, 2:164, 12:150, 13:161, 13:386, 13:387, 17:6
dictyosperma, 10:243
esula, 18:241
exigua, 14:258
exstipulata, 14:127–128, 22:342, 35:72
falcata, 10:245
fendleri, 5:97, 5:98, 30:545, 30:546, 30:548
geyeri, 14:127–128
glyptosperma, 25:331
graminea, 12:150
heterophylla, 4:57, 25:322
hexagona, 2:164, 25:331
hirta, 12:150
hypericifolia, 23:501, 25:322
jejuna, 5:97–99
macropodoides, 12:150
marginata, 2:164, 4:57, 13:387, 14:342, 15:413, 17:5, 17:6
micromera, 21:315
misera, 28:211, 28:213, 32:23
missurica, 5:170, 12:139, 25:331, 33:67, 33:68
palmeri, 18:73
peplidion, 10:241–247
peplus, 10:245, 18:325
perennans, 5:170
phylloclada, 10:246
pinea, 10:245
plummerae, 30:389
polycarpa, 5:170, 6:51, 8:194, 31:113
portlandica, 10:245
potosina, 12:150
prostrata, 12:150, 36:306, 36:307
pulcherrima, 18:331, 18:431, 18:439, 18:440
revoluta, 23:297
robusta, 12:140
segetalis, 10:245
serpens, 12:150, 16:278, 36:122
serpeus, 16:273
serpyllifolia, 21:314, 21:315, 22:342
serrula, 21:315, 22:342, 27:30
setiloba, 21:315
simulans, 5:170
spathulata, 10:243, 23:320, 27:312, 35:72
stictospora, 27:30
strictospora, 33:67, 33:68
strigosa, 12:150
supina, 7:169
tetrapora, 10:241–247
xanti, 29:213
Euphorbia exigua L. (*Euphorbiaceae*) in Nueces County, new to Texas, Marshall C. Johnston, 14:258
Euphorbia exstipulata var. *lata* and *Euphorbia geyeri* var. *wheeleriana* Warnock and Johnston, new taxa from western Texas, Barton H. Warnock and Marshall C. Johnston, 14:127–128
Euphorbia jejuna, new species from western Texas, Marshall C. Johnston and Barton H. Warnock, 5:97–99
Euphorbiaceae, 1:64, 1:66, 2:126, 2:164, 3:175–203, 4:57, 5:1–6, 5:170, 6:101, 7:1–22, 7:154–162, 7:182–190, 8:15–22, 8:100–106, 8:121–126, 9:310, 10:212, 11:114, 11:211, 12:150, 13:383, 14:258, 15:413, 18:73, 18:325, 18:431, 18:439, 18:441, 20:391–396, 20:574, 22:37, 22:342, 23:297, 23:501, 24:435, 25:331, 25:336, 26:353, 30:537, 31:34, 33:233–234, 35:64, 35:69, 35:71, 36:122
Euphoria
fascifera, 24:607, 24:609
holochloris, 24:607, 24:610, 24:611
kerni, 32:151
testacea, 24:607, 24:610–612
Euplanaria, 25:470
Eupoda montana, 17:210
Eupodiscacae, 28:245
Eupodiscaceae, 26:313
Eupompha elegans, 18:308, 21:51
Eupsophulus castaneus, 28:477
Eurhynchium
pulchellum, 30:151
hians, 22:136
Europhrys monadnock, 15:325
Europsis
emertoni, 11:360
funebris, 11:360
limbata, 11:360
Eurotia lanata, 1:59, 1:63, 12:233, 13:61–74, 15:371–375, 16:202, 16:205, 17:335, 20:437, 20:439, 20:440, 22:340, 22:341, 22:346, 24:130, 24:135, 28:200, 30:437–439, 35:11
Eurotia lanata germination in relation to salinity, further studies of, Lesley D. Clark and Neil E. West, 15:371–375
Euryalona occidentalis, 34:345
Eurybunus, 31:49
Eurycea, 6:27–32, 15:245, 16:439
latitans, 6:28–31, 34:170
longicauda, 1:180, 1:181, 1:184, 14:366–368, 16:219, 28:100, 28:272, 28:273
lucifuga, 1:180, 1:181, 14:366, 14:367, 28:100, 28:272, 28:273
multiplicata, 1:179, 1:181, 1:184, 9:106, 14:366, 14:366–368, 18:252, 18:253, 25:112, 28:272
nana, 6:28, 6:30, 6:31, 23:428, 34:170
neotenes, 6:28–31, 33:125, 34:170
pterophila, 6:28–31
quadridigitata, 28:271, 35:474
tridentifera, 34:170
troglodytes, 6:28–31
trogodytes, 34:170
tynerensis, 1:179, 1:181, 1:184, 25:111–113, 27:367–368, 28:272, 28:273
Eurycercus lamellatus, 4:193
Eurycerus, 10:266
Eurycestus
avoceti, 32:90
falciformis, 32:90
latissimus, 32:90
Eurygnathohippus, 25:508
Eurylepidoides socialis, 33:265
Euryophthalmus cinctus, 35:20
Euryopis
nigripes, 34:350, 34:353
quinquemaculata, 30:6
scriptipes, 29:231
spinigera, 30:6
texana, 30:3, 30:9
Euryopsis, 11:358
funebris, 30:9
Eurypanopeus ovatus, 11:140
Eurypholidae, 18:206
Eurystemon mexicanum, 15:410
Eurytemora affinis, 17:201, 17:202
Eurytoma, 19:326, 29:52–55
tylodermatis, 19:319
Eurytomidae, 28:466, 29:55
Eusandalum, 29:51, 29:54
Eusattus, 18:311, 27:305

muricatus, 28:477
reticulatus, 27:306
subnitens, 27:306, 27:307
Euschoengastia, 21:301–309
barrerai, 36:114, 36:115
bigenuala, 10:17, 10:18
chisosensis, 21:301, 21:305–308
decipiens, 35:111–113
fronterizae, 21:301–304
lacerta, 10:17–19
Euschoengastoides loomisi, 10:17–19
Eustala, 11:361
anastera, 11:362, 11:370, 30:3
cepina, 11:363, 11:370
triflex, 11:363
Eustoma
andrewsii, 2:41
barkleyi, 2:38–40, 2:42
chironioides, 2:40
exaltatum, 1:54, 1:58, 1:64, 1:67, 2:38–42, 22:38, 23:501, 25:315, 36:122
gracile, 2:43
grandiflorum, 2:38–42, 2:166
russellianum, 2:38, 2:41–43
silenifolium, 2:38, 2:40
Eustrongylides, 29:380, 35:185
Eutamias, 2:33, 2:37, 12:224, 13:403, 20:157, 23:284, 27:393–402, 36:141
alpinus, 22:155
amoenus, 16:454, 26:328, 26:329, 27:394, 27:397, 27:398
bulleri, 22:155, 25:1–8, 27:234, 27:235, 29:246
canipes, 22:155, 25:1–7, 25:36, 27:234
cinereicollis, 25:36, 27:234, 27:394, 27:397, 27:398
dorsalis, 2:36, 5:100, 15:26, 21:127–129, 21:243–246, 22:67–75, 22:155, 24:655, 24:664, 25:2, 25:36, 26:297, 26:334, 27:234, 27:394, 27:397, 27:398
hopiensis, 24:663
merriami, 19:113, 21:127–129, 22:67, 22:68, 22:154, 22:155, 27:234–237, 27:394, 27:397, 27:398, 32:376
minimus, 15:264–265, 16:452, 16:454, 17:325, 21:244, 22:155, 22:289, 22:292, 22:293, 22:297, 22:299–301, 23:77, 23:79–81, 24:554, 24:655, 24:664, 24:689, 25:36, 26:329, 27:145, 27:234, 27:394, 27:397, 27:399, 27:401, 31:23, 31:26–29, 36:246
obscurus, 25:5, 27:234–238
ochrogenys, 19:199, 19:202, 19:211, 27:394, 27:397, 27:399, 32:371–376
palmeri, 27:394, 27:397, 27:399
panamintinus, 22:78, 22:81, 22:86, 22:154, 22:155, 22:561, 22:562, 27:394, 27:397, 27:399
quadrimaculatus, 22:154, 27:394, 27:397, 27:399, 27:400
quadrivittatus, 13:268, 13:270, 13:272, 13:402, 13:404, 13:405, 14:283–291, 16:451–454, 17:325, 22:155, 24:554, 24:655–665, 25:36, 26:328, 26:395, 26:398, 26:399, 26:401–403, 26:405, 27:145, 27:234, 32:293, 32:376
ruficaudus, 27:394, 27:397, 27:398, 27:400
senex, 19:199, 19:202, 19:211, 22:155, 27:394, 27:397, 27:399, 27:400, 32:371–376
sibiricus, 25:5, 27:234, 29:162
siskiyou, 19:199, 19:202, 19:211, 22:155, 27:394, 27:397, 27:399, 27:400, 32:371–376
sonomae, 22:154, 22:155, 27:394, 27:397, 27:400
speciosus, 19:113, 27:235, 27:394, 27:397, 27:401
townsendii, 19:199–212, 22:154, 22:155, 27:394, 27:397, 27:399, 27:401, 29:157, 32:371–376
umbrinus, 14:283–2291, 22:151, 22:155, 22:292, 26:333, 26:334, 26:337, 27:394, 27:397, 27:399, 27:401, 32:376, 36:246
Eutetras, 11:118–122, 18:339
palmeri, 11:118–122
pringlei, 11:118–122
Eutettix tenellus, 20:2
Euthamia camporum, 2:169
Euthlypis lachrymosa, 4:73
Eutrombicula, 5:105, 5:106
alfreddugesi, 10:17–19, 26:83–84
alfredugesia, 21:277, 21:278
belkini, 10:313
Euvrilletta, 28:474
Evans, Howard E., Notes on the distribution and biology of Tastiotenia festiva (Hymenoptera), 6:51–52
Evans, Kenneth J., A review of the oligochaete Branchiura sowerbyi from Oklahoma, 3:223–224
Evans, Paul K., see Stasiak, Richard H., —
Evans, T. M., see Baker, E. W., —
Evanspidiotus, 14:103
Evaporative water loss in *Opheodrys aestivus* (Colubridae), Laura B. Dove, Dennis A. Baeyens, and Michael V. Plummer, 27:228–230
Evaspidiotus, 14:101, 14:427
Evastrum binale, 10:231
Evax
multicaulis, 4:59, 35:70
prolifera, 2:169, 9:115, 9:116, 23:320
verna, 27:312
Evenhuis, Neal L., A new species of *Mythicomyia* from central Arizona (Diptera: Bombyliidae), 34:527–530
Evening bat, an aberrant, David A. Easterla and Larry C. Watkins, 13:447–448
Evergistis angustipennis, 18:309
Everitt, Benjamin L., see Van Devender, Thomas R., —
Everitt, J. H., and C. L. Gonzalez, Botanical composition and nutrient content of fall and early winter diets of white-tailed deer in South Texas, 24:297–310
Everitt, J. H., and H. S. Mayeux, Nutritive contents of two grasses and one browse species following rangeland burning in South Texas, 28:242–244
Everitt, J. H., and M. A. Alaniz, Nutrient content of cactus and woody plant fruits eaten by birds and mammals in South Texas, 26:301–305
Everitt, J. H., Germination of mescal bean (*Sophora secundiflora*) seeds, 28:437–443
Everitt, James H., and Candelario L. Gonzalez, Germination of honey mesquite (*Prosopis glandulosa*) seeds after passage through the digestive tracts of peccaries, 26:432
Everitt, James H., Fleet S. Lentz, and Lindley Lentz, Additional records of *Capparis incana* (Capparidaceae) in extreme southern Texas, 35:370–371
Everitt, James H., Nutritive value of fruits or seeds of 14 shrub and herb species from South Texas, 31:101–104
Evolution of egg size strategies in fairy shrimps, Denton Belk, 22:99–105
Evolution of life history strategies: implications of recruitment in a lizard population following density manipulations, Royce E. Ballinger, 21:203–208
Evolutionary implications of chromosomal variation among spiny pocket mice, genus *Heteromys* (order Rodentia), Duke S. Rogers, 34:85–100
Evolvulus
alsenoides, 36:77
alsinoides, 23:296, 33:109
arizonicus, 35:64, 35:71
nuttallianus, 4:52, 25:333, 28:382, 29:280
pilosus, 14:342, 17:6, 35:71
sericeus, 35:67, 35:71
Evorthodus lyricus, 36:207
Evylaeus
cooleyi, 19:70
vaporellus, 19:70
Ewing, A. L., see Engle, D. M., —
Ewingana doreyae, 32:505
Excirolana braziliensis, 20:479, 20:481–485
Exochomus marginipennis, 8:54
Experimental feeding of wild quail in New Mexico, Howard Campbell, 4:169–175
Experimental observations on the feeding of spadefoot tadpoles, Arthur N. Bragg, 5:201–207
External surface of Opuntia imbricata (Haworth) DC, a study of the, Howard J. Dittmer, 4:35–39

Extra costal in one specimen of *Graptemys flavimaculata* Cagle (Testudines, Emydidae), an, Flavius C. Killebrew, 22:400–401
Eylais, 26:157
Eysenhardtia, 10:84
orthocarpa, 35:66, 35:72
spinosa, 24:188
texana, 16:272, 24:168, 24:171
Ezell, Wayland L., see Tyrl, Ronald J., —

Fabaceae, 13:383, 17:4, 24:188, 24:435, 25:443–451, 27:369–377, 32:245–249, 32:499–502, 35:18, 35:64, 35:72, 36:198–200
Fabricius, 9:100, 9:101
Fabronia
ciliaris, 6:187
wrightii, 6:188
Factors influencing desert mule deer distribution and productivity in southwestern Texas, Bruce D. Leopold and Paul R. Krausman, 36:67–74
Facultative territorialty in Townsend's solitaire (*Myadestes townsendi*), Roger J. Lederer, 25:461–467
Faeth, Stanley H., see Bultman, Thomas L., —
Fagaceae, 2:160, 16:112, 18:431, 18:439, 18:441, 20:439, 33:244–247, 35:18, 35:72
Fagan, J. A., and L. C. Fitzpatrick, Allocation of secondary production to growth and reproduction by gizzard shad *Dorosoma cepedianum* (Clupeidae) in Lake Lewisville, Texas, 23:247–261
Fagara, 14:425, 18:436, 18:439, 18:442
Fagomia californica, 32:23, 12:185
Fagopyrum esculentum, 29:182, 29:185
Fagus, 11:73, 18:431, 18:438, 18:439
grandiflora, 23:265
grandifolia, 15:360, 21:482, 21:483, 30:463, 35:472
Fahrenholzia
ehrlichi, 10:17, 10:20, 10:21
pinnata, 35:111–113
texana, 10:17, 10:20
zacatecae, 35:111–113
Fain, A., see Whitaker, John O., Jr., —
Fairy shrimp distribution records among collections at the California Academy of Sciences, new, Denton Belk, 28:380–381
Fairy shrimps of the genus *Thamnocephalus* (Branchiopoda, Anostraca) in the United States and Mexico, Walter G. Moore and John B. Young, 9:68–77
Falcaria
rivini, 32:279
sioides, 32:279
vulgaris, 32:279
Falcaria vulgaris Bernh. (Apeaceae): new to Louisiana, R. Dale Thomas and Larry R. Raymond, 32:279
Falcata, 9:210
bracteata, 9:215
caroliniana, 9:216
comosa, 9:215
edgeworthii, 9:212
japonica, 9:212
pitcheri, 9:216
Falcaustra catesbianae, 17:199
Falco
columbaris, 36:265, 36:275
columbarius, 36:270
mexicanus, 16:22, 19:3, 23:305, 29:474, 33:377–378, 34:495, 36:265, 36:270, 36:277
peregrinus, 17:145, 19:1, 19:3, 33:377, 34:565–569, 35:300, 36:265, 36:270, 36:275
sparverius, 4:68, 16:22, 17:73–83, 17:148, 18:195, 18:199, 21:245, 21:250, 22:369, 22:370, 26:76, 29:474, 30:271, 30:330, 31:280, 34:492, 36:265, 36:270, 36:275
Falconidae, 4:81
Fall age ratios of the black-bellied whistling-duck, Marianna Heins-Loy, 31:107–109
Fall and winter bat activity at a desert spring in southern Nevada, Michael J. O'Farrell, W. Glen Bradley, and Gary W. Jones, 12:163–171
Fall, Bruce A., Noteworthy bird records from South Texas (Kenedy County), 18:244–247
Fall foods of Gambel's quail (Lophortyx gambelii) in New Mexico, Howard Campbell, 2:122–128
Fall foods of teal on the Texas High Plains, Darwin L. Sell, 24:373–375
Fallceon quilleri, 34:315, 34:316
Fallicambarus, 19:171
devastator, 36:127–135
fodiens, 36:132
hedgpethi, 18:183–185, 19:168, 19:174, 19:175, 30:193, 33:120
Fallugia, 11:67, 30:290
paradox, 28:82, 28:83
paradoxa, 1:56, 1:64, 10:258, 10:259, 15:151, 15:159, 15:160, 16:12, 16:87, 20:437, 20:439, 20:443, 21:315, 22:340, 22:343, 22:346, 25:363–365, 27:2, 27:169, 27:176, 27:331, 28:421
False coral snake (*Pliocercus elapoides*) from San Luis Potosí, Mexico, a new subspecies of, Ernest A. Liner, 5:217–220
Falso sparverius, 5:100
Farancia, 35:442
abacura, 6:202, 11:137, 16:220, 36:172, 36:175
Farentinos, R. C., Seasonal changes in home range size of tassel-eared squirrels (*Sciurus aberti*), 24:49–61
Farhadnejad, Dalikeh O., see Secor, Jack B., —
Farris, Richard D., see Moriarty, David J., —
Farula, 31:452
Faruqi, Shamim A., A cytological note on *Heliotropium angiospermum* Murray, 6:100
Fassler, David J., and Richard D. Leavitt, Terrestrial activity of the northern pocket gopher (Geomyidae) as indicated by owl predation, 19:452–453
Fat content in migratory central Arizona Brazilian free-tailed bats, *Tadarida brasiliensis* (Molossidae), Thomas J. O'Shea, 21:321–326
Fatehi, Mohammad, Rex D. Pieper, and Reldon F. Beck, Seasonal food habits of blacktailed jackrabbits (*Lepus californicus*) in southern New Mexico, 33:367–370
Faucheria, 15:71, 15:77, 15:78
faucheria, 15:76
Faunal analysis of late Quaternary vertebrates from Organ Pipe Cactus National Monument, southwestern Arizona, Thomas R. Van Devender, Amadeo M. Rea, and W. Eugene Hall, 36:94–106
Fausch, Kurt D., see Bestgen, Kevin R., —
Fausch, Kurt D., see Bramblett, Robert G., —
Favolus alveolaris, 19:355
Faxonella clypeata, 33:121
Fearing, O. S., see Turner, B. L., —
Fecundity and egg mass size of the Illinois chorus frog, *Pseudacris streckeri illinoensis* (Hylidae), from northeastern Arkansas, Brian P. Butterfield, Walter E. Meshaka, and Stanley E. Trauth, 34:556–557
Fecundity and egg size in two central Texas darter populations, Clark Hubbs, Michael M. Stevenson, and Alex E. Peden, 13:301–323
Feduccia, Alan, The daily cycle of wintering sissor-tailed flycatchers in the San Jose area of Costa Rica, 17:296–297
Feduccia, Alan, The Pleistocene avifauna of Klein Cave, Kerr County, Texas, 17:295–296
Fedynich, Alan M., and Ralph D. Godfrey, Jr., Waterfowl mortality surveys on the southern High Plains of Texas, 33:185–191
Fedynich, Alan M., see Godfrey, Ralph D., Jr., —
Feeding adaptations in the lesser snow goose (*Anser caerulescens*), Eric G.

Bolen and M. K. Rylander, 23:158–161
Feeding adaptations of hognose snakes, James C. Kroll, 20:537–557
Feeding behavior of an arboreal, insectivorous snake (*Opheodrys aestivus*) (Colubridae), Steven K. Goldsmith, 31:246–249
Feeding behavior of free-roaming *Masticophis flagellum*: an efficient ambush predator, K. Bruce Jones and Walter G. Whitford, 34:460–467
Feeding behavior of the Oklahoma salamander, *Eurycea tynerensis* (Plethodontidae), notes on the, C. Kenneth Dodd, Jr., 25:111–113
Feeding behavior of the western shovel-nosed snake, *Chionactis occipitalis klauberi*, with special reference to scorpions, James K. Glass, 16:445–447
Feeding chronology and food habits of the blacktail shiner, *Notropis venustus* (Cyprinidae), in Bayou Sara, Louisiana, Patrick S. Hambrick and Richard G. Hibbs, Jr., 22:511–516
Feeding diversity and specific search image of mourning doves in southern New Mexico, James P. Griffing and Charles A. Davis, 23:702–704
Feeding ecology of a southwestern cyprinid fish, the spikedace, *Meda fulgida* Girard, Willard E. Barber and W. L. Minckley, 28:33–40
Feeding ecology of four owls in north-central Colorado, some comparisons of the, Carl D. Marti, 14:163–170
Feeding ecology of mourning doves (*Zenaida macroura*) in southeastern New Mexico, Troy L. Best and Richard A. Smartt, 31:33–38
Feeding habits of *Cyprinodon variegatus* (Cyprinodontidae) from the Texas Coast, F. Douglas Martin, 14:368–369
Feeding habits of the western whiptail lizard, *Cnemidophorus tigris*, John W. Bickham and James A. MacMahon, 17:207–208
Feeding in the Houston toad, Arthur N. Bragg, 5:106
Feeding of rainbow trout (*Salmo gairdneri*) and arroyo chubs (*Gila orcutti*) in a California mountain stream, Carl Richards and David L. Soltz, 31:250–253
Feeding of the woolly sculpin, *Clinocottus analis* (Pisces: Cottidae), in Todos Santos Bay, Baja California, Mexico, Gorgonio Ruiz-Campos and M. Gregory Hammann, 36:348–353
Feeding response of *Lepomis cyanellus* to blister beetles (Meloidae), Robert J. Tafanelli and J. Carl Bass, 13:51–54
Fehrenbacher, L. H., and Eugene D. Fleharty, Body composition, energy content, and lipid cycles of two species of pocket gophers (*Geomys bursarius* and *Pappogeomys castanops*) in Kansas, 21:185–198
Felidae, 1:97, 20:499, 26:327, 31:135, 31:281
Felis, 21:14, 22:258
  canadensis, 34:101
  catus, 28:69
  concolor, 4:33, 6:22, 13:20, 16:209, 17:430, 17:431, 20:499, 22:271, 24:554, 24:555, 26:335, 28:318, 28:320, 28:321, 28:460, 30:451, 31:215, 31:281, 32:158, 32:164, 32:165, 33:163, 35:234, 36:67
  domesticus, 35:30
  onca, 6:22, 28:459–460
  pardalis, 6:22
  rufus, 23:405, 26:333–335, 28:318, 28:320, 30:225, 30:226, 30:450, 32:149–150, 32:155–156, 32:158, 32:164, 32:457–461, 34:101–108
  weidii, 35:234
  yagouaroundi, 32:136
Felley, James D., and E. Gus Cothran, *Notropis bairdi* (Cyprinidae) in the Cimarron River, Oklahoma, 25:564
Felley, James D., Piscivorous habits of a new chub shiner, *Notropis potteri* (Cyprinidae), 29:495–496
Felts, Lionel A., see Garner, Herschel W., —
Female color change in the keeled earless lizard, *Holbrookia propinqua*: relationship to the reproductive cycle, William E. Cooper, Jr., Caroline S. Adams, and James L. Dobie, 28:275–280
Female genital bone of chipmunks, genus *Eutamias*, the, Dallas A. Sutton, 27:393–402
Female of *Xysticus robinsoni* (Araneae: Thomisidae), the, James C. Cokendolpher and Norman V. Horner, 25:109–111
Female *Peromyscus pectoralis* fosters litter of *Reithrodontomys megalotis*, Michael K. Petersen, 17:301–302
Female reaction to the male call in two anurans (Amphibia), Ralph W. Axtell, 3:70–76
Fendlera rupicola, 15:159, 20:437, 20:439, 20:443, 22:349, 25:362, 28:83, 33:84, 35:73
Fendlerella utahensis, 30:389
Fenn, Dennis B., see Carls, E. Glenn, —
Feresa attenuata, 18:453, 18:456, 18:462
Ferguson, Gary W., see Brush, Samuel W., —
Ferguson, George M., see Lambert, Sherman, —
Ferguson, George M., see Webb, Robert G., —
Fernaldella fimetaria, 18:309
Ferner, John W., and Montiel Rosenthal, A cryptic moth, *Schinia masoni* (Noctuidae), on *Gaillardia aristata* (Compositae) in Colorado, 26:88–90
Ferner, John W., Habitat relationships of *Tamiasciurus hudsonicus* and *Sciurus aberti* in the Rocky Mountains, 18:470–473
Ferocactus, 28:120, 32:493, 34:483–486
  acanthodes, 12:233, 25:105, 25:348, 26:264, 26:265, 29:213
  cylindraceus, 36:303–305, 36:312
  gracilis, 25:181–195
  lecontei, 12:185
  peninsulae, 21:127
  wislizeni, 12:119–126, 22:341
  wislizenii, 21:315, 22:227, 26:204, 28:115, 28:116, 28:212, 32:22–25, 35:66, 35:71
Ferrisaspis covilleae, 13:232, 14:439
Ferrissia, 1:152, 5:145, 5:158, 23:554, 23:558, 23:560, 25:143
  fragilis, 16:316, 22:354–356, 27:441
  parallela, 22:354, 22:356
  rivularis, 22:354, 22:356, 27:350
  shimekii, 14:239, 14:246
  walkeri, 21:241, 21:242, 22:353–357
Fertig, Daniel S., see Edmonds, Vaughan W., —
Festuca, 20:297, 31:320, 31:323, 35:316, 35:464
  amplissima, 11:391, 11:393, 28:462
  arizonica, 12:321, 12:323–326
  brachyphylla, 20:434
  dasyclada, 23:156–157
  distichophylla, 11:391
  elatior, 9:308, 30:597
  idahoensis, 20:434
  lugens, 11:393
  minutiflora, 20:434
  myruos, 21:411
  octoflora, 4:56, 9:114, 9:116, 12:140, 20:332, 20:574, 26:397, 31:289, 33:428
  ovina, 12:324
  pratensis, 5:51, 5:57–59
  rubra, 4:116, 20:434, 21:405
  scabrella, 30:339
  thurberi, 12:321–328, 28:462
  viridula, 28:462
Ffolliott, Peter F., Warren P. Clary, and Frederic R. Larson, Observations of beaver activity in an extreme environment, 21:131–133
Ffolliott, Peter, see Lowe, Philip O., —
Fiala, Kent, see Liesveld, Douglas, —
Ficimia
  cana, 3:33, 3:50, 6:197–198, 8:52–53
  olivacea, 8:221, 16:229

publia, 35:278
quadrangularis, 9:105
streckeri, 34:171
Ficimia cana and Tropidodipsas fasciata (Reptilia: Serpentes) in San Luis Potosí, Mexico, Paul Licht and Frederick R. Gehlbach, 6:197–198
Ficimia quadranqularis desertorum Taylor in United States, fifth, Richard S. Funk, 9:105
Ficus, 13:230, 18:194, 18:433, 18:439, 18:441, 32:363, 34:541
benjamina, 16:32
berryi, 16:112
carica, 28:63, 35:73
exotica, 16:32
mississippiensis, 16:112, 16:115
nitida, 16:32, 32:136
palmeri, 21:128
petiolaris, 32:134, 36:259
Fidelity of common snipe to wintering grounds, with comments on local movements, Keith A. Arnold, 26:319–321
Field collections of rudd, *Scardinius erythrophthalmus* (Cyprinidae), in Texas, R. G. Howells, R. W. Luebke, B. T. Hysmith, and J. H. Moczygemba, 36:244–245
Field observations on the sympatric occurrence of species of *Gaura* (Onagraceae) in central Texas, J. K. Bryan, 8:10–14
Fifield, Lynn, see Honeycutt, Rodney L., —
Filago californica, 35:70
Filaria mitchelli, 35:458
Filariidae, 17:198
Filarioidea, 29:89–92
Filinia, 12:58, 12:59, 12:63, 17:244, 22:417, 23:169, 30:242
longiseta, 21:465, 23:636, 27:38
Filistata
arizonica, 20:58
hibernalis, 11:368, 30:6
Filistatidae, 11:368, 20:6, 20:9, 20:58, 20:61, 20:62, 30:6
Filistatoides, 20:58, 20:62, 20:64, 20:66
Fimbristylis, 35:388, 35:390
autumnalis, 21:404
castanea, 22:36, 22:39–44, 23:505, 23:508, 25:316, 28:366, 28:367, 36:122
puberula, 29:325, 29:326, 29:329, 29:330
spadicea, 20:217, 25:402
Finch, Deborah M., Multivariate analysis of early and late nest sites of Abert's towhees, 30:427–432
Findley, James S., A black population of the Goldman pocket mouse, 12:191–192
Findley, James S., A new station for the Sacramento Mountain salamander in New Mexico, 4:155–156
Findley, James S., Northernmost limit of the river crab, *Pseudothelphusa* (Decapoda), in western Mexico, 11:412–413
Findley, James S., Verification of the occurrence of *Bufo microscaphus* Cope in New Mexico, 9:107
Findley, James S., see Jones, Clyde, —
Finley, Robert B., Jr., Jerry R. Choate, and Donald F. Hoffmeister, Distributions and habitats of voles in southeastern Colorado and northeastern New Mexico, 31:263–266
Finley, Robert B., Jr., see Caire, William, —
Fiorinia, 18:426
theae, 16:321, 16:322, 18:430, 18:436
Fire, 34:79–84, 34:144–145
Fire ant predation on wood duck ducklings and pipped eggs, Kenneth T. Ridlehuber, 27:222
Fire ant (*Solenopsis invicta*) density on northern pygmy mice (*Baiomys taylori*), impact of, Tracy S. Smith, Steven A. Smith, and David J. Schmidly, 35:158–162
Fire ant-induced trap mortality of small mammals in east-central Texas, M. P. Masser and W. E. Grant, 31:540–542
Fire ants, heptachlor, and fish kill, Jack Boudreaux, Kirk Strawn, and Gerald Callas, 3:7–12
Fire ants in Texas (Myrmicinae: Formicidae), factors affecting the distribution of, Akey C. F. Hung and S. Bradleigh Vinson, 23:205–213
Fire history of the High Chisos, Big Bend National Park, Texas, a, William H. Moir, 27:87–98
Fire in tallgrass prairie on seed production of *Vernonia baldwinii* Torr. (Compositae), effect of, Alan K. Knapp, 29:242–243
Fire occurrence in the Arizona upland subdivision of the Sonoran Desert, 1955 to 1983, trends in, Mary K. Schmid and Garry F. Rogers, 33:437–444
Fire on a coastal sage scrub bird community, effects of, David J. Moriarty, Richard E. Farris, Diane K. Noda, and Patricia A. Stanton, 30:452–453
Fire on a tobosagrass-mesquite community in the Rolling Plains of Texas, the effect of, Leon F. Neuenschwander, Henry A. Wright, and Stephen C. Bunting, 23:315–337
Fire on wildlife in a lodgepole pine forest, effects of, Jerry A. Roppe and Dale Hein, 23:279–287
Fire scar records on lodgepole pine (*Pinus contorta* Dougl.) in north-central Colorado, four, Martin E. Alexander, 25:432–434
First year seedling survival of jojoba (*Simmondsia chinensis*) in the Tucson Mountains, Arizona, Wade C. Sherbrooke, 22:225–234
Fish fauna of Oklahoma with a summary of introduced species, additions to the, Gordon E. Hall, 1:16–26
Fish fauna of Oklahoma: *Erimyzon sucetta* (Catostomidae), an addition to the, D. Allen Rutherford, A. A. Echelle, and O. E. Maughan, 30:305–306
Fish fauna of the Sauz Basin, northern Chihuahua, Mexico, re-discovery of the, W. L. Minckley and Richard K. Koehn, 10:313–315
Fish introductions in the American Southwest: a case history of Rogers Spring, Nevada, Walter R. Courtenay, Jr., and James E. Deacon, 28:221–224
Fish kill, 3:7–12
Fish populations, 3:13–16
Fisher, Charles D., see Schultz, Jeffrey G., —
Fisher, David H., Factors affecting the reproductive success of the northern mockingbird in South Texas, 26:289–293
Fisher, J. T., see DeVelice, R. L., —
Fisher, Martes pennanti, in Sheridan County, Wyoming, a, Larry N. Brown, 10:143
Fisher, Stuart G., David E. Busch, and Nancy B. Grimm, Diel feeding chronologies in two Sonoran Desert stream fishes, *Agosia chrysogaster* (Cyprinidae) and *Pantosteus clarki* (Catostomidae), 26:31–36
Fishes along the course of the pluvial White River, Nevada, comparative status of, Walter R. Courtenay, Jr., James E. Deacon, Donald W. Sada, Robert C. Allan, and Gary L. Vinyard, 30:503–524
Fishes from archaeological sites in northern New Mexico, Frederick R. Gehlbach and Robert Rush Miller, 6:2–8
Fishes in the Kansas segment of the west fork of Drywood Creek, J. Carl Bass, James R. Triplett, and Wm. T. Waller, 15:138–141
Fishes in the San Rafael River system of the upper Colorado River Basin, distribution of, Charles W. McAda, Charles R. Berry, Jr., and Charles E. Phillips, 25:41–49
Fishes in the White River, Utah, distribution of, Steven H. Lanigan and Charles R. Berry, Jr., 26:389–393
Fishes killed by cold at Port Aransas,

Texas, 11–12 January 1973, observations on, Richard H. Moore, 20: 461–466
Fishes, macroinvertebrates, and aquatic habitats of the Purgatoire River in Piñon Canyon, Colorado, Robert G. Bramblett and Kurt D. Fausch, 36: 281–294
Fishes of Aravaipa Creek, Graham and Pinal counties, Arizona, Willard E. Barber and W. L. Minckley, 11:313–324
Fishes of Crutcho Creek and the North Canadian River in central Oklahoma: effects of urbanization, William J. Matthews and Frances P. Gelwick, 35:403–410
Fishes of Lake Texoma, Oklahoma and Texas, an annotated list of the, Carl D. Riggs and Edward W. Bonn, 4: 157–168
Fishes of Oklahoma springs, William J. Matthews, Jan Jeffery Hoover, and W. Bryan Milstead, 30:23–32
Fishes of the Cossatot River in southwestern Arkansas, a survey of the, Donald G. Cloutman and Larry L. Olmsted, 19:257–266
Fishes of the Rio Chama and upper Rio Grande, New Mexico, with preliminary comments on their longitudinal distribution, Steven P. Platania, 36:186–193
Fishes of the Rio Grande between Elephant Butte and Caballo reservoirs, New Mexico, David L. Propst, Gerald L. Burton, and Bryan H. Pridgeon, 32:408–411
Fishes of the Sierra de Manantlan, west-central Mexico, John Lyons and Sonia Navarro-Perez, 35:32–46
Fissidens
cristatus, 28:240, 30:151
debilis, 6:188
limbatus, 1:118, 3:116
obtusifolius, 5:43, 6:188
ravenelii, 28:240
subbasilaris, 28:240
taxifolius, 22:136, 28:240
Fissuraspis, 16:334, 18:426
ulmi, 16:321, 16:322, 18:437
Fissurella volcano, 36:353
Fissurellidae, 36:353
Fitch, Alice V., see Fitch, Henry S., —
Fitch, Chester W., see Fitch, Henry S., —
Fitch, Henry S., Alice V. Fitch (Mrs. Anthony A. Echelle), and Chester W. Fitch, Ecological notes on some common lizards of southern Mexico and Central America, 15:397–399
Fitzpatrick, L. C., see Fagan, J. A., —
Fitzpatrick, L. C., see Smith, George A., —
Fixed station radio tracking system, a, Jack M. Inglis, O. D. Sittler, and J. D. Kirby, 13:433–443
Flagellariaceae, 6:99
Flammula sapinea, 8:199
Flammulated owl in Lubbock County, Texas, George Miksch Sutton, 5: 173–174
Flatidae, 29:438
Flaveria
brownii, 25:317, 25:319
campestris, 2:169
chloraefolia, 20:217, 28:313
oppositifolia, 23:501
Flavobacterium, 9:161, 15:422
Flavonoid aglycones and C-glycosides of the palm genus *Washingtonia* (Arecaceae: Coryphoideae), Scott Zona and Ron Scogin, 33:498
Flavonoid analysis of *Oenothera speciosa* (Onagraceae), John E. Averett, Shong Huang, and Warren L. Wagner, 32:117–120
Fleet, Robert R., Notes on the blind snake, *Leptotyphlops dulcis dulcis*, in eastern Texas, 17:309
Fleet, Robert R., see Clark, Donald R., Jr., —
Fleetwood, Raymond J., and Charles E. Hudson, Jr., Probable green violet-ear hummingbird, Colibri thalassinus, in Cameron County, Texas, 10: 312
Fleetwood, Raymond J., *Aristolochia marshii* found in Hidalgo County, Texas, new to United States, 13:104
Fleharty, Eugene D., and Dwight R. Ittner, Additional locality records for some Kansas herptiles, 12:199–200
Fleharty, Eugene D., and Michael A. Mares, Habitat preference and spatial relations of *Sigmodon hidpidus* on a remnant prairie in west-central Kansas, 18:21–29
Fleharty, Eugene D., Comparative ecology of *Thamnophis elegans*, *T. cyrtopsis*, and *T. rufipunctatus* in New Mexico, 12:207–229
Fleharty, Eugene D., see Baar, Stephen L., —
Fleharty, Eugene D., see Birney, Elmer C., —
Fleharty, Eugene D., see Carley, Curtis J., —
Fleharty, Eugene D., see Choate, Jerry R., —
Fleharty, Eugene D., see Fehrenbacher, L. H., —
Fleharty, Eugene D., see Hansen, Carroll M., —
Fleharty, Eugene D., see Kaufman, Donald W., —
Fleharty, Eugene D., see Kozel, Ronald M., —
Fleming, C. Mike, see Hubbs, Clark, —
Fleming, Robert L., see Baker, Rollin H., —
Fleming, W. James, and Brian W. Cain, Areas of localized organochlorine contamination in Arizona and New Mexico, 30:269–277
Flenniken, Kay S., see Fulbright, Timothy E., —
Flexipenis vittatus, 15:257, 15:258
Flickinger, Edward L., and Christine M. Bunck, Number of oil-killed birds and fate of bird carcasses at crude oil pits in Texas, 32:377–381
Flickinger, Edward L., see King, Kirke A., —
Flies reared from bird's nests, notes on some, Marshall R. Wheeler, 4:154
Flight habits of Mexican freetail bats, some observations on the, James K. Baker and Paul F. Spangle, 7:76–77
Flight speeds of five species of Neotropical bats, Michael L. Kennedy, Phyllis K. Price, and Ollar S. Fuller, 22:401–404
Flinders, Jerran T., see Horejsi, Ronald G., —
Flood dispersal of brook silverside, Labidesthes sicculus, Walter W. Dalquest, 2:173–174
Flood, John E., see Horton, Jerome S., —
Flooding in a Sonoran Desert stream, including elimination of an endangered fish population (*Poeciliopsis o. occidentalis*, Poeciliidae), impact of, James P. Collins, Craig Young, Judd Howell, and W. L. Minckley, 26: 415–423
Floods on *Thomomys bottae* in Texas, effect of, Stephen L. Williams, 21:169–175
Flora of the lower Cretaceous Cedar Mountain formation of Utah and Colorado, Part IV. *Palaeopiceoxylon thinosus* (Protopinaceae), W. D. Tidwell and G. F. Thayn, 30:525–532
Floral biology of *Nymphaea odorata* (Nymphaeaceae), the, Edward L. Schneider and Tim Chaney, 26:159–165
Floral ecology of Texas and Chihuahuan *Argemone* (Papaveraceae), contributions to the, Edward L. Schneider, Georgia K. Rich, Rosario Barrientos, and Joseph R. Koke, 32:150–152
Floral UV-absorption patterns and anthochlor pigments in the Asteraceae, Ron Scogin, 23:371–374
Flores, Dan L., see Jones, J. Knox, Jr., —

Flores, Saul, see Wilson, Larry David, —
Florestina tripteris, 23:501, 25:322
Florida
caerulea, 6:105, 15:495–496, 21:476
thula, 6:105
Floridae, 2:60
Florinda coccinea, 30:121
Floristic analysis and checklist for the northern Santa Rita Mountains, Pima Co., Arizona, a, Steven P. McLaughlin, and Janice E. Bowers, 35:61–75
Floristic components of the gypsum hills and redbed plains area of southwestern Oklahoma, Susan C. Barber, 24:431–437
Flourencia cernua, 32:428–431, 36:70
Flourensia, 21:145–149, 24:120, 24:128, 25:568, 32:389
cernua, 1:67, 9:153, 10:259, 15:33, 16:10, 16:206, 21:313–315, 22:340, 22:341, 22:344, 23:291, 23:296, 23:410, 27:162, 30:608, 31:277, 32:384, 33:276, 33:425–428, 33:430, 33:434, 35:378, 35:380, 35:381, 36:89, 36:119
monticola, 21:145, 21:147, 21:148
pulcherrima, 21:145–147
resinosa, 21:145
Flourensia (Asteraceae-Heliantheae) from north-central Mexico, two new species of, Michael O. Dillon, 21:145–149
Flower formation in *Kalanchoe velutina* induced by low night temperature, G. K. Sharma, 18:331–334
Flower-visiting habits of *Pseudomasaris vespoides* (Hymenoptera: Masaridae), notes on the, V. J. Tepedino, 24:380–381
Flowering plants of South Padre Island, Texas, annotated checklist of the, Robert I. Lonard, Frank W. Judd, and Sammie L. Sides, 23:497–509
Floyd, M. Lisa, and David D. Hanna, Cone indehiscence in a peripheral population of piñon pines (*Pinus edulis*), 35:146–150
Floyd, Mary E., The interaction of piñon pine and Gambel oak in plant succession near Dolores, Colorado, 27:143–147
Fluctuations of some central Texas fish populations, Clark Hubbs and William F. Hettler, 3:13–16
Fluminicula opercula, 27:440, 27:441
Fluoresence in *Leptotyphlops humilis* (Serpentes: Leptotyphlopidae), Arthur C. Hulse, 16:123–124
Flycatching behavior by American kestrels, Lowell H. Suring and Charles J. Ault, 26:76
Foeniculum vulgare, 28:47, 35:18
Fogleman, James C., and Therese A. Markow, Behavioral differentiation between two species of cactophilic *Drosophila*. II. Pupation site preference, 27:315–320
Foldesh, William E., An attack by bobcats on an adult javelina, 27:457
Foleyella americana, 17:198, 17:199
Folse, L. J., Jr., see Grant, W. E., —
Folse, Leon J., Jr., and Keith A. Arnold, Population ecology of roadrunners (*Geococcyx californianus*) in South Texas, 23:1–27
Folsomia candida, 12:264
Fomes
connatus, 19:355
ohiensis, 19:355
scutellatus, 19:355
setulosus, 14:125
zealandicus, 14:125
Fomitopsis
annosa, 19:355
cajanderi, 19:355
pinicola, 19:355
ulmaria, 17:409, 17:411–413
Fonteyn, Paul J., Terry M. McClean, and Robert E. Akridge, Xylem pressure potentials of three dominant trees of the Edwards Plateau of Texas, 30:141–146
Fonteyn, Paul J., see Akridge, Robert E., —
Food and feeding behavior of the keeled earless lizard, *Holbrookia propinqua*, Frank W. Judd, 21:17–25
Food habits and feeding behavior of *Crotaphytus collaris collaris* (Iguanidae) from Arkansas and Missouri, Chris T. McAllister, 30:597–600
Food habits and feeding behavior of the fountain darter, *Etheostoma fonticola* (Osteichthyes: Percidae), John R. Schenck and B. G. Whiteside, 21:487–492
Food habits and organochlorine contaminants in the diet of olivaceous cormorants in Galveston Bay, Texas, Kirke A. King, 34:338–343
Food habits of an aoudad sheep *Ammotragus lervia* (Bovidae), in the Edwards Plateau of Texas, Charles W. Ramsey and Melvin J. Anderegg, 16:267–280
Food habits of *Microtus pennsylvanicus* (Cricetidae) and photosynthetic pathways, Linda J. Brown, 26:218–220
Food habits of *Moxostoma congestum* and *Cycleptus elongatus* (Catostomidae: Cypriniformes) in Black River, Eddy County, New Mexico, David E. Cowley and James E. Sublette, 32:411–413
Food habits of *Sceloporus undulatus tristichus* Cope (Squamata: Iguanidae) in Arizona, Michael E. Toliver and Daniel T. Jennings, 20:1–11
Food habits of subadult striped bass in Lake Mead, Arizona-Nevada, Gene R. Wilde and Larry J. Paulson, 34:118–123
Food habits of sympatric *Cnemidophorus exsanguis* and *Cnemidophorus gularis* (Lacertilia, Teiidae), a comparison of, Donald D. Smith, 34:418–420
Food habits of the bobcat in two habitats of the southern Chihuahuan Desert, Miguel Delibes and Fernando Hiraldo, 32:457–461
Food habits of the western diamondback rattlesnake, *Crotalus atrox*, in Texas (Viperidae), Randell A. Beavers, 20:503–515
Food habits of young-of-year longnose gar in Lake Texoma, Oklahoma, Anthony A. Echelle, 13:45–50
Food item of the western diamondback rattlesnake (*Crotalus atrox*), unusual, Kirke A. King, 20:416–417
Food limiting effects in populations of *Sceloporus jarrovi* (Iguanidae), Royce E. Ballinger, 25:554–557
Food of *Ancistrodon c. concortrix* in Houston and Trinity counties, Texas, Edward J. Greding, Jr., 9:105
Food of bullfrogs (*Rana catesbeiana*) from pond and stream habitats in southwestern Oklahoma, differences in, Jack D. Tyler and Roger D. Hoestenbach, Jr., 24:33–38
Food of *Natrix* in Hunt County, Texas, Edward J. Greding, Jr., 9:206
Food of nestling olivaceous cormorants, the, Michael L. Morrison, Edwin Shanley, Jr., and R. Douglas Slack, 22:321–326
Food resource utilization during periods of low and high food availability in *Sceloporus jarrovi* (Sauria: Iguanidae), Royce E. Ballinger and Ruth A. Ballinger, 24:347–363
Food selection by lesser prairie chickens in Northwest Texas, Ted B. Doerr and Fred S. Guthery, 28:381–383
Food studies of *Cyprinodon macularius* and *Cyprinodon nevadensis* (Cyprinodontidae), preliminary, Robert J. Naiman, 24:538–541
Food uses of the Richardson ground squirrel (*Spermophilus richardsoni elegans*) in the Laramie Basin of Wyoming, Tim W. Clark, 13:248–249
Foods of coyotes (*Canis latrans*) in Oklahoma, Troy L. Best, Barbara Hoditschek, and Howard H. Thomas, 26:67–69
Foods of sympatric scaled quail and

mourning doves, comparative, James P. Griffing and Charles A. Davis, 21:248–249
Foods of the Devil's Hole pupfish, *Cyprinodon diabolis* (Cyprinodontidae), C. O. Minckley and James E. Deacon, 20:105–111
Foods of the Texas spotted whiptail lizard (*Cnemidophorus gularis*) in New Mexico, Troy L. Best and Paul J. Polechla, 28:376–377
Foquieria splendens, 20:218
Foraging behavior of *Trachymyrmex turrifex* Wheeler (Formicidae: Attini), Deborah A. Waller, 34:271–275
Foraging behavior of *Uta stansburiana* and *Cnemidophorus tigris* in two different habitats, David K. Peterson and Walter G. Whitford, 32:427–433
Forbesaspis forbesi, 14:429
Force, Don C., and Michael L. Thompson, Parasitoids of the immature stages of several southwestern yucca moths, 29:45–56
Forcella, Frank, Decomposition rate of piñon (*Pinus edulis* Engelm.) ovulate cones, 24:383–386
Forcipomyia
brevipennis, 12:375
squamipes, 12:375
Forcum, Donald L., Kenneth W. Weeks, John R. Wheeler, and Bryan E. Miller, Cottontail drownings, 16:218
Forcum, Donald L., see Wheeler, John R., —
Ford, A. L., see Van Auken, O. W., —
Ford, Allen L., and O. W. Van Auken, The distribution of woody species in the Guadalupe River floodplain forest in the Edwards Plateau of Texas, 27:383–392
Ford, Neil B., and John P. Karges, Reproduction in the checkered garter snake, *Thamnophis marcianus*, from southern Texas and northeastern Mexico: seasonality and evidence for multiple clutches, 32:93–101
Ford, Neil B., Seasonality of pheromone trailing behavior in two species of garter snake, *Thamnophis* (Colubridae), 26:385–388
Ford, Neil B., Vincent A. Cobb, and Jim Stout, Species diversity and seasonal abundance of snakes in a mixed pine-hardwood forest of eastern Texas, 36:171–177
Forelius
foetida, 26:8, 29:442
foetidus, 28:140, 31:555–557, 33:276, 33:282, 35:416–421
pruninosus, 31:555, 31:557
Foreman, Larry D., Brian W. Cain, and William S. Stewart, Mockingbird and western kingbird entangled in string used in nest construction, 23: 704–705
Forest succession on the Republican River floodplain in Clay County, Kansas, R. Glenn Bellah and Lloyd C. Hulbert, 19:155–166
Foresteria acumnata, 29:83
Forestiera, 2:140–151, 30:543
acuminata, 2:141–142, 2:146, 2:147, 2: 149, 6:202, 13:373, 16:272, 21:480, 21:482
angustifolia, 2:140–142, 2:144, 2:145, 10:259, 26:303, 26:304, 30:398, 30: 400, 30:536–539, 30:543, 30:546, 30: 548, 33:108, 36:215
autumnalis, 1:87–88, 2:140, 2:149
cartaginensis, 2:140
globularis, 2:143
hondurensis, 2:140
jacquiniana, 2:143
ligustrina, 2:140–142, 2:148, 2:150, 21: 482
neomexicana, 2:140–142, 2:147, 2:148, 15:151, 15:152, 15:160, 36:219
nitida, 2:146
phillyreoides, 2:144, 2:145
pinetorum, 2:143
porulosa, 2:140, 2:143, 2:144, 2:150
prinoides, 2:150
puberula, 2:140–142, 2:145
pubescens, 1:87, 2:140–142, 2:147, 2: 149, 13:85, 15:151, 15:152
racemosa, 2:150
reticulata, 2:140–142, 2:149, 2:150, 24: 168, 24:170–172, 24:177
retusa, 2:150
rhamnifolia, 2:140
segregata, 2:140–143, 2:150
shrevei, 2:140–142, 2:145, 2:146
sphaerocarpa, 2:148
texana, 2:140, 2:144
wrightiana, 2:140, 2:149
Forestiera autumnalis Buckley (Oleaceae) in eastern Texas and western Louisiana, Lloyd H. Shinners, 1:87–88
Foreyt, William J., and W. C. Glazener, A modified box trap for capturing feral hogs and white-tailed deer, 24: 377–380
Formalin on length and weight of bluegill and white crappie from Lake Nasworthy, Texas, effects of, Chi Fu Yeh and Ronald G. Hodson, 20:315–322
Formica, 15:321, 17:54, 20:25, 21:3, 32: 508, 34:216
argentea, 30:266
canadensis, 28:289, 28:290, 28:292
dakotensis, 28:301
exsecta, 27:140, 28:300
fusca, 17:49, 17:52, 19:70, 27:136, 27: 137
gelida, 29:423–427
gnava, 30:259–267, 30:289–295
haemorrhoidalis, 27:135–142, 28:295–302
lasioides, 17:49, 17:50, 17:52, 17:53, 28: 96
limata, 17:49, 17:50, 17:52
obscuripes, 17:52, 19:70, 30:307, 36:141
obscuriventris, 17:53
opaciventris, 28:300
pallidefulva, 17:49–53, 28:96
perpilosa, 2:127, 21:1, 21:6, 21:7
podzolica, 28:289, 28:290, 28:292
polyctena, 27:135, 28:300, 31:91
pratensis, 27:246
pressilabris, 27:140
rufa, 27:135–137, 27:246
sanguinea, 19:69, 27:137, 28:301
subsericea, 30:265
ulkei, 27:246
yessensis, 28:300, 28:301
Formicariidae, 4:81
Formicarius analis, 4:71
Formicidae, 12:455, 13:286, 15:321, 17: 208, 18:39–43, 19:65, 19:69, 19:70, 19:309–312, 19:449–452, 20:2, 20: 85–90, 20:148, 22:421–425, 23:205–213, 23:565, 23:566, 23:568–571, 23: 575, 24:677–682, 25:151–156, 25: 181–195, 26:430, 26:431, 27:135–142, 27:245, 27:329, 27:330, 28:21–31, 28:101, 28:137–142, 28:295–302, 29:356, 29:423–427, 29:442, 30:59–68, 30:259–267, 30:307–309, 30:549, 30:550, 30:611–612, 31:87–94, 31: 256–259, 31:274–276, 31:381–385, 31:395–396, 31:555–557, 32:386, 32: 396, 32:412, 32:419, 32:420, 33:112–114, 33:250–251, 33:282, 34:213–218, 34:271–275, 34:443–449, 35: 416–422, 35:477–478, 36:116–117, 36:140–142
Formicinae, 36:140–142
Forms, distribution, and relationships of '*Psocus*' *coquilletti* Banks (Psocoptera: Psocidae), Edward L. Mockford, 30:13–22
Forsellesia, 10:258, 10:259
spinescens, 23:291, 23:293–295, 23:299, 32:292
Forsstroemia trichomitria, 28:240, 28:241
Forsyth, Billy Joe, see Sealander, John A., Jr., —
Fosberg, F. R., Man as a dispersal agent, 3:1–6
Fossaria obrussa, 27:243
Fossil armadillos in Nebraska: the northernmost record, M. R. Voorhies, 32: 237–243
Fossil Equidae from the middle Pliocene of the Central Plateau of Mexico, O. Mooser, 13:1–12
Fossil rabbits (Lagomorpha) of the Friesenhahn Cave deposit, Texas, David Pettus, 1:109–115

Fossombronia, 28:241
brasiliensis, 28:240
longiseta, 13:100–101
wondraczekii, 28:240
Fossombronia longiseta (Aust.) in Texas, Paul V. Prior, 13:100–101
Foster, M. A., C. J. Scifres, and P. W. Jacoby, Jr., Phenological development of lotebush, *Ziziphus obtusifolia* (Rhamnaceae), in North Texas, 29:516–518
Foster, Mercedes S., see McDiarmid, Roy W., —
Fouquette, M. J., Jr., and A. J. Dellahoussaye, Noteworthy herpetological records from Louisiana, 11:137–139
Fouquette, M. J., Jr., and M. J. Littlejohn, Patterns of oviposition in two species of hylid frogs, 5:92–96
Fouquiera splendens, 15:161
Fouquierea splendens, 15:136
Fouquieria, 2:33, 3:97, 7:179, 8:174, 8:175, 25:568, 27:221, 32:389, 34:523, 34:525
diguetii, 21:128
peninsularis, 21:127
splendens, 1:67, 3:30, 9:152, 10:256, 10:259, 11:242, 11:395–401, 12:83, 12:185, 16:87, 17:86, 17:289, 17:423, 18:193, 20:70, 21:315, 21:393, 22:195–204, 22:227, 22:340, 22:342, 22:345, 22:346, 23:291, 23:295, 23:297, 24:130, 24:136, 24:710, 25:364–366, 26:87, 26:204, 26:261, 26:264, 27:321, 27:404, 28:213, 29:213, 31:277, 32:23, 32:483, 33:288, 34:521, 35:72, 35:363–365
splendons, 16:6
Fouquieriaceae, 1:67, 22:342, 23:297, 35:72
Fowler, Harold G., and Walter G. Whitford, Host plant ovipositional preferences and usage by *Oecleus nolinus* (Homoptera: Cixiidae), 30:610–611
Fowler, Harold G., and Walter G. Whitford, Mating behavior of *Polyphylla diffracta* (Coleoptera: Scarabaeidae), 26:215–216
Fowler, Harold G., and Walter G. Whitford, Pre-dispersal seed feeding insects of a desert legume, *Astragalus nutallianus*, 28:466–469
Fowler, Harold G., New state record for *Halticotoma valida* (Hemiptera: Miridae) with notes on populations, 25:267–268
Foxes from western Texas and eastern New Mexico, distributional notes on some, Robert L. Packard and J. Hoyt Bowers, 14:450–451
Fragaria
americana, 20:432
ovalis, 36:38
vesca, 12:140
virginiana, 32:35
Fragilaria, 10:188–210, 17:244, 22:112, 22:414, 22:415
brevistriata, 10:40, 26:313, 35:207, 35:209
capucina, 20:404, 20:405, 22:413, 24:152, 26:313
construens, 22:413, 26:312, 26:313
crotonensis, 19:418, 20:401, 20:403, 20:404, 22:413
leptosauron, 22:413
pinnata, 10:40, 22:413, 24:152
vaucheriae, 20:201, 20:203, 22:310, 24:152, 26:313
virescens, 10:40, 24:152
Fragilariaceae, 10:40, 26:313, 28:245
Fragillaria, 10:266
Franceia, 17:244, 17:247
ovalis, 20:48
Francke, Oscar F., Birth behavior and life history of *Diplocentrus spitzeri* Stahnke (Scorpiones: Diplocentridae), 25:517–523
Francke, Oscar F., James C. Cokendolpher, and Lindsey R. Potts, Supercooling studies on North American fire ants (Hymenoptera: Formicidae), 31:87–94
Francke, Oscar F., Lindsey R. Potts, and James C. Cokendolpher, Heat tolerances of four species of fire ants (Hymenoptera: Formicidae: *Solenopsis*), 30:59–68
Francke, Oscar F., The life history of *Diplocentrus bigbendensis* Stahnke (Scorpiones, Diplocentridae), 29:387–393
Francke, Oscar F., see Taber, Stephen W., —
Frankenia
gypsophila, 19:125
jamesii, 1:55, 1:64
palmeri, 28:211–213, 29:213, 29:215, 34:521, 34:523
pulverulenta, 9:233
Frankeniaceae, 1:64, 9:233
Franklin, Donald R., see Vanicek, C. David, —
Franklin's gull (*Larus pipixcan*) in Nevada, first record of, Keith I. Giezentanner and William H. Clark, 22:141–142
Franklinia, 3:5
Frankliniella
fusca, 36:52
minuta, 36:52
occidentalis, 36:49, 36:51, 36:52
Franseria, 7:179, 12:121, 21:51, 22:227, 23:669
camphorata, 16:369
cordfolia, 16:369
deltoidea, 16:369, 21:392, 23:673, 23:674, 31:112
dumosa, 9:58, 9:59, 11:395, 11:397, 15:116, 17:335, 20:574, 23:673, 23:674, 23:677, 26:296, 30:467
Fraser, Joseph G., and Rex D. Pieper, Growth characteristics of *Opuntia imbricata* [Haw.] DC. in New Mexico, 17:229–237
Frasera pahutensis, 18:398, 18:400
Fratricide in Swainson's hawk (Accipitridae), evidence for, James W. Parker, 24:533–534
Fraxinus, 11:316, 14:423, 15:288, 17:398, 18:437, 18:445, 18:446, 20:217, 20:328, 20:329, 20:333, 21:132, 23:548, 23:587, 25:70, 26:282, 27:389, 30:75, 34:182
americana, 6:99, 12:345, 21:482, 27:385, 27:386, 27:428, 27:429
anomala, 22:49, 22:51, 22:59, 22:62, 26:263, 26:265, 26:278, 26:283, 26:284, 26:397, 34:41
berlandieriana, 24:688, 30:398, 30:400, 36:215, 36:216
caroliniana, 28:63
cuspidata, 15:151, 15:152
greggii, 5:5, 10:258, 10:259, 15:136, 25:479, 30:536
pennsylvanica, 1:145, 12:136, 12:137, 14:329, 18:433, 18:439, 18:444, 19:441, 21:119, 21:475, 24:388, 25:211, 25:212, 27:56–59, 27:428, 28:252, 28:253, 28:258, 28:336, 29:83, 30:388, 30:389, 30:391, 34:73, 35:73
pennsylvanicus, 25:548, 35:116
pensylvanica, 10:43, 19:155, 19:158–161, 19:164, 21:478, 21:480, 21:482, 21:483, 32:306
velutina, 15:153, 15:160, 16:87, 18:372, 18:377, 18:433, 18:437, 18:439, 22:429, 22:430, 25:19, 27:321, 28:82–84, 30:475, 33:84, 35:73
Fraze, Russell, K., and Kenneth T. Wilkins, Patterns of use of man-made roosts by *Tadarida brasiliensis mexicana* in Texas, 35:261–267
Frazer, Catherine, see Tischendorf, Jay S. W., —
Fredericella, 23:554, 23:559
australiensis, 15:331–346
sultana, 14:236, 14:237, 15:331, 15:333, 15:341–345
Fredericellidae, 15:331–346
Fredricks, Myra S., see Keeler, Kathleen H., —
Free-tailed bats (Molossidae) from Yucatan, Mexico, observations on six species of, John B. Bowles, Paul D. Heideman, and Keith R. Erickson, 35:151–157
Freeman, C. E., A new record of lechuguilla (*Agave lecheguilla*: Agavaceae) in New Mexico, 17:423
Freeman, C. E., and W. A. Dick-Peddie, Woody riparian vegetation in the

Black and Sacramento mountain ranges, southern New Mexico, 15: 145–164
Freeman, C. E., Germination responses of a New Mexico population of Parry agave (*Agave parryi* Engelm. *var.* parryi) to constant temperature, water stress, and pH, 20:69–74
Freeman, C. E., Robert S. Tiffany, and William H. Reid, Germination responses of *Agave lecheguilla, A. parryi,* and *Fouquieria splendens,* 22: 195–204
Freeman, C. E., Seasonal variation in leaf nitrogen in creosotebush (*Larrea tridentata* [DC.] Cov.: Zygophyllaceae), 27:354–356
Freeman, C. E., Some germination responses on lechuguilla (*Agave lecheguilla* Torr.), 18:125–134
Freeman, C. E., see Rivera, Romelia L., —
Freeman, C. Edward, and Kathleen C. Head, Temperature and sucrose composition of floral nectars in *Ipomopsis longiflora* under field conditions, 35:423–426
Freeman, C. Edward, William H. Reid, and John W. Zaun, Nectar amino acids in four species of *Agave* (Agavaceae), 28:113–115
Freeman, C. Edward, see Reid, William H., —
Freeman, C. Edward, see Van Devender, Thomas R., —
Freeman, C. Edward, see Walters, James Peter, —
Freeman, Jerry, and Laurie Wunder, Observations at a colony of the Brazilian free-tailed bat (*Tadarida brasiliensis*) in southern Colorado, 33: 102–104
Freeman, Patricia Waring, see Lemen, Cliff, —
Freeman, Ron C., and James H. Shaw, Hybridization in *Canis* (Canidae) in Oklahoma, 24:485–499
Freeze loss in the least grebe (Podiceps dominicus) in lower Rio Grande Delta of Texas, Pauline James, 8: 45–46
Freezes, 8:45–46, 30:397–403, 35:94–95, 36:213–217
Fregata magnificens, 7:255
Fremontodendron californicum, 29:10, 31: 182
French, N. R., see Grant, W. E., —
Frenelopsis varians, 30:530
Fresh-water limpets, *Ferrissia walkeri* (Pilsbry and Ferriss) and *Laevapex fuscus* (C. B. Adams) (Pulmonata: Anacylidae) in north central Texas, new populations of the, Robert F. McMahon and Archibald W. Hopkins, 22:353–357
Freshwater "red tide" in Texas, a, Lois A. Pfiester and Jack R. Holt, 23: 103–110
Freshwater animal reported for Isla de Guadalupe represents a southern range extension for *Branchinecta lindahli* (Crustacea: Anostraca), first, Denton Belk and David R. Lindberg, 24:390–391
Freshwater clam *Sphaerium transversum* (Say) in Arizona, Dwight W. Taylor, 12:202–203
Freshwater limpet (*Pulmonata: Basommatophora*) in southern Oklahoma, new distribution records for two species of, Robert F. McMahon, David W. Aldridge, and Gary L. King, 21: 241–242
Freshwater sponges in Beaver Reservoir, Northwest Arkansas, T. O. Duncan, 22:140
Freshwater triclads (Turbellaria) of Arizona, Stuart E. Nixon, 25:469–477
Frey, Jennifer K., and Dwight W. Moore, Status of Hayden's shrew (*Sorex haydeni*) in Kansas, 35:84–86
Fries, Joe N., Michael J. Fuller, and Celinda R. Crews, An albino long-tailed vole from New Mexico, 27: 222
Fries, Joe N., *Pipistrellus hesperus* (Chiroptera) eating spiders, 26:215
Friesenhahn Cave *Peromyscus,* further study of the, Robert A. Martin, 13: 253–266
Fringe-tailed bat in Northeast New Mexico, Eugene H. Studier, 13:362
Fringe-tailed bat, *Myotis thysanodes,* from southeastern Wyoming, first record of the, Mark S. Boyce, 25:114–115
Fringed myotis, *Myotis thysanodes,* in west-central Texas, the, J. Knox Jones, Jr., Robert R. Hollander, and Richard W. Manning, 32:149
Fringilla coelebs, 30:222
Fringillidae, 4:80, 4:81, 20:505, 26:204, 26:267, 26:274
Frisonia picticeps, 35:133
Fritschiella and *Gloeoplax* in the United States, Hollings T. Andrews, 10:77
Fritschiella tuberosa, 10:77, 25:351–356
Fritts, Thomas H., see Collum, Laura A., —
Fritts, Thomas H., see McCoid, Michael J., —
Froehlich, Jeffery W., see Benshoff, Lee, —
Froelichia
arizonica, 22:341, 35:66, 35:70
campestris, 2:161
gracilis, 2:161, 25:328
Frogs of the *Rana pipiens* complex in the northern and central plains states, Donald G. Dunlap and Kipp C. Kruse, 20:559–571
Frontinella, 11:366
communis, 33:216
pyramitela, 11:367, 30:6, 30:11, 33:215–218
Frost, Darrel, Past occurrence of *Acris crepitans* (Hylidae) in Arizona, 28: 105
Frost, Herbert H., see Cottam, Clarence, —
Frost, Herbert H., see Smith, Dwight G., —
Frost, John S., and Joseph T. Bagnara, Sympatry between *Rana blairi* and the southern form of leopard frog in southeastern Arizona (Anura: Ranidae), 22:443–453
Frost, Thomas M., see MacKay, William P., —
Fruit bats (genus *Artibeus*) of Middle America Part I, a review of the small, William B. Davis, 14:15–29
Fruit bats (genus *Artibeus*) of Middle America Part II, a review of the small, William B. Davis, 14:389–402
Fruit production by *Yucca elata* Engelm. (Liliaceae) in four Chihuahuan Desert habitats, Roberta J. Gilstrap Laslei and John A. Ludwig, 30:321–322
Frullania
californica, 3:116
catalinae, 1:118
eboracensis, 5:43, 6:187, 28:240, 28:241
kunzei, 28:240, 28:241
riparia, 5:43, 6:187
squarrosa, 28:240, 28:241
Frunus caroliniana, 18:442
Frustulia, 10:266, 17:14, 17:16, 25:420
interposita, 22:414
rhomboides, 24:152, 24:153, 30:464
vulgaris, 19:418, 22:414, 22:459, 24: 153, 28:245, 30:464
Frye, B. L., and J. V. Robinson, *Ischnura posita* (Hagen) and *Telebasis salva* (Hagen) (Odonata: Coenagrionidae) as potential fungal dispersal agents, 32:131–134
Fryxell, P. A., J. Valdés Reyna, and J. A. Villarreal Q., A new species of *Sphaeralcea* (Malvaceae) from Coahuila, Mexico, 36:358–360
Fryxell, Paul A., and Stephen D. Koch, A range extension of *Gossypium lobatum* Gentry (Malvaceae) from Michoacán, Mexico, 23:708–709
Fryxell, Paul A., Further observations on the genus *Hampea* (Malvaceae), 18: 481–483
Fryxell, Paul A., The North American malvellas (Malvaceae), 19:97–103

Fryxell, Paul A., The unresolved mystery of *Cienfuegosia intermedia*, 18:479–481
Fryxell, Paul A., see Jones, Robert W., —
Fuertesia, 21:433, 21:439
Fuirena
scirpoidea, 9:107
simplex, 2:159, 4:56, 22:36, 22:43, 23:505, 23:508, 25:315, 25:327, 28:313
Fuirena scirpoidea in Texas, Fred B. Jones, 9:107
Fulbright, H. J., see Reid, W. H., —
Fulbright, Timothy E., and Kay S. Flenniken, Causes of dormancy in *Paspalum plicatulum* (Poaceae) seeds, 33:35–39
Fulbright, Timothy E., see Diamond, David D., —
Fulgoridae, 24:608, 24:612
Fulica, 5:108
americana, 8:45, 11:137, 14:362, 20:212, 22:141, 26:59–65, 26:204, 31:280, 31:285, 34:260, 34:262, 34:267, 34:495, 36:260
Fuligo
cinerea, 10:224, 10:225
megaspora, 16:146
septica, 10:225
Full-glacial and Recent vegetation of Livingston Hills, Presidio County, Texas, Thomas R. Van Devender, C. Edward Freeman, and Richard D. Worthington, 23:289–301
Fuller, G. D., see Jones, G. N., —
Fuller, Michael J., see Fries, Joe N., —
Fuller, Ollar S., see Kennedy, Michael L., —
Fullington, Richard W., Asiatic land snail new to Texas, *Bradybaena similaris* Ferussac, 20:287
Fumariaceae, 28:290
Funaria
calvescens, 5:43
flavicans, 30:151
hygrometrica, 1:118, 5:43, 28:240
muhlenbergii, 3:121, 3:123
Fundaspis
americana, 15:282
quercus, 17:396
sylvatica, 15:291
Fundulidae, 35:406
Fundulus, 23:490, 23:491, 23:493, 23:494, 36:175
blairae, 22:544
catenatus, 1:16–26, 9:106, 15:141, 19:263, 20:415, 24:383, 24:482, 30:200, 30:201, 30:205, 32:439
chrysotus, 1:22, 2:96, 3:8, 3:10, 8:137, 22:324, 29:504–505, 32:522–525
confluentus, 18:229, 18:236
floripinnis, 31:161
grandis, 2:95, 20:463, 22:324, 25:271–272, 34:340, 34:341, 36:203, 36:205, 36:208
heteroclitus, 16:62, 18:237, 25:271
jenkinsi, 2:95
kansae, 2:99, 2:101, 4:165, 17:375–379, 23:487, 25:58, 26:322, 31:161
kansea, 22:143
notatus, 2:98, 4:164, 11:311, 15:141, 16:285, 19:263, 27:217, 30:25
notti, 1:18, 2:96, 6:202, 8:137, 22:544
olivaceous, 31:379
olivaceus, 1:21, 2:96, 8:136, 12:335, 19:263, 20:415, 27:109–112, 32:439, 33:139
pulvereus, 2:95, 22:324, 34:340
sciadicus, 31:161, 34:229
seminolis, 31:96
similis, 2:95, 20:463, 34:340, 36:205
zebrinas, 30:25
zebrinus, 2:99, 17:376, 18:235, 18:237, 19:186, 22:95, 23:397–400, 24:318, 25:525, 26:321–324, 29:497, 29:498, 30:26, 30:560, 31:161, 32:215, 32:216, 32:409, 32:410, 35:406, 36:287
Fundulus blairae Wiley and Hall (Cyprinodontidae) in Arkansas, Henry W. Robison, 22:544
Fungi from central Arizona, common fleshy, A. R. Cavaliere, 8:196–203
Fungi isolated from sea foam collected at North Padre Island beaches, Robert D. Koehn, 27:17–21
Fungus infection of two species of grasshoppers in western South Dakota, Burruss McDaniel, 31:269–270
Funk, Richard S., A new colubrid snake of the genus *Chionactis* from Arizona, 12:180–188
Funk, Richard S., Albino glossy snake, *Arizona elegans*, from northern Sonora, 10:316–317
Funk, Richard S., Fifth *Ficimia quadranqularis desertorum* Taylor in United States, 9:105
Funk, Richard S., *Hyla wrightorum* (Salientia: Hylidae) in western Arizona, 9:206
Furcaspis
cyanophylli, 14:103
juglans-regiae, 14:431
Furcipus, 15:309
Furnariidae, 4:81
Fusarium, 24:367, 27:18, 27:19, 32:132, 32:133
Fusconaia
ebena, 27:350
flava, 27:350, 27:360, 27:361
ozarkensis, 27:350

G-banded karyotype of *Neotoma goldmani*, Charles P. Harris and David A. McCullough, 33:236–239
Gaarde, William A., and Leroy R. McClenaghen, Jr., Genic variability, dispersal, and differentiation in two species of ophiuroids from southern California, 27:255–262
Gabel, Mark L., and Howard Bich, A range extension for the Tertiary fossil *Eleofimbris* (Cyperaceae), 33:110–112
Gaddis, Philip K., Social interactions and habitat overlap between plain and bridled titmice, 32:197–202
Gadidae, 15:356
Gadzia, Jimi S. Graham, and John A. Ludwig, Mesquite age and size in relation to dunes and artifacts, 28:89–94
Gaillardia, 15:178, 15:184, 17:181–190, 21:539–541
aestivalis, 17:188, 20:330, 24:621–624, 35:386, 35:387, 35:390
aristata, 17:188, 26:88–90, 24:552
coahuilensis, 21:539–541
comosa, 17:181, 17:183, 17:184, 17:188, 17:189
gypsophila, 17:181, 17:183, 17:184, 17:188
lanceolata, 17:188
linearis, 17:187
lutea, 24:621
mearnsii, 17:187
megapotamica, 17:189
mexicana, 17:188, 21:539–541
multiceps, 17:181, 17:186–189, 23:181–186
neomexicana, 17:188
parryi, 17:188
pinnatifida, 15:178, 15:183, 17:181, 17:187–189, 23:181–186, 18:122, 35:70
powellii, 17:181, 17:183, 17:186–188
pulchella, 2:170, 4:52, 4:59, 17:188, 18:119, 18:122, 21:539, 21:541, 22:38, 23:181–186, 23:501, 25:111, 25:315, 25:318, 25:335, 36:122
spathulata, 18:119, 18:122
suavis, 15:175, 15:178, 15:183, 17:188, 17:189, 20:284, 20:285
Gaillardia (Asteraceae-Heliantheae) from northcentral Mexico and adjacent Texas, a new species of, B. L. Turner, 21:539–541
Gaillardia aestivalis var. *winkleri* (Asteraceae), a white-flowered tetraploid taxon endemic to southeastern Texas, B. L. Turner, 24:621–624
Gaines, William L., Colbert E. Cushing, and Stamford D. Smith, Trophic relations and functional group composition of benthic insects in three cold desert streams, 34:478–482
Galactia, 12:350
canescens, 35:388–390, 36:123
mollis, 12:347
regularis, 12:347, 12:349
volubilis, 20:329
wrightii, 35:66, 35:72

Galactites, 26:5
Galbula ruficauda, 4:69
Galbulidae, 4:81
Gale, William F., Substrate preference of the fingernail clam, *Spaerium striatinum* (Lamarck) (Spaeriidae), 18:31–37
Galearis spectabilis, 13:335, 13:337
Galeichthys felis, 1:162, 1:164, 2:95
Galen, Candace, see Wolin, Carole L., —
Galerina
calyptrata, 29:257, 29:259–261, 29:264
tibiicystis, 29:261, 29:264
Galictis vittata, 35:234
Galim tinctorium, 20:331
Galindo, Carlos, see Ceballos, Gerardo, —
Galinsoga, 9:39, 15:183
bicolorata, 9:37, 9:38
caracasana, 9:37
caracasanae, 9:38
ciliata, 9:38, 10:67, 10:212
filiformis, 10:238, 10:239
filipes, 10:239
parviflora, 9:33, 9:38, 10:212, 15:177
semicalva, 9:38
urticaefolia, 9:33, 9:37, 9:38
Galinsoginae, 10:238–240
Galium, 18:45–72, 26:266, 30:389
angustifolium, 31:180–182
aparina, 24:688
aparine, 1:122, 12:138, 12:139, 18:46, 18:50, 18:55, 18:66, 19:155, 19:160–162, 20:327, 20:331, 20:333, 25:70, 25:364, 35:73, 36:304, 36:306
arkansanum, 18:46, 18:49, 18:51, 18:55, 18:67
bifolium, 28:290
californicum, 18:48, 18:60
circaezans, 18:45–47, 18:52–55, 18:67
claytoni, 18:46, 18:61
coloradoense, 17:198, 23:157
concinnum, 18:46, 18:50, 18:55, 18:68
kamtschaticum, 18:46, 18:65
latifolium, 18:51
microphyllum, 35:73
multiflorum, 34:442
obtusum, 18:45, 18:46, 18:49, 18:50, 18:55, 18:56, 18:68
pedemontanum, 18:47, 18:57, 18:60, 18:68
pilosum, 12:347, 18:45, 18:47, 18:49, 18:58–60, 18:68
proliferum, 18:46, 18:47, 18:65, 23:297, 35:73
puncticulosum, 18:59
spurium, 18:51
texanum, 18:60, 18:64
texense, 18:46–50, 18:60, 18:65, 18:69
tinctorium, 6:183, 18:45–47, 18:50, 18:60, 18:61, 18:65, 18:69
trifidum, 18:45, 18:56, 18:61, 18:65
triflorum, 18:46, 18:47, 18:50, 18:60, 18:62–64, 18:69, 34:442
vaillantii, 18:46, 18:50, 18:51
virgatum, 18:45, 18:49, 18:50, 18:60, 18:64, 18:69, 20:330, 23:320
wrightii, 35:66, 35:73
Galium (Rubiaceae) in Oklahoma, the genus, Cheryl A. Lawson, 18:45–72
Gall, G. A. E., see Loudenslager, Eric J., —
Gallaway, B. J., see Bickham, J. M., —
Gallaway, B. J., see Christiansen, J. L., —
Gallaway, Benny J., see Christiansen, James L., —
Gallaway, Benny J., see Moshin, A. K. Mohammad, —
Gallina, Sonia, Importancia del injerto (*Phoradendron* sp.) para el venado, 33:21–25
Gallinago gallinago, 26:319–321
Gallinula chloropus, 8:45, 20:212, 33:251
Gallo, Joseph F., Jr., Notes on the hatching of eggs and description of the hatchlings of the reticulated gecko, *Coleonyx reticulatus* Davis & Dixon (Lacertilia: Eublepharidae), 23:308–309
Gallucci, Tony, and James F. Scudday, *Holospira mesolia* (Urocoptidae) new to Brewster County, Texas, 24:691
Gallus, 26:427
gallus, 23:305, 23:592, 26:68
Gamasidae, 12:261
Gambelia
wislizeni, 26:101, 26:103, 26:111, 27:359, 28:275, 28:287, 28:279
wislizenii, 29:509–511, 30:598, 30:600, 34:522–524, 35:377–383, 36:366
Gamboa, George J., Effects of light and air on the trapping response of the pocket gopher, *Thomomys bottae* (Geomyidae), 19:444–446
Gambusia, 9:6–19, 12:227, 13:47, 15:101, 17:271, 24:556, 29:377, 36:153–157
affinis, 2:102, 3:8, 3:10, 4:165, 8:47, 8:48, 8:137, 8:160, 9:6–18, 9:248–250, 10:314, 11:311, 12:32, 12:335, 13:48, 14:368, 15:249–251, 15:253, 15:254, 15:256–258, 16:122, 16:285, 17:265, 17:268–270, 17:377–379, 18:344, 19:186, 19:187, 19:263, 22:143, 22:324, 22:359–366, 22:440, 23:487, 23:489, 23:490, 23:492–495, 23:520, 24:87–91, 24:311–314, 24:316–321, 24:535, 24:555, 25:51, 25:52, 25:57–60, 25:86, 25:273, 25:274, 25:298, 25:487, 25:496, 25:497, 25:535, 26:421, 27:109–112, 27:226, 28:170, 28:221–223, 28:371, 29:497, 29:498, 29:502, 29:504, 30:24–26, 30:120, 30:173–187, 30:306, 30:465, 30:475, 30:478–483, 30:508, 30:560, 31:96, 31:121, 31:122, 31:379, 31:521, 31:545, 32:215, 32:216, 32:409, 32:410, 32:439, 32:522, 33:139, 34:340, 34:408, 35:178, 35:206, 35:207, 35:406–408, 36:12, 36:153–156, 36:186, 36:187, 36:189–192, 36:203, 36:204, 36:208
alvarezi, 17:268, 31:464
amistadensis, 35:446
atrora, 17:268, 17:270
aurata, 1:249–259, 17:268, 17:270
echeagarayi, 32:227, 32:229, 32:233
eurystoma, 32:229, 32:233
gaigei, 2:101, 8:46–48, 9:6–18, 17:268, 17:270, 31:121–123, 36:153–156
geiseri, 2:100, 2:101, 3:13, 3:14, 9:6–18, 17:265, 17:268–270, 19:186, 22:359–366, 23:487, 25:87, 31:468, 35:350, 36:153–156
georgei, 15:249, 17:268, 17:270
heterochir, 2:101, 8:154, 8:159, 8:160, 15:256, 17:165, 17:268–270, 23:493, 36:153–156
hetrochir, 2:101
holbrooki, 36:153
hurtadoi, 17:268, 17:270
krumholzi, 8:154–161
marshi, 17:268–270
modesta, 15:249, 15:252
myersi, 15:249–253, 15:258
nicaraguensis, 17:268–270, 36:153
nobilis, 2:99, 8:154, 8:159, 8:160, 15:256, 17:268, 19:186, 19:188, 23:487, 23:489–495, 24:311–322, 30:465–466, 31:459–468, 32:213, 32:215, 32:216, 36:153–156
panuco, 17:268–270
patruelis, 15:249
punctata, 17:269, 17:270, 36:153
puncticulata, 17:268, 17:270, 32:227
regani, 15:257, 15:258, 17:265, 17:268–270
senilis, 8:47, 10:314, 17:268, 17:270, 25:87, 35:350, 35:446
sexradiata, 15:256, 32:229, 32:233
speciosa, 36:153–156
vittata, 17:268–270
yucatana, 32:227
Gambusia aurata, a new species of poeciliid fish from northeastern Mexico, Robert Rush Miller and W. L. Minckley, 15:249–259
Gammarus, 8:230, 29:362
lacustris, 28:130
pseudolimnaeus, 33:183
Gamogenesis in some southern populations of periphytic pond Cladocera, John M. Campbell and William J. Clark, 34:344–348
Gann, Jim, see Tumlison, Renn, —
Gannon, Michael R., and Kevin B. Willis, Clutch size and parasitism of the Texas spotted whiptail, *Cnemidophorus gularis* (Sauria: Teiidae), from south-central Texas, 35:215–217
Gannon, William L., and William T.

Stanley, Chip vocalization of Palmer's chipmunk (*Tamias palmeri*), 36:315–317
Ganoderma applanatum, 19:355
Gar ichthyootoxin–its effect on crayfish, with notes on bluegill sunfish, Thomas A. Burns, Dick T. Stalling, and William Goodger, 25:513–515
Garcia, Carlos A., and Albert G. Canaris, Metazoan parasites of *Recurvirostra americana* Gmelin (Aves), from southwestern Texas and Monte Vista National Wildlife Refuge, Colorado, with a checklist of helminth parasites hosted by this species in North America, 32:85–91
Garcia, John D., see Rhodes, Mark J., —
Garcia, Nancy J., see Simon, Thomas P., —
Garcia-Salas, Juan A., see Contreras-Balderas, Armando J., —
Gardner, Alfred L., see Engstrom, Mark D., —
Gardner, Charles R., and Archibald W. Hopkins, Five mosses new to Tarrant County, Texas, 22:135
Gardner, T. J., see Hill, B. H., —
Garippa, David, see Wilson, Gerald T., —
Garman, Brian, see Punzo, Fred, —
Garner, Herschel W., Larry W. Richardson, and Lionel A. Felts, Alimentary helminths of *Dipodomys ordii*: effects on the host population, 21:327–334
Garner, Herschel W., see Pitts, Richard M., —
Garrett, Gary P., Maternal influence on phenotypic expression in hybrids between two species of *Micropterus*, 33:405–411
Garrett, Gary P., see Hubbs, Clark, —
Garrott, Robert A., see Smith, Michael H., —
Garrya
flavescens, 34:182
fremontii, 12:177
goldmani, 15:151, 15:152
lindheimeri, 16:15, 17:290
ovata, 10:258, 10:259
wrightii, 1:64, 15:151, 15:159, 16:87, 16:90, 19:59, 22:349, 24:131, 24:135, 24:710, 25:444, 30:388, 30:389, 30:391, 30:392, 31:349, 35:67, 35:72
Garryaceae, 35:72
Gas exchange in *Agave lecheguilla* Torr. (Agavaceae) and its ecological implications, William G. Eickmeier and Michael S. Adams, 23:473–485
Gases from a burning coal seam on morphological and terpenoid characters in *Juniperus scopulorum* (Cupressaceae), the effects of, Robert P. Adams, 27:279–286
Gaso, M. I., F. González, J. Guzmán, L. Levine, O. Olvera, R. F. Rockwell, and M. E. de la Rosa, Chromosomal and behavioral studies of Mexican *Drosophila*. VI. Effects of density on larval digging and pupation in *Drosophila pseudoobscura*, 33:445–449
Gaso, M. I., see Olvera, O., —
Gasterosteus aculeatus, 30:604
Gaston, Gary R., Effects of environment and hunting on body condition of nonbreeding gadwalls (*Anas strepera*, Anatidae) in southwestern Louisiana, 36:318–322
Gastrocopta, 5:153, 16:316
armifera, 16:309, 16:315, 16:316, 27:239, 27:240
ashmun, 9:104
ashmuni, 16:89, 16:94, 16:104, 29:36, 29:39–42
bibasidens, 9:104
carolinensis, 35:474
cochsensis, 21:410, 21:411
contracta, 5:146, 5:154, 16:310, 16:317, 27:240
cristata, 5:146, 5:154, 9:104, 16:31, 16:315, 24:688
holzingeri, 16:310, 16:317, 27:240
pellucida, 5:146, 5:154, 9:104, 16:90, 16:91, 16:104, 16:315, 16:317, 19:60, 21:410, 29:36, 29:39–42
pelucida, 16:310
pentadon, 27:239
pentodon, 5:146, 5:154, 16:310, 16:317
perversa, 9:104
pilsbryana, 9:104, 16:98, 16:104, 21:410, 21:411, 29:36, 29:40, 29:41
proarmifera, 16:309, 16:310
procera, 5:146, 5:154, 16:310, 16:315, 16:317, 22:11
prototypus, 9:104
tapanniana, 27:239
tappaniana, 5:146, 5:154
usta, 35:277
Gastrointestinal helminths of the Mexican horned lizards, *Phrynosoma braconnieri* and *Phrynosoma taurus* (Iguanidae), Stephen R. Goldberg and Charles R. Bursey, 36:365–368
Gastrophryne
carolinensis, 3:37, 11:137, 13:373
elegans, 32:76
olivacea, 3:32, 3:38, 3:74, 4:92, 4:94, 4:97, 20:471, 28:469, 28:470, 32:76
usta, 14:130, 14:131, 32:76
Gastrophysa formosa, 28:475
Gastropod fauna of the Santa Ana National Wildlife Refuge with notes on a colony of the snail, *Helicina orbiculata*, the associated, Joe Ideker, 24:687–689
Gastropoda, 3:224–226, 5:143–159, 7:51–63, 7:268–269, 9:103–104, 9:104, 18:165–176, 32:3, 32:261–265, 33:81–84
Gastropoda from New Mexico, some terrestrial, C. Clayton Hoff, 7:51–63
Gastropoda of the Rob and Bessie Welder Wildlife Foundation Refuge, San Patricio County, Texas, Branley A. Branson, 5:143–159
Gastropods from Texas, New Mexico, and Mexico, notes on, Branley A. Branson, 14:371–372
Gastropods of Howells Ridge, Grant County, New Mexico: a fauna in the process of extinction?, Artie L. Metcalf and Richard A. Smartt, 19:57–64
Gastropods of the Franklin Mountains, El Paso County, Texas, Artie L. Metcalf and Walter E. Johnson, 16:85–109
Gastropus, 10:266, 22:417, 23:636
Gates, Danny B., see Burke, Horace R., —
Gates, G. E., On a new species of earthworm from another Mexican cave, 15:267–269
Gathering of *Ipomopsis rubra* (Polemoniaceae) nectar by *Bombus* (Apidae), Ronald J. Tyrl, 23:153–154
Gatz, Thomas A., see Jakle, Martin D., —
Gaud, William S., see Dehoney, Betty, —
Gaudin, Anthony J., see Koller, Ronald L., —
Gaudin, Felix A., Egg production of *Streptocephalus seali* Ryder, with notes on the distinctions between certain North American streptocephalids, 5:61–65
Gaultheria humifusa, 15:142
Gaura, 8:10–14, 25:282, 32:452
brachycarpa, 29:250, 8:12
bracycarpa, 8:11–14
coccinea, 1:56, 1:64, 1:66, 2:165, 7:170, 8:11–14, 12:139, 12:141, 12:143, 12:154, 13:386, 13:387, 17:6, 21:362, 25:365, 27:176, 27:329, 29:280, 29:412, 35:73
demareei, 22:135
filiformis, 22:135
hexandra, 35:73
longiflora, 22:135
odorata, 8:11, 8:12, 8:14, 19:289, 19:290
parviflora, 2:165, 8:11–14, 20:381, 21:314, 35:65, 35:73
sinuata, 8:12–14
suffulta, 8:12–14
villosa, 2:166, 8:10, 8:13, 25:332, 31:34–36
Gaura demareei into East Texas, exten-

sion of, Victor J. Hoff and Elray S. Nixon, 22:135
Gauropsis, 32:119
Gayenna, 11:344
Gayophyton intermedium, 18:369
Gayophytum ramosissimum, 29:411
Gazella, 36:257
Gea heptagon, 21:43, 30:7, 30:121, 33:216
Geagan, Donald W., An ecological survey of a disturbed, naturally acid stream, 8:127–141
Geary, R. Eugene, and Peter B. Moyle, Aspects of the ecology of the hitch, *Lavinia exilicauda* (Cyprinidae), a persistent native cyprinid in Clear Lake, California, 25:385–390
Gecarcinidae, 21:251–252
Gecarcinus lateralis, 21:251–252
Gecarcinus lateralis (Freminville) (Gecarcinidae) from the Texas coast, additional reports of, Joseph C. Britton, 21:251–252
Gecko, *Hemidactylus frenatus*, in Mexico, range extension of the, Dale Marcellini, 15:397
Geckos (*Phyllodactylus*) of islands of the extreme southern Caribbean, further data on the, James R. Dixon, 9:203–205
Geckos, genus *Phyllodactylus* (Reptilia: Sauria) from Michoacan, Mexico, two new, James R. Dixon, 5:37–42
Gehlbach, Frederick R., Aberrant western milksnake, Lampropeltis doliata Linnaeus, from New Mexico, 7:270–272
Gehlbach, Frederick R., and J. Alan Holman, Paleoecology of amphibians and reptiles from Pratt Cave, Guadalupe Mountains National Park, Texas, 19:191–198
Gehlbach, Frederick R., and Robert Rush Miller, Fishes from archaeological sites in northern New Mexico, 6:2–8
Gehlbach, Frederick R., and Stephen E. Kennedy, Population ecology of a highly productive aquatic salamander (*Siren intermedia*), 23:423–429
Gehlbach, Frederick R., Avian biotic provinces of the Texas-Mexican borderlands: new techniques for synthetic resource assessment and mapping, 33:129–136
Gehlbach, Frederick R., Mountain islands and desert seas. A natural history of the U. S. Mexico borderlands (rev.), 29:141
Gehlbach, Frederick R., New records of warblers in Texas, 12:109–110
Gehlbach, Frederick R., see Licht, Paul, —
Gehlbach, Frederick R., see Watkins, Julian F., II, —
Gehyra mutilata, 35:271
Geisarina verrucosa, 2:148
Gekkonid lizard, *Cyrtodactylus scaber*, in Galveston, Texas, status of the introduced, Roy A. Bloom, Kyle W. Selcer, and W. Ken King, 31:129–131
Gekkonid lizard, *Phyllodactylus unctus* (Cope), in Michoacán, Mexico, the, James R. Dixon, 14:255–256
Gekkonidae, 22:51, 26:266, 29:499–500, 30:309–310, 30:469, 30:471, 36:98
Gelastocoridae, 9:100
Gelastocoris oculatus, 9:100
Gelechiidae, 18:308
Gelsemium sempervirens, 12:344, 12:345
Geluso, Kenneth N., Western spotted skunk in Oklahoma, 16:457–458
Gelwick, Frances P., see Matthews, William J., —
Gemsbok (*Oryx gazella*) in White Sands National Monument, William H. Reid and Gail R. Patrick, 28:97–99
Genarchella, 26:410, 26:412
Genarchopsis, 26:410, 26:412
Gene flow pattern and swimming ability of the pocket gopher, Thomas E. Kennerly, Jr., 8:85–88
Genetic characteristics of Colorado mule deer (*Odocoileus hemionus*) and comparisons with other cervids, Michael H. Smith, Kim T. Scribner, Len H. Carpenter, and Robert A. Garrott, 35:1–8
Genetic differentiation among populations of two species of mice (*Peromyscus*), a comparison of, Janice E. Schnake-Greene, Lynn W. Robbins, and Deanna K. Tolliver, 35: 54–60
Genetic differentiation in a population of rock squirrels (*Spermophilus variegatus*, Sciuridae) in central New Mexico, Melanie Gustafson-Ropski, Steven J. Ropski, and Peter B. Stacey, 34:424–427
Genetic variability in a population of *Paraponera clavata* (Hymenoptera: Formicidae), Calvin A. Porter, Pamela Thompson, Hal L. Black, and Clive D. Jorgensen, 31:381–385
Genetic variation in a winter population of mallard ducks, Laurie E. Parker, Eric G. Bolen, and Robert J. Baker, 26:425–428
Genic differentiation in *Machaeranthera* section *Psilactis* (Compositae), M. L. Arnold and R. C. Jackson, 24: 645–653
Genic variability, dispersal, and differentiation in two species of ophiuroids from southern California, William A. Gaarde and Leroy R. McClenaghen, Jr., 27:255–262
Genic variation in a natural population of nine-banded armadillos, *Dasypus novemcinctus* (Dasypodidae), absence of, Nancy D. Moncrief, 33: 229–231
Genicularia, 8:232
Genitalia of female gambusiin fishes, differences in the external, Alex E. Peden, 17:265–272
Gennaro, A. L., and T. J. Salb, The hispid pocket mouse in San Luis Potosí, 14:251
Gennaro, A. L., and Thomas J. Salb, An outdoor enclosure for dermestid defleshing operations, 17:95–96
Gennaro, A. L., Blue jay breeding in New Mexico, 17:432–433
Gennaro, A. L., see Hubbard, John P., —
Gennaro, Antonio L., see Weckerly, Floyd W., —
Genoways, Hugh H., and J. Knox Jones, Jr., Notes on distribution and variation in the Mexican big-eared bat, *Plecotus phyllotis*, 12:477–480
Genoways, Hugh H., and J. Knox Jones, Jr., Taxonomic status of certain long-eared bats (genus *Myotis*) from the southwestern United States and Mexico, 14:1–13
Genoways, Hugh H., see Dowler, Robert C., —
Genoways, Hugh H., see McGaugh, M. Houston, —
Gentiana, 33:221
algida, 20:430
calycosa, 20:430
exaltata, 2:40
germanica, 32:526
hartwegii, 12:151
parryi, 20:430
puberulenta, 32:31, 32:35
Gentianaceae, 1:64, 1:67, 2:38–43, 2:152, 2:153, 2:166, 4:58, 12:151, 20:430, 22:38, 23:501, 27:379–382, 32:526, 33:221, 35:72, 36:122
Gentianella
amarella, 20:430
amarilla, 12:324
Gentianopsis
superba, 24:214
thermalis, 20:430
Gentry, John B., see Wiener, James G., —
Gentry, Johnnie L., Jr., Studies in the genus *Hackelia* (Boraginaceae) in the western United States and Mexico, 19:139–146
Geochelone, 17:61, 32:237, 32:242, 36:180, 36:181
Geococcyx
californianus, 4:171, 7:258, 11:136, 16: 19, 23:1–27, 26:293, 28:407–412, 29: 474, 31:280, 36:260

californicus, 10:172, 15:265–266, 33:371
conklingi, 19:191, 28:407–411
Geocoridae, 36:51
Geocoris, 33:216, 33:217
Geocorus, 36:51
Geodrassus, 11:342
gosiutus, 11:343
Geographic distribution of the cytotypes of *Chaetodipus nelsoni canescens* (Rodentia: Heteromyidae), Thomas E. Lee, Jr., 35:454–455
Geographic distribution of two Costa Rican species of *Orthogeomys*, with comments on dorsal pelage markings in the Geomyidae, Mark S. Hafner and David J. Hafner, 32:5–11
Geographic records of the swift fox, *Vulpes velox*, Charles A. Long and Claudine F. Long, 9:108
Geographic relations of Ozarkian amphibians and reptiles, Herndon G. Dowling, 1:174–189
Geographic variation and distribution of the long-tailed group of the glossy snake, Arizona elegans Kennicott, James R. Dixon, 4:20–29
Geographic variation in Abert's squirrel (*Sciurus aberti*), Craig A. Ramey and Donald J. Nash, 21:135–139
Geographic variation in *Eutamias quadrivittatus* with comments on the taxonomy of other Arizonan chipmunks, Donald F. Hoffmeister and L. Scott Ellis, 24:655–665
Geographic variation in morphology of a spring-dwelling desert fish, *Gambusia nobilis* (Poeciliidae), Alice F. Echelle and Anthony A. Echelle, 31: 459–468
Geographic variation in the deer mouse, *Peromyscus maniculatus*, on the Llano Estacado, Frank W. Judd, 14: 261–282
Geographic variation in the white-ankled mouse, *Peromyscus pectoralis*, David J. Schmidly, 17:113–138
Geographic variation in the white-footed mouse (*Peromyscus leucopus*) in Louisiana and eastern Texas, Philip A. St. Romain, 20:355–362
Geographic variation in the white-throated woodrat (*Neotoma albigula*) from New Mexico, Texas, and northern Mexico, Duke S. Rogers and David J. Schmidly, 26:167–181
Geographic variation in white facial markings of juvenile cave swallows, Robert F. Martin, Mark W. Martin, and Nancy G. Lanier-Martin, 31:402–403
Geographic variation in wing areas and femur lengths of the bat fly, *Trichobius major* (Diptera: Streblidae), in western Oklahoma, William Caire, Lothar Hornuff, and Mark Ports, 26:429–430
Geographical intergradation in *Proboscidea parviflora* spp. *sinaloensis* (Martyniaceae), P. K. Bretting, 30: 343–348
Geology and vertebrate paleontology of a lower Permian delta margin in Baylor County, Texas, Walter W. Dalquest and M. John Kocurko, 31: 477–492
Geolycosa, 11:355, 34:51
missouriensis, 11:357
riograndae, 30:4
turricola, 11:357
wrighti, 11:357
Geometridae, 18:308, 23:575, 29:437, 32: 418, 32:422
Geomydoecus, 32:7
heaneyi, 36:32
Geomyidae, 19:444–446, 19:452–453, 20: 272–275, 20:497, 20:505, 21:105–115, 21:169–175, 24:577–602, 25: 215, 25:270–271, 26:327, 31:280, 32: 5–11, 32:186, 35:201, 36:117
Geomylichus
dipodomius, 35:111–113
inaequalis, 35:111–113
perognathi, 35:112
perognathus, 35:111
texensis, 35:111, 35:113
Geomys, 16:437, 20:272, 21:14, 32:8, 32: 238, 33:1–13, 35:199
arenarius, 7:79, 32:186, 32:187, 32:190, 32:191, 33:1–3, 33:10, 36:33
attwateri, 31:401, 32:143–146, 36:29–36, 36:344, 36:345
breviceps, 33:1–5, 33:7, 33:10, 36:29–36, 36:117
bursarius, 8:85–88, 10:315, 11:471, 12: 3, 12:7, 12:480, 13:14, 13:17, 13:148, 13:154, 13:409, 17:303, 17:321, 17: 325, 18:1–9, 20:142, 20:143, 20:274, 20:505, 21:185–198, 21:531–538, 23: 378, 24:578, 24:582, 24:599, 25:215, 26:68, 26:203, 28:53–60, 28:101, 28: 102, 28:378, 30:340, 32:143–146, 32: 179, 32:186, 32:187, 32:190, 32:191, 33:1–8, 33:10, 33:106, 35:108, 35: 201, 36:29–36
knoxjonesi, 36:29–36
lutescens, 33:10, 36:32
personatus, 8:86, 21:454, 32:186, 33:2–5, 33:8, 33:10, 36:29–36, 36:344–346
pinetis, 13:409, 20:142, 21:531, 32:190, 33:1–3, 33:6, 33:9–11, 36:33
texensis, 36:29–36
tropicalis, 33:1–3, 33:5, 33:9, 33:10, 36: 33
Geomysaprinus, 32:494
Geomysparinus, 32:491
Geophis, 21:548–551, 33:388–390
anocularis, 33:390
aquilonaris, 21:549–551
bicolor, 13:452
carinosus, 33:388–390
dubius, 33:389, 33:390
dugesii, 21:549–551
fuscus, 33:390
laticinctus, 24:698
latifrontalis, 16:229
multitorques, 16:229
rostralis, 33:389, 33:390
semidoliatus, 24:699
tarascae, 13:452
Geophis (Serpentes) of southern Mexico, notes on two species of, Gonzalo Perez-Higareda and Hobart M. Smith, 33:388–390
Geoplana vaga, 23:151–152
Geoplana vaga: a sexually-reproducing terrestrial planarian in San Antonio, George M. Barnwell, 23:151–152
George, John E., and R. W. Strandtmann, New records of ectoparasites on bats in West Texas.–Insecta., 5: 228–229
George, John E., Notes on the parasitic mites of some West Texas reptiles, 5:105–106
George, Sarah B., Unusual records of shrews in New Mexico, 35:464–465
Geothlypis trichas, 2:31, 4:77, 7:265, 14: 451, 24:571, 34:260–262, 34:267
Geotrichum, 32:133, 33:363
Geotrygon montana, 4:68, 4:80
Geotrypetes seraphina, 28:267
Geraea, 18:119
canescens, 18:122, 21:50
viscida, 10:36
Geraniaceae, 20:430, 20:574, 22:342, 35: 72
Geranium, 24:544, 25:404
caespitosum, 18:375, 26:366
carolinanum, 30:547, 30:549
carolinianum, 1:122, 23:320, 25:404
fremontii, 17:47
richardsonii, 20:430
sanguineum, 31:319, 31:323
viscosissimum, 25:560
Gerardia
fasciculata, 7:170
heterophylla, 26:289
Gerlach, Thomas P., and Michael R. Vaughan, Mule deer fawn bed site selection on the Pinon Canyon Maneuver Site, Colorado, 36:255–258
Germination and survival of perennial plant species in the Mojave Desert, Thomas L. Ackerman, 24:399–408
Germination of honey mesquite (*Prosopis glandulosa*) seeds after passage through the digestive tracts of peccaries, James H. Everitt and Candelario L. Gonzalez, 26:432
Germination of mescal bean (*Sophora secundiflora*) seeds, J. H. Everitt, 28: 437–443

Germination responses of a New Mexico population of Parry agave (*Agave parryi* Engelm. *var.* parryi) to constant temperature, water stress, and pH, C. E. Freeman, 20:69–74
Germination responses of *Agave lecheguilla, A. parryi,* and *Fouquieria splendens,* C. E. Freeman, Robert S. Tiffany, and William H. Reid, 22: 195–204
Germination responses of *Anisacanthus wrightii* (Torr.) Gary (Acanthaceae) to selected environmental variables, S. G. Whisenant and D. N. Ueckert, 26:379–384
Germination responses on lechuguilla (*Agave lecheguilla* Torr.), some, C. E. Freeman, 18:125–134
Geropa concolor, 27:23, 27:24
Gerreidae, 32:226, 32:231
Gerres
cinereus, 32:231
rhombeus, 36:206
Gerrhonotus, 15:37–44
cedrosensis, 15:39
coeruleus, 20:413, 29:273
kingi, 20:412–413, 22:73, 30:89, 30:91, 36:94, 36:98, 36:103, 36:310
kingii, 15:39, 32:283–285
leucephalus, 16:16
liocephalus, 3:31, 3:33, 3:45, 4:106, 5: 79, 15:37, 15:39, 15:40, 15:42, 16: 228, 20:413, 30:89, 30:93, 33:379, 33:381, 35:273–275, 35:277
lugoi, 15:37, 15:39–43, 30:89, 30:91–93
multicarinata, 34:146
multicarinatus, 11:133, 15:39, 15:470, 20:412, 20:413, 29:274
panamintinus, 15:39, 15:43, 20:413
parvus, 30:89–94
Gerrhonotus (Lacertilia: Anguidae) from the Sierra Madre Oriental, Nuevo León, Mexico, a new, R. Alec Knight and James F. Scudday, 30:89–94
Gerridae, 8:135, 9:101, 15:99, 23:554, 26: 156, 29:455, 30:604, 32:289, 36:356
Gerris, 21:495, 26:156, 28:190, 28:193, 30:602, 30:604
canaliculatus, 9:101
comatus, 9:101, 36:356
gillettei, 36:356
marginatus, 9:101
nebularis, 9:101
nyctalis, 9:101
remigis, 9:101, 32:288, 32:289
Gese, Eric M., Reproductive activity in an old-age coyote in southeastern Colorado, 35:101–102
Geum canadense, 12:140, 19:162, 20:327, 20:330, 20:333
Giant bison (*Bison latifrons*) from the middle Rio Grande Valley of New Mexico, the, Richard A. Smartt, Spencer G. Lucas, and David J. Hafner, 36:136–137
Giant desert centipede preys upon snake, David A. Easterla, 20:411
Gibson, David J., The natural revegetation of lead/zinc mine spoil in northeastern Oklahoma, 27:425–436
Giesen, Kenneth M., see Braun, Clait E., —
Giezentanner, J. Brent, see Porter, David K., —
Giezentanner, Keith I., and William H. Clark, First record of Franklin's gull (*Larus pipixcan*) in Nevada, 22:141–142
Gigantic specimen of *Gopherus agassizii* (Testudinidae), a, Crawford G. Jackson, Jr., M. Wilkinson Trotter, and Walter Allen, 25:430–432
Gigantocamelus, 19:345, 32:238, 32:239
Gigospora, 20:443
Gila, 9:66, 11:322, 17:103, 20:187, 20: 194, 22:127, 22:128, 28:181, 36:254
atraria, 14:306, 14:307, 28:169, 33:469
bicolor, 26:223–230, 34:233, 34:235–242
cypha, 14:306, 14:308, 14:312, 19:403, 19:408, 23:523, 26:390, 27:223, 28: 165, 30:99, 30:129, 30:152, 33:196, 34:232–244, 35:196, 36:251
ditaenia, 35:177–187
elegans, 19:403, 19:408, 23:523, 26:390, 28:165, 28:170, 30:129, 30:152, 33: 196, 34:232–244
intermedia, 20:186, 20:188, 20:190, 20: 193, 30:185, 34:131, 34:402, 34:408
nigrescens, 2:100, 26:78
orcutti, 31:250–253, 33:142
pandora, 26:78–81, 29:399, 32:409, 32: 410, 36:187, 36:189, 36:190, 36:192
purpurea, 35:177, 35:178, 35:185, 35: 186
robusta, 5:174, 5:175, 6:2–4, 9:250, 11: 313, 11:317–320, 14:306, 14:308–310, 14:312, 17:102, 19:406–408, 23: 519–527, 25:41, 25:43, 25:45, 25: 495–497, 26:389, 26:391, 28:118, 28: 123, 28:169, 28:222, 28:399, 28:400, 28:402, 28:404, 29:30, 30:152–154, 30:513, 30:519, 32:353, 32:355, 34: 131–134, 34:232–244, 34:402–412, 36:252
Gila topminnow, *Poeciliopsis occidentalis* (Poeciliidae), a new locality for the, James E. Johnson and Gail Kobetich, 14:368
Gila topminnow, *Poeciliopsis occidentalis occidentalis* (Poeciliidae), discovery and loss of a new locality for the, Randy McNatt, 24:555–556
Gilbert, Paul F., and Douglas L. Gilbert, A melanistic chipmunk from Colorado, 15:264–265
Gilbertson, R. L., H. H. Burdsall, Jr., and M. J. Larsen, Notes on wood-rotting Hymenomycetes in New Mexico, 19:347–360
Gilbertson, R. L., see Budington, A. B., —
Gilbertson, Robert L., A new species of Inonotus on southwestern sycamores, 14:123–125
Gilbertson, Robert L., Fungi that decay Ponderosa pine (rev.), 20:292
Gilia, 12:233, 14:439, 18:435, 36:306
aggregata, 16:205
giliodes, 27:7
incisa, 23:297
inconspicua, 34:442
laxiflora, 21:362
longiflora, 1:65, 2:167
mexicana, 35:66, 35:73
ophthalmoides, 21:315
rubra, 4:58
setosissima, 12:233
transmontana, 27:371
Gillaspy, James E., Three new aculeate wasp distribution records from South Texas (Hymenoptera: Pompilidae; Sphecidae), 17:103–104
Gilled salamander larvae and larviform adults of Arkansas, Kansas, Missouri, and Oklahoma, key to the, Patric H. Ireland and Ronald Altig, 28:271–274
Gillenia stipulata, 22:137
Gillespie, W. H., see McMillan, C., —
Gilley, James T., see Dickerson, Jaime E., Jr., —
Gillia, 18:439
Gilliam, Frank S., Tim R. Seastedt, and Alan K. Knapp, Canopy rainfall interception and throughfall in burned and unburned tallgrass prairie, 32: 267–271
Gillichthys mirabilis, 22:558, 24:539
Gilliland, A. R., see Tyler, Jack D., —
Gillingham, James C., Charles C. Carpenter, Bruce J. Brecke, and James B. Murphy, Courtship and copulatory behavior of the Mexican milk snake, *Lampropeltis triangulum sinaloae* (Colubridae), 22:187–194
Gillingham, James C., see Carpenter, Charles C., —
Gillis, J. E., and Pamela Ann Smeigh, Altitudinal variation in thermal behavior of the grasshopper *Circotettix rabula* (Rehn & Hebard) from central Colorado, 32:203–211
Gilmartin, A. J., and M. L. Neighbours, Variability within *Stegnosperma halimifolium* Benth. (Phytolaccaceae), 27:63–72
Ginoria
davisii, 1:39–41
nudiflora, 1:39, 1:41
Ginoria davisii (Lythraceae), a new spe-

cies from Veracruz, Mexico, Marshall C. Johnston, 1:39–41
Gipson, Philip S., Abortion and consumption of fetuses by coyotes following abnormal stress, 21:558–559
Gipson, Philip S., Melanistic *Canis* in Arkansas, 21:124–126
Gipson, Philip S., see Sealander, John A., —
Girardiella, 21:443, 21:444
Girella nigricans, 28:261
Glandularia
bipinnatifida, 35:74
gooddingii, 35:74
Glaresis ecostata, 28:476
Glaridacris confusus, 24:686
Glass, Bryan P., and Arthur H. Halloran, Status and distribution of the red fox, (*Vulpes vulpes*) in Oklahoma, 5: 71–74
Glass, Bryan P., and Stephen R. Humphrey, Distribution of the evening bat, *Nycticeius humeralis*, in Oklahoma, 15:399–400
Glass, Bryan P., Effectiveness of Japanese mist nets for securing bats in temperate latitudes, 1:136–138
Glass, Bryan P., Seasonal movements of Mexican freetail bats *Tadarida brasiliensis mexicana* banded in the Great Plains, 27:127–133
Glass, Bryan P., The taxonomic status of Oklahoma beavers, *Castor canadensis*, 5:21–24
Glass, Bryan P., The type locality of *Dipodomys ordii richardsoni*, 15:497–499
Glass, Bryan P., Two noteworthy records of bats for Oklahoma, 6:200–201
Glass, Byran P., see Jones, J. Knox, —
Glass, James K., Feeding behavior of the western shovel-nosed snake, *Chionactis occipitalis klauberi*, with special reference to scorpions, 16:445–447
Glaucidium, 36:311
brasilianum, 4:68, 18:245, 29:456, 36: 307
Glaucium flavum, 18:325
Glaucoma, 10:266
Glaucomys
sabrinus, 19:114, 26:333, 26:334, 26: 337, 34:286
volans, 25:157–171, 28:375–376, 30: 449–450
Glaucomys volans goldmani (Rodentia; Sciuridae) in central Mexico, Gerardo Ceballos and Carlos Galindo, 28:375–376
Glazener, W. C., Dean Ransom, Jr., John R. Cary, and Orrin J. Rongstad, Demographic analysis of a Rio Grande turkey population, 35:23–27
Glazener, W. C., see Foreyt, William J., —
Gleditsia, 14:431
aquatica, 21:478, 21:480, 21:482
triacanthos, 10:179, 15:288, 16:340, 18: 432, 18:439, 19:158–161, 19:432, 20: 328, 21:480, 21:482, 27:428, 28:356
Glendinning, John I., see Whitaker, John O., Jr., —
Glenodinium, 10:188–210, 20:50, 20:51
quadridens, 11:201
Glenognatha foxi, 30:3, 30:119, 30:123, 30:125
Glenongnatha foxi, 30:121
Glenostictia, 20:337–342
argentata, 20:339
clypeata, 17:104
gilva, 20:339
pictifrons, 20:339
scitula, 20:341
Gleocapsa, 36:370
polydermatica, 24:158
Glidewell, Jerry, Records of the snake *Coluber constrictor* (Reptilia: Colubridae) from New Mexico and the Chihuahuan Desert of Texas, 19: 215–217
Glinski, Richard L., and Robert D. Ohmart, Factors of reproduction and population densities in the Apache cicada (*Diceroprocta apache*), 29:73–79
Glinus, 11:115
Glis glis, 10:149
Globicephala
macrorhyncha, 18:453, 18:456, 18:462
macrorhynchus, 33:247–248
Globipes, 31:49
Glochidia, 22:529
Gloeocapsa, 20:50, 36:371
aeruginosa, 24:158
decorticans, 23:444
polydermatica, 23:444
Gloeochaete wittrockiana, 23:444, 23:452
Gloeocystidiellum
citrinum, 19:350
convolvens, 19:351
heterogeneum, 19:351
porosum, 19:351
Gloeocystis, 9:168, 10:266
ampla, 24:157
confluens, 11:196
Gloeodendron ramosa, 23:440
Gloeodinium, 24:159
Gloeophyllum saepiarium, 19:355
Gloeoplax weberi, 10:77
Gloeoporus dichrous, 19:355
Gloeothece, 33:317
rupestris, 23:444
samoensis, 23:444
Glomus, 20:443
Glossiphonia complanata, 15:269–272
Glossiphoniidae, 23:554
Glossopetalon spinescens, 10:258, 10:259, 19:59
Glossophaga, 11:493, 12:407, 12:419, 12: 421, 12:426, 12:428
alticola, 12:411, 12:420, 12:422, 12:427
comissarisi, 32:364
commissarisi, 12:411, 12:420, 12:422, 12:427, 15:3, 15:5, 29:513, 31:532
soricina, 11:310, 12:410, 12:411, 12:420, 12:422, 12:427, 15:3, 15:8, 15:9, 15: 220, 16:450, 22:403, 23:155, 24:541, 24:542, 28:374, 29:513, 30:324, 31: 532, 32:363–370, 34:417, 35:152, 35: 154
Glossosoma, 25:27
alascense, 31:426
parvulum, 31:426
velona, 31:426
ventrale, 25:453, 25:457, 28:130, 31: 426
verdona, 31:427
Glossosomatidae, 25:453, 28:354, 28:355, 28:414, 31:425
Glossotherium harlani, 22:257, 22:258, 36: 180
Glossy snake, Arizona elegans, in Texas, notes on the, James R. Dixon, 2: 132–133
Glottidia, 20:480
Glycera, 20:480
Glyceria
borealis, 30:485, 33:485
striata, 12:140, 12:142
Glycine
bracteata, 9:215
comosa, 9:215
max, 18:89, 25:428, 35:423
sarmentosa, 9:216
Glycyphagidae, 36:115
Glycyrrhiza
lepidata, 12:140
lepidota, 2:163, 28:255
Glyphanoetus nomiensis, 13:325–334
Glyphopsyche, 25:27
irrorata, 31:440
Glyphorhynchus spirurus, 4:70
Glyphyalinia, 29:37
indentata, 24:688
Glyptasida, 27:305
sordida, 27:307
Glypthelmins, 21:503, 21:505, 21:506
quieta, 17:198, 17:200, 27:244
subtropica, 17:200
Glyptina, 28:475
Glyptodon petaliferous, 22:258
Glyptotendipes, 23:139, 25:550
barbipes, 12:384
senilis, 14:239, 14:245
Glyptotherium arizonae, 22:258
Gnaphalium, 24:101, 27:371
americanum, 9:30, 16:369
attenuatum, 9:30
chilense, 10:36, 35:70
helleri, 19:329

leptophyllum, 16:369
leucocephalum, 35:65, 35:70
obtusifolium, 19:329, 21:405, 25:335
oxyphyllum, 16:369
pensilvanicum, 23:501, 25:322
pringlei, 24:291, 24:294
semiamplexicaule, 16:369
wrightii, 35:70
Gnaphalium helleri Britton (Compositae–Inuleae) in the Texas flora, Wm. F. Mahler, 19:329
Gnaphalodes, 27:24
trachyderoides, 27:25
Gnaphosa, 11:342, 15:321, 15:322, 30:10
brumalis, 15:322
fontinalis, 11:343, 30:4
mima, 15:322
muscorum, 11:343, 15:322
parvula, 15:322
sericata, 11:343, 29:231, 30:4
Gnaphosidae, 11:342, 15:322, 15:328, 20:6, 20:9, 20:58, 20:61, 20:62, 20:66, 29:231, 30:1, 30:4, 30:7, 30:10
Gnathium nitidum, 28:476
Gnathorhiza serrata, 31:485, 31:489, 31:491
Gnetaceae, 1:62, 1:66, 11:107
Gnetum, 11:92, 11:94, 11:107
Gnomonia, 24:367
Gobiesox fluviatilis, 22:125–128
Gobiidae, 22:557–559, 28:103, 32:226, 32:232, 35:34, 35:43, 35:45
Gobio fluviatilis, 20:448
Gobiomorus
dormitor, 28:104, 32:232, 36:207, 36:208
maculatus, 32:232, 35:45
polylepis, 35:45
Gobionellus
boleosoma, 36:207
bolesoma, 20:463, 20:464
hastatus, 20:463, 20:464, 36:207
microdon, 32:232
sagittula, 32:232
shufeldti, 2:95, 28:103
stigmaticus, 28:103
Gobiosoma bosci, 2:95, 36:207, 36:208
Godfrey, Ralph D., and Alan M. Fedynich, Blue-winged x cinnamon teal hybrid in the southern High Plains, Texas, 32:397–398
Godfrey, Ralph D., Jr., see Fedynich, Alan M., —
Goeldichironomus
holoprasinatus, 12:375
holoprasinus, 25:250, 25:254
Goertz, John W., and Elmer E. Mowbray, Brown thrasher with a bill abnormality, 14:254–255
Goertz, John W., and Elmer E. Mowbray, Nesting records for three species of Louisiana birds, 15:265–266
Goertz, John W., and H. Wayne Tubbs, Aberrant coloration and skull characteristics in a Louisiana gray squirrel, 12:109
Goertz, John W., see Hahn, Donald E., —
Goertz, John W., see Means, Linda L., —
Goertz, John W., see Mowbray, Elmer E., —
Goff, M. Lee, and Frank W. Judd, The first record of a chigger from the Texas tortoise, *Gopherus berlandieri*, 26:83–84
Gold, J. R., Spontaneous triploidy in a natural population of the fathead minnow, *Pimephales promelas* (Pisces: Cyprinidae), 31:527–529
Gold, John R., and Patricia K. Zoch, Intraspecific variation in chromosomal nucleolus organizer regions in *Notropis chrysocephalus* (Pisces: Cyprinidae), 35:211–215
Goldberg, Stephen R., and Charles M. Miller, Reproduction of the silvery legless lizard, *Anniella pulchra pulchra* (Anniellidae), in southern California, 30:617–619
Goldberg, Stephen R., and Charles R. Bursey, Gastrointestinal helminths of the Mexican horned lizards, *Phrynosoma braconnieri* and *Phrynosoma taurus* (Iguanidae), 36:365–368
Goldberg, Stephen R., and Charles R. Bursey, Redescription of the microfilaria *Piratuba mitchelli* (Smith) (Onchocercidae) from the Gila monster, *Heloderma suspectum* Cope (Helodermatidae), 35:458–460
Goldberg, Stephen R., Granulomatous orchitis in a western fence lizard, *Sceloporus occidentalis* (Iguanidae), 34:158–160
Goldberg, Stephen R., Reproduction in the Arizona alligator lizard, *Gerrhonotus kingi*, 20:412–413
Goldberg, Stephen R., Reproduction of the coast horned lizard, *Phrynosoma coronatum*, in southern California, 28:478–479
Goldberg, Stephen R., Reproductive cycle of the giant spotted whiptail, *Cnemidophorus burti stictogrammus*, in Arizona, 32:510–511
Goldberg, Stephen R., Seasonal ovarian cycle of the tidewater goby, *Eucyclogobius newberryi* (Gobiidae), 22:557–559
Golden eagle predation on a pronghorn fawn, James R. Tigner, 18:346–348
Golden topminnow, *Fundulus chrysotus* (Cyrpinodontidae), an addition to the fish fauna of Oklahoma, the, Stephen M. Secor, 32:522–525
Goldman, B. J., see McGinnies, W. G., —
Goldsmith, S. K., Courtship behavior of the rough green snake, *Opheodrys aestivus* (Colubridae: Serpentes), 33:473–477
Goldsmith, Steven K., Aspects of the natural history of the rough green snake, *Opheodrys aestivus* (Colubridae), 29:445–452
Goldsmith, Steven K., Feeding behavior of an arboreal, insectivorous snake (*Opheodrys aestivus*) (Colubridae), 31:246–249
Goldstein, Myrna, see Topoff, Howard, —
Golenkinia, 10:188–210
radiata, 22:414
Gomphaceae, 19:353
Gomphaeschna furcillata, 4:131
Gomphidae, 2:2, 25:252, 25:382, 26:156
Gomphoides stigmatus, 2:2, 2:15, 2:16
Gomphoneis herculeana, 26:315
Gomphonema, 10:266, 10:270, 20:51, 25:379, 25:420, 35:208
abbreviatum, 24:153
acuminatum, 10:40, 20:202, 24:153, 28:246
affine, 24:153, 24:160, 26:315, 28:246
angustatum, 20:202, 22:414, 24:153, 28:246
augus, 24:153
clevei, 24:153
consector, 24:153
constrictum, 20:202
gracile, 20:202, 23:87, 23:90, 24:153, 26:315, 28:246
grunowii, 24:153
helveticum, 28:246
intricatum, 10:40, 35:209
lanceolata, 26:32, 26:33
lanceolatum, 20:202
longiceps, 23:87, 23:90
olivaceum, 19:418, 20:49, 22:414, 22:418, 22:459, 22:460, 22:464, 24:153, 24:161, 28:246, 35:206, 35:209
palea, 20:201
parvulum, 20:197, 20:201–203, 20:405, 22:414, 22:459, 22:460, 22:464, 24:153, 24:160, 26:315, 28:244, 28:246, 35:206, 35:209
simus, 24:153
sphaerophorum, 10:40, 24:153
subclavatum, 22:458–460, 24:153, 35:206, 35:209
subtile, 10:40
tenellum, 24:153
tergestinum, 24:153
truncatulum, 35:209
truncatum, 22:459
ventricosum, 20:202
Gomphonemaceae, 26:315, 28:246
Gomphonemataceae, 10:40
Gomphosphaeria

aponina, 11:201
haponia, 10:230, 10:232
lacustris, 11:201, 23:444
Gomphotherium priestleyi, 22:259
Gomphrena
caespitosa, 35:64, 35:70
nitida, 35:70
sonorae, 35:70
Gomphurus, 2:3
Gomphus, 14:224, 14:226, 14:237, 14:243, 23:140, 25:142, 25:253, 25:550
externus, 2:3, 2:15, 25:142, 25:252, 36:286
fraternus, 4:131
graslinellus, 2:3, 2:14, 4:132
hybridus, 4:131
lentulus, 2:3, 2:15, 4:132, 6:112
lividus, 4:131
militaris, 2:3, 2:15, 6:112, 6:135
modestus, 25:142
oklahomensis, 2:3, 2:15, 2:16
plagiatus, 2:3, 2:13
sordidus, 4:131
subapicalis, 2:12
submedianus, 2:3, 2:13
Gonaspidiotus
graminellus, 13:223
shastae, 13:207
Gongronella butleri, 24:367
Gonielmis dietrichi, 24:196
Goniobasis, 1:152
potosiensis, 27:349, 27:350
Goniozus, 29:53
Gonium, 17:13, 17:16, 17:18, 25:420
Gonocerecella, 26:410, 26:413
Gonomyia, 14:238
Gonyodiscus cronkhitei, 7:56
Gonzáles-Romero, Alberto, y Sergio Alvarez-Cárdenas, Herpetofauna de la region del Pinacate, Sonora, Mexico: un inventario, 34:519–526
Gonzalez, C. L., see Everitt, J. H., —
Gonzalez, Candelario L., see Everitt, James H., —
González, F., see Gaso, M I., —
Good, D. A., see Rogers, Duke S., —
Goode, J. Michael, see Carpenter, Charles C., —
Goodeidae, 35:34, 35:35, 35:39, 35:40, 35:45
Goodger, William, see Burns, Thomas A., —
Goodloe, Linda, see Topoff, Howard, —
Goodman, George J., Spring flora of central Oklahoma (rev.), 3:245–246
Goodpaster, Woodrow W., see Hoffmeister, Donald F., —
Goodspeed, Thomas Harper, The genus Nicotiana. Origins, relationships and evolution of its species in the light of their distribution (rev.), 2:177–179
Goodwin, Gregory A., see Grubb, Teryl G., —
Goodwin, H. Thomas, and Robert E. Reynolds, Late Quaternary Sciuridae from low elevations in the Mojave Desert, California, 34:506–512
Goodwin, H. Thomas, *Marmota flaviventris* from the central Mojave Desert of California: biogeographic implications, 34:284–287
Goodwin, John G., see Lowe, Philip O., —
Goodyera
oblongifolia, 13:335, 13:340
repens, 13:335, 13:341
Gophers (Geomyidae) in western Texas, distribution of, W. A. Thornton and Gordon C. Creel, 20:272–275
Gopherus, 35:442
agassizi, 19:191, 22:49, 22:50, 22:60, 22:61, 24:545–546, 26:266, 26:267, 26:282, 26:283, 28:410, 31:131, 32:181
agassizii, 25:430–432, 27:230, 28:394, 28:395, 31:261–263, 33:357, 34:522
auffenbergi, 17:61–65
berlandieri, 11:132, 23:162–164, 25:431, 26:83–84, 27:230–232, 28:387–398, 31:387–394, 33:357–361
flavomarginatus, 25:431, 27:230, 27:231, 31:280, 33:357
polyphemus, 8:221, 25:431, 26:83, 27:230, 31:393, 33:357
Gopherus agassizi (Testudinidae) in extreme eastern Arizona, notes on the occurrence of, Arthur C. Hulse and George A. Middendorf, 24:545–546
Gorden, Robert W., and Lucy B. Hill, Ecology of heterotrophic aerobic bacteria of playa lakes and microcosms, 15:419–428
Gordon, Mark E., First record for *Anodonta suborbiculata* Say (Unionidae: Anodontinae) in Oklahoma, 29:233–234
Gordon, Mark E., Mollusca of the White River, Arkansas and Missouri, 27:347–352
Gore, James A., and Bruce S. Cushing, Observations on temporary foraging areas and burrows of the sun spider, *Ammotrechula penninsulana* (Banks) (Arachnida: Solpugida), 25:95–102
Gorenzel, Warner P., Ronald A. Ryder, and Clait E. Braun, American coot response to habitat change on a Colorado marsh, 26:59–65
Gorgodera
amplicava, 17:198
minima, 17:198
Gorgoderidae, 17:198
Gorgoderina atenuata, 17:198, 34:369
Gosiphilus, 12:271
Gossypium, 18:89, 18:481
hirsutum, 24:373
lobatum, 23:708–709
thurberi, 25:444, 35:64, 35:72
Gossypium lobatum Gentry (Malvaceae) from Michoacán, Mexico, a range extension of, Paul A. Fryxell and Stephen D. Koch, 23:708–709
Gouania, 18:198
Gouinia
ramosa, 12:78
virgata, 12:78
Gould, D. J., see Baker, E. W., —
Gould, F. W., Transfers from Andropogon to Bothriochloa (Gramineae), 3:212
Gould, F. W., see Box, T. W., —
Gould, F. W., see Roy, G. P., —
Gould, Frank W., and Zarir J. Kapadia, A new Bouteloua from the Southwest, 7:176–181
Gould, Frank W., Chromosome numbers in *Bouteloua rothrockii*, 21:401–403
Gould, Frank W., New name combinations for some North American grasses, 15:391–392
Gould, Frank W., The grasses of Texas (rev.), 22:407–409
Gould, Frank W., Variability in big bluestem, Andropogon gerardi Vitman, in DeKalb and Ogle counties, Illinois, 10:218–220
Goulden, Clyde E., see Prophet, Carl W., —
Goyer, Nannette, Albert L. Barr, and Alan R. P. Journet, Barn owl pellet analysis in northwestern Harris County, Texas, 26:202–204
Graber, Jean W., and Richard R. Graber, Winter observation of birds in Oaxaca, Mexico, 4:66–82
Graber, Richard R., see Graber, Jean W., —
Gracillariidae, 31:201–206
Gradient analysis of a Sonoran Desert bajada, Donald L. Phillips and James A. MacMahon, 23:669–679
Grady, James M., and Robert C. Cashner, Evidence of extensive intergeneric hybridization among the cyprinid fauna of Clark Creek, Wilkinson Co., Mississippi, 33:137–146
Graham, Gary L., A western extension of the southeastern shrew, *Sorex longirostris* (Soricidae), 21:405
Graham, Joseph D., Morphological variation in mesquite (Prosopis, Leguminosae) in the lowlands of northeastern Mexico, 5:187–193
Graham, Joseph D., see Brown, Walter V., —
Grallaria
guatimalensis, 35:460–463
mexicana, 35:460, 35:461
ochraceiventris, 35:461

Graminae, 20:574, 22:342, 23:297, 28: 290, 31:34
Gramineae, 1:62, 1:66, 1:67, 2:124, 2: 157, 3:212, 4:55, 4:129, 5:7–11, 9: 306, 10:72–73, 10:76, 10:212, 11: 145–189, 12:70–86, 12:146, 12:476–477, 13:383, 13:384, 14:258–259, 15: 409, 17:4, 18:79–83, 18:483, 19:105, 20:434, 21:38, 21:317, 22:31, 22:35, 22:36, 23:497, 23:505, 23:507, 23: 508, 26:211–214, 27:118, 29:182, 29: 353, 30:387, 33:175, 36:77, 36:122, 36:124
Graminella nigrifrons, 5:223
Grammica
campestris, 18:319
cephalanthi, 18:317, 18:319
coryli, 18:317, 18:319
cuspidata, 18:317, 18:319
denticulata, 18:317, 18:319
gronovii, 18:319
indecora, 18:317, 18:319
occidentalis, 18:317, 18:319
pentagona, 18:317, 18:319
umbellata, 18:317, 18:319
umbrosa, 18:317, 18:319
Grammonota, 11:367
inornata, 30:121
maculata, 11:368
texana, 30:3
Grammotaulius lorettae, 31:440
Grant, C. Val, Benjamin B. Steele, and Robert L. Bayn, Jr., Raptor population dynamics in Utah's Uinta Basin: the importance of food resource, 36:265–280
Grant, W. E., N. R. French, and L. J. Folse, Jr., Effects of pocket gopher mounds on plant production in shortgrass prairie ecosystems, 25: 215–224
Grant, W. E., see Masser, M. P., —
Granulomatous orchitis in a western fence lizard, *Sceloporus occidentalis* (Iguanidae), Stephen R. Goldberg, 34: 158–160
Graphium, 32:133
Grapsidae, 11:140, 36:353
Graptemys
flavimaculata, 22:400–401
geographica, 29:345–347
kohni, 16:220
pseudogeographica, 1:182, 16:220, 23: 459, 27:244, 29:345–347, 30:416
Graptocorixa abdominalis, 9:99, 32:288, 32:289
Graptopetalum
bartrami, 35:64
bartramii, 35:71
Grass density and time of planting on *Prosopis glandulosa* seedling growth, importance of, O. W. Van Auken and J. K. Bush, 35:411–415
Grass distribution records for northern Mexico, new, Jesus Valdes-Reyna and Stephan L. Hatch, 28:461–463
Grass morphology and systematics I. The internode, Walter V. Brown, William F. Harris, and Joseph D. Graham, 4:115–125
Grass morphology and systematics II. The nodal pulvinis, Walter V. Brown, Gene A. Pratt, and Harold M. Mobley, 4:126–130
Grass vegetation of Texas, an analysis of the, T. W. Box and F. W. Gould, 3:124–129
Grasses traditionally referred to Uniola, I. Uniola and Leptochloöpsis, revision of, Harris O. Yates, 11:372–394
Grasses traditionally referred to *Uniola*, II. *Chasmanthium*, revision of, Harris O. Yates, 11:415–455
Grassland communities of east-central New Mexico and density of the range caterpillar, *Hemileuca oliviae* (Lepidoptera: Saturniidae), William D. Beavis, John C. Owens, John A. Ludwig, and Ellis W. Huddleston, 27:335–343
Grassland communities on the Baum limestone in Johnston County, Oklahoma, the, R. John Taylor and William T. Penfound, 6:98–99
Grasslands of Platt National Park, Oklahoma, the, Edward E. Dale, Jr., 4: 45–60
Gratiana pallidula, 8:55
Graul, Walter D., Population movements of the Harris' sparrow and tree sparrow in eastern Kansas, 12: 303–310
Graves, Brent M., and David Duvall, Evidence of an alarm pheromone from the cloacal sacs of prairie rattlesnakes, 33:339–345
Graves, Brent M., Consumption of an adult mouse by a free-ranging neonate prairie rattlesnake, 36:143
Graves, Brent M., Geoffrey C. Carpenter, and David Duvall, Chemosensory behaviors of neonate prairie rattlesnakes, *Crotalus viridis*, 32:515–517
Gray fox records from western Utah, H. J. Egoscue, 11:143–144
Gray fox, *Urocyon cinereoargenteus*, range extension of the, Charles A. Long and Claudine F. Long, 9:108–109
Gray, Lawrence J., and James V. Ward, Response of lotic periphyton to sediment release from a reservoir, 28: 239
Gray, Lawrence J., Emergence production and export of aquatic insects from a tallgrass prairie stream, 34: 313–318
Gray, Lawrence J., James V. Ward, Robert Martinson, and Elizabeth Bergey, Aquatic macroinvertebrates of the Piceance Basin, Colorado: community response along spatial and temporal gradients of environmental conditions, 28:125–135
Gray treefrog in southwestern Oklahoma, Dennis C. Parmley and Jack D. Tyler, 23:157–158
Gray vireo east of the Pecos River, Texas, the occurrence of the, Warren M. Pulich and J. Edward Parrot, 21: 551–552
Gray-bellied salamander, *Eurycea multiplicata griseogaster* Moore and Hughes, in southeastern Kansas, rediscovery of the, Patrick H. Ireland, 14:366
Grayia, 9:52, 9:55, 24:402, 24:405
spinosa, 9:51, 9:58, 9:59, 24:399–401, 24:404, 25:174, 25:175, 31:24
Grazing and pocket gopher abundance in a California annual grassland, John E. Hunter, 36:117–118
Grazing on lizard abundance and diversity in western Arizona, effects of, K. Bruce Jones, 26:107–115
Great blue heron and osprey nest on cardon cactus on Tiburon Island, Sonora, Mexico, Roland H. Wauer, 25:103–104
Great gray owls in Utah–is weather a factor?, Phillip W. Wagner and Carl D. Marti, 26:207
Great Salt Lake brine shrimp, 32:61–65
Great-tailed grackle captures and kills a house sparrow, a, Michael T. Hansen, 21:240–241
Greding, Edward J., Jr., Food of *Ancistrodon c. concortrix* in Houston and Trinity counties, Texas, 9:105
Greding, Edward J., Jr., Food of *Natrix* in Hunt County, Texas, 9:206
Green ash forest near Norman, Oklahoma, composition of a, E. L. Rice and Wm. T. Penfound, 1:145–147
Green, David M., Biochemical identification of red-legged frogs, *Rana aurora draytoni* (Ranidae) at Duckwater, Nevada, 30:614–616
Green River fishes in Utah and Colorado following closure of Flaming Gorge Dam, distribution of, C. David Vanicek, Robert H. Kramer, and Donald R. Franklin, 14:297–315
Green violet-ear hummingbird, Colibri thalassinus, in Cameron County, Texas, probable, Raymond J. Fleetwood and Charles E. Hudson, Jr., 10:312
Greenberg, Larry A., Distributional ecology of *Etheostoma radiosum* (Percidae) and *Etheostoma specta-*

bile: a test of oxygen tolerances, 34: 539–541
Greer, J. Keever, see Best, Troy L., —
Greer, J. Keever, see Matson, John O., —
Greer, J. Keever, see Thompson, James N., Jr., —
Greer, John Keever, 28:385–386
Gregg, Robert E., A new species of *Camponotus* (Hymenoptera: Formicidae) from Nevada, 18:39–43
Greggia linearifolia, 1:55
Gregor, Susan, Delbert Wiens, Robert E. Stevens, and Frank G. Hawksworth, Pollination studies of *Arceuthobium americanum* in Utah and Colorado, 19:65–73
Gregory, Michael J., Guy N. Cameron, Lisa M. Combs, and Lawrence R. Williams, Agonistic behavior in Attwater's pocket gopher, *Geomys attwateri*, 32:143–146
Greiner, Ellis C., and Lou Sileo, Hematozoa from mourning doves in Arizona, 25:558–560
Greya, 18:308
politella, 18:308
Griburius, 10:1
Griffing, James P., and Charles A. Davis, Comparative foods of sympatric scaled quail and mourning doves, 21: 248–249
Griffing, James P., and Charles A. Davis, Feeding diversity and specific search image of mourning doves in southern New Mexico, 23:702–704
Griffing, James P., Paul E. Sawyer, and Charles A. Davis, Mourning dove body weights in southeastern New Mexico during and after a dry spring and early summer, 21:545–547
Griffing, James P., Scissor-tailed flycatchers and Swainson's hawks nesting in the same tree, 19:111–112
Griffith, J. S., and T. R. Tiersch, Ecology of fishes in Redfield Canyon, Arizona, with emphasis on *Gila robusta intermedia*, 34:131–134
Grigsby, Everett M., see Thompson, James N., —
Grim, J. Norman, and Earle A. Cross, An instance of the mite *Pyemotes* sp. feeding on spider eggs (Acarina: Tarsonemoidea), 25:264–266
Grimes, John V., see Stangl, Frederick B., Jr., —
Grimm, Nancy B., see Fisher, Stuart G., —
Grimmia
alpestris, 1:119, 3:121
calyptrata, 17:25
laevigata, 1:118, 1:119
montana, 1:119, 3:121
pulvinata, 1:118, 6:186
raui, 6:186, 6:188
trichophylla, 1:116, 1:118, 1:119, 3:121
Grindelia, 15:181, 16:131–142, 16:366, 16:370–373, 16:376
aphanactis, 1:68, 16:204, 16:205
grandiflora, 16:131, 16:132, 16:134, 16: 135, 16:142
hallii, 16:132, 16:139
havardii, 16:131, 16:132, 16:134, 16: 136–139, 16:142
lanceolata, 2:170, 16:131, 16:132, 16: 134–137, 16:139
littoralis, 16:131, 16:132, 16:134–139, 16:142
microcephala, 16:131, 16:132, 16:134, 16:135, 16:138, 16:139
oolepis, 16:131, 16:132, 16:134–137, 16: 140, 16:141
oxylepis, 16:132, 16:136, 16:137, 16: 140–142, 16:369
scabra, 16:131, 16:132, 16:134, 16:136, 16:141
squarrosa, 7:170, 15:176, 16:131, 16: 132, 16:134, 16:136–139, 16:141, 16: 203–205, 25:335, 31:269, 31:495, 31: 497, 34:488
subdecurrens, 16:141, 16:369
texana, 4:59, 16:131, 16:132, 16:134, 16:135, 16:139
Groff, David, and W. P. Bemis, Bivalent frequencies in interspecific hybrids from three xerophytic species of *Cucurbita*, 12:365–368
Gronovia, 21:433, 21:439
Grooming in the northern grasshopper mouse, David G. Ruffer, 12:196–197
Groove-billed ani in Texas, the, Roland H. Wauer, 13:452
Groover, Robert D., and Harold C. Bold, Phycological notes I. *Oocytis polymorpha* sp. nov., 13:129–135
Gross antler anomaly in a California mule deer: the "cactus" buck, Daniel W. Baber, 32:404–406
Gross, Frederick A., and William A. Dick-Peddie, A map of primeval vegetation in New Mexico, 24:115–122
Gross primary productivity in a small Kansas lake, based on continuous in-situ recordings, 24 March–31 June 1977, Carl W. Prophet and Belinda A. Carrillo, 24:667–675
Grossularia, 21:523–530
Grossulariaceae, 13:383, 20:430, 21:523
Groundsnake, Sonora episcopa, in Arkansas, the, Herndon G. Dowling, 3:231–233
Grouvellinus nitidus, 24:196
Growth and development of Mexican free-tailed bats, Henry L. Short, 6:156–163
Growth and development of the free-tailed bat, *Tadarida brasiliensis cynocephala*, (Le Conte), John F. Pagels and Clyde Jones, 19:267–276
Growth and fatbody cycles in feral populations of the African clawed frog, *Xenopus laevis* (Pipidae), in California with comments on reproduction, Michael J. McCoid and Thomas H. Fritts, 34:499–505
Growth and reproductive responses of *Medinia beryllina* (Atherinidae) inhabiting Lake Texoma, Clark Hubbs and S. Michael Dean, 24:546–549
Growth and voltinism of five stonefly species in a New Mexico mountain stream, Rodney L. Hassage and Kenneth W. Stewart, 35:130–134
Growth characteristics of *Opuntia imbricata* [Haw.] DC. in New Mexico, Joseph G. Fraser and Rex D. Pieper, 17:229–237
Growth in selected body proportions of the cyprinid fish *Notropis lutrensis*, changes with, Richard K. Koehn and W. L. Minckley, 10:151–155
Growth obtained by stocking various size combinations of channel catfish, (*Ictalurus punctatus*), and efficiencies of utilizing pelleted feed, O. W. Tiemeier and C. W. Deyoe, 13:167–174
Growth of blue catfish (Ictalurus furcatus) in Lake Texoma, Robert M. Jenkins, 1:166–173
Growth of young band-tailed pigeons in captivity, J. Allen White and Clait E. Braun, 35:82–84
Growth patterns in *Yucca elata* Engelm. (Liliaceae), further studies on, Stanley D. Smith and John A. Ludwig, 23:145–150
Growth rate of sprouts after top removal of huisache (*Acacia farnesiana* (L.) Willd.) (*Leguminosae*) in South Texas, Jeff Powell, Thadis W. Box, and Charles V. Baker, 17:191–195
Growth rate of yearling Colorado squawfish at different water temperature, Tamara Black and Ross V. Bulkley, 30:253–257
Growth rates and root: shoot ratios in seedlings of the desert shrub *Larrea tridentata*, James Peter Walters and C. Edward Freeman, 28:357–363
Growth rates of *Lepomis macrochirus* (Centrarchidae) in three areas of Lake Texoma, Richard H. Brown and Howard McCarley, 17:371–374
Grubb, Teryl C., Erratum, 30:171
Grubb, Teryl G., Sandra J. Nagiller, Wade L. Eakle, and Gregory A. Goodwin, Winter roosting patterns of bald eagles (*Haliaeetus leucocephalus*) in north-central Arizona, 34: 453–459
Grubb, Teryl G., Stanley N. Wiemeyer,

and Lloyd F. Kiff, Eggshell thinning and contaminant levels in bald eagle eggs from Arizona, 1977 to 1985, 35: 298–301
Grubb, Teryl G., Winter activity of bald eagles (*Haliaeetus leucocephalus*) at Navajo Lake, New Mexico, 29:335–341
Grubb, Teryl G., see Tischendorf, Jay S. W., —
Grubits, Gene, III, see Carpenter, Charles C., —
Grummer, Bruce, see Tyrl, Ronald J., —
Gruninger, Terrence L., Clifford E. Murphy, and Joseph C. Britton, Macroparasites of fish from Eagle Mountain Lake, Texas, 22:525–535
Grus
americana, 6:21
canadensis, 11:137, 17:200–201, 32:89
grus, 25:569
Gryllacrididae, 12:264
Gryllidae, 16:446, 17:81, 18:285, 20:148, 28:100, 28:101, 29:442, 30:604, 32: 417
Gryllus, 30:604
domesticus, 18:103, 23:308
Gryon largi, 35:20
Gryosigma acuminatum, 20:405
Gryporhynchus tetrorchis, 15:272
Gryporhynchus tetrorchis Hill (Cestoda: Dilepididae), James E. Joy, 15:272
Grzybowski, Joseph A., see Schnell, Gary D., —
Guacum, 18:193
Guaiacum
angustifolium, 30:400, 30:401, 36:215
coulteri, 21:128
Guajardo M., Gerardo, see Jiménez G., Fernando, —
Guardida tulocarpus, 21:29
Guardiola, 21:27–29
carinata, 16:370
mexicana, 16:370, 21:29
platyphylla, 35:70
thompsonii, 21:27–29
Guardiola Humb. & Bonpl. (Compositae-Heliantheae), Paul Van Faasen, a new species of, 21:27–29
Guarea excelsa, 32:363
Guatemalan vole, *Microtus guatemalensis* Merriam, additional records of the, James Dale Smith and J. Knox Jones, Jr., 12:189–191
Guazuma ulmifolia, 18:198, 32:363
Guerena-Gandara, Lourdes, see Uribe-Alcocer, Manuel, —
Guetzow, David D., and Frank W. Judd, Postnatal growth and development in a subtropical population of *Peromyscus leucopus texanus*, 26:183–191
Guiacum, 18:194
Guildayomys, 32:238
Guilleminea densa, 35:70
Guillory, Vincent, and William E. Johnson, Habitat, conservation status, and zoogeography of the cyprinodont fish, *Cyprinodon variegatus hubbsi* (Carr), 31:95–100
Guillory, Vincent, Longitudinal gradients of fishes in Thompson Creek, Louisiana, 27:107–115
Guiraca
caerulea, 2:32, 16:22, 24:572, 34:492
caerulescens, 34:262, 34:265, 34:267
Guiterrezia
lucida, 16:204, 16:205
microcephala, 16:203–205
sarothrae, 16:204
Guiterrizia, 17:39
Guizotia, 5:15
abyssinica, 23:373, 29:182, 29:183, 29: 185
Gulella bicolor, 21:134
Gulf Coast tick (*Amblyomma maculatum*) populations and responses to burning of coastal prairie habitats, Charles J. Scifres, Thomas W. Oldham, Pete D. Teel, and D. Lynn Drawe, 33:55–64
Gulo
gulo, 26:333, 26:334
luscus, 21:133
Gumaga, 31:252, 31:253
Gumbart, Thomas C., and Kimberly A. Sullivan, Predation on yellow-eyed junco nestlings by twin-spotted rattlesnakes, 35:367–368
Gunderson, Harvey L., A recent record of a lynx from Nebraska, 23:529
Gundlachia radiata, 24:688
Gunnera, 13:367
Gunning, Gerald E., and Royal D. Suttkus, Species dominance in two river populations of sunfishes (Pisces: Centrarchidae): 1966 to 1988, 35: 346–348
Guppya gundlachi, 24:688
Gurtz, Martin E., see Tate, Cathy M., —
Guse, Neal G., Jr., Natural accident to big free-tailed bat, 18:470
Gustafson-Ropski, Melanie, Steven J. Ropski, and Peter B. Stacey, Genetic differentiation in a population of rock squirrels (*Spermophilus variegatus*, Sciuridae) in central New Mexico, 34:424–427
Guterrezia sarothrae, 32:150
Guthery, Fred S., and Nancy H. Herbert, Attributes of capture-recapture data for *Sigmodon hispidus*, 28:108–111
Guthery, Fred S., see Doerr, Ted B., —
Guthery, Fred S., see Johnson, David B., —
Guthery, Fred S., see Meinzer, Wyman P., Jr., —
Guthery, Fred S., see Taylor, Maple A., —
Gutierresia sarothrae, 14:331
Gutiérrez, Jorge Llinas, y José Manuel Galindo Jaramillo, Algunos aspectos del comportamiento alimenticio del zarapito, *Catoptrophorus semipalmatus* (Scolopacidae), en la Ensenada de La Paz, Baja California Sur, México, 35:237–240
Gutierrez, Julio R., and Walter G. Whitford, Effect of eliminating subterranean termites on the growth of creosotebush, *Larrea tridentata*, 34: 549–551
Gutierrez, Julio R., see Whitford, Walter G., —
Gutierrezia, 10:3, 11:67, 14:439, 16:370, 17:172, 18:431, 18:438, 18:439, 19: 115, 25:130, 25:131, 26:397, 27:206, 28:233, 30:290, 30:608, 32:511, 33: 371, 33:429, 36:90
californica, 17:175, 17:178
dracunculoides, 4:59, 7:170, 8:164
lucida, 1:65, 22:62, 22:347, 26:265, 27: 7
microcephala, 26:296, 29:353–354, 35: 64, 35:70
sarothrae, 1:65, 9:114, 10:259, 17:6, 17: 170, 17:173, 17:177, 12:139, 14:352, 15:160, 21:248, 21:362, 21:545, 22: 347, 23:45, 23:132, 24:627, 26:76, 26:261, 27:300–302, 27:305, 29:280, 29:282, 29:358, 30:613, 31:36, 32: 193, 32:402, 33:368, 33:425, 33:427, 33:428, 33:431, 33:434, 34:488, 35: 65, 35:70, 35:378, 35:380, 35:381, 36:55, 36:89, 36:305
Guttiferae, 4:57
Guzmán, J., see Gaso, M I., —
Guzman, J., see Olvera, O., —
Gyalopion canum, 16:229
Gymanthes treculiana, 8:104
Gymnogyps californianus, 23:305
Gymnadenia
clavellata, 13:335, 13:338
cucullata, 13:338
integra, 13:338
nivea, 13:338
Gymnadeniopsis, 13:338
Gymnocalycium baldianum, 30:78
Gymnochiromyia, 6:89
Gymnocladus dioica, 1:146, 19:161
Gymnodiniaceae, 11:200
Gymnodinium, 17:14, 17:17
ordinatum, 11:200
Gymnogyps
amplus, 26:274, 31:280, 31:284, 31:285, 31:287
californianus, 24:190–191, 26:267, 26: 273, 26:274, 26:281, 26:283, 28:409, 31:285

Gymnolomia
annua, 23:373
longiloba, 23:373
multiflora, 23:373
patens, 16:371
porteri, 23:373
subflexuosa, 16:371
tenuifolia, 14:437, 14:439, 18:430, 18:439, 23:373
Gymnophthalmus speciosus, 35:274, 35:277, 35:278
Gymnopilus spectabilis, 29:264
Gymnopis multiplicata, 28:267
Gymnopogon ambiguus, 12:349
Gymnorhinus cyanocephalus, 22:369, 22:371, 24:572, 34:492, 35:149
Gymnosperma
corymbosum, 16:370
glutinosum, 10:257, 10:259, 35:65, 35:70
Gymnosporangium, 8:194, 16:432
cupressi, 13:102–103
gracile, 10:35
kerneanum, 8:181
kernianum, 10:35
nelsonii, 8:182
speciosum, 8:182
Gymnotidae, 32:226, 32:229
Gymnotus, 32:229, 32:233
Gymnozyga moniliformis, 11:200
Gypsophilic species of *Helianthella*. (Asteraceae, Heliantheae) from northeastern Mexico, a, B. L. Turner, 22:553–554
Gypsophilous species of *Gaillardia* (Compositae) from northcentral Mexico, two new, B. L. Turner, 17:181–190
Gyraulus, 14:225, 14:226, 23:554, 36:165–167
arizonensis, 5:147, 5:157, 5:158, 8:51–52
arizonsis, 5:143
circumstriatus, 5:147, 5:156, 16:315, 27:240
parvus, 5:147, 5:156, 9:103, 16:316, 24:688
Gyrelmis
maculata, 24:196
simplex, 24:196
Gyrinidae, 8:136, 15:99, 19:109, 25:394, 26:157, 26:158
Gyrinophilus porphyriticus, 25:111, 25:113
Gyrinus parcus, 26:157
Gyrodactylus, 16:285, 16:289
affinis, 16:285
campostomae, 21:68
Gyromitus, 20:47, 20:48, 20:52
Gyrosigma, 10:266, 17:14, 17:16, 25:420, 25:538
acuminatum, 24:153
eximium, 24:153
obscurum, 30:464
spencerii, 20:49, 22:414, 22:459, 22:460, 22:464, 26:314

Haase, Edward F., and Henry A. Schreiber, Topographic relations of vegetation and soil in a southeastern Arizona grassland, 16:387–401
Habenaria, 13:335–337, 24:214
borealis, 13:339
ciliaris, 10:144, 28:455
clavellata, 10:144
integra, 28:451–456
limosa, 33:171, 33:172, 33:175
nivea, 28:452, 28:454
quinqueseta, 13:338
sparsiflora, 14:447
Habenaria ciliaris, H. clavellata and Malaxis unifolia (Orchidaceae) in Choctaw County, new to Oklahoma, Mabel O. Hill, 10:144
Habenaria integra (Nutt.) Spreng. (Orchidaceae) in Mississippi, Louisiana, and Texas, the distribution of, W. C. Holmes, 28:451–456
Habernaria
clavellata, 16:431
cristata, 16:431
macroceratitis, 13:338
saccata, 13:339
stricta, 13:339
Habia
gutturalis, 4:77, 4:79, 4:80
rubica, 4:77, 4:79, 4:80
Habibi, Khushal, Mother-young interactions in aoudads, *Ammotragus lervia*, 32:111–116
Habibi, Khushal, Overt sexual behavior among female aoudads, 32:148–149
Habitat and behavior of a snake, *Oxybelis aeneus* Wagler, in Veracruz, notes on the, J. P. Kennedy, 10:136–139
Habitat and distribution of *Acaricoris ignotus* Harris and Drake (Heteroptera: Aradidae), notes on the, Steven J. Taylor and Steven P. Lewis, 34:154–155
Habitat and other notes on *Etheostoma pallididorsum* (Etheostomatini: Percidae), Albert P. Blair, 9:105–107
Habitat, conservation status, and zoogeography of the cyprinodont fish, *Cyprinodon variegatus hubbsi* (Carr), Vincent Guillory and William E. Johnson, 31:95–100
Habitat diversity in the whiptail lizard *Cnemidophorus gularis gularis* (Teiidae) in southern Oklahoma, J. Martin Walker, Mark A. Paulissen, and James M. Britton, 31:405–408
Habitat influence on helminth parasitism of the cotton rat in western Texas, with remarks on some of the parasites, Tony Mollhagan, 23:401–407
Habitat of the lizard Zantusia vigilis in southern Nevada, James E. Deacon, W. Glen Bradley, and Kenneth S. Moor, 11:126–128
Habitat partitioning in the fish community of a southwestern river, William J. Matthews and Loren G. Hill, 25:51–66
Habitat preference and spatial relations of shrews in a mixed grassland in Kansas, Jerry R. Choate and Eugene D. Fleharty, 18:110–112
Habitat preference and spatial relations of *Sigmodon hidpidus* on a remnant prairie in west-central Kansas, Eugene D. Fleharty and Michael A. Mares, 18:21–29
Habitat preference of *Onychomys torridus* (Muridae) in a desert grassland, William Langley, 25:266–267
Habitat preferences and seasonal abundances of eight sympatric species of tiger beetle, genus *Cicindela* (Coleoptera: Cicindelidae), in Bastrop State Park, Texas, T. D. Schultz, 34:468–477
Habitat preferences of *Lupinus* (Fabaceae) in the western transverse ranges of southern California, John F. O'Leary, 27:369–377
Habitat relations of mule deer in the Texas Panhandle, Benjamin H. Koerth, Bok F. Sowell, Fred C. Bryant, and Ernie P. Wiggers, 30:579–587
Habitat relationships of *Tamiasciurus hudsonicus* and *Sciurus aberti* in the Rocky Mountains, John W. Ferner, 18:470–473
Habitat selection by nine species of rodents in north-central Kansas, Donald W. Kaufman and Eugene D. Fleharty, 18:443–452
Habitat selection by the desert woodrat (*Neotoma lepida*) inhabiting a pinyon-juniper woodland in western Nevada, Jeffrey B. Llewellyn, 26:76–78
Habitat selection by the northern cardinal in three eastern Texas forest stands, Richard L. Ehrhart and Richard N. Conner, 31:191–199
Habitat selection of Williamson's and "red-naped" yellow-bellied sapsuckers, on, Kimberly G. Smith, 27:464–466
Habitat structure and rodent species diversity on north and south-facing slopes in the Colorado lower montane zone, Nathaniel Stinson, Jr., 23:77–83
Habitat use and nest-site selection by red-shouldered hawks in Arkansas, Charles R. Preston, Charles S. Harger, and Harold E. Harger, 34:72–78
Habitat use and predatory behavior of *Thamnophis cyrtopsis* (Serpentes: Colubridae) in a seasonally variable

aquatic environment, K. Bruce Jones, 35:115–122
Habitat use by spikedace, *Meda fulgida* (Pisces: Cyprinidae) in southwestern streams with reference to probable habitat competition by red shiner, *Notropis lutrensis* (Pisces: Cyprinidae), John N. Rinne, 36:7–13
Habitat used by lesser prairie chickens for feeding related to seasonal behavior of plants in Beaver County, Oklahoma, Robert E. Jones, 9:111–117
Habitats and zoogeography of alpine tundra Arachnida and Carabidae (Coleoptera) in Colorado, Ronald R. Schmoller, 15:319–329
Habits of the hypertrophic blister beetle, *Cysteodemus armatus*, Norman C. Leppla, 21:49–54
Habrocestum, 11:348, 29:231
pulex, 11:349, 30:8
Habronattus, 11:348, 15:323, 21:199–200
clypeatus, 10:132
coecatus, 30:5
cognatus, 30:5
elegans, 10:132, 21:200
fallax, 30:8
hirsutus, 10:132
signatus, 10:132
texanus, 30:5, 30:11
viridipes, 11:353
Hackelia, 19:139–146
amethystina, 19:139, 19:144, 19:145
besseyi, 19:139, 19:140, 19:142
brevicula, 19:139–141
deflexa, 19:139
grisea, 19:139, 19:140
heliocarpa, 19:144
jessicae, 19:145
leptophylla, 19:139, 19:140
micrantha, 19:145
patens, 19:139–141
pinetorum, 19:139, 19:142
ursina, 19:139, 19:143–145
Hackelia (Boraginaceae) in the western United States and Mexico, studies in the genus, Johnnie L. Gentry, Jr., 19:139–146
Hackelochloa granularis, 12:79
Hadley, Neil F., Water uptake by drinking in the scorpion, *Centruroides sculpturatus* (Buthidae), 15:504–505
Hadropterus, 2:103, 16:73, 16:78
pantherinus, 20:343
sciurus, 2:93, 2:98, 3:13, 3:14, 6:9–12, 6:188
shumardi, 2:93, 2:94
Hadrotettix trifasciatus, 27:200, 27:203, 27:205
Hadrurus, 12:187, 25:100
arizonensis, 15:505
Haemaphysalis leporispalustris, 33:487
Haematoloechus, 10:141–142
breveplexus, 10:142
breviplexus, 17:198–200
floedae, 10:142, 11:412, 17:199, 17:200
Haematosiphon inodorus, 23:305
Haematoxylon brasiletto, 21:128
Haemig, Paul D., Island jay (*Aphelocoma coerulescens insularis*) stores lizards in the relict tree *Lyonothamnus asplenifolius*, 34:146–147
Haemogamasus
ambulans, 16:436
reidi, 27:237
Haemolaelaps glasgowi, 10:17, 10:19, 10:21, 16:436
Haemonais waldvogeli, 25:264
Haemopis
kingi, 15:271
marmorata, 15:269–272
Haemoproteus, 25:558
maccallumi, 25:559
sacharovi, 25:559
Haemulidae, 32:226, 35:45
Haeterina, 25:550
Hafernik, John E., see Burke, Horace R., —
Hafner, David J., see Hafner, Mark S., —
Hafner, David J., see Smartt, Richard A., —
Hafner, John C., and Darren R. Sandquist, Postmortem field preparation of bird and mammal chromosomes: an evaluation involving the pocket gopher, *Thomomys bottae*, 34:330–337
Hafner, Mark S., and David J. Hafner, Geographic distribution of two Costa Rican species of *Orthogeomys*, with comments on dorsal pelage markings in the Geomyidae, 32:5–11
Hagen, Don W., Evidence of adaptation to environmental temperatures in three species of *Gambusia* (Poeciliidae), 9:6–19
Hagenius, 8:135
brevistylus, 2:2, 2:13, 4:132
Hague, Zahoorul, Amade Younga, Kirk C. McDaniel, and Rex D. Pieper, Two-phase pattern in mesquite-herbland vegetation in southern New Mexico, 36:54–59
Hahn, Donald E., An introduction of *Poecilia mexicana* (Osteichthyes: Poeciliidae) into Colorado, 11:307–308
Hahn, Donald E., The nine-banded armadillo, *Dasypus novemcinctus*, in Colorado, 11:303
Hahn, Donald E., Theron E. Magers, and John W. Goertz, The status of *Elaphe guttata* (Serpentes: Colubridae), in central and northwestern Louisiana, 17:208–209
Hahnia, 11:353
cinerea, 11:354, 30:7
flaviceps, 30:7
Hahnidae, 20:6, 20:9
Hahniidae, 11:353, 30:4, 30:7, 30:9
Haideotriton wallacei, 25:113
Haiduk, Michael W., Cornelio Sanchez-Hernandez, and Robert J. Baker, Phylogenetic relationships of *Nyctomys* and *Xenomys* to other cricetine genera based on data from G-banded chromosomes, 33:397–403
Haiduk, Michael W., see Sites, Jack W., Jr., —
Haldea
striatula, 1:182
valeriae, 1:182
Hale, Mason E., Jr., The Mediterranean lichen Parmelia perreticulata in central Texas, 3:212
Haliaeetus leucocephalus, 6:107–108, 16:152, 18:244, 29:335–341, 30:171, 32:286–287, 32:377–381, 34:245–249, 34:453–459, 35:89, 35:298–301, 36:259–262, 36:265, 36:268, 36:270
Halictidae, 19:70, 20:392, 23:566, 23:570, 23:571, 23:575, 25:105, 25:106, 26:163, 28:161, 29:372, 30:73, 32:151, 32:419, 32:422, 36:341
Halictus, 25:105
ligatus, 2:130
tripartitus, 25:106
Halimeda, 35:239
Halimium, 12:88
Halipegus, 26:410, 26:412, 29:378
Halipidae, 23:554
Haliplidae, 14:244, 25:393, 26:157, 26:158, 29:455, 31:523
Haliplus, 27:39
triopsis, 26:157
Hall, E. Raymond, and Keith R. Kelson, The mammals of North America (rev.), 4:113–114
Hall, E. Raymond, Oryzomys couesi only subspecifically different from the marsh rice rat, Oryzomys palustris, 5:171–173
Hall, Gordon E., Additions to the fish fauna of Oklahoma with a summary of introduced species, 1:16–26
Hall, H. Dale, see Chernoff, Barry, —
Hall, Marion T., and Claudia J. Carr, Variability in *Juniperus* in the Palo Duro Canyon of western Texas, 13:75–98
Hall, Ross W., Jr., and Dale W. Toetz, Observations on the nitrogen fixing potential of the surface waters of a large impoundment, 18:94–97
Hall, Shelly L., and James K. McPherson, Geographic distribution of two species of oaks in Oklahoma in relation to seasonal water potential and transpiration rates, 25:283–295

Hall, W. Eugene, see Van Devender, Thomas R., —
Halloran, Arthur F., A melanistic coyote from Oklahoma, 8:48–49
Halloran, Arthur F., and Audrey G. Halloran, Acorn woodpecker in Oklahoma, 5:175
Halloran, Arthur F., and Freeman E. Taber, Carnivore notes from the Navajo Indian Reservation, 10:139–140
Halloran, Arthur F., Bison (Bovidae) productivity on the Wichita Mountains Wildlife Refuge, Oklahoma, 13:23–26
Halloran, Arthur F., History and population dynamics of turkeys on the Wichita Mountains Wildlife Refuge, Oklahoma, 9:94–98
Halloran, Arthur F., Specimens of the black bear (*Euarctos americanus*) from the Wichita Mountains of Oklahoma, 8:174
Halloran, Arthur F., The carnivores and ungulates of the Aransas National Wildlife Refuge, Texas, 6:21–26
Halloran, Arthur F., Third specimen of the plumbeous short-tailed shrew, 11:302
Halloran, Arthur F., see Davis, W. Marvin, —
Halloran, Arthur H., see Glass, Bryan P., —
Halloran, Audrey G., see Halloran, Arthur, —
Halodule wrightii, 26:49, 30:402
Halogeton glomeratus, 29:362
Halopyrum mucronatum, 11:393
Haloragaceae, 34:290
Halosphaeria quadricornuta, 24:367
Halplidae, 15:99
Halpoesthes greggii, 24:435
Halticotoma valida, 25:267–268
Halticotoma valida (Hemiptera: Miridae) with notes on populations, new state record for, Harold G. Fowler, 25: 267–268
Hamamelidaceae, 18:431, 18:440
Hamamelis virginianas, 21:405
Hambrick, Patrick S., and Henry W. Robison, An hermaphroditic paleback darter, *Etheostoma pallididorsum*, with notes on other aberrant darters (Percidae), 23:170–171
Hambrick, Patrick S., and Henry W. Robison, Life history aspects of the paleback darter, *Etheostoma pallididorsum* (Pisces: Percidae), in the Caddo River system, Arkansas, 24: 475–484
Hambrick, Patrick S., and Richard E. Spieler, Mouthless cypriniform fishes from Louisiana and Arkansas, 22: 143–146
Hambrick, Patrick S., and Richard G. Hibbs, Jr., Feeding chronology and food habits of the blacktail shiner, *Notropis venustus* (Cyprinidae), in Bayou Sara, Louisiana, 22:511–516
Hamilton, Kirk L., Caracara kleptoparasitizes marsh hawk, 26:440
Hamilton, Meredith J., see Owen, Robert D., —
Hamilton, R. B., see Chabreck, R. H., —
Hamilton, William J., and John O. Whitaker, Jr., Mammals of the eastern United States (rev.), 26:93
Hammann, M. Gregory, see Ruiz-Campos, Gorgonio, —
Hampea, 18:481–483, 36:82
albipetala, 18:481
macrocarpa, 18:481
ovatifolia, 18:483
platanifolia, 18:481
rovirosae, 18:481, 18:483
tomentosa, 18:482, 18:483
trilobata, 18:483
Hampea (Malvaceae), further observations on the genus, Paul A. Fryxell, 18:481–483
Hanebrink, Earl L., and John K. Beadles, Abnormality in the beak of a juvenal little blue heron (*Florida caerulea*), 15:495–496
Hanebrink, Earl L., Summer net plankton in Sardis Reservoir, Mississippi, 10:261–277
Hanks, Jess P., and W. A. Dick-Peddie, Vegetation patterns of the White Mountains, New Mexico, 18:371–382
Hanks, L. M., see Bechtel, R. C., —
Hanna, David D., see Floyd, M. Lisa, —
Hannaea arcus, 20:202
Hannan, Herbert H., Bernard Callender, and John D. Woodham, Some observations and behavior patterns of prairie chickens (*Tympanuchus cupido attwateri*) in Galveston County, Texas, 9:305–306
Hannemania dunni, 30:319
Hanselka, Calvin W., Jack M. Inglis, and Howard G. Applegate, Reproduction in the black-tailed jackrabbit in southwestern Texas, 16:214–217
Hansen, Carroll M., and Eugene D. Fleharty, Structural ecological parameters of a population of *Peromyscus maniculatus* in west-central Kansas, 19:293–303
Hansen, Charles G., see Bradley, W. Glen, —
Hansen, James D., John A. Ludwig, John C. Owens, and Ellis W. Huddleston, Field observations of larval development and aggregation of the range caterpillar, *Hemileuca oliviae* Cockerell (Lepidoptera: Saturniidae), 29: 237–239
Hansen, Michael T., A great-tailed grackle captures and kills a house sparrow, 21:240–241
Hansmire, Julie A., D. Lynn Drawe, David B. Wester, and Carlton M. Britton, Effect of winter burns on forbs and grasses of the Texas Coastal Prairie, 33:333–338
Hantzschia, 25:420
amphioxys, 20:49, 22:413, 24:153, 26: 315, 28:247
virgata, 22:413, 26:312, 26:315, 26:316
Hanzawa, Frances M., see Turnbill, Christina L., —
Hapalopilus nidulans, 19:355
Haplidae, 8:136
Haplocladium microphyllum, 28:240, 31: 398
Haplocleidus, 16:293
biramosus, 16:285, 16:287
dispar, 16:285, 16:287
furcatus, 16:283, 16:286
Haplodrassus
altanus, 15:322
hiemalis, 15:322
signifer, 11:342, 15:322, 30:4
utus, 15:322
Haploestes greggii, 15:184
Haploesthes greggii, 15:180
Haplohyphes, 31:20
Haplomacrobiotus hermosillensis, 17:21
Haplopappus, 14:331, 15:181, 16:202, 16: 358, 20:284, 29:358, 33:426
acaulis, 18:118, 18:120
cooperi, 29:11
croceus, 18:120
gracilis, 15:175, 15:176, 15:181, 15:182
hartwegii, 16:370
heterophyllus, 1:56, 1:65, 1:68
laricifolius, 25:443–445, 25:448, 25:450
lyallii, 20:429
parryi, 16:205, 20:429
phyllocephalus, 18:120
pseudobaccharis, 12:108
rigidifolius, 12:337
spinulosus, 1:65, 8:188, 12:139, 15:175, 15:176, 15:181, 15:182, 16:205, 16: 370, 24:187, 29:412, 30:580, 33:428, 33:431
taenuisecta, 29:509
tenuisectus, 33:425, 33:427, 33:428, 33: 431, 33:434
trianthus, 12:106
Haplopapus cooperi, 29:1
Haploperla, 36:328
brevis, 35:132
chilnualna, 36:326
Haplophthalmus danicus, 12:258, 29:309, 29:310, 29:312, 29:314, 29:318
Haplophyton crooksii, 35:66, 35:70

Haplopyxis, 12:152
Haplostethops caviventris, 6:197
Haplothrips graminis, 36:49, 36:51, 36:52
Haplotrema concavum, 24:196
Haplotrematidae, 24:196
Happlopappus gracilis, 21:315
Harbouria trachypleura, 17:47, 23:78
Harcombe, P. A., and J. H. Beaman, Transfer of two Mexican species from *Eupatorium* to *Brickellia* (Compositae), 12:127–133
Hardin, James W., George Doerksen, Dale Herdon, Melinda Hobson, and Freeman Thomas, Pollination ecology and floral biology of four weedy genera in southern Oklahoma, 16: 403–412
Hardin, James W., Roger W. Barbour, and Wayne H. Davis, Observations on the home range of a yellow-nosed cotton rat, *Sigmodon ochrognathus*, 14:353–355
Hardwood removal and prescribed burning on bird populations, immediate effects of, Edwin D. Michael and Patrick I. Thornburgh, 15:359–370
Hardwood-redcedar clusters in the post oak savanna of Texas, Edward J. Rykiel, Jr., and Terry L. Cook, 31: 73–78
Hardy, Laurence M., Environmental factors and microhabitats in rain forest of Tabasco, México, 23:683–685
Hardy, Laurence M., see Raymond, Larry R., —
Harengula
jaguana, 36:205
pensacolae, 2:95
thrissina, 32:228
Harger, Charles S., see Preston, Charles R., —
Harger, Harold E., see Preston, Charles R., —
Harkrider, J. Robert, Occurrence of larval flukes infecting aquatic snails in Bexar County, Texas, 27:243–244
Harlow, Henry J., see Miller, Brian J., —
Harman, Walter J., and Michael S. Loden, *Bratislavia unidentata* (Oligochaeta: Naididae), a re-description, 23:541–544
Harman, Walter J., Life history studies of the earthworm Sparganophilus eiseni in Louisiana, 10:22–24
Harman, Walter J., Michael S. Loden, and Jack R. Davis, Aquatic Oligochaeta new to North America with some further records of species from Texas, 24:509–525
Harman, Walter J., New species of Oligochaeta (Naididae) with additional distributional records from Oklahoma and Texas, 18:151–164
Harman, Walter J., The aquatic Oligochaeta (Aeolosomatidae, Opistocystidae, Naididae) of Central America, 27:287–298
Harms, Larry J., *Eleocharis montevidensis* Kunth and *E. lanceolata* Fern. (Cyperaceae) in Kansas, 9:109
Harms, Larry, see McGregor, Ronald L., —
Harnischia, 23:139, 32:412
pseudotener, 14:239, 14:245
Harp, G. L., see Heiss, J. S., —
Harp, George L., and William J. Matthews, First Arkansas records of *Lampetra spp.* (Petromyzontidae), 20:414–416
Harp, George L., see Nelson, Jimmy H., —
Harpacticidae, 36:353
Harpacticoida, 12:63
Harpagoxenus, 30:259
americanus, 28:300
Harpalus, 30:603
basilaris, 15:323
lecontei, 15:323, 15:325
seclusus, 15:323
Harper, Kimball T., see McArthur, E. Durant, —
Harrel, Richard C., and Charles S. Wallis, Jr., *Urnatella gracilis* Leidy (Entoprocta) new to Oklahoma, 12:203
Harrel, Richard C., Benthic macroinvertebrates of the Otter Creek drainage basin, northcentral, Oklahoma, 14: 231–248
Harrel, Richard C., see Lewis, Steven P., —
Harrel, Richard C., see Marsh, Clois E., —
Harrel, Richard C., see Woods, Marsha W. —
Harrell, Marsha Ridings, Ronald B. Harrell, and Horace H. Bailey, Assessment of *Corbicula manilensis* (Philippi) (Pelecypoda: Corbiculidae) as an intermediate host for Digenea in Lake Texoma, 22:280–281
Harrell, Ronald B., see Harrell, Marsha Ridings, —
Harris, A. H., see Smartt, R. A., —
Harris, Arthur H., and Celinda R. Crews, Conkling's roadrunner–a subspecies of the California roadrunner?, 28: 407–412
Harris, Arthur H., *Pipistrellus hesperus* (Chiroptera) versus ant, 15:396–397
Harris, Arthur H., Second record of the Arizona lyre snake in New Mexico, 4:42–43
Harris, Arthur H., Taxonomic status of the Pleistocene ringtail *Bassariscus sonoitensis* (Carnivora), 35:343–346
Harris, Arthur H., see Van Devender, Thomas R., —
Harris, Charles E., see Andelt, William F., —
Harris, Charles P., and David A. McCullough, G-banded karyotype of *Neotoma goldmani*, 33:236–239
Harris, William F., see Brown, Walter V., —
Harris' hawks feeding on fish, Martin D. Jakle and Thomas A. Gatz, 29:506
Harrisia bonplandii, 30:78
Harrison, Thieron, see Anderson, Roger C., —
Hart, Billy J., Distribution of the pygmy mouse, *Baiomys taylori*, in northcentral Texas, 17:213–214
Hart, E. Blake, In memoriam: John Keever Greer, 1930–1980, 28:385–386
Hart, E. Blake, Life history notes on the cliff chipmunk, *Eutamias dorsalis*, in Utah, 21:243–246
Hartman, Ronald L., New plant records for New Mexico, 18:241–242
Hartman, Ronald L., New plant records for Wyoming, 17:197–198
Hartmannia, 32:119
Harvest mice in Nicaragua, first records of two species of, Duwayne C. Englert, 4:152
Harvester ant (*Pogonomyrmex rugosus*) nests on soils and spring annual, *Erodium texanum*, effects of, Walter G. Whitford, 33:482–485
Harvester ant from the mountains of southern California (Hymenoptera: Formicidae), a new, William P. MacKay, 25:151–156
Harvestman from Arizona (Arachnida: Opiliones: Palpatores: *Dalquestia*), a new species of, James C. Cokendolpher and Scott A. Stockwell, 31: 49–53
Harvey, Michael J., see Rucker, Richard A.,—
Hasenyager, Robert N., see Pederson, Jordan C., —
Hassage, Rodney L., and Kenneth W. Stewart, Growth and voltinism of five stonefly species in a New Mexico mountain stream, 35:130–134
Hassalstrongylus
bocqueti, 31:410, 31:411
musculi, 31:410, 31:411
Hatch, Michael D., William H. Baltosser, and C. Gregory Schmitt, Life history and ecology of the bluntnose shiner (*Notropis simus pecosensis*) in the Pecos River of New Mexico, 30: 555–562
Hatch, Stephan L., Chromosome numbers of some grasses from the south-

western United States and Mexico, 25:278–280
Hatch, Stephen L., and Carolyn A. Clark, New plant distribution and extension records for Texas and the United States, 22:139–140
Hatch, Stephan L., see Valdes-Reyna, Jesus, —
Hatcher, Richard T., Distribution and status of red foxes (Canidae) in Oklahoma, 27:183–186
Hatching of eggs and description of the hatchlings of the reticulated gecko, *Coleonyx reticulatus* Davis & Dixon (Lacertilia: Eublepharidae), notes on the, Joseph F. Gallo, Jr., 23:308–309
Hatching temperatures and new distributional records for *Caenestheriella setosa* (Crustacea, Conchostraca), Denton Belk and Mary Schug Belk, 20:409–411
Hauber, Donald P., Rita J. Kuhnell, and Matthew K. Miller, Evidence for predominant autogamy in *Youngia japonica* (Asteraceae), 34:557–559
Haufler, Christopher H., review by, 26: 444
Hawaiia, 5:154
minuscula, 5:149, 5:152, 9:103, 16:93, 16:99, 16:104, 16:310, 16:316, 16: 317, 24:688, 27:239, 29:37, 29:39–42
Hawk, Roland G., see Stuckey, Ronald L., —
Hawkins, Bradford A., and Thomas R. Unruh, Protein and water levels in *Asphondylia atriplicis* (Diptera: Cecidomyiidae) galls, 33:114–117
Hawkins, John A., see Wick, Edmund J., —
Hawkmoth pollination of *Aquilegia chrysantha* (Ranunculaceae) in southern Arizona, Russell B. Miller, 30:69–76
Hawksworth, Frank G., and Melvyn J. Weiss, *Arceuthobium gillii* in New Mexico, 20:418
Hawksworth, Frank G., Paul C. Lightle, and Robert F. Scharpf, *Arceuthobium* in Baja California, Mexico, 13: 101–102
Hawksworth, Frank G., see Gregor, Susan, —
Hawksworth, Frank G., see Jennings, Daniel T., —
Hawksworth, Frank G., see Lightle, Paul C., —
Hayden's shrew (*Sorex haydeni*) in Kansas, status of, Jennifer K. Frey and Dwight W. Moore, 35:84–86
Hayes, Marc P., and Michele R. Tennant, Diet and feeding behavior of the California red-legged frog, *Rana aurora draytonii* (Ranidae), 30:601–605
Hayes, Marc P., see Holland, Dan C., —
Hayes, S. R., Home range of *Marmota monax* (Sciuridae) in Arkansas, 22: 547–550
Hayes, William A., II, Predator response postures of crayfish. I. The genus *Procambarus* (Decapoda, Cambaridae), 21:443–449
Hayes-Odum, Louise A., Observations on reproduction and embryonic development in *Syrrhophus cystignathoides campi* (Anura: Leptodactylidae), 35:358–361
Haynes, C. M., T. A. Lytle, E. J. Wick, and R. T. Muth, Larval Colorado squawfish (*Ptychochielus lucius* Girard) in the upper Colorado River Basin, Colorado, 1979–1981, 29:21–33
Haynes, C. Vance, see Mead, Jim I., —
Haynes, Charles M., Robert T. Muth, and Larry C. Wycoff, Range extension for the redside shiner, *Richardsonius balteatus* (Richardson), in the upper Colorado River drainage, 27: 223
Haynes, Charles M., see Muth, Robert T., —
Hays, H. A., Kathy Phillips, and Glen Salsbury, A big free-tailed bat (*Tadarida macrotis*) taken in south-central Kansas, 23:537–538
Hays, Horace A., and Patrick H. Ireland, A big free-tailed bat (*Tadarida macrotis*) taken in Southeast Kansas, 12:196
Hazardia, 16:370
Head, Kathleen C., see Freeman, C. Edward, —
Heaney, Lawrence R., and Elmer C. Birney, Distribution and natural history notes on some mammals from Puebla, Mexico, 21:543–545
Heartworm *Dirofilaria immitis* (Filarioidea), in the wild canids of Northeast Arkansas, the incidence of, Anthony W. King and Anna Marie Bohning, 29:89–92
Heat death of the orangethroat darter *Etheostoma spectabile* (Percidae) in a natural environment, William J. Matthews, Eric Surat, and Loren G. Hill, 27:216–217
Heat on seed germination of southwestern *Yucca* species, effect of, Jon E. Keeley and Adriene Meyers, 30:303–304
Heat tolerances of four species of fire ants (Hymenoptera: Formicidae: *Solenopsis*), Oscar F. Francke, Lindsey R. Potts, and James C. Cokendolpher, 30:59–68
Heath, Darrell R., see Saugey, David A., —
Hebeloma
syrjense, 29:259, 29:261, 29:264
vinosophyllum, 29:259
Hebetancylus excentricus, 21:241, 21:242, 22:355
Hebridae, 9:101, 12:487, 24:196
Hebridae (Hemiptera) of Oklahoma, Kurt F. Schaefer and William A. Drew, 12:487
Hebrus
beameri, 12:487
buenoi, 12:487
burmeisteri, 12:487
consolidus, 9:101
piercei, 24:196
sobrinus, 12:487
Hechtia
glomerata, 32:483
scariosa, 10:257, 10:259, 22:349, 30:536, 30:537, 30:539, 30:540
Hectia scariosa, 33:288
Hectopsyllidae, 20:241, 20:247
Hedden, Roy L., Host tree spatial pattern in a southern pine beetle infestation, 23:71–75
Hedeoma, 25:365
dentatum, 35:64, 35:72
drummondii, 12:140, 29:304
hispida, 4:52, 4:58, 29:411
hyssopifolium, 35:66, 35:72
nanum, 1:65, 22:343, 23:297, 35:67, 35: 72
plicatum, 10:37
Hedera, 18:439
helix, 18:430, 18:439, 28:48
Hedruris, 16:293, 25:392
Hedwigia ciliata, 22:136, 24:214
Hedyoitis nigricans, 29:326
Hedyotis, 3:204–207, 25:365, 33:108, 33: 109
australis, 3:204, 3:205, 3:208–211
boscii, 36:123
boseii, 23:504
caerulea, 3:204–206
corymbosa, 3:204–206
crassifolia, 3:204–206, 3:208–210
micrantha, 3:208
nigricans, 3:204–206, 4:50, 4:52, 4:59, 6:98, 22:38, 22:42, 23:504
pygmaea, 35:73
rubra, 35:65, 35:73
Hedyotis australis (Rubiaceae), a new species from the south central United States, Walter H. Lewis and Dwight M. Moore, 3:208–211
Hedysareae, 7:29–40
Hedysarum
gemellum, 7:39
hamatum, 7:33
prismaticum, 7:29, 7:35, 7:36

Heep, Michael R., and Robert I. Lonard, *Esenbeckia berlandieri* (Rutaceae) rediscovered in extreme southern Texas, 31:259–260
Heermann's gull in Texas, first record of, Terry C. Maxwell, 22:282–283
Hegerhorst, Dale, Darrell W. Weber, and E. Durant McArthur, Resin and rubber content in *Chrysothamnus*, 32: 475–482
Heggen, Albert W., see Pederson, Jordan C., —
Heideman, Paul D., see Bowles, John B., —
Heidt, Gary A., see McKamie, James A., —
Heidt, Gary A., see Moore, Dwight W., —
Heidt, Gary A., see Rucker, Richard A.,—
Heidt, Gary A., see Saugey, David A., —
Heidt, Gary A., see Sugg, Derrick W., —
Height structure and reproductive characteristics of senita, *Lophocereus schottii* (Cactaceae), in southern Arizona, Kathleen C. Parker, 34:392–401
Heimia salicifolia, 30:398, 30:400, 36:215
Hein, Dale, see Roppe, Jerry A., —
Heinrichs, J. W., see Tanner, Wilmer W., —
Heins, D. C., and F. G. Rabito, Jr., Reproductive traits in populations of the weed shiner, *Notropis texanus*, from the Gulf coastal plain, 33:147–156
Heins, David C., and Debora R. Dorsett, Reproductive traits of the blacktail shiner, *Notropis venustus* (Girard), in southeastern Mississippi, 31:185–189
Heins, David C., and Drew Davis, The reproductive season of the weed shiner, *Notropis texanus* (Pisces: Cyprinidae), in southeastern Mississippi, 29:133–135
Heins-Loy, Marianna, Fall age ratios of the black-bellied whistling-duck, 31: 107–109
Heiss, J. S., and M. V. Meisch, Spiders (Araneae) associated with rice in Arkansas with notes on species compositions of populations, 30:119–127
Heiss, J. S., G. L. Harp, and M. V. Meisch, Aquatic Coleoptera associated with Arkansas rice, with observations on the effects of carbofuran, molinate, predatory fish and late-planting, 31:521–525
Heitmeyer, Mickey E., and Paul A. Vohs, Jr., Numbers and distribution of waterfowl breeding on Oklahoma waterlands, 1978–79, 29:493–495
Heitschmidt, R. K., and R. D. Schultz, Effects of drought on a grassland in the northern Rolling Plains of Texas, 30:319–320
Heitschmidt, Rodney K., G. K. Hulett, and G. W. Tomanek, Vegetational map and community structure of a west central Kansas prairie, 14:337–350
Helenieae, 11:118–122, 12:109
Heleniella, 34:480
Helenium, 12:80, 15:416, 20:392
amarum, 15:416
autumnale, 2:170, 7:170, 15:416
badium, 15:416
hoopsii, 12:323
quadridentatum, 18:119, 18:122
tenuifolium, 7:169
thurberi, 35:70
Heleomyzidae, 12:267
Heliantheae, 5:12–15, 10:238–240, 21:27–29, 21:145–149, 21:539–541, 22: 553–554, 26:5–12
Helianthella, 18:119, 22:553–554
gypsophila, 22:554
latifolia, 22:554
mexicana, 22:554
quinquenervis, 33:221
Helianthemum, 12:87–96
aldersonii, 12:92
arenicola, 12:87
argenteum, 12:89, 12:91, 12:95
astylum, 12:87
canadense, 12:87, 19:318
chihuahuense, 12:89, 12:91, 12:94
concolor, 12:89, 12:91, 12:93
coulteri, 12:87, 12:89–91
georgianum, 19:318
glomeratum, 12:87–89, 12:91, 12:95
glomeratus, 12:90
nutans, 12:88, 12:91, 12:92
obcordatum, 12:87
patens, 12:88–90, 12:92
pringlei, 12:89–91, 12:93, 12:94
rosmarinifolium, 12:87, 19:318
scoparium, 12:88, 12:89, 12:91, 12:92
Helianthemum (Cistaceae) in Mexico and Central America, a synopsis of the genus, Robert L. Wilbur and H. S. Daoud, 12:87–96
Helianthus, 2:125, 13:163, 13:251, 21:559, 23:374, 24:131, 25:364, 25:391, 26: 11, 27:117, 27:118, 28:254, 28:336, 31:37, 35:394, 35:436
angustifolius, 23:373
annuus, 1:65, 1:68, 1:88, 2:130, 2:170, 8:188, 12:140, 12:142, 12:185, 13: 387, 15:165–167, 16:370, 17:6, 17: 47, 18:22, 18:23, 18:89, 19:293, 19: 294, 19:441, 21:470, 23:320, 23:501, 25:322, 26:6–8, 27:462, 28:232, 28: 255, 29:411, 30:338, 30:339, 30:438, 30:439, 33:365, 35:466
anomalus, 1:68, 28:231–235
californicus, 23:373
carnosus, 23:373
ciliaris, 1:68, 21:314, 27:461–463
cucumerifolius, 2:130
cusickii, 23:373
debilis, 9:36
giganteus, 23:373
gracilentus, 23:373
grosseserratus, 7:170, 23:373, 32:35
hirsutus, 4:59, 12:347, 12:350
lacinatus, 16:370
laetiflorus, 7:170, 12:140, 12:142
ludens, 13:250
maximiliani, 2:170, 7:170, 17:6, 23:373, 31:367–374, 35:466
mollis, 7:169, 17:6, 23:373
nuttallii, 23:373
occidentalis, 23:373
onnuus, 27:461
paradoxus, 26:431, 26:432
petiolaris, 2:170, 12:139, 15:135, 25: 335, 28:232, 28:255, 30:338, 30:339, 31:33–36, 35:70
pumilis, 23:373
resinosus, 23:373
rigidus, 14:331, 23:373, 32:35
simulans, 16:121
strumosus, 23:373
tuberosus, 12:138, 12:139, 23:373
Helianthus paradoxus Heiser (Asteraceae), new and interesting distribution records for, Gerald J. Seiler, Luka Cuk, and Charlie E. Rogers, 26:431–432
Helianthus simulans S. E. Wats. (Compositae) in Robertson County, new to Texas, Robert I. Lonard and Floyd R. Waller, Jr., 16:121
Heliaula rufa, 27:200, 27:203, 27:205
Helichus, 1:152, 25:141, 25:383, 36:167
confluentus, 24:197, 32:288, 32:289
fastigiatus, 24:197
immsi, 25:141
lithophilus, 14:238, 14:244
propinquus, 24:197
suturalis, 25:141
triangularis, 24:197, 32:289
Helicidae, 9:103, 9:104
Helicina, 14:372, 16:316
chrysocheila, 9:104
dallasi, 33:118, 33:119
ghiesbreghtii, 33:119
obriculata, 24:687–689, 21:134, 24:688, 33:117, 33:118
turbinata, 9:104
Helicinidae, 9:104, 24:688, 33:117, 33: 118
Helicodictyon planctonicum, 17:311–312
Helicodictyon planctonicum (Ulotrichales) from Texas, a record of, Dewey G. Meyers and Elenor R. Cox, 17: 311–312
Helicodiscus
eigenmanni, 5:148, 5:152, 29:37, 29:41

lineatus, 9:103
notius, 16:311
nummus, 5:148, 5:152, 16:310, 27:239
parallelus, 14:327, 16:310, 16:316, 16:317, 27:239, 27:240
singleyanus, 5:148, 5:152, 9:104, 14:372, 16:92, 16:93, 16:99, 16:104, 16:310, 16:317, 19:61, 27:240
triden, 16:310
Helicopogon, 1:35, 1:36
Helicopsyche, 28:190, 28:353, 31:252, 36:164, 36:167
borealis, 1:152, 23:216, 23:218, 23:223, 23:382, 28:354, 31:427, 36:286
mexicana, 32:288, 32:289
Helicopsychidae, 23:382, 28:354, 31:427, 32:289
Helictotrichon mortonianum, 20:434
Helietta, 11:241
Heliocereus, 13:367
Heliolonche cresina, 18:309
Heliomeris, 15:183, 23:374
longifolia, 15:177
Heliopsis
helianthoides, 32:35
parvifolia, 10:36
Heliothis, 34:197
virescens, 33:215
zea, 33:215, 36:51
Heliotropium, 15:414
angiospermum, 6:100
confertifolium, 10:259, 30:536
convolvulaceum, 2:167, 25:333, 31:36
curassavicum, 15:414, 23:500, 25:322, 29:250, 36:122
fruticosum, 35:71
Heliotropum
greggii, 1:67
torreyi, 23:296
Helisoma, 8:135, 27:240, 30:420, 31:543
anceps, 5:147, 5:157, 14:239, 14:246, 14:372, 16:316, 23:554, 27:239
tenue, 9:103
travertina, 16:316
trivolivis, 5:157
trivolvis, 5:147, 12:372, 12:383, 12:385, 12:398, 12:402, 16:315, 16:316, 18:413, 26:156, 27:73, 27:239, 27:350
Helix, 30:604
Helix aspersa, 7:268–269, 9:104
Helix aspersa (Gastropoda: Pulmonata) established in Colorado, Clarence J. McCoy, Jr., and V. Eugene Nelson, 7:268–269
Helminth infections in *Bufo boreas* (Amphibia: Bufonidae) and *Hyla regilla* (Amphibia: Hylidae) in southern California, an analysis of, Ronald L. Koller and Anthony J. Gaudin, 21:503–509
Helminth parasites of Centrarchidae from the Little River system of Texas, J. Leon McGraw, Jr., and Terry C. Allison, 12:332–334
Helminth parasites of *Gambusia affinis* and *Gambusia geiseri* (Osteichthyes: Poeciliidae) from the upper San Marcos River, a comparison of the, Jack R. Davis and David G. Huffman, 22:359–366
Helminth parasites of the sandhill crane in West Texas, some, Gladys L. Burnham, 17:200–201
Helminth parasitism in some central Arizona lizards, Elinor S. Benes, 30:467–473
Helminth parasitism in some species of fresh water fishes of eastern Texas, T. G. Meade and C. A. Bedinger, Jr., 16:281–295
Helminthoglypta
cuyamacensis, 32:261–265
lowei, 32:261–265
mohaveana, 24:196
rhodophila, 32:261–265
Helminthoglypta (*Rothelix*) (Gastropoda: Pulmonata: Helminthoglyptidae) from southern California with comments on its probable evolutionary relationships, a new, Richard L. Reeder and Walter B. Miller, 32:261–265
Helminthoglyptidae, 15:429–435, 24:196, 26:341–344, 31:286, 32:261–265, 33:81–84
Helminthopsis marginalis, 24:196
Helminthosporium, 32:133
Helminths of Apache (*Salmo apache*), Gila (*S. gilae*), and brown (*S. trutta*) trouts, Mbida Mpoame and John N. Rinne, 29:505–506
Helmitheros vermivorus, 18:105
Helobdella, 25:381, 25:383
elongata, 34:431
fusca, 14:237, 15:271, 23:554
lineata, 23:554
nepheloidea, 14:237, 14:240–242
stagnalis, 15:269–272, 27:38, 28:130, 34:431
triserialis, 34:431
Helochares, 23:555
Helocordulia uhleri, 2:13
Heloder mahorridum, 15:399
Heloderma
horridum, 24:704, 35:278
suspectum, 11:398, 12:185, 24:703–705, 26:267, 26:268, 30:469, 30:471, 31:261–263, 34:522, 34:525, 35:458–460
Helodermatidae, 24:703–705, 26:268, 30:469, 30:471, 31:261–263, 35:458–460
Helodidae, 23:555
Helomyza pectinata, 12:267
Helophorus, 12:383, 12:388, 12:403, 14:238, 28:475, 31:523
linearis, 26:157
Hemarthria altissima, 28:462
Hematocrits from Arizona mammals and birds, notes on, Bobby J. Neal and Stanley A. Wood, 10:69–72
Hematozoa from mourning doves in Arizona, Ellis C. Greiner and Lou Sileo, 25:558–560
Hemerodromia, 14:238
Hemerotrecha, 25:135
denticulata, 17:31, 17:33, 17:34, 17:40
elpasoensis, 17:39
fruitana, 17:33, 17:34, 17:39, 25:132
milsteadi, 25:132
minima, 17:33, 17:34
Hemiacodon, 22:489
gracilis, 22:487, 22:490
Hemiauchenia, 32:238
blancoensis, 22:260, 22:261, 22:266
macrocephala, 22:260, 22:261, 22:266, 22:267
seymourensis, 22:260, 22:261
vera, 22:260
Hemiberlesia, 18:425
camelliae, 14:111
colorata, 14:101, 18:430
comstocki, 14:103, 18:436
cyanophylli, 14:103, 18:433, 18:437
diffinis, 14:107, 14:108, 18:437
howardi, 14:105, 14:106, 18:433, 18:435, 18:436
lataniae, 14:107, 14:109, 14:110, 18:430–436
popularum, 14:101, 14:111, 14:112, 18:436
rapax, 14:107, 14:111–113, 18:433, 18:437
ulmi, 13:242
yuccarium, 14:439
Hemicaranx amblyrhynchus, 36:206
Hemichionaspis aspidistrae, 17:389
Hemidactylium scutatum, 1:181, 1:183, 1:184, 28:271
Hemidactylus
frenatus, 14:132, 15:397, 29:500, 35:271
turcicus, 19:446, 29:500, 30:309–310, 31:129, 31:131, 35:271
Hemidinium nasuteum, 23:87
Hemigrapsus
estellinensis, 8:236–241
nudus, 8:239
oregonensis, 8:236–240, 35:240
Hemigrapsus estellinensis: a new grapsoid crab from North Texas, Gordon C. Creel, 8:236–241
Hemileuca, 28:383–384
maia, 28:383
nevadensis, 28:383
oliviae, 27:335–343, 29:237–239
Hemionus, 22:263
Hemipepsis, 34:513
ustulata, 29:475–480
Hemipodus, 20:480
Hemiptera, 8:38–42, 9:99–101, 12:486–487, 22:115–123, 22:327–336, 23:

617–622, 25:267–268, 31:535–539, 35:15–22
Hemiramphidae, 32:226, 32:229
Hemisia, 1:88, 2:131, 2:132
Hemitragus jemlahicus, 25:277, 27:409
Hemitricha karstenii, 23:690
Hemitrichia
clavata, 16:144
serpula, 9:160, 10:223
stipitata, 10:223, 16:144
vesparium, 9:158, 9:160, 10:223
Hemiuridae, 26:409–413
Hemizonia, 2:125
Hendaspidiotus
herculeana, 13:235
subsimilis, 13:238
Hendaspidiotus ulmi, 13:242
Hendecandra texensis, 3:196
Hendersonia, 33:118
Hendricks, D. Paul, and John W. Martin, Jr., Horse hair as a major mortality factor in nestling barn swallows, 17:295
Hendricks, Fred S., and James R. Dixon, Population structure of *Cnemidophorus tigris* (Reptilia: Teiidae) east of the Continental Divide, 29:137–140
Hendricks, Fred S., and James R. Dixon, Regenerated tail frequencies in populations of *Cnemidophorus marmoratus* (Reptilia: Teiidae), 33:121–124
Hendricks, Fred S., Intestinal contents of *Rana pipiens* Schreber (Ranidae) larvae, 18:99–101
Hendricks, Fred S., see Kelsch, Steven W., —
Hendricks, Fred S., see Thomas, Robert A., —
Hendrickson, Dean A., y Lourdes Juárez Romero, Los peces de la Cuenca del Río de la Concepción, Sonora, México, y el estatus del charalito Sonorense, *Gila ditaenia*, una especie en amenaza de extinción, 35:177–187
Hendrickson, Dean A., see Bestgen, Kevin R., —
Hendrickson, Dean A., see Meffe, Gary K., —
Hendrickson, Dean A., see Minckley, W. L., —
Henicorhina leucosticta, 4:74, 4:80
Hennen, Joe F., and George B. Cummins, Additions to *Uromyces* (Uredinales) from Mexico, 18:73–77
Hennen, Joe F., and George B. Cummins, The Mexican species of *Uromyces* (Uredinales), 12:146–155
Hennen, Joe F., Hector M. Leon-Gallegos, and George B. Cummins, The rust fungi (Uredinales) on Compositae in Mexico, 16:357–386
Henningsomyces candida, 19:353
Henrey, Sam, see Buchanan, Thomas, M., —
Henrickson, James, A revision of *Samolus ebracteatus* (sensu lato) (*Primulaceae*), 28:303–314
Henrickson, James, A revision of the *Atriplex acanthocarpa* complex (Chenopodiaceae), 33:451–463
Henry, Brad C., Jr., Mayflies (Ephemeroptera) of the Concho River, Texas, 31:15–21
Henry, Robert S., see Brown, David E., —
Henschen, Max T., see White, David S., —
Hentzia, 11:349
ambigua, 11:352
palmarum, 17:164, 30:5, 30:11
Hepaticae, 1:118, 1:120, 6:187
Hepatozoon serpentium, 5:226–228
Hepatozoon serpentium in some Texas snakes, the incidence of, Jessie Lee Hilman and R. W. Strandtmann, 5:226–228
Heptacarpus
cristatus, 29:60
franciscanus, 29:59
pictus, 29:60
stimpsoni, 29:60
Heptachlor, 3:7–12
Heptagenea, 18:413
Heptagenia, 1:151, 28:34
flavescens, 23:167–168
Heptageniidae, 23:167–168, 31:17, 32:443, 34:253
Heptallon
lanceolatum, 3:191
simplex, 3:191
Heptium, 34:381
Heptageniidate, 8:230
Heptugeniidae, 8:229
Herbert, Nancy H., see Guthery, Fred S., —
Herbivores on Chihuahuan Desert vegetation, influence of large, Paul R. Krausman and Bruce D. Leopold, 33:107–110
Herbivorous feeding in the lizard *Uta stansburiana steinegeri*, Carolyn L. Hoff and Fenton R. Kay, 15:137–138
Herdon, Dale, see Hardin, James W., —
Hergenrader, Gary L., see Hiskey, Robert, —
Hericiaceae, 19:353
Hermaphroditic paleback darter, *Etheostoma pallididorsum*, with notes on other aberrant darters (Percidae), an, Patrick S. Hambrick and Henry W. Robison, 23:170–171
Hermetia comstockii, 32:491–493
Hermit Warbler, *Dendroica occidentalis*, in New Mexico, record of the, Richard F. Johnston, 3:233–234
Hernández, Cornelio Sánchez, Ma. Teresa Castrejón Osorio, y Catalina B. Chávez Tapia, Patron reproductivo de *Sturnira lilium parvidens* (Chiroptera: Phyllostomidae) en la costa central del Pacifico de Mexico, 31:331–340
Hernández Baños, Blanca E., see Navarro Sigüenza, Adolfo G., —
Herpetofauna de la region del Pinacate, Sonora, Mexico: un inventario, Alberto Gonzáles-Romero y Sergio Alvarez-Cárdenas, 34:519–526
Herpetofauna of Bryan County, Oklahoma, additions to the, John R. Taylor and Harold Laughlin, 9:41–43
Herpetofauna of Colorado, new county records in the, D. M. Secoy and Wesley M. Brown, 13:105–106
Herpetofauna of Honduras: *Smilisca sordida* and *Drymobius melanotropis*, two additions to the, Larry David Wilson and Gustavo A. Cruz Díaz, 31:249–250
Herpetofauna of Queretaro, Mexico, with remarks on taxonomic problems, the, James R. Dixon, Chesley A. Ketchersid, and Carl S. Lieb, 16:225–237
Herpetofauna of the Pleistocene Slaton local fauna of Texas, J. Alan Holman, 14:203–212
Herpetological collections from Mexico. I. Introduction, turtles and snakes, notes on four small, Ernest A. Liner, 8:221–227
Herpetological collections from Mexico. II. Amphibians, notes on four small, Ernest A. Liner, 11:296–298
Herpetological collections from Mexico. III. Lizards, notes on four small, Ernest A. Liner, 11:406–408
Herpetological records from Louisiana, noteworthy, M. J. Fouquette Jr., and A. J. Dellahoussaye, 11:137–139
Herpyllus, 11:342
bubulcus, 29:231
ecclesiasticus, 30:7
hesperolus, 20:58
propinquus, 20:58
vasifer, 11:343
Herreid, Clyde F., II, Notes on the pallid bat in Texas, 6:13–20
Herreid, Clyde F., II, see Short, Henry L, —
Herrickia horrida, 18:118
Herrmann, Scott J., Caloric and micronutrient content of *Nuphar polysepalum*, 21:373–382
Herrmann, Scott J., David E. Ruiter, and John D. Unzicker, Distribution and records of Colorado Trichoptera, 31:421–457
Herrmann, Scott J., New host record for *Illinobdella moorei* Meyer, 1940, 15:272–273

Herrmann, Scott J., Total residue tolerances of Colorado Hirudinea, 15: 269–272
Hershey, Frank, see Bragg, Thomas B., —
Hervert, John J., see Krausman, Paul R., —
Heske, E. J., see Rogers, Duke S., —
Heske, Edward J., and Mariel Campbell, Effects of an 11-year livestock exclosure on rodent and ant numbers in the Chihuahuan Desert, southeastern Arizona, 36:89–93
Heske, Edward J., Why do horse lubbers roost in the bushes?, 35:455–458
Hespenheide, Henry A., see Naganuma, Kenneth, —
Hesperidae, 29:18
Hesperiidae, 21:34, 30:73
Hesperocorixa
brimleyi, 9:99
laevigata, 9:99
lucida, 9:99
nitida, 9:99
obliqua, 9:99
Hesperoctenes
eumops, 17:299, 20:241, 20:247, 20:251
longiceps, 20:251
Hesperohipparion, 25:505–512
arellanoi, 25:510
eurystylus, 25:508–510
floresi, 25:508, 25:510
otomi, 25:510
otomii, 25:506
stirtoni, 25:506, 25:508–511
Hesperohipparion (Mammalia: Equidae), a new genus of horse from the Hemphillian of North America, with description of new species, Walter W. Dalquest, 25:505–512
Hesperoleucus symmetricus, 31:527, 33:142
Hesperomys gossypinus, 21:84
Hesperoperla pacifica, 30:284, 31:503
Hesperophylax, 32:289, 34:185
consimilis, 28:130, 28:132, 31:440
designatus, 31:441
incisus, 31:441
magnus, 31:441
occidentalis, 28:127, 28:130, 28:132, 31: 441
oreades, 31:423
Hesperotettix
brevipennis, 31:269
partensis, 31:269
speciousus, 31:269
viridis, 27:202, 27:203, 27:205, 31:269
Hesperoyucca, 17:398, 18:433, 18:439
Hess, William J., see Todsen, Thomas K., —
Hessing, M. B., C. D. Johnson, and R. P. Balda, Early secondary succession of a pinyon-juniper woodland in a northern Arizona powerline corridor, 27:1–9
Hetaerina, 14:237, 25:142
americana, 2:9, 2:14, 4:131, 7:192, 7: 197, 8:61, 8:67, 8:69, 8:71, 8:80–82, 36:286
titia, 2:9, 2:14
tricolor, 2:9, 2:12
Heterandria
bimaculata, 32:227, 32:229
formosa, 8:137
Heteranthera, 15:410, 24:374
dubia, 9:80
liebmannii, 9:80, 34:290
limosa, 15:410, 31:499
mexicana, 15:410
Heterelmis, 33:199–203
comalensis, 33:199, 33:200, 33:202
glabra, 25:141, 33:199, 33:202
longula, 33:202
obesa, 33:199, 33:202
obscura, 8:113, 24:196, 33:202
stephani, 24:196, 33:199, 33:202
vulnerata, 8:113, 24:196, 33:199, 33: 202
Heterelmis from Texas (Coleoptera: Elmidae), a new species of, Linda S. Bosse, Donald W. Tuff, and Harley P. Brown, 33:199–203
Heterlimnius corpulentus, 25:27, 25:28, 25:31, 28:129, 28:130, 30:284
Heteroceridae, 26:157, 26:158, 28:475
Heterodon
nasicus, 1:27–29, 3:33, 3:46, 5:106, 5: 227, 11:411, 20:537–557, 27:163, 32: 275, 33:379, 36:172
platyrhinos, 1:182, 5:227, 11:137, 20: 537–557, 24:701–703, 27:230, 32: 275, 33:379, 35:474, 36:172, 36:175
platyrrhinus, 20:285
simus, 20:554
Heterokontae, 8:229, 8:232
Heterolaccus hunter, 19:319
Heteromeles arbutifolia, 28:48, 28:215, 30: 452
Heteromeyenia baileyi, 16:434
Heteromyidae, 10:282–287, 12:275–289, 12:429–438, 20:497, 20:498, 20:505, 24:197, 25:562–563, 26:276, 26:327, 28:41–46, 28:341–346, 28:429–436, 29:229–230, 31:280, 32:187, 32:285–286, 34:85–100, 35:201, 35:356–358, 35:454–455, 36:89, 36:100
Heteromyoxyuris deserti, 21:327, 21:328, 21:330, 21:332
Heteromys, 10:282, 34:85–100
anomalus, 34:85, 34:86, 34:96–98
australis, 34:85, 34:98
desmarestianus, 29:513, 29:514, 34:85–90, 34:92, 34:93, 34:96–98
gaumeri, 34:85, 34:86, 34:98, 36:87
goldmani, 34:85, 34:89, 34:90, 34:96, 34:98
nelsoni, 34:85, 34:86, 34:90, 34:93, 34: 94, 34:96–98
oresterus, 34:85, 34:90, 34:93, 34:94, 34:96–98
temporalis, 34:98
Heteropogon
contortus, 4:118, 5:8, 8:191, 10:38, 10: 50, 12:83, 22:342, 25:444, 30:391, 32:191, 35:74
melanocarpus, 12:83
Heteroptera, 34:154–155, 36:356–357
Heterosiphonia wurdemanni, 21:460
Heterosperma
anomalum, 23:373
coreocarpoides, 23:373
pinnatum, 35:70
xantii, 23:373
Heterospermum, 5:15, 15:183
pinnatum, 15:177
Heterospilus, 29:50, 29:51, 29:53
koebelei, 29:49
Heterosporium, 32:133
Heteroteneriffia, 8:23
marina, 8:24, 8:30
Heterotermes aureus, 35:285–291
Heterothalamus, 9:189
Heterotheca, 2:172, 15:181, 28:382
canescens, 18:325, 22:507
chrysopsidis, 16:370
fulcrata, 15:176, 21:315
grandifolia, 27:371
jonesii, 34:442
latifolia, 15:55, 15:176, 15:177, 18:121, 20:323, 20:325, 20:327, 20:332, 26: 289
pilosa, 12:347, 18:121, 35:436
psammophila, 31:36, 35:70
stenophylla, 2:170
subaxillares, 16:370, 20:332, 22:38–40, 22:42, 23:501, 25:316, 28:367, 28: 368
subaxillaris, 35:385–388, 35:390, 36: 122, 36:124
villosa, 12:140, 18:325, 20:429, 21:362, 25:335
viscida, 35:70
Heterothripidae, 36:52
Heterothrips, 36:52
Heterozetes, 23:554
Hettler, William F., see Hubbs, Clark, —
Heuchera
parvifolia, 20:432
richardsonii, 12:140
rubescens, 10:36, 34:442
sanguinea, 35:66, 35:73
Hexacylloepus
ferrugineus, 8:113, 25:250
nunezi, 24:196
smithi, 24:196
Hexagenea, 18:413
Hexagenia, 8:134, 8:136, 14:221, 14:222, 14:224, 14:226, 14:227, 14:230, 14: 237, 14:242, 25:550
bilineata, 14:223
limbata, 14:223, 23:140, 31:17

rigida, 23:140
Hexalectris spicata, 35:66, 35:74
Hexanchorus
caraibus, 24:196
cordillierae, 24:196
Hexapanopeus orcutti, 11:140
Hexarthra, 21:465, 21:466, 22:417, 23:169, 26:217
Hexatoma, 25:27
Hibbard, Claude W., see Dalquest, Walter W., —
Hibbardomys, 32:238
Hibbs, Richard G., Jr., see Hambrick, Patrick S., —
Hibernacula, birth and young of *Sceloporus grammicus disparilis* (Iguanidae), Carol A. Axtell and Ralph W. Axtell, 14:363–366
Hibernating Indiana bats (*Myotis sodalis*) from the Ouachita Mountains of southeastern Oklahoma, David A. Saugey, Gary A. Heidt, Darrell R. Heath, and V. Rick McDaniel, 35:341–342
Hibiscus, 15:413, 17:394
cardiophyllus, 30:400
coulteri, 23:297, 27:30, 35:66, 35:72
denudatus, 22:343, 23:297, 32:23, 35:72
incanus, 5:170
lasiocarpus, 2:165
leucophyllus, 5:170
militaris, 2:165
mutabilis, 13:210, 14:109, 18:433, 18:439
palustris, 27:433
trioneum, 15:413
Hibiscus from Texas, a new species of, Ivan Shiller, 5:170–171
Hickman, Graham C., Swimming behavior in representative species of the three genera of North American geomyids, 21:531–538
Hickman, Graham C., The maternal behavior of a Mexican pocket gopher (*Pappogeomys castanops*), 20:142–144
Hicoria pecan, 6:181
Hidalgoa, 5:15
Hieracium
longipilum, 7:170
mexicanum, 16:371
umbellatum, 12:140
Higgins, Larry, and B. L. Turner, *Antiphytum hintoniorum* (Boraginaceae), a bizarre new gypsophile from north-central Mexico, 28:457–458
Higgins, Larry C., *Cryptantha atwoodii* (Boraginaceae) a new species from Arizona, 19:127–130
Higgins, Larry C., *Rumex venosus* (Polygonaceae) new to Texas, 19:329
Hightower, Steven, see Schultz, Jeffrey G., —
Highways as barriers to rodent dispersal, Kenneth T. Wilkins, 27:459–460
Hilaria, 3:143, 12:73, 14:252, 17:340, 21:317, 27:326, 30:543, 32:107
belangeri, 4:119, 5:8, 5:9, 10:51, 10:52, 16:268, 16:272, 16:273, 16:387, 16:392, 16:393, 16:397–400, 23:316, 29:301, 35:74
cenchroides, 13:223, 18:435, 18:439
hintonii, 12:70, 12:78
jamesii, 1:62, 13:160, 20:294, 23:117, 23:129, 23:132, 26:397, 27:339, 28:200, 29:277, 29:279, 29:280, 30:336, 30:451, 32:149, 32:150, 32:292, 33:91, 33:413, 33:416, 36:255
mutica, 5:9, 10:53, 12:72, 16:9, 20:255–263, 21:259, 21:261, 21:313, 21:314, 22:342, 23:297, 23:315–337, 24:435, 26:20, 27:7, 28:347–352, 28:469, 29:226, 32:457, 35:74, 35:235, 36:119
rigida, 17:335, 17:339, 27:404, 31:112, 31:113, 32:103, 32:105, 32:106–108
Hildebrand, Henry H., see King, Kirke A., —
Hill, B. H., and T. J. Gardner, Benthic metabolism in a perennial and an intermittent Texas prairie stream, 32:305–311
Hill, B. H., T. J. Gardner, and O. F. Ekisola, Breakdown of gallery forest leaf litter in intermittent and perennial prairie streams, 33:323–331
Hill, Herbert O., Breeding birds in a desert scrub community in southern Nevada, 25:173–180
Hill, Loren G., and John P. Holland, Preference behavior of the Red River pupfish, *Cyprinodon rubrofluviatilis* (Cyprinodontidae), to acclimation-salinities, 16:55–63
Hill, Loren G., and Thomas A. Jenssen, A meristic study of the redbelly dace, *Chrosomus erythrogaster* (Cyprinidae), from a stream in southern Oklahoma, 13:55–60
Hill, Loren G., Gary D. Schnell, and Jimmie Pigg, Thermal acclimation and temperature selection in sunfishes (*Lepomis*, Centrarchidae), 20:177–184
Hill, Loren G., Inter- and intrapopulational variation of vertebral numbers of the yoke darter, *Etheostoma juliae*, 13:175–191
Hill, Loren G., J. Larry Renfro, and Randy Reynolds, Effects of dissolved oxygen tensions upon the rate of aerial respiration of young spotted gar, *Lepisosteus oculatus* (Lepisosteidae), 17:273–278
Hill, Loren G., Social aspects of aerial respiration of young gars (*Lepisosteus*), 16:239–247
Hill, Loren G., William J. Matthews, and Gary D. Schnell, Locomotor reactions of two cyprinodontid fishes to differences in dissolved oxygen concentrations, 23:397–400
Hill, Loren G., see Asbury, Kenneth, —
Hill, Loren G., see Echelle, Anthony A., —
Hill, Loren G., see Loring, Michael W., —
Hill, Loren G., see Matthews, William J., —
Hill, Loren G., see McCarley, Howard, —
Hill, Loren G., see Renfro, J. Larry, —
Hill, Loren G., see Schene, M. Anthony, Jr., —
Hill, Loren Gilbert, *Castoroides ohioensis* (Rodentia) in Arkansas, 8:150–153
Hill, Lucy B., see Gorden, Robert W., —
Hill, Mabel O., Habenaria ciliaris, H. clavellata and Malaxis unifolia (Orchidaceae) in Choctaw County, new to Oklahoma, 10:144
Hillis, David M., and Richard L. Mayden, Spread of the Asiatic clam *Corbiucla* (Bivalvia: Corbiculacea) into the New World tropics, 30:454–456
Hillis, David M., and Stephen L. Campbell, New localities for *Tantilla rubra cucullata* (Colubridae) and the distribution of its two morphotypes, 27:220–221
Hillis, David M., Elisabeth Milstead, and Stephen L. Campbell, Inland records of *Fundulus grandis* (Cyprinodontidae) in Texas, 25:271–272
Hillis, David M., see Scott, Norman J., Jr., —
Hilman, Jessie Lee, and R. W. Strandtmann, The incidence of Hepatozoon serpentium in some Texas snakes, 5:226–228
Himantariidae, 12:263
Himantopus mexicanus, 32:89
Hiodon
alosoides, 2:94, 4:160, 22:281
tergisus, 1:16–26
Hiodontidae, 4:160
Hipolyte clarki, 29:60
Hipparion, 25:505, 25:507
eurystyle, 25:510
Hippiscus rugosus, 27:203, 27:205
Hippoboscidae, 23:305–307
Hippocampus erectus, 20:463, 20:464
Hippodamia, 36:51
convergens, 8:54, 20:7, 20:9, 22:149, 28:475
quinquesignata, 28:475
Hippolyte
claiforniensis, 29:60
clarki, 29:60
cristata, 29:60
picta, 29:60

prionota, 29:64
Hippolytidae, 29:59
Hippotherium retrusum, 25:505
Hippuris vulgaris, 30:485
Hiraldo, Fernando, see Delibes, Miguel, —
Hiratsuka, Y., see Krebill, R. G., —
Hirschioporus
abietinus, 19:356
subchartaceus, 19:356
Hirshfeld, Joseph R., Zachary C. Nelson, and W. Glen Bradley, Night roosting behavior in four species of desert bats, 22:427–433
Hirstionyssus neotomae, 10:17, 10:19
Hirstiosoma, 21:277, 21:278
Hirth, David H., Mother-young behavior in white-tailed deer, *Odocoileus virginianus*, 30:297–302
Hirth, David H., Observations of loss of antler velvet in white-tailed deer, 22: 278–280
Hirth, Harold F., The ability of two species of snakes to return to a hibernaculum after displacement, 11:49–53
Hirudinea, 15:269–272
Hirudinoidea, 34:431–432
Hirundinidae, 24:683–685
Hirundo
fulva, 30:325, 31:402–403
pyrrhonota, 30:325–333, 31:105–106, 31:402, 32:121–126, 34:492
rustica, 15:265–266, 16:20, 17:149, 17: 295, 22:177, 22:368, 22:369, 23:704, 24:683, 27:218–220, 27:222, 27:463–464, 30:325–333, 31:105, 34:492, 36: 362
Hisey, Brent N., see Thompson, James N., Jr., —
Hiskey, Robert, Richard S. Holland, and Gary L. Hergenrader, The occurrence of *Moina hutchinsonii* Brehm (Cladocera) in a Nebraska sandhills lake, 26:217–218
Hispid cotton rat north of the Missouri River, David A. Easterla, 13:364–365
Hispid pocket mouse in San Luis Potosí, the, A. L. Gennaro and T. J. Salb, 14:251
Hispidae, 2:62
Histeridae, 23:565, 23:566, 23:568, 23: 569–571, 23:575, 26:431, 28:475, 28: 478, 32:418, 32:491, 32:494
Histiostoma inquilinus, 13:325–334
Histiotus, 11:245
Histology of the reproductive organs of *Cryptobranchus alleganiensis* (Caudata: Cryptobranchidae) in Missouri, Chris A. Ingersol, Robert F. Wilkinson, Chris L. Peterson, and Robert H. Ingersol, 36:60–66
Historical changes in the ichthyofauna of the lower Rio Grande (Río Bravo del Norte), Texas and Mexico, Robert J. Edwards and Salvador Contreras-Balderas, 36:201–212
Historical review of peregrine falcon breeding and summering records for Arizona and the Navajo Indian Reservation, a, David H. Ellis and Gale Monson, 34:565–569
History and population dynamics of turkeys on the Wichita Mountains Wildlife Refuge, Oklahoma, Arthur F. Halloran, 9:94–98
History of the name combination *Biorbia microendocarpica* (Brooks) Leonard, A. Byron Leonard, 22:391–393
Histrio
gibba, 1:163
histrio, 36:205, 36:208
Hladek, K. L., G. K. Hulett, and G. W. Tomanek, The vegetation of remnant shale-limestone prairies in western Kansas, 17:1–10
Hobbs, Horton H., Jr., and Mike Whiteman, Notes on the burrows, behavior, and color of the crayfish *Fallicambarus* (*F.*) *devastator* (Decapoda: Cambaridae), 36:127–135
Hobson, Melinda, see Hardin, James W., —
Hoddenbach, Gerard, see Hubbs, Clark, —
Hoddenbach, Gerard A., The desert shrew, *Notiosorex crawfordi*, in south-central Utah, 23:536–537
Hoddenbach, Gerard A., see Turner, Frederick B., —
Hodges, Ronald W., The moths of America north of Mexico, including Greenland. Fascicle 21 (rev.), 16: 129–130
Hoditschek, Barbara, Jack F. Cully, Jr., Troy L. Best, and Charles Painter, Least shrew (*Cryptotis parva*) in New Mexico, 30:600–601
Hoditschek, Barbara, see Best, Troy L., —
Hodomys, 33:398
Hodson, Ronald G., see Yeh, Chi Fu, —
Hoese, Hinton D., see Reid, George K., —
Hoestenbach, Roger D., Jr., see Tyler, Jack D., —
Hoff, C. Clayton, Some terrestrial Gastropoda from New Mexico, 7:51–63
Hoff, C. Clayton, Tejachernes (Arachnida-Chelonethida, Chernetidae-Chernetinae), a new genus of pseudoscorpion based on Dinocheirus stercoreus, 2:83–88
Hoff, Carolyn L., and Fenton R. Kay, Herbivorous feeding in the lizard *Uta stansburiana steinegeri*, 15:137–138
Hoff, Victor J., and Elray S. Nixon, Extension of *Gaura demareei* into East Texas, 22:135
Hoff, Victor J., Cytogenetic observations on some euoenotheras (Onagraceae) of northwestern Arkansas, 11:217–222
Hoffman, C. E., see Sealander, J. A., —
Hoffman, G. R., and R. L. Timken, Ecologic observations on *Pinus ponderosa* Laws. (Pinaceae) at its easternmost extension in South Dakota, 14: 327–336
Hoffman, George R., and Gayla Jardon Tomlinson, A bibliography of vegetational studies of Colorado, 11:228–237
Hoffman, Larry R., Chemotaxis of Oedogonium sperms, 5:111–116
Hoffman, Richard W., Spring movements, roosting activities, and home-range characteristics of male Merriam's wild turkey, 36:332–337
Hoffmann, Robert S., J. Knox Jones, Jr., and J. A. Campbell, First record of *Myotis auriculus* from Guatemala, 32:391
Hoffmann, Robert S., see Bergstrom, Bradley J., —
Hoffmann, Robert S., see Levenson, Howard, —
Hoffmanseggia, 31:36
densiflora, 1:64, 1:66
glauca, 21:314, 23:320, 36:354
jamesii, 1:64, 2:163, 20:257
microphylla, 28:212, 28:213, 32:23
Hoffmeister, Donald F., and L. Scott Ellis, Geographic variation in *Eutamias quadrivittatus* with comments on the taxonomy of other Arizonan chipmunks, 24:655–665
Hoffmeister, Donald F., and Victor E. Diersing, The taxonomic status of *Peromyscus merriami goldmani* Osgood, 1904, 18:354–357
Hoffmeister, Donald F., and William L. Downes, Jr., Blue jays as predators of red bats, 9:102
Hoffmeister, Donald F., and Woodrow W. Goodpaster, Life history of the desert shrew *Notiosorex crawfordi*, 7: 236–252
Hoffmeister, Donald F., Distributional records of certain mammals from southern Arizona, 4:14–19
Hoffmeister, Donald F., Mammals of Grand Canyon (rev.), 16:221–222
Hoffmeister, Donald F., Noteworthy range extensions of mammals in northern Mexico and Arizona, 22: 150–151
Hoffmeister, Donald F., The seasonal distribution of bats in Arizona: a case for improving mammalian range maps, 15:11–22

Hoffmeister, Donald F., The taxonomic status of *Perognathus penicillatus minimus* Burt, 19:213–214
Hoffmeister, Donald F., Unusual sex ratios in winter and spring-taken pocket mice (Perognathus) in the Southwest, 9:252–254
Hoffmeister, Donald F., see Diersing, Victor E., —
Hoffmeister, Donald F., see Finley, Robert B., Jr., —
Hoffpauir, Charles, and E. O. Morrison, Rhabdias ranae from Bufo valliceps, 11:302
Hoffpauir, Charles, see Tanzer, Ernest C., —
Hogan, Lynee, see Hutto, Richard L., —
Hoita, 10:82
Holacantha
emoryi, 15:303, 23:293
stewarti, 23:289, 23:292, 23:293, 23:295, 23:299
Holbert, Lloyd C., see Knapp, Alan K., —
Holbrookia, 5:123, 11:411, 14:204, 14:210, 20:508
lacerata, 14:207
maculata, 1:134, 3:32, 3:40, 3:41, 5:26, 5:45–47, 11:284, 11:413, 14:206, 14:207, 14:211, 21:22, 21:23, 23:41–50, 26:111, 30:608–610
propinqua, 14:206, 14:207, 21:17–25, 23:48, 26:75–76, 28:275–280, 31:9–14
texana, 3:31, 3:33, 3:39, 3:40, 3:43, 4:92, 4:94, 4:98, 4:106, 5:26, 5:46, 8:50, 11:406, 14:206, 14:207, 14:211
Holcelmis woodruffi, 24:197
Holcus laxus, 11:433, 11:440, 11:442
Holden, Paul B., and Clair B. Stalnaker, Distribution of fishes in the Dolores and Yampa river systems of the upper Colorado Basin, 19:403–412
Holechek, Jerry L., see Mubanga, George, —
Holechek, Jerry L., see Stephenson, Thor E., —
Holland, Dan C., Marc P. Hayes, and Eben McMillan, Late summer movement and mass mortality in the California tiger salamander (*Ambystoma californiense*), 35:217–220
Holland, John P., see Hill, Loren G., —
Holland, Richard S., see Hiskey, Robert, —
Holland, Robert, see Petranka, James W., —
Hollander, Robert R., and J. Knox Jones, Jr., Northernmost record of the tropical brown bat, *Eptesicus furinalis*, 33:100
Hollander, Robert R., see Jones, J. Knox, Jr., —
Hollenback, Ned, see Davis, Billy J., —
Hollis, Patrick D., A survey of parasites of the bullfrog, *Rana catesbeiana* Shaw, in central East Texas, 17:198–200
Holman, J. Alan, Caudal vertebrae of the Veracruz glass lizard, *Ophisaurus ceroni*, 11:299–300
Holman, J. Alan, Herpetofauna of the Pleistocene Slaton local fauna of Texas, 14:203–212
Holman, J. Alan, Tail-vibration of the lizard *Xenosaurus grandis*, 11:305–306
Holman, J. Alan, see Gehlbach, Frederick R., —
Holmes, W. C., The distribution of *Habenaria integra* (Nutt.) Spreng. (Orchidaceae) in Mississippi, Louisiana, and Texas, 28:451–456
Holmesina septentrionalis, 21:14
Holmgren, Arthur H., see Irvine, James R., —
Holmgren, Mark A., see Root, Terry L., —
Holmgren, R. C., see Clary, W. P., —
Holocene, 25:361–372, 34:35–45
Holocene plant remains from Rocky Arroyo and Last Chance Canyon, Eddy County, New Mexico, Thomas R. Van Devender, 25:361–372
Holochilus, 33:401
Holocoslethus abbreviatus, 30:604
Holodiscus, 18:396
dumosa, 18:374–376, 18:379, 28:83
dumosus, 20:437, 20:439, 20:443, 34:442, 34:488
Holographis
ehrenbergiana, 31:170
pueblensis, 31:170
websteri, 31:169–172
Hololepta yucateca, 32:491, 32:493
Holomuzki, Joseph R., Life history aspects of the predaceous diving beetle, *Dytiscus dauricus* (Gebler), in Arizona, 30:485–490
Holomuzki, Joseph R., Pupation site and pupal mortality of the predaceous diving beetle *Dytiscus dauricus*, 33:485–486
Holopedium, 10:266, 17:244, 36:240
obvolutum, 23:89
Holospira, 31:280, 31:286
bilamellata, 19:53, 19:55, 19:63
dentaxis, 9:103
mesolia, 24:691
metcalfi, 19:53–56, 19:61, 19:63, 19:64
pasonis, 30:459
remondii, 9:103
roemeri, 16:89, 16:92, 16:99, 16:104, 16:105, 29:36, 29:39, 29:40
Holospira mesolia (Urocoptidae) new to Brewster County, Texas, Tony Gallucci and James F. Scudday, 24:691
Holt, G. Joan, see Holt, Scott A., —
Holt, Jack R., David S. White, and Alan P. Covich, Discovery of *Leptodora kindtii* (Focke) (Crustacea: Cladocera) in Oklahoma and Texas, 23:686–688
Holt, Jack R., see Pfiester, Lois A., —
Holt, Scott A., and G. Joan Holt, Cold death of fishes at Port Aransas, Texas: January 1982, 28:464–466
Holub, David L., see Cokendolpher, James C., —
Homalocranium
breve, 31:243–244
taeniatum, 11:483
trilineatum, 11:483
trilineatus, 11:483
trivittatum, 11:483
Homalocranium breve Günther, 1895 (Colubridae), the status of the name, Larry David Wilson, 31:243–244
Homalometron armatum, 12:333, 16:288, 16:292, 22:527, 22:528, 29:378
Homarus americanus, 27:260
Home range, activity patterns, and ecology of the antelope ground squirrel in southern Nevada, W. Glen Bradley, 12:231–251
Home range in the canyon tree frog (*Hyla cadaverina*), Jim W. Dole, 19:105–107
Home range of a yellow-nosed cotton rat, *Sigmodon ochrognathus*, Observations on the, James W. Hardin, Roger W. Barbour, and Wayne H. Davis, 14:353–355
Home range of *Marmota monax* (Sciuridae) in Arkansas, S. R. Hayes, 22:547–550
Home range of the banded rock lizard *Petrosaurus mearnsi* (Iguanidae), the, William P. MacKay, 20:113–120
Home range of the teiid lizard, *Cnemidophorus hyperythrus beldingi*, Dennis L. Bostic, 10:278–281
Home range size in *Holbrookia maculata* (Iguanidae) from southeastern Arizona, Arthur C. Hulse, 30:608–610
Homing in mule deer, Lester E. Eberhardt and Homer C. Pickens, 24:705–706
Homing instincts of two bats, Eptesicus fuscus and Tadarida mexicana (Mammalia: Chiroptera), Ted Tibbetts, 1:194
Homo sapiens, 22:13, 22:257, 22:266
Homoeoneuria, 25:142, 25:143
Homolophus biceps, 15:323, 15:327
Homomallium adnatum, 5:44, 6:188
Homophylax flavipennis, 31:441
Homoptera, 13:201–242, 14:89–113, 14:411–440, 15:275–308, 16:321–340, 17:389–404, 18:417–442, 30:610–611
Homotherium, 29:199

serum, 36:180
Homunculus, 11:86
Honeycutt, Rodney L., Michael P. Moulton, Jerry R. Roppe, and Lynn Fifield, The influence of topography and vegetation on the distribution of small mammals in southwestern Utah, 26:295–300
Hood, Craig S., see Shipley, Michael M., —
Hooded skunk on the Mogollon Plateau, New Mexico, John P. Hubbard, 16: 458
Hook, Allan W., and Sanford D. Porter, Destruction of harvester ant colonies by invading fire ants in south-central Texas (Hymenoptera: Formicidae), 35:477–478
Hook-billed kite specimen from Nuevo Leon, Mexico, first, Fernando Montiel de la Garza and Armando J. Contreras-Balderas, 35:370
Hooker, Karen L., and Matt R. Whiles, A technique for collection and study of subterranean invertebrates, 33: 375–376
Hoover, Jan Jeffrey, and Michael J. Lodes, *Chaetogaster limnaei* (Oligochaeta: Naididae) in Oklahoma, 31:542–544
Hoover, Jan Jeffery, see Matthews, William J., —
Hoover, Janice Baker, and Lora Mangum Shields, Mite-induced bud gall in globemallow, 16:413–418
Hopi protection of *Helianthus anomalus*, a rare sunflower, Gary Paul Nabhan and Karen L. Reichhardt, 28: 231–235
Hopkins, Archibald W., Zoospore induction and activity in *Fritschiella tuberosa* Iyengar (Chlorophyceae), 25:351–356
Hopkins, Archibald W., see Gardner, Charles R., —
Hopkins, Archibald W., see McMahon, Robert F., —
Hoplia callipyge, 28:476
Hoplitis, 18:312
anthocopoides, 22:554, 22:556
Hoplobunus boneti, 15:392–394
Hoplomys gymnurus, 29:513, 29:514
Hoplopleura hesperomydis, 16:436
Hoplopleuridae, 10:17, 10:20
Hoplopsyllus
affinis, 33:487
glacialis, 31:135
Hoplopterus spinosus, 16:32
Horaella, 30:242
Hordeum, 24:191, 25:420, 25:425, 35:19
jubatum, 2:158, 12:82, 12:140, 16:203, 16:204, 22:389, 22:390, 28:255, 29: 412, 30:339, 30:341, 35:28
leporinum, 25:278
murinum, 35:74
pusillum, 1:122, 2:158, 4:117, 9:115, 10:52, 20:330, 25:326, 25:404, 31: 495
vulgare, 4:117, 4:129, 12:78, 12:79, 29: 250
Horejsi, Ronald G., A. Kent Montei, and Jerran T. Flinders, Anomalous third molars in a Texas white-tailed deer, 18:468–469
Horejsi, Ronald G., see Quinton, Dee A., —
Hormidium, 17:14, 17:16, 17:244, 25:420
Hormopsylla trux, 20:241, 20:247, 20:251, 20:252
Horne, Francis R., Phyllopods of some southern High Plains saline playas, 18:475–479
Horner, Norman V., see Cokendolpher, James C., —
Hornuff, Lothar, see Caire, William, —
Horridae, 32:486
Horse hair as a major mortality factor in nestling barn swallows, D. Paul Hendricks and John W. Martin, Jr., 17:295
Horse lubbers roost in the bushes?, why do, Edward J. Heske, 35:455–458
Horton, J. S., Inflorescence development in Tamarix pentandra Pallas (Tamaricaceae), 2:135–139
Horton, Jerome S., and John E. Flood, Taxonomic notes on *Tamarix pentandra* in Arizona, 7:23–28
Hosackia disticha, 12:153
Host plant ovipositional preferences and usage by *Oecleus nolinus* (Homoptera: Cixiidae), Harold G. Fowler and Walter G. Whitford, 30:610–611
Host record for *Illinobdella moorei* Meyer, 1940, new, Scott J. Herrmann, 15:272–273
Host record for the blue cactus borer (*Melitara dentata* Grote), new, James K. Wangberg and Tim B. Parker, 26:440–441
Host records for the mesostigmatid nasal mite Rhinonyssus rhinolethrum (Acarina: Rhinonyssidae), new, Robert W. Mitchell and William L. Rhodes, 5:107–108
Host records of ectoparasites from small mammals of South Dakota, B. McDaniel, 24:689–691
Host tree spatial pattern in a southern pine beetle infestation, Roy L. Hedden, 23:71–75
Host-parasite relationship between Elaphe subocularis (Reptilia: Colubridae) and Aponomma elaphensis (Acarina: Ixodidae), the, William G. Degenhardt and Paula B. Degenhardt, 10:167–178
Hough, Daniel J., see Schnell, Gary D., —
House sparrows nesting on raptor nests, additional records of, James W. Parker, 27:240–241
Houseal, Timothy W., and John L. Carr, Notes on the reproduction of *Kinosternon subrubrum* (Testudines: Kinosternidae) in East Texas, 28:237–239
Houseal, Timothy W., see Carr, John L., —
Houstonia, 3:204, 3:206
angustifolia, 14:342, 17:6, 17:8
fasciculata, 10:257, 10:259
humifusa, 2:168, 31:36
minima, 3:208
nigricans, 12:347, 25:315
patens, 3:208
pusilla, 3:208
Hovore, Frank T., and Richard L. Penrose, Notes on Cerambycidae co-inhabiting girdles of *Oncideres pustulata* LeConte (Coleoptera: Cerambycidae), 27:23–27
Howard C. Wayne, see Lowe, Charles H., —
Howe, Henry F., and James Alden Lackey, Notes on a collection of bats from the Huachuca Mountains, Arizona, 20:145–147
Howe, William H., and Fritz L. Knopf, On the imminent decline of Rio Grande cottonwoods in central New Mexico, 36:218–224
Howell, Freddie G., and Brian R. Chapman, Acarines associated with cliff swallow communities in Northwest Texas, 21:275–280
Howell, Judd, see Collins, James P., —
Howells, R. G., R. W. Luebke, B. T. Hysmith, and J. H. Moczygemba, Field collections of rudd, *Scardinius erythrophthalmus* (Cyprinidae), in Texas, 36:244–245
Hreha, Alyce M., and Darrell J. Weber, Distribution of *Arceuthobium divaricatum* and *Phoradendron juniperinum* (Viscaceae) on the south rim of Grand Canyon, Arizona, 24:625–635
Hsu, T. C., see Baker, Robert J., —
Huang, Shong, see Averett, John E., —
Hubbard, John P., and A. L. Gennaro, The status of the cattle egret in New Mexico, 20:282–283
Hubbard, John P., Eastern summer tanager in New Mexico, 20:420–421
Hubbard, John P., Hooded skunk on the Mogollon Plateau, New Mexico, 16: 458
Hubbs, Carl L., and Robert Rush Miller, *Notropis tropicus*, a new cyprinid fish from eastern Mexico, 20:121–131

Hubbs, Clark, and Charles Michael Laritz, Natural hybridization between Hadropterus scierus and Percina caprodes, 6:188–192

Hubbs, Clark, and F. Douglas Martin, *Bufo valliceps* breeding in artificial pools, 12:105–106

Hubbs, Clark, and Gary P. Garrett, Reestablishment of *Cyprinodon eximius* (Cyprinodontidae) and status of *Dionda diaboli* (Cyprinidae) in the vicinity of Dolan Creek, Val Verde Co., Texas, 35:446–448

Hubbs, Clark, and Harold J. Brodrick, Current abundance of Gambusia gaigei, an endangered fish species, 8: 46–48

Hubbs, Clark, and Horace H. Bailey, Effects of temperature on the termination of breeding season of Menidia audens, 22:544–547

Hubbs, Clark, and James E. Deacon, Additional introductions of tropical fishes into southern Nevada, 9:249–251

Hubbs, Clark, and Jana Velderman, Diel capture rates of a freshwater shrimp, 16:122–123

Hubbs, Clark, and Kirk Strawn, Differences in the developmental temperature tolerance of central Texas and more northern stocks of Percina caprodes (Percidae: Osteichthyes), 8:43–45

Hubbs, Clark, and Martha V. Johnson, Differences in the egg complement of *Hadropterus scierus* from Austin and San Marcos, 6:9–12

Hubbs, Clark, and Paulette S. Martin, Effects of darkness on egg deposition by *Etheostoma lepidum* females, 10: 302–306

Hubbs, Clark, and Roland Wauer, Seasonal changes in the fish fauna of Tornillo Creek, Brewster County, Texas, 17:375–379

Hubbs, Clark, and S. Michael Dean, Growth and reproductive responses of *Medinia beryllina* (Atherinidae) inhabiting Lake Texoma, 24:546–549

Hubbs, Clark, and William F. Hettler, Fluctuations of some central Texas fish populations, 3:13–16

Hubbs, Clark, and William F. Hettler, Observations on the toleration of high temperatures and low dissolved oxygen in natural waters by Crenichthys baileyi, 9:245–248

Hubbs, Clark, and William H. Brown, Dionda diaboli (Cyprinidae), a new minnow from Texas, 1:69–77

Hubbs, Clark, Distributional patterns of Texas fresh-water fishes, 2:89–104

Hubbs, Clark, Frank B. Cross, and Fred Stevens, Occurrence of natural hybrids between *Etheostoma* and *Percina* (Pisces: Percidae), 33:97–99

Hubbs, Clark, Gerard Hoddenbach, and C. Mike Fleming, An enigmatic population of *Gambusia gaigei*, 31: 121–123

Hubbs, Clark, Intrageneric "cannibalism" in *Gambusia*, 36:153–157

Hubbs, Clark, Michael M. Stevenson, and Alex E. Peden, Fecundity and egg size in two central Texas darter populations, 13:301–323

Hubbs, Clark, review by, 27:469

Hubbs, Clark, Thomas Lucier, Edie Marsh, Gary P. Garrett, Robert J. Edwards, and Elisabeth Milstead, Results of an eradication program on the ecological relationships of fishes in Leon Creek, Texas, 23:487–496

Hubbs, Clark, Thomas Wright, and Orlando Cuellar, Developmental temperature tolerance of central Texas populations of two anuran amphibians *Bufo valliceps* and *Pseudacris streckeri*, 8:142–149

Hubbs, Clark, see Echelle, Anthony A., —

Hubert, Wayne A., see Schneidervin, Roger W., —

Huckell, Bruce B., see Mead, Jim I., —

Huddleston, Ellis W., see Beavis, William D., —

Huddleston, Ellis W., see Hansen, James D., —

Huddleston, Ellis W., see Richman, David B., —

Hudson, Charles E., Jr., see Fleetwood, Raymond J., —

Huels, Thomas R., see Brown, Bryan T., —

Huffman, David G., see Davis, Jack R., —

Huggins, Donald G., The sympatric occurrence of three species of Eubranchipoda in Douglas County, Kansas, 20:577–578

Huggins, James A., and V. Rick McDaniel, Intraspecific variation within a southeastern population of the prairie vole, *Microtus ochrogaster* (Rodentia), 29:403–406

Hughes, A. Margaret, The mites of stored food (rev.), 7:273

Hughes, Robert M., The plains killifish, *Fundulus zebrinus* (Cyprinodontidae), in the Colorado River Basin of western North America, 26:321–324

Hulbert, Lloyd C., see Bellah, R. Glenn, —

Hulbert, Richard C., Jr., Latest Pleistocene and Holocene leporid faunas from Texas: their composition, distribution and climatic implications, 29:197–210

Hulett, G. K., Clair D. Sloan, and G. W. Tomanek, The vegetation of remnant grasslands in the loessial region of northwestern Kansas and southwestern Nebraska, 13:377–391

Hulett, G. K., see Heitschmidt, Rodney K., —

Hulett, G. K., see Hladek, K. L., —

Hull, W. B., see Baker, E. W., —

Hulse, Arthur C., and George A. Middendorf, Notes on the occurrence of *Gopherus agassizi* (Testudinidae) in extreme eastern Arizona, 24:545–546

Hulse, Arthur C., Fluoresence in *Leptotyphlops humilis* (Serpentes: Leptotyphlopidae), 16:123–124

Hulse, Arthur C., Home range size in *Holbrookia maculata* (Iguanidae) from southeastern Arizona, 30:608–610

Hulse, Arthur C., Reproduction and population structure in the turtle, *Kinosternon sonoriense*, 27:447–456

Humboldtiana
agavophila, 15:429–435, 31:286
cheatumi, 15:433
chisosensis, 15:433
edithae, 15:434
ferrissiana, 15:433
hogeana, 31:286
palmeri, 15:433
plana, 31:286
taylori, 15:433
texana, 15:429, 15:433, 15:434
torrei, 31:277, 31:280, 31:286

Humboldtiana agavophila, a new helminthoglyptid land snail from the Chisos Mountains, Big Bend National Park, Texas, W. L. Pratt, 15: 429–435

Hummingbirds, 26:133–145

Humphrey, Jeffrey A., see Barrett, Sheryl L., —

Humphrey, Stephen R., see Glass, Bryan P., —

Humulus lupulus, 31:347, 31:350, 31:354

Huner, Jay V., and Joe B. Black, Aberrant secondary sexual characters in the crawfish *Procambarus clarkii* (Girard) (Decapoda: Cambaridae), 22:271–275

Huner, Jay V., see Rogers, Robert L., —

Hung, Akey C. F., and S. Bradleigh Vinson, Factors affecting the distribution of fire ants in Texas (Myrmicinae: Formicidae), 23:205–213

Hunter, G. E., Chromosome numbers in Vernonia: section Lepidoploa: subsection Paniculatae verae, 9:239–244

Hunter, John E., Grazing and pocket go-

pher abundance in a California annual grassland, 36:117–118
Hunter, Richard G., see Carroll, John H., —
Hura polyandra, 32:363
Hurricane Allen on the near-shore vegetation of South Padre Island, the effect of, Frank W. Judd and Sammie L. Sides, 28:365–369
Hurricane impact on bobwhite cover, Michael W. Bell and Donald A. Klebenow, 17:433–435
Husnotiella
revoluta, 31:398
torquescens, 31:398
Hutchins, Charles R., *Suckleya suckleyana* (Chenopodiaceae) new to Texas, 15:142–143
Hutchison, James A., see King, Douglas S., —
Hutto, Richard L., Joseph R. McAuliffe, and Lynee Hogan, Distributional associates of the saguaro (*Carnegiea gigantea*), 31:469–476
Hyale frequens, 36:353
Hyalella, 20:105, 20:108–110, 25:389
azteca, 14:221, 14:222, 14:224, 14:226, 14:237, 14:242, 15:80, 19:49, 20:107, 23:138, 23:140, 23:554, 23:556, 23:560, 27:39, 27:40, 27:440, 27:441, 27:443, 25:252, 25:253, 28:129, 32:412, 33:178, 33:180–182, 34:431
montezuma, 34:431
Hyalidae, 36:353
Hyalopsora cheilanthis, 16:432
Hyalotheca, 10:266, 17:244
dissilens, 20:576
dissiliens, 24:158
Hylothesa dissiliens, 11:200
Hybanthus verticillatus, 21:315, 30:546, 30:548, 35:74
Hybognathus, 1:73, 35:211
amarus, 17:378, 36:186, 36:187, 36:189, 36:190, 36:203, 36:204, 36:208, 36:225–232
hankinsoni, 7:47, 31:155, 35:87
hayi, 2:96
nuchalis, 3:10, 4:163, 7:41–50, 19:261, 27:110–112, 31:151, 31:155, 32:409, 32:410, 33:139, 36:229
placita, 4:163
placitus, 7:41–50, 22:95, 22:142, 22:143, 24:549, 25:51, 25:52, 25:57–62, 25:564, 30:555, 30:560, 31:155, 32:215, 32:216, 33:27–33, 35:406, 36:225, 36:228–230
Hybopsis, 15:355, 20:123
aestivalis, 4:162, 17:379, 18:293, 22:95, 24:501–506, 27:225, 30:555, 30:560, 32:409, 32:410, 36:186, 36:191, 36:203, 36:204, 36:208
amblops, 22:543, 24:502, 24:503, 24:505, 31:379
cahni, 11:307
dissimilis, 24:502, 24:503, 24:505, 24:506, 30:205, 30:206
gelida, 24:501
gracilis, 2:94, 25:298, 29:498, 30:560, 31:151, 32:409, 32:410, 34:408, 36:187, 36:189, 36:190, 36:192, 36:287
harperi, 24:502, 24:503, 24:505
hypsinotus, 24:502, 24:503
rubifrons, 24:503
rubrifron, 24:502
storeriana, 2:94, 4:162, 24:502, 24:503, 24:505, 24:506, 24:549, 27:110–112
x-punctata, 24:502, 24:506, 30:200, 30:205, 30:206
x-punctatus, 24:503
Hybosorus illigeri, 5:222
Hybrid *Lobelia* (Campanulaceae) in Missouri, rediscovery of a, John T. Witherspoon, 19:329
Hybridization among the cyprinid fauna of Clark Creek, Wilkinson Co., Mississippi, evidence of extensive intergeneric, James M. Grady and Robert C. Cashner, 33:137–146
Hybridization between *Acacia crassifolia* and *A. berlandieri* (Leguminosae, Mimosoideae) in Coahuila, Durango, Zacatecas and San Luis Potosí, Marshall C. Johnston, 20:275–278
Hybridization between *Juniperus erythrocarpa* Cory and *Juniperus pinchotii* Sudworth in the Chisos Mountains, Texas, Robert P. Adams and J. R. Kistler, 36:295–301
Hybridization between the rattlesnakes *Crotalus atrox* and *C. scutulatus* in the southwestern United States, an evaluation of the possibility of, James S. Jacob, 22:469–485
Hybridization in *Canis* (Canidae) in Oklahoma, Ron C. Freeman and James H. Shaw, 24:485–499
Hybridization in the fox genus *Vulpes* in West Texas, W. A. Thorton, Gordon C. Creel, and R. E. Trimble, 15:473–484
Hybridization of Penstemon barbatus (Scrophulariaceae) of section Elmigera with species of a section Habroanthus, Frank S. Crosswhite, 10:234–237
Hybrids between *Etheostoma* and *Percina* (Pisces: Percidae), occurrence of natural, Clark Hubbs, Frank B. Cross, and Fred Stevens, 33:97–99
Hyctia, 11:349
bina, 21:44
pikei, 11:353
Hydaticus, 34:480, 36:165
Hydnaceae, 19:354
Hydnum chrysorhizon, 17:417
Hydra, 23:139, 23:554, 23:556, 25:140, 28:372
Hydrachna, 23:554
Hydrachnidae, 23:554
Hydranassa
caerulea, 26:37
tricolor, 6:104, 6:105
Hydridae, 23:554
Hydrilla verticillata, 34:290
Hydrobaenus, 25:141, 25:143
Hydrobiidae, 27:350, 27:441, 27:443
Hydrocanthus, 23:555
iricolor, 24:425, 31:523
lineatus, 24:415
nigrinus, 24:424
oblongus, 24:410, 24:426
regius, 24:410
tenuicornis, 24:426
Hydrocharitaceae, 2:152, 2:153, 33:175, 34:290
Hydrochoerus, 13:265
pinckneyi, 21:12
Hydrocotyl, 21:478
Hydrocotyle, 23:424, 25:379, 33:178
bonariensis, 22:37, 23:504, 25:315, 36:124
ranunculoides, 33:171, 33:175
verticillata, 33:175
Hydrodictyaceae, 11:197
Hydrodictyon, 15:463
reticulatum, 26:432–433
Hydroida, 23:363–370, 28:112–113
Hydrometra
hungerfordi, 9:101, 12:486
martini, 9:101, 12:486
wileyae, 12:486
Hydrometridae, 9:101, 12:486–487
Hydrometridae and Mesoveliidae (Hemiptera) of Oklahoma, Kurt F. Schaefer and William A. Drew, 12:486–487
Hydromystria laevigata, 33:171, 33:175
Hydroperla, 1:151
Hydrophilidae, 8:136, 12:372, 12:383, 12:388, 14:243, 15:99, 15:101, 19:108, 23:223, 23:555, 24:196, 25:250, 25:393, 25:394, 26:157, 26:158, 28:475, 29:455, 31:522, 31:523, 32:289, 32:491, 34:480, 35:253
Hydrophilus triangularis, 12:383, 12:388, 12:403, 26:157, 31:523
Hydrophyllaceae, 1:65, 17:181, 20:430 23:297, 24:188, 24:380, 28:290, 29:367–375, 35:64, 35:72
Hydrophyllidae, 30:603
Hydrophyllum capitatum, 28:290
Hydroporus, 14:224, 14:226, 14:238, 25:393, 25:394, 31:523
belfragei, 31:341, 31:343
dimidiatus, 32:288, 32:289
pseudovilis, 32:288, 32:289
tenebrosus, 27:39
terminalis, 30:445–448
veronicae, 30:445–448
vittatipennis, 14:243
williami, 31:341–344
Hydroporus williami, a new dytiscid of the

vilis group from the western United States (Coleoptera: Dytiscidae), Richard A. Rochette, 31:341–344
Hydroprogne caspia, 20:134
Hydropsyche, 23:382, 25:142, 25:147, 25:252, 25:382, 25:383, 25:453, 25:550, 28:35, 28:36, 28:39, 32:412, 34:479, 34:480, 36:158, 36:160–162, 36:164, 36:166–168
betteni, 1:152
bifida, 1:152, 31:429
bronta, 31:428
cockerelli, 25:457, 31:428, 31:429
confusa, 31:428, 31:429
frisoni, 31:422
morosa, 31:429
occidentalis, 31:429
orris, 23:383
oslari, 25:457, 28:127, 28:130, 28:132, 31:429, 36:286
scalaris, 31:422
separata, 31:429
simulans, 1:152, 31:429
slossonae, 1:152
Hydropsychidae, 23:383, 25:252, 28:127, 31:252, 31:253, 31:427, 32:289, 32:443, 34:253, 35:253
Hydroptila, 23:385, 25:143, 25:147, 25:149, 25:252–254, 25:382, 25:457, 27:440, 27:441, 31:252, 32:289, 34:316
ajax, 31:430, 31:431
angusta, 23:383
arctia, 31:430
argosa, 31:431
callia, 31:431
consimilis, 28:354, 28:414, 31:431
denza, 28:353, 28:354, 28:413, 28:414
hamata, 23:383, 31:431
icona, 23:383, 31:431
pecos, 31:431
rono, 28:353, 28:354, 28:414, 31:431
waubesiana, 23:381–384, 23:534, 31:432
xera, 31:432
Hydroptilidae, 23:219, 23:383, 23:385, 23:555, 25:252, 25:255, 25:453, 25:457, 28:35, 28:39, 28:354, 28:414, 31:430, 32:288, 32:289
Hydropyrus hians, 26:217
Hydroscapha natans, 23:217
Hydroscaphidae, 23:223
Hydrozetes, 23:554, 23:557
Hydrozetidae, 23:554
Hydrozoa, 9:109, 13:107, 25:426–428
Hydrurus foetidus, 25:456, 25:459
Hygrobates, 1:152
Hygrophila lacustris, 34:290
Hygrophorus
hypothejus, 8:199
speciosus, 8:199
virgineus, 8:199
Hygrotus nubilus, 12:383, 12:388, 12:398, 12:403, 26:157
Hyla, 3:77–89, 19:109, 28:470
altipotens, 32:77, 32:81
andersoni, 3:77, 3:78, 3:81, 3:83, 3:84, 3:88
arborea, 3:78, 3:85, 11:16
arborscandens, 32:77
arenicolor, 3:32, 3:33, 3:37, 3:77–81, 3:83, 3:88, 3:89, 5:26, 5:79, 5:133, 12:51, 12:52, 16:16, 16:228, 18:195, 18:198, 18:199, 23:537, 26:415, 26:419, 27:273, 27:274, 29:244, 32:79, 32:82, 34:532, 35:116–118
avivoca, 6:202, 11:16, 11:138, 13:372, 23:161–162
baudini, 3:77, 3:78, 3:80, 3:82, 3:84, 3:88, 5:133, 11:1, 11:12–14
bistincta, 32:77, 32:81
bogertae, 32:81
cadaverina, 19:105–107, 32:82, 34:293–295
cardenasi, 5:129
cembra, 32:81
chaneque, 11:16, 32:77
charadricola, 32:77
chryses, 32:81
chrysoscelis, 11:138, 11:139, 13:283–300, 23:157–158, 23:161, 35:474
cinera, 22:276
cinerae, 12:336
cinerea, 1:180, 1:181, 1:184, 3:77, 3:81, 3:83–85, 3:88, 3:89, 6:202, 9:25, 9:41, 9:42, 11:131, 13:372, 13:373, 20:420, 21:235–236, 23:161, 28:267, 35:474
crassa, 32:77
crucifer, 1:181, 3:77, 3:78, 3:82, 3:86, 3:87, 3:89, 21:235
cyanomma, 32:77
dendroscarta, 32:78
ebraccata, 11:2, 32:76
echinata, 32:75
erythromma, 32:77, 32:81
euphorbiacea, 5:129, 5:132–134, 14:131, 32:79
eximia, 3:89, 5:129–135, 16:228, 24:694, 29:244, 32:79, 32:80, 32:82
femoralis, 3:77–81, 3:83, 3:88
godmani, 32:80
gratiosa, 3:77, 3:81–85, 3:89
hazalae, 32:81
juanitae, 32:81
lafrentzi, 5:129, 5:130, 5:132, 5:133
lancasteri, 21:235
loquax, 32:79
melanomma, 32:76, 32:81
microcephala, 14:131, 32:76
miotympanum, 16:228, 32:79
mixe, 32:77
mixomaculata, 32:77
mykter, 32:77, 32:81
nubicola, 32:77
ocularis, 3:77, 3:82, 3:84, 3:89
pachyderma, 32:77
pellita, 32:77
pentheter, 32:81
phaeocrypta, 3:77–81, 3:83, 3:88
phaeota, 11:1–18
picta, 32:79
pinorum, 32:81
regilla, 3:77, 3:83, 3:86, 3:89, 5:129, 5:134, 21:503–509, 25:274, 30:601, 30:602, 30:604, 32:277, 34:295
requilla, 32:82
robertmertensi, 32:75, 32:76, 35:277
robertsorum, 32:77
sartori, 32:75, 32:76
septentrionalis, 3:77, 3:78, 3:84, 3:87, 3:89
siopela, 32:77
smaragdina, 32:81
smithi, 14:132
squirella, 3:77, 3:81, 3:84–86, 3:89, 5:129–131, 5:133, 5:134
squirella, 13:372
staufferi, 5:129, 5:130, 5:132, 5:133, 14:132, 23:685
sumichrasti, 32:77, 32:81, 35:274, 35:277
taeniopus, 11:16, 32:77
thorectes, 32:81
trux, 32:77
valancifer, 32:75
versicolor, 1:181, 3:74, 3:77–83, 3:85, 3:87, 3:88, 5:92–96, 5:131, 5:133, 5:167, 7:79, 7:80, 9:42, 11:131, 11:138, 11:139, 13:283–300, 21:235, 22:276, 23:157–158, 24:37, 35:474
walkeri, 32:80
wrightorum, 5:129–135, 9:206
Hyla avivoca (Hylidae) in Oklahoma, Albert P. Blair and Hague L. Lindsay, Jr., 6:202
Hyla wrightorum (Salientia: Hylidae) in western Arizona, Richard S. Funk, 9:206
Hylactophryne augusti, 33:379, 33:380
Hylemya, 12:267
Hyles, 20:394
lineata, 20:7, 20:391, 20:393, 28:160–162, 30:75
Hylidae, 5:66–70, 6:202, 9:206, 13:283–300, 21:503–509, 23:161–162, 28:105, 34:556–557, 35:91–94
Hylocereus purpusii, 30:78
Hylocharis
leucotis, 32:174
xantusii, 35:76–79
Hylocichla
fuscescens, 4:75
guttata, 4:75, 18:195, 18:196
mustelina, 4:75, 4:80, 19:5
ustulata, 4:75
Hylonycteris, 7:64, 11:493
underwoodi, 7:69, 7:70, 11:306, 11:493, 24:541
Hylophilus
decurtatus, 4:76
ochraceiceps, 4:75, 4:76, 4:80
Hymemoclea monogyra, 16:371

Hymenarcys crassa, 32:491, 32:492
Hymenatherum serratifolium, 16:366
Hymenobolina pedicellata, 10:222
Hymenochaetaceae, 19:354
Hymenochaete arida, 19:354
Hymenoclea, 34:523
monogyra, 1:67, 8:190, 23:673, 23:674, 28:83, 35:70
pentalepis, 34:521
salsola, 11:397, 31:112
Hymenolepis, 29:458
cervotestis, 32:85, 32:87, 32:88, 32:90
diminuta, 23:401, 23:403, 23:405
nana, 21:332
recurvirostrae, 32:85, 32:87, 32:88, 32:90
Hymenomycetes, 17:409–422, 19:347–360
Hymenopappus tennifolium, 16:274
Hymenopappus, 16:370, 18:119
arenosus, 1:65
filifolia, 21:362
filifolius, 12:140, 18:122, 35:65, 35:70
flavescens, 2:170
robustus, 20:257
scabiosaeus, 4:59, 25:335
tenuifolius, 2:170, 16:273, 25:438, 26:6, 26:7
Hymenophyllaceae, 30:463–464
Hymenoptera, 2:129–131, 6:51–52, 17:103–104, 18:39–43, 19:449–452, 20:337–342, 21:552–554, 22:554–557, 24:380–381, 25:151–156, 25:181–195, 27:135–142, 27:467–468, 28:137–142, 28:295–302, 30:59–68, 30:307–309, 30:611–612, 31:87–94, 31:256–259, 31:274–276, 31:381–385, 31:395–396, 31:555–557, 32:357–362, 32:463–468, 33:112–114, 33:219–227, 34:213–218, 34:443–449, 34:513–518, 35:416–422, 35:477–478, 36:116–117, 36:140–142
Hymenopteran territoriality and its influences on the pollination ecology of *Lupinus arizonicus*, Colin M. Wainwright, 23:605–615
Hymenostephium, 13:251
cordatum, 16:371
gualemalensis, 16:371
microcephalum, 9:31, 9:36
Hymenothrix, 15:184
wislenzeni, 15:178
wislizenii, 35:64, 35:70
wrightii, 35:70
Hymenoxis, 35:394
Hymenoxys, 11:223–227, 18:119, 24:293
acaulis, 11:223, 11:224, 18:326, 20:426, 25:438
argentea, 11:223, 11:224
bigelovii, 11:224
cooperi, 11:224, 18:122
glabra, 2:170
grandiflora, 20:429
ivesiana, 11:223–225
linearifolia, 11:225, 23:320
odorata, 1:68, 11:223, 11:225, 11:502, 21:314
richardsoni, 16:205
richardsonii, 11:225, 11:226, 18:122
scaposa, 11:223, 11:226, 30:580
subintegra, 11:226, 11:502
torreyana, 18:325
Hyophila sinaloensis, 3:122, 3:123
Hyparrhenia
dissoluta, 12:83
edulis, 10:50
Hyparrhenia hirta, 5:8, 10:50
Hypentelium, 7:150
nigricans, 27:110–112, 31:379
Hypera brunneipennis, 34:202
Hyperaspidius, 28:475
Hyperaspis fimbriolata, 8:54
Hypericaceae, 12:151, 35:18
Hypericum, 10:244, 12:151
drummondii, 7:170
hypercoides, 12:345, 12:346
perforatum, 35:18
sphaerocarpum, 4:57
stans, 12:345
submontanum, 12:151
Hyperodes, 8:169, 31:523
Hyperrhenia hirta, 4:118
Hyphessobrycon, 32:233
compressus, 32:228
Hyphoderma
argillaceum, 19:351
pilosum, 19:351
populnea, 19:351
puberum, 19:351
tenue, 19:351
Hyphodontia
alutacea, 19:351
alutaria, 19:351
arguta, 19:351
breviseta, 19:351
hastata, 19:351
pallidula, 19:351
sambuci, 19:351
spathulata, 19:351
Hypnaceae, 34:290
Hypnea, 21:459
Hypnum
cupressiforme, 31:398
curvifolium, 28:240
vaucheri, 31:398
Hypocaccus propensus, 28:475
Hypochaeris
glabra, 1:88
radicata, 9:34
Hypochaeris glabra L. (Compositae) in Arkansas and Louisiana, Lloyd H. Shinners, 1:88
Hypochnicium
bombycinum, 19:351
geogenium, 19:351
punctulatum, 19:351
Hypochnus mustialaensis, 17:412
Hypogeophis rostratus, 28:267
Hypolagus, 24:276, 32:238, 33:391, 33:395
regalus, 24:277, 24:278
vetus, 24:275, 24:277, 24:278
Hypomorphnus urubitinga, 4:68
Hyponeocula montanensis, 35:111, 35:113
Hyponeura lugens, 2:9, 2:14
Hypopachus
barberi, 32:76
caprimimus, 14:131, 14:132
championi, 35:274
variolosus, 16:228, 32:76, 34:171, 35:274, 35:277
Hypoponera
opaciceps, 28:139
opacior, 28:139
Hyporhamphus mexicanus, 32:229
Hypoxis hirsuta, 18:322, 32:35
Hypsibius
baumanni, 17:21, 17:24, 17:25, 17:28
convergens, 35:303, 35:304
dujardini, 35:303
macrocalcaratus, 35:303
nodulosus, 17:21, 17:26, 17:27
oberhaeuseri, 17:21, 17:25–26, 35:302
obserhaeuseri, 17:27
pallidus, 35:302
scabropygus, 35:303
sculptus, 17:21, 17:26–28
Hypsiglena, 8:226, 10:171
affinis, 31:307
dunklei, 31:307
ochrorhyncha, 10:125–131, 12:186, 31:307
ochrorhynchus, 31:57
slevini, 31:307
tanzeri, 31:308, 31:310, 31:311
torcuata, 34:522
torquata, 2:24, 3:33, 3:51, 4:93, 4:95, 4:104, 5:32, 5:33, 8:223, 8:225, 10:125–131, 11:134, 11:408, 11:412, 16:229, 18:248–252, 19:194, 22:54, 22:61, 26:267, 26:272, 26:283, 27:163, 31:55–64, 31:307–318, 34:522, 36:307, 36:308
Hypsosinga rubens, 30:3
Hyptiotes, 11:340
Hyptis
albida, 36:77
emoryi, 29:213, 32:23, 36:303, 36:304
Hysmith, B. T., see Howells, R. G., —
Hysmith, Bruce T., Robert L. Colura, and Joe C. Kana, Beaching of a live pygmy sperm whale, (*Kogia breviceps*) at Port O'Connor, Texas, 21:409
Hystrichonychus, 16:415
Hystrichopsylla, 35:305–309
dippiei, 35:305
kris, 35:305
llorentei, 35:305–308
orophila, 35:305, 35:308
Hystrichopsylla Tashenberg (Siphonaptera: Hystrichopsyllidae) from the

state of Guerrero, México, new species of, Ricardo Ayala-Barajas and Juan Carlos Morales, 35:305–309
Hystrichopsyllidae, 35:305–309
Hystricopsyllidae, 34:561–563

Ibervillea
tenella, 30:546, 30:548
tenuisecta, 2:125, 21:315, 22:342, 25:365
Ibidion townsendi, 27:23
Ibis rubrum, 17:201
Icacorea prepaniculata, 16:112
Ichneumonidae, 24:605, 24:606, 29:53, 29:441, 29:442, 30:550, 32:419
Ichoronyssus
longisetosus, 4:62, 4:63
robustipes, 4:63, 6:19, 6:20, 12:261
Ichthyomyzon
castaneous, 22:107
castaneus, 2:95
gagei, 2:96, 19:221, 22:107–114, 27:110–112
Ichthyophthirius, 28:178
multifiliis, 21:68, 21:69, 28:399, 28:400, 28:401, 28:403
Icius, 21:201
elegans, 11:352, 17:165
vitis, 21:44
Ictalurid catfish, *Noturus phaeus*, from Arkansas, first record of the, Henry W. Robison, 18:475
Ictaluridae, 4:164, 8:136, 14:256–257, 18:98–99, 22:250, 22:525, 22:527, 23:539, 23:688–689, 24:35, 25:45, 28:119–120, 28:182, 30:154–158, 31:528, 31:553–555, 32:216, 32:226, 32:229, 32:234, 35:34, 35:36, 35:38, 35:292–297, 35:406, 35:453, 36:189
Ictalurus, 2:92, 11:311, 11:312, 16:437, 16:438, 21:10, 23:539, 30:185, 31:554, 32:287, 36:259
dugesi, 6:60, 35:34, 35:37, 35:38, 35:46
furcatus, 1:166–173, 4:164, 5:175, 6:59, 6:63, 17:379, 25:298, 27:110–112, 28:327, 28:329, 32:408, 32:410, 36:203, 36:204, 36:208
lacustris, 31:161
lupus, 6:60, 25:87, 29:399, 30:560, 35:292–297, 35:446
melas, 2:93, 2:100, 3:8, 3:10, 4:164, 6:60, 6:63, 8:136, 11:313, 11:321, 12:335, 14:243, 14:306, 14:307, 14:310, 15:140, 16:285, 16:288, 18:344, 19:262, 19:408, 22:440, 23:520, 24:2, 25:41, 25:43, 25:45, 25:58, 26:389, 26:391, 27:110–112, 28:170, 28:371, 29:378, 29:497, 29:504, 30:25, 30:26, 30:509, 30:517, 30:560, 31:159, 31:161, 32:216, 32:522, 33:139, 34:408, 35:406, 36:189, 36:190, 36:253, 36:287
meridionalis, 32:229
natalis, 1:20, 2:98, 3:10, 4:164, 8:136, 12:335, 15:140, 16:285, 16:288, 17:103, 19:262, 24:482, 27:110–112, 28:170, 29:378, 30:25, 30:26, 30:306, 32:410, 32:439, 32:353, 33:139, 34:408, 36:189, 36:190
nebulosus, 1:16–26, 15:140, 29:378, 30:147, 30:509, 31:161, 34:408, 36:261
pricei, 18:191, 36:260
punctatus, 1:167, 3:10, 4:164, 5:175, 6:60, 6:63, 12:335, 13:167–174, 14:306, 14:307, 14:310, 14:317, 15:140, 15:272, 16:283, 16:288, 18:36, 19:262, 19:407, 19:408, 19:410, 22:250, 22:281, 22:525, 22:528, 22:529, 24:535, 25:41, 25:43, 25:45, 25:58, 25:298, 26:389, 26:391, 27:73–78, 27:110–112, 28:119–120, 28:170, 28:328, 28:329, 28:332, 30:154–158, 30:560, 31:161, 32:214, 32:216, 32:353, 32:408–410, 34:119, 34:188–195, 34:408, 35:179, 35:188–198, 35:292–297, 35:406, 35:407, 36:189, 36:190, 36:203, 36:204, 36:253, 36:260, 36:287
punscatus, 23:105
Icteria virens, 2:28, 2:31, 4:77, 4:79, 4:80, 22:370, 24:572, 34:260, 34:262, 34:267, 34:491
Icteridae, 4:81, 6:103, 29:514
Icterus, 29:507, 29:508
bullockii, 2:31, 7:265
cucullatus, 7:260, 17:293, 18:246, 19:1, 19:6, 26:254, 34:261, 34:262, 34:267
galbula, 22:370, 24:572, 29:474, 34:260–262
gularis, 26:214–215
parisorum, 16:11, 26:254, 29:474
pustulatus, 18:199
spurius, 7:260
virens, 16:20
Icthyopthirius, 30:255
multifilis, 30:254
Ictinia
misisippiensis, 17:99, 21:250
mississippiensis, 27:222, 27:241, 27:365, 29:78
Ictiobus, 7:81, 7:149, 22:145
bubalus, 4:161, 7:147, 19:262, 22:143, 24:685, 25:305, 27:110–112, 28:328, 28:371, 32:215, 32:216, 32:409, 32:410, 33:139, 35:406
cyprinellus, 2:95, 4:161, 15:140, 18:344, 35:406
meridionalis, 32:229
niger, 4:161, 7:82, 7:100, 15:140
urus, 7:100
Ideker, Joe, The associated gastropod fauna of the Santa Ana National Wildlife Refuge with notes on a colony of the snail, *Helicina orbiculata*, 24:687–689
Identification and distribution of three species of pocket mice (genus *Perognathus*) in Trans-Pecos Texas, Kenneth T. Wilkins and David J. Schmidly, 24:17–31
Identification of genera of American rabbits of Blancan age, Walter W. Dalquest, 24:275–278
Identification of three-species hybrids in the Ponderosa pine complex, the, R. L. Peloquin, 29:115–122
Idionycteris phyllotis, 32:136, 35:232, 35:354
Idria columnaris, 28:212, 31:544, 32:21–23, 32:26
Iguana iguana, 15:398, 30:471, 32:515, 35:278
Iguanidae, 2:35, 3:90, 5:45–47, 5:123–128, 6:79–85, 6:138–148, 6:192–193, 7:78–79, 10:25–30, 10:179–187, 14:363–366, 17:67–72, 20:1–11, 20:113–120, 20:505, 20:523–536, 22:52–54, 23:41–50, 23:641–649, 24:347–363, 24:393–395, 25:554–557, 26:75–76, 26:268, 27:358–359, 29:509–511, 30:41–51, 30:83–88, 30:363–370, 30:468, 30:469, 30:597–600, 30:608–610, 30:616–617, 31:9–14, 32:321–333, 32:512–515, 34:158–160, 34:436–438, 34:560–561, 35:97–98, 36:98, 36:365–368
Ilex, 28:64
coriacea, 29:258
decidua, 12:345, 18:430, 18:439, 20:328, 21:480, 21:482, 21:483, 24:169, 24:171, 27:311, 27:385, 29:83
deicidua, 27:428
opaca, 12:345, 13:210, 16:328, 18:430, 18:437–439, 18:441, 21:482, 23:265, 28:239, 29:83, 29:258
prinoides, 2:150
vomitoria, 10:179, 12:345, 16:328, 18:430, 18:439, 18:442, 20:328, 21:482, 23:265, 29:258, 31:73, 31:192, 34:154, 35:435, 35:437
Illinobdella moorei, 15:272–273, 22:529, 22:531
Iltis, Hugh H., Studies in the Capparidaceae IX. Capparis pachaca and C. oxysepala: taxonomy and geography, 10:57–64
Iltis, Hugh H., Studies in the Capparidaceae XII: *Polanisia dodecandra riograndensis* spp. nov., 14:115–121
Iltis, Hugh H., Studies in the Capparidaceae–V. Capparidaceae of New Mexico, 3:133–144
Iltis, Hugh H., see Cochrane, Theodore S., —
Ilybius fraterculus, 28:475
Ilyocryptus spinifer, 4:188, 4:192, 34:345
Ilyodon
furcidens, 35:34, 35:35, 35:37–39, 35:42, 35:46
xantusi, 35:39
Ilyodrilus templetoni, 25:264

Imania, 31:438
Imantodes
cenchoa, 23:685
gemmistratus, 35:274, 35:278
Immature stages of *Orthonevra flukei* (Diptera: Syrphidae), the, Donald W. Webb and Edward A. Lisowski, 30:312–315
Imminent decline of Rio Grande cottonwoods in central New Mexico, on the, William H. Howe and Fritz L. Knopf, 36:218–224
Immobilization of desert mule deer with etorphine plus azaperone, Paul R. Krausman, Kurt R. Rautenstrauch, John J. Hervert, Richard Remington, and Leonard L. Ordway, 31: 411–414
Immunoelectrophoretic relationships among four species of woodrats (Cricetidae: *Neotoma*), Michael M. Shipley, Frederick B. Stangl, Jr., Rodney L. Cate, and Craig S. Hood, 35:173–176
Impaled prey of the loggerhead shrike in the northern Chihuahuan Desert, W. H. Reid and H. J. Fulbright, 26:204–205
Impatiens
biflora, 10:211, 10:212
pallida, 10:212
Impomoea
pes-caprae, 23:501
stolonifera, 23:501, 25:316
Impomopsis longiflora, 25:333
Importancia del injerto (*Phoradendron* sp.) para el venado, Sonia Gallina, 33: 21–25
Incubation patches in whistling ducks, evidence of, Michael K. Rylander, Eric G. Bolen, and Richard E. McCamant, 25:126–128
Incubation temperature on survival of embryos of native Colorado River fishes, effect of, Paul C. Marsh, 30: 129–140
Incurvariidae, 18:308
Indigofera
laevis, 12:152
leptosepala, 2:163
mexicana, 12:152
miniata, 4:57, 22:37, 23:502, 25:322, 25:325, 25:330, 36:123, 36:125
sphaerocarpa, 35:72
Indiopsocus
bisignatus, 30:13, 30:14, 30:16, 30:21, 30:22
coquilletti, 30:13–22
dentatus, 30:22
infumatus, 30:13, 30:14, 30:16, 30:22
microvariegatus, 30:22
variegatus, 30:22
Indoderogenes, 26:410, 26:413
Inez-Pagani, Maria, see Topoff, Howard, —
Infertility in a pair of golden eagles (Aquila chrysaetos, Aves), a case of, R. W. Strandtmann, 1:89
Inflorescence development in Tamarix pentandra Pallas (Tamaricaceae), J. S. Horton, 2:135–139
Influence of handling time and metabolizable energy on seed selection by four emberizids, Theresa W. Shuman, Robert J. Robel, John L. Zimmerman, and Arthur D. Dayton, 35: 466–468
Inga laurinafolia, 16:112
Ingersol, Chris A., Robert F. Wilkinson, Chris L. Peterson, and Robert H. Ingersol, Histology of the reproductive organs of *Cryptobranchus alleganiensis* (Caudata: Cryptobranchidae) in Missouri, 36:60–66
Ingersol, Robert H., see Ingersol, Chris A., —
Ingestion of blister beetles by a Texas horned lizard, Allen C. Cohen and Jacqueline L. Cohen, 35:369
Ingestion of sand by the duskystripe shiner, *Notropis pilsbryi* Fowler, William J. Matthews, 22:543–544
Ingestion of spinose ear ticks, *Otobius megnini* (Acari: Argasidae) by a Texas spotted whiptail, *Cnemidophorus gularis gularis* (Sauria: Teiidae), Chris T. McAllister, 32:511–512
Ingham, Russell E., and Norman O. Dronen, Jr., Some effects of seasonality on helminthic infection in largemouth bass, *Micropterus salmoides* (Lacepede) (Centrarchidae), 27:223–225
Inglis, Anthony, see Reid, George K., —
Inglis, Jack M., O. D. Sittler, and J. D. Kirby, A fixed station radio tracking system, 13:433–443
Inglis, Jack M., see Hanselka, Calvin W., —
Inglis, Jack M., see Respess, Richard O., —
Ingram, J. Katherine, and Harley W. Reno, Ultrastructure of the infraorbital and preoperculomandibular canal neuromasts of the silverjaw minnow, *Ericymba buccata* (Pisces: Cyprinidae), 20:445–459
Inheritance of the green vertebral stripe in *Acris crepitans*, William F. Pyburn, 6:164–167
Inhibition of nitrogen-fixing and nitrifying bacteria by seed plants IV. The inhibitors produced by Ambrosia elatior and A. psilostachya, Elroy L. Rice, 10:248–255
Inhibition of nitrogen-fixing and nitrifying bacteria by seed plants. V. Inhibitors produced by *Bromus japonicus* Thunb., Elroy L. Rice and Robert L. Parenti, 12:97–103
Inland records of *Fundulus grandis* (Cyprinodontidae) in Texas, David M. Hillis, Elisabeth Milstead, and Stephen L. Campbell, 25:271–272
Inoceramus, 18:209
Inocybe, 29:261
fastigiata, 29:264
subtomentosa, 8:199
Inonotus
arizonicus, 14:123–125
dryadeus, 14:125, 19:354
dryophilus, 19:354
munzii, 14:125
patouillardh, 17:413
patouillardii, 17:409, 17:410, 17:414, 17:415
Inonotus on southwestern sycamores, a new species of, Robert L. Gilbertson, 14:123–125
Insara covilleae, 29:481–488
Insaspidiotus
agavis, 13:202
albopictus, 13:204
Insect fauna of mistletoe (*Phoradendron tomentosum*, Loranthaceae) in southern Texas, the, Paul L. Whittaker, 29:435–444
Insect pollination of prickly-pears (*Opuntia*: Cactaceae), Parfitt, Bruce D., and Charles H. Pickett, 25:104–107
Insect swarms coming to light traps, Martha W. Shackleford, 5:221–224
Insecta, 5:228–229, 9:99–101, 23:381–388, 23:533–536, 28:353–356, 28: 413–415
Insecticides and non-target arthropods on *Artemisia filifolia* (Compositae), Debbie Miller and Peter Kevan, 24: 439–446
Insectivora, 23:532–533, 30:448–449, 31: 403–405, 31:415–416
Insects associated with desert broom (*Baccharis sarothroides* Gray) (Compositae) in southeastern Arizona, notes on, R. P. Meyer, F. G. Zalom, T. L. McKenzie, and P. H. Mason, 24:603–612
Insects associated with second-year Ponderosa pine cones, Larimer and Boulder counties, Colorado, Judy Bodenham and Robert E. Stevens, 26:375–378
Insects visiting sap-exudate of groundsel-tree (*Baccharis neglecta*), David Simon and Frank Enders, 23:303–305
Inter- and intrapopulational variation of vertebral numbers of the yoke darter, *Etheostoma juliae*, Loren G. Hill, 13:175–191

Inter-male aggression distance of *Plathemis lydia* (Drury) (Odonata: Libellulidae), Jaime E. Dickerson, Jr., James V. Robinson, James T. Gilley, and John D. Wagner, 27:457–458

Interaction of piñon pine and Gambel oak in plant succession near Dolores, Colorado, the, Mary E. Floyd, 27:143–147

Interaction of two C⅜ and C½ grasses with seedlings of *Acacia smallii* and *Celtis laevigata*, O. W. Van Auken and J. K. Bush, 35:316–321

Interactions between bald eagles (*Haliaeetus leucocephalus*: Accipitridae) and river otters (*Lutra canadensis*: Mustelidae), Jay S. W. Tischendorf, Catherine Frazer, and Teryl G. Grubb, 32:286–287

Interbedded exine components in some Compositae, John J. Skvarla and Donald A. Larson, 10:65–68

Interbreeding between *Uma inornata* and *Uma notata*, James W. Cornett, 27:223

Interbreeding in the wild of the bob-white (*Colinus virginianus*) and scaled quail (*Callipepla squamata*) in Stonewall County, northwestern Texas, George Miksch Sutton, 8:108–111

Interbreeding of the eastern and western meadowlarks in central Oklahoma, George Miksch Sutton and Gerald W. Dickson, 10:307–310

Interchernes, 25:89–93
clarkorum, 25:89–91

Interchernes, a new genus of pseudoscorpion from Baja California (Pseudoscorpionida: Chernetidae), William B. Muchmore, 25:89–93

Intergeneric cyprinid hybrid (*Notropis pilsbryi* x *Chrosomus erythrogaster*) from Oklahoma, a new, Henry W. Robison and Rudolph J. Miller, 16:442–444

Intergeneric hybrid combination, *Gila pandora* x *Rhinichthys cataractae* (Cyprinidae), and comparisons with parental species, the, Royal D. Suttkus and Robert C. Cashner, 26:78–81

Intergradation of *Senecio* sections *Aurei*, *Tomentosi* and *Lobati*, through *Senecio mutabilis* Greenm. (Compositae), T. M. Barkley, 13:109–115

Internest movement in *Formica haemorrhoidalis* Emery (Hymenoptera: Formicidae), analysis of, William MacKay and Emma MacKay, 28:295–302

Interparietal in kangaroo rats, the, James R. Beer, 10:145–150

Interspecific association of olivaceous cormorants and roseate spoonbills, Michael L. Morrison, R. Douglas Slack, and Edwin Shanley, Jr., 23:681–683

Interspecific competition and resource utilization between bumblebees, R. L. Soltz, 32:39–52

Interspecific hybridization of smallmouth and Guadalupe bass (*Micropterus*): evidence based on biochemical genetic and morphological analyses, Donald H. Whitmore and Wade Butler, 27:99–106

Intestinal contents of *Rana pipiens* Schreber (Ranidae) larvae, Fred S. Hendricks, 18:99–101

Intra- and interspecific variation in spadefoot toad (*Scaphiopus*) clutch parameters, Bruce Woodward, 32:127–131

Intrageneric "cannibalism" in *Gambusia*, Clark Hubbs, 36:153–157

Intranasal chigger *Microtrombicula merrihewi* (Acarina: Trombiculidae) in the North American free-tailed bat, *Tadarida brasiliensis*, the, Richard M. Davis and Richard B. Loomis, 15:437–458

Intraspecific morphologic variation in the raccoon (*Procyon lotor*) and its relationship to selected environmental variables, Mark E. Ritke and Michael L. Kennedy, 33:295–314

Intraspecific variation in chromosomal nucleolus organizer regions in *Notropis chrysocephalus* (Pisces: Cyprinidae), John R. Gold and Patricia K. Zoch, 35:211–215

Intraspecific variation in nest-building behavior of the white-footed mouse, *Peromyscus leucopus*, Frank W. Judd and Jose F. Lopez, 25:438–441

Intraspecific variation within a southeastern population of the prairie vole, *Microtus ochrogaster* (Rodentia), James A. Huggins and V. Rick McDaniel, 29:403–406

Introduced annuals on secondary succession in sagebrush-grassland, Wyoming, the effects of, Edith Bach Allen and Dennis H. Knight, 29:407–421

Inuleae, 19:329

Inversion polymorphism of a *Drosophila pseudoobscura* population from Saltillo, Coahuila, Mexico, J. Espinoza-Velazquez and V. M. Salceda, 25:479–483

Iostephane heterophylla, 16:371, 16:383

Ioxidae, 23:385

Iphiaulax, 29:54, 29:55, 32:491, 32:493, 33:276, 33:279–283

Ipomea, 28:63, 30:547, 30:549
leptophylla, 2:167
purpurea, 2:167

Ipomoea, 24:130, 25:365, 26:122, 31:34, 35:63
arborescens, 18:194, 30:324
barbatisepala, 35:66, 35:71
capillacea, 35:71
carletoni, 6:101
coccinea, 1:64, 35:66, 35:71
costellata, 27:176, 35:71
cristulata, 21:315
hederacea, 35:71
hirsutula, 1:56, 1:67
imperati, 36:122
leptophylla, 12:140, 25:333
leptotoma, 35:71
longifolia, 6:100, 6:101
muricata, 35:71
pandurata, 6:100, 6:101, 12:348
pes-caprae, 22:38–41, 22:44, 25:316, 28:366–368, 36:122
shumardiana, 6:100–101
stolonifera, 22:38–41, 22:44, 22:46, 28:365–368

Ipomoea shumardiana (Convolvulaceae), a neglected Oklahoma-North Texas endemic, Lloyd H. Shinners, 6:100–101

Ipomopsis
arizonica, 29:280
longiflora, 35:73, 35:423–426
multiflora, 35:66, 35:73
polycladon 343
rubra, 23:153–154
thurberi, 35:64, 35:73

Ippolito, Daniele F., A winter die off in Fairfield Reservoir (Freestone County, Texas), with special emphasis on mortality in *Sarotherodon aureus* (Cichlidae), 30:456–459

Ips, 20:225–229
fasciatus, 20:228
pini, 20:225–228

Ireland, Patric H., and Ronald Altig, Key to the gilled salamander larvae and larviform adults of Arkansas, Kansas, Missouri, and Oklahoma, 28:271–274

Ireland, Patrick H., Marking larval salamanders with fluorescent pigments, 18:252–253

Ireland, Patrick H., Overwintering of larval spotted salamanders, *Ambystoma maculatum* (Caudata) in Arkansas, 17:435–437

Ireland, Patrick H., Rediscovery of the gray-bellied salamander, *Eurycea multiplicata griseogaster* Moore and Hughes, in southeastern Kansas, 14:366

Ireland, Patrick H., see Hays, Horace A., —

Ireland, Patrick H., see Spotila, James R., —

Iresine
calea, 12:148

celosia, 12:148
palmeri, 30:397, 30:398, 30:400–402, 36:215
Iridaceae, 2:160, 4:56, 6:45–46, 22:37, 23:507, 36:123
Iridomyrex humilis, 28:300
Iridomyrmex, 17:54, 21:7
analis, 26:430
humilis, 27:135–137, 28:300
pruinosum, 21:3, 21:6, 21:7, 25:181, 25:185, 25:187, 25:189, 25:190, 25:192, 25:193
pruinosus, 17:49, 17:50, 17:52, 17:53, 28:140
purpureus, 28:300
Iridoprocne bicolor, 17:145, 23:601, 24:683, 25:561
Iris, 10:180
brevicaulis, 23:548
missouriensis, 12:323
Irpex tulipiferae, 19:356
Iruegas-Buentello, Francisco, y Narciso Salinas-Lopez, Trematodos de anfibios de Nuevo Leon, Mexico. I. *Langeronia jimenezi* nueva especie (Trematoda: Lecithodendriidae) en *Rana pipiens*, 34:369–373
Irvine, James R., and Neil E. West, Riparian tree species distribution and succession along the lower Escalante River, Utah, 24:331–346
Irvine, James R., Neil E. West, and Arthur H. Holmgren, Rediscovery of *Festuca dasyclada* and range extensions of *Astragalus lutosus* and *Ceanothus martinii* in Colorado, 23:156–157
Irving, Robert S., and Tod F. Stuessy, A new paratropical angiosperm florule in the Eocene Rockdale formation of Bastrop County, Texas, 16:111–116
Irving, Robert S., see Stuessy, Tod F., —
Irwin, David W., and Robert J. Baker, Additional records of bats from Arizona and Sinaloa, 12:195
Irwin, H. S., review by, 5:48
Irwin, J. R., see McMillan, C., —
Ischaemum glaucostachyum, 4:118
Ischnocerus infuscatus, 27:26
Ischnopsyllidae, 12:268, 20:241, 20:244–247
Ischnura, 14:224, 14:226, 23:554
barberi, 2:11
demorsa, 2:12, 2:14, 12:372
denticollis, 2:12, 2:14
elegans, 8:74
kellicotti, 2:12, 2:14
posita, 2:12, 2:14, 4:132, 32:131–134
ramburi, 2:12, 2:14, 6:112
utahensis, 2:12
verticalis, 2:12, 2:14, 6:112
Ischnura posita (Hagen) and *Telebasis salva* (Hagen) (Odonata: Coenagrionidae) as potential fungal dispersal agents, B. L. Frye and J. V. Robinson, 32:131–134
Ischyrosmilus, 32:238
Ischyrus quadripunctatus, 10:73, 10:74
Isely, D., Leguminosae of the United States: I. Subfamily Mimosoideae (rev.), 20:149
Ishnura, 23:140
Island jay (*Aphelocoma coerulescens insularis*) stores lizards in the relict tree *Lyonothamnus asplenifolius*, Paul D. Haemig, 34:146–147
Isocapnia vedderensis, 31:503, 31:505–507, 31:509
Isocoma, 12:107, 16:370
coronopifolia, 20:284
drummondii, 24:97–114
palmeri, 12:106
tenuisecta, 35:66, 35:70
vernonioides, 16:371
Isoetes
lithophila, 13:119, 13:120, 13:122, 13:125
lithophylla, 22:137
Isogenoides zionensis, 31:503
Isogenus, 25:26
crosbyi, 1:151
Isoglaridacris bulbocirrus, 28:178, 28:399–401, 28:403
Isohypsibius, 17:27
granulifer, 35:302
tuberculatus, 35:302
Isonychia, 1:151, 25:142, 25:147, 25:251, 25:381, 25:383
sicca, 31:15, 31:17
Isopappus, 2:172
Isoperla, 34:480, 36:328
clio, 1:151
fulva, 35:130–134
jewetii, 36:329
mormona, 31:503, 36:326
patricia, 28:127
pinta, 36:326
quinquepunctata, 28:127, 28:130, 28:132, 36:326
Isopoda, 28:100, 29:309–319, 31:254–256
Isoptera, 35:285–291
Isopterygium tenerum, 28:240
Isospora californica, 25:125–126
Isospora californica (Protozoa: Eimeriidae) in *Peromyscus maniculatus* (Cricetidae) from White Sands National Monument, New Mexico, Lillian F. Mayberry, John R. Bristol, and Donald W. Duszynski, 25:125–126
Isotomidae, 28:425, 29:239, 35:280
Itaquascon ramazzottii, 35:303
Itea virginica, 23:548
Ithytrichia, 25:249, 25:252, 25:253, 25:255, 32:412
Itinerary and type collections of L. M. Underwood and A. D. Selby's 1901 plant collecting trip in west-central Colorado, Ronald L. Stuckey and Roland G. Hawk, 18:361–370
Itonida pinirigidae, 16:417
Ittner, Dwight R., see Fleharty, Eugene D., —
Iurdus assimilis, 4:75
Iva
ambrosiaefolia, 21:314, 21:315, 35:65, 35:70
angustifolia, 20:381, 23:501, 25:315, 36:122
annua, 25:404
axillaris, 21:362, 21:365
ciliata, 2:170, 7:170, 7:172
dealbata, 1:68
frutescens, 24:259, 26:351, 29:248
imbricata, 10:312
xanthifolia, 2:170, 30:339
Iva imbricata Walter (Compositae-Ambrosieae) in Nueces County, new to Texas, Fred B. Jones, 10:312
Iverson, John B., Natural history of the Alamos mud turtle, *Kinosternon alamosae* (Kinosternidae), 34:134–142
Iverson, John B., The Arizona mud turtle, *Kinosternon flavescens arizonense* (Kinosternidae), in Arizona and Sonora, 34:356–368
Ixobrychus exilis, 7:262
Ixobrynchus exilis, 6:105
Ixodes, 10:20, 35:112, 35:113
baergi, 21:276–278, 32:121–126
conepati, 12:261
eadsi, 10:17, 10:19, 10:21
howelli, 21:276–278, 32:124
Ixodidae, 10:17, 10:19, 10:167–178, 10:313, 12:261, 21:278, 30:550, 31:111, 35:113
Ixophorus uniseta, 12:73
Ixoreus naevius, 14:363

Jackknifing simulation, 36:1–6
Jackson, Crawford G., Jr., M. Wilkinson Trotter, and Walter Allen, A gigantic specimen of *Gopherus agassizii* (Testudinidae), 25:430–432
Jackson, Crawford G., Jr., see Plymale, Harry H., —
Jackson, Donald C., Substrate preference of the bigscale logperch *Percina macrolepida* (Percidae) in Lake Texoma Oklahoma, 29:351–353
Jackson, Jerome A., Bette J. Schardien, C. Dwight Cooley, and Bernard E. Rowe, Cave myotis roosting in barn swallow nests, 27:436–464
Jackson, Jerome A., Screech owl caught in nylon Lichtenstein's oriole nest, 26:214–215
Jackson, Morris K., Another *Tropidodipsas fasciata fasciata* (Colubridae) from Tamaulipas, Mexico, 16:124
Jackson, R. C., see Arnold, M. L., —
Jackson, Robert E., and Constantine J.

Alexopoulos, *Psilocybe cubensis* (Agaricales): a comparison of Mexican and Texas types, 21:227–233
Jackson, Robert R., The courtship behavior of *Phidippus femoratus* (Araneae, Salticidae), 27:187–195
Jacksonia, 3:134
trachysperma, 3:136
Jacob, James S., An evaluation of the possibility of hybridization between the rattlesnakes *Crotalus atrox* and *C. scutulatus* in the southwestern United States, 22:469–485
Jacob, James S., Stephen R. Williams, and Robert P. Reynolds, Reproductive activity of male *Crotalus atrox* and *C. scutulatus* (Reptilia: Viperidae) in northeastern Chihuahua, Mexico, 32:273–276
Jacobi, Gerald Z., and Steven J. Cary, New records of winter stoneflies (Plecoptera) from southwestern New Mexico, with notes on habitat preferences and zoogeographical origins, 31:503–510
Jacobinia
auriculata, 31:169, 31:174
mexicana, 12:146
spicigera, 10:312
Jacobs, Barry, and E. O. Morrison, Ectopic lung fluke, 11:412
Jacobson, Nancy L., Breeding dynamics of the Houston toad, 34:374–380
Jacoby, P. W., Jr., see Foster, M. A., —
Jacquemontia nodiflora, 12:149
Jaegeria, 9:37
hirta, 9:31, 9:32
mnioides, 9:32
pedunculata, 9:32
Jaguar in Louisiana, a possible occurrence of the, Ronald M. Nowak, 17: 430–432
Jaguar in the Southwest, on the status of the, David E. Brown, 28:459–460
Jakle, Martin D., and Thomas A. Gatz, Harris' hawks feeding on fish, 29: 506
Jaltomata procumbens, 35:66, 35:74
James, Paul W., and O. Eugene Maughan, Spawning behavior and habitat of the threatened leopard darter, *Percina pantherina*, 34:298–301
James, Pauline, Freeze loss in the least grebe (Podiceps dominicus) in lower Rio Grande Delta of Texas, 8:45–46
Jamesia americana, 4:155, 15:151, 15:152, 18:372, 18:373, 18:377, 34:442, 36: 38
Jameson, D. Kittrell, A survey of the parasites of five species of bats, 4:61–65
Jananssa, 31:491
Janassa, 31:484, 31:485
Janowsky, R. E., see McMillan, C., —
Janusia gracilis, 22:343, 23:291, 23:297, 32:452, 35:66, 35:72
Japanese mist nets for securing bats in temperate latitudes, effectiveness of, Bryan P. Glass, 1:136–138
Jaramillo, José Manuel Galindo, see Gutiérrez, Jorge Llinas, —
Jasminum, 18:433, 18:439
humile, 13:210, 18:433, 18:439
Jassidae, 2:127
Jatropha, 8:121–126, 16:230, 18:193, 18: 194, 21:129, 25:568, 29:212, 34:523, 34:525
cardiophylla, 22:227
cinerea, 21:127, 29:213
cuneata, 21:128, 21:393, 28:211–213, 29:213, 32:21–25, 34:521
dioica, 8:121–123, 10:257, 10:259, 22: 349, 23:291, 23:297, 25:557, 30:399, 30:400, 30:536, 30:537, 30:546, 36: 215, 36:216
macrorhiza, 8:121–123, 8:126, 30:389, 35:72
multifida, 12:151
spathula, 31:387
spathulata, 8:122, 8:123, 16:6
texana, 8:124
urens, 12:151
Jellisonia, 35:310–315
bonia, 35:310, 35:314
bullisi, 35:310, 35:313, 35:314
dybasi, 35:310, 35:314
grayi, 35:310, 35:314
guerrerensis, 35:311–314
hayesi, 35:310, 35:314
ironsi, 34:562, 35:310, 35:313, 35:314
johnsonae, 35:310, 35:314
klotsi, 35:310–312, 35:314
wisemani, 35:310, 35:313
Jellisonia Traub, 1944 (Siphonaptera: Ceratophyllidae) from Guerrero, México, description of a new species of, Juan Carlos Morales, 35:310–315
Jenkins, Robert E., see Snelson, Franklin F., Jr., —
Jenkins, Robert M., Growth of blue catfish (Ictalurus furcatus) in Lake Texoma, 1:166–173
Jennings, Daniel T., and Herbert Allen Pase, III, Spiders preying on *Ips* bark beetles, 20:225–229
Jennings, Daniel T., Frederick B. Penfield, Robert E. Stevens, and Frank G. Hawksworth, Spiders (Araneae) associated with dwarf mistletoes (*Arceuthobium* sp.) in Colorado, 34: 349–355
Jennings, Daniel T., Observations on *Olios fasciculatus* Simon, a giant crab spider (Araneae: Sparassidae), 26: 437–439
Jennings, Daniel T., Ocular anomaly of *Misumenops* sp. (Araneae: Thomisidae), 15:503
Jennings, Daniel T., Plant associations of *Misumenops coloradensis* Gertsch (Araneae: Thomisidae) in central New Mexico, 16:201–207
Jennings, Daniel T., see Lawson, H. Randy, —
Jennings, Daniel T., see Toliver, Michael E., —
Jennings, Mark R., Predation on Sonoran spotted whiptails, *Cnemidophorus sonorae* (Teiidae), by the great-tailed grackle, *Quiscalus mexicanus* (Icteridae), 29:514
Jens, C. E., see McMillan, C., —
Jensen, Buddy Lee, see Minckley, W. L., —
Jenssen, Thomas A., see Hill, Loren G., —
Jester, Douglas B., and Rita R. Suminski, Age and growth, fecundity, abundance, and biomass production of the White Sands pupfish, *Cyprinodon tularosa* (Cyprinodontidae), in a desert pond, 27:43–54
Jester, Douglas B., see Mannes, John C., —
Jimenez A., Teresa, see Juarez G., Julio, —
Jiménez G., Fernando, Gerardo Guajardo M., y Carlos H. Briseño Trematodos de peces dulceacuicolas de Coahuila, Mexico I. *Quadripaludis luistoddi* gen. et sp. nov. (Trematoda: Hemiuridae) parasitos de ciclidos endemicos de Cuatro Cienegas, 26: 409–413
Joern, Anthony, Vegetation structure and microhabitat selection in grasshoppers (Orthoptera, Acrididae), 27: 197–209
Johannesbaptista pellucida, 10:228, 10:231, 10:232
Johannesbaptistia pellucida, 10:232, 23:444
Johns, D. W., see Andersen, D. C., —
Johnson, A. Roy, and Jon C. Barlow, Notes on the nesting of the black-bellied tree duck near Phoenix, Arizona, 15:394–395
Johnson, C. D., see Beley, J. R., —
Johnson, C. D., see Ditsworth, T. M., —
Johnson, C. D., see Hessing, M. B., —
Johnson, Clifford, A study of territoriality and breeding behavior in *Pachydiplax longipennis* Burmeister (Odonata: Libellulidae), 7:191–197
Johnson, Clifford, Mating expectancies and sex ratio in the damselfly, Enallagma praevarum (Odonata: Coenagrionidae), 9:297–304
Johnson, David B., Fred S. Guthery, and Arlo H. Kane, Attributes of whis-

tling posts used by northern bobwhites (*Colinus virginianus*), 35:229–231

Johnson, David W., Ecology of small mammals on two isolated buttes in Canyonlands National Park Utah, 26:395–407

Johnson, Forrest L., and Paul G. Risser, A quantitative comparison between an oak forest and an oak savannah in central Oklahoma, 20:75–84

Johnson, Forrest L., Effects of tank training activities on botanical features at Fort Hood, Texas, 27:309–314

Johnson, Forrest L., Phytosociology of second-growth forests in Bowie County, Texas, 29:81–87

Johnson, Forrest L., see Risser, Paul G., —

Johnson, Forrest L., see Sheedy, Joyce D., —

Johnson, J. C., Jr., Winter concentration of bald eagles at Grand Lake, Oklahoma, 6:107–108

Johnson, James E., and Gail Kobetich, A new locality for the gila topminnow, *Poeciliopsis occidentalis* (Poeciliidae), 14:368

Johnson, Jerry D., Biogeographic aspects of the herpetofauna of the Central Depression of Chiapas, México, with comments on surrounding areas, 35: 268–278

Johnson, Jerry D., First record of *Manolepis putnami* (Serpentes: Colubridae) from Chiapas, Mexico, 23:538

Johnson, Jerry D., Taxonomic status and distribution of *Geophis laticinctus* (Colubridae) in southern México, 24:698–701

Johnson, Jerry D., see Baker, Rollin H., —

Johnson, Kristine, Social organization in a colony of rock squirrels (*Spermophilus variegatus*, Sciuridae), 26:237–242

Johnson, Mark K., and Andrew B. Carey, Porcupine pellet pH, color, and composition, 24:544–545

Johnson, Martha V., see Hubbs, Clark, —

Johnson, Pat, see Woodward, Bruce, —

Johnson, R. Roy, *Porophyllum macrocephalum* (Compositae: Helenieae) new to New Mexico, 12:109

Johnson, R. Roy, see Todsen, Thomas K., —

Johnson, R. Roy, see Wells, Philip V., —

Johnson, Randy, Tony Richards, and Dean W. Blinn, Investigation of diatom populations in rhithron and potamon communities in Oak Creek, Arizona, 20:197–204

Johnson, Roy, see Barlow, Jon C., —

Johnson, Terry B., Ash-throated flycatcher takes sagebrush lizard, 27: 222

Johnson, Walter E., see Metcalf, Artie L., —

Johnson, William E., see Guillory, Vincent, —

Johnston, M. C., see Turner, B. L., —

Johnston, Marshall C., A new combination and a new variety in *Solidago altissima* (Compositae), 14:372

Johnston, Marshall C., *Acacia emoryana* in Texas and Mexico and its relationship to *A. berlandieri* and *A. greggii*, 19:331–333

Johnston, Marshall C., Achyranthes aspera Linnaeus (Amaranthaceae) in Hidalgo County, new to Texas, 11: 126

Johnston, Marshall C., and Barton H. Warnock, Cleome multicaulis (Capparidaceae) in western Texas, 4:110

Johnston, Marshall C., and Barton H. Warnock, *Euphorbia jejuna*, new species from western Texas, 5:97–99

Johnston, Marshall C., and Barton H. Warnock, Phyllanthus and Reverchonia (Euphorbiaceae) in far western Texas, 8:15–22

Johnston, Marshall C., and Barton H. Warnock, The four kinds of Argythamnia (Euphorbiaceae) in far western Texas, 7:154–162

Johnston, Marshall C., and Barton H. Warnock, The four species of Acalypha (Euphorbiaceae) in far western Texas, 7:182–190

Johnston, Marshall C., and Barton H. Warnock, The species of *Cnidoscolus* and *Jatropha* (Euphorbiaceae) in far western Texas, 8:121–126

Johnston, Marshall C., and Barton H. Warnock, The ten species of Croton (Euphorbiaceae) occurring in far western Texas, 7:1–22

Johnston, Marshall C., and Barton H. Warnock, The three species of *Stillingia* (Euphorbiaceae) in far western Texas, 8:100–106

Johnston, Marshall C., *Andropogon spadiceus* (Poaceae), a Coahuilan species now known from Texas, 25: 557–558

Johnston, Marshall C., Atriplex klebergorum (Chenopodiaceae), new species, 6:49–50

Johnston, Marshall C., *Bouteloua rigidiseta* var. *chihuahuana* (Poaceae), new variety from the Chihuahuan Desert region, 27:29–31

Johnston, Marshall C., Carex aurea Nutt. in Texas Panhandle, 9:108

Johnston, Marshall C., Carex folliculata var. australis, C. gracilescens, C. granularis, C. tenax and C. typhina (Cyperaceae) in Texas, 10:317–318

Johnston, Marshall C., Celtis spinosa Sprengel var. *pallida* (Torrey) M. C. Johnston, new combination, 2: 172

Johnston, Marshall C., *Colubrina stricta* Engelmann ex M. C. Johnston (Rhamnaceae), new species from Texas, Nuevo Leon and Coahuila, 14:257

Johnston, Marshall C., Condalia fasciculata and Ziziphus obtusifolia (Rhamnaceae) near Tehuacan, southern Puebla, 11:126

Johnston, Marshall C., Crepis runcinata Torrey & Gray var. runcinata (Compositae) in Dallam County, species new to Texas, 10:311

Johnston, Marshall C., *Croptilon rafinesque* (Compositae) a member of the Mexican flora, 12:337

Johnston, Marshall C., Croton pottsii, earlier name for C. corymbulosus, 5: 171

Johnston, Marshall C., Cyperus niger Ruiz et Pavon var. castaneus (Pursh) Kükenthal the correct name for Cyperus rivularis Kunth, 11:125

Johnston, Marshall C., *Cyperus onerosus* M. C. Johnston sp. nov., 9:308–310

Johnston, Marshall C., Dyssodia *gentryi* M. C. Johnston (Compositae), new species, 3:219–220

Johnston, Marshall C., Dyssodia *mutica* M. C. Johnston (Compositae), new species, 5:225–226

Johnston, Marshall C., *Eleocharis austrotexana* M. C. Johnston (Cyperaceae), sp. nov., 9:312–313

Johnston, Marshall C., Eleocharis cylindrica Buckley (Cyperaceae) in the Sierra Vieja, Presidio County, Texas, the second known precise locality, 10:144

Johnston, Marshall C., *Ericameria austrotexana* M. C. Johnston (Compositae), nomen novum, 12:106–109

Johnston, Marshall C., *Eupatorium rothrockii* and *E. herbaceum* (Compositae) in Texas, 12:469–471

Johnston, Marshall C., *Euphorbia exigua* L. (*Euphorbiaceae*) in Nueces County, new to Texas, 14:258

Johnston, Marshall C., Ginoria davisii (Lythraceae), a new species from Veracruz, Mexico, 1:39–41

Johnston, Marshall C., Hybridization between *Acacia crassifolia* and *A. berlandieri* (Leguminosae, Mimosoideae) in Coahuila, Durango, Za-

catecas and San Luis Potosí, 20:275–278

Johnston, Marshall C., Juncus trigonocarpus Steudel in Henderson County, Texas, 9:316–317

Johnston, Marshall C., Juncus validus Coville var. *fascinatus* M. C. Johnston, var. nov., 9:313–314

Johnston, Marshall C., *Muhlenbergia pungens* Thurber (Gramineae) in Texas Panhandle, 12:476–477

Johnston, Marshall C., Phoradendron serotinum for P. flavescens (Loranthaceae): nomenclatural corrections, 2:45–47

Johnston, Marshall C., *Polygonum texense* M. C. Johnston (Polygonaceae), new species from South Plains and Edwards Plateau, 14:257–258

Johnston, Marshall C., Precise localities for Rhynchospora plumosa Elliott in Texas, 10:78

Johnston, Marshall C., Precise locality for Eleocharis cylindrica Buckley (Cyperaceae), 9:317

Johnston, Marshall C., Re-discovery of Condalia velutina I. M. Johnston (Rhamnaceae) at Guanajuato, 11: 125–126

Johnston, Marshall C., review by, 111–112

Johnston, Marshall C., Savia arida in Coahuila, Mexico, 7:80

Johnston, Marshall C., *Scirpus molestus* M. C. Johnston (Cyperaceae), sp. nov. from Arkansas, Louisiana, and Texas, 9:310–312

Johnston, Marshall C., Sisymbrium *shinnersii* M. C. Johnston, new name, 2:129

Johnston, Marshall C., Solanum campechiense L. (Solanaceae) in extreme southern Texas, 3:216–217

Johnston, Marshall C., Synopsis of the United States species of Forestiera (Oleaceae), 2:140–151

Johnston, Marshall C., The Texas species of Croton (Euphorbiaceae), 3: 175–203

Johnston, Marshall C., The Texas species of Cyperus subgenus Kyllinga (Cyperaceae), 11:123–125

Johnston, Marshall C., *Tridens muticus* (Torrey) Nash *forma effusus* M. C. Johnston (Gramineae), form. nov., 14:258–259

Johnston, Marshall C., Verification of occurrence of Juncus megacephalus M. A. Curtis in Texas, 9:316

Johnston, Marshall C., Viguiera ludens (Shinners) M. C. Johnston, new combination (Compositae), 13:250–251

Johnston, Marshall C., see Sharp, A. J., —

Johnston, Marshall C., see Van Schaack, George B., —

Johnston, Marshall C., see Warnock, Barton H., —

Johnston, Richard F., Breeding of the Ord kangaroo rat (Dipodomys ordii) in southern New Mexico, 1:190–193

Johnston, Richard F., Record of the hermit warbler, *Dendroica occidentalis*, in New Mexico, 3:233–234

Johnston, Richard F., see Williams, Harry C., —

Jojolla, Joseph, see Wallace, Mark C., —

Jones, Carolyn J., see Long, Charles A., —

Jones, Clyde, and James S. Findley, Second record of the lyre snake *Trimorphodon vilkinsoni* in New Mexico, 8:175–177

Jones, Clyde, and James S. Findley, The long-nosed bat in New Mexico, 8: 174–175

Jones, Clyde, and Royal D. Suttkus, Notes on netting bats for eleven years in western New Mexico, 16:261–266

Jones, Clyde, see Pagels, John F., —

Jones, Fred B., *Fuirena scirpoidea* in Texas, 9:107

Jones, Fred B., Iva imbricata Walter (Compositae-Ambrosieae) in Nueces County, new to Texas, 10:312

Jones, G. N., and G. D. Fuller, Vascular plants of Illinois (rev.), 1:44–47

Jones, Gary W., see O'Farrell, Michael J., —

Jones, J. Knox, and Bryan P. Glass, The short-tailed shrew, Blarina brevicauda, in Oklahoma, 5:136–142

Jones, J. Knox, Jr., A third locality record for the desert shrew, Notiosorex crawfordi, in New Mexico, 4:111–112

Jones, J. Knox, Jr., and Jerry F. Downhower, Second record of *Myotis grisescens* in Kansas, 8:174

Jones, J. Knox, Jr., and M. Raymond Lee, Three species of mammals from western Texas, 7:77–78

Jones, J. Knox, Jr., and Mark D. Engstrom, The black-eared rice rat, *Oryzomys melanotis*, in Nicaragua, 31: 137

Jones, J. Knox, Jr., and Richard W. Manning, Additional comments on big brown bats (*Eptesicus fuscus*) from northwestern Texas, 35:342–343

Jones, J. Knox, Jr., and Sydney Anderson, The eastern harvest mouse Reithrodontomys humulis, in Oklahoma, 4:153–154

Jones, J. Knox, Jr., Dan L. Flores, and Robert D. Owen, The taxonomic and nomenclatorial status of *Mus ludovicianus* Custis, 1807, 31:106–107

Jones, J. Knox, Jr., Dilford C. Carter, and Wm. David Webster, Records of mammals from Hidalgo, Mexico, 28:378–380

Jones, J. Knox, Jr., reviews by, 26:93, 26:443

Jones, J. Knox, Jr., Robert R. Hollander, and Richard W. Manning, The fringed myotis, *Myotis thysanodes*, in west-central Texas, 32:149

Jones, J. Knox, Jr., The red bat in Baja California, Mexico, 14:361

Jones, J. Knox, Jr., see Baker, Robert J., —

Jones, J. Knox, Jr., see Choate, Jerry R., —

Jones, J. Knox, Jr., see Dort, Wakefield, Jr., —

Jones, J. Knox, Jr., see Genoways, Hugh H., —

Jones, J. Knox, Jr., see Hoffmann, Robert S., —

Jones, J. Knox, Jr., see Hollander, Robert R., —

Jones, J. Knox, Jr., see Kaspar, Timothy C., —

Jones, J. Knox, Jr., see Smith, James Dale, —

Jones, J. Knox, Jr., see Turner, Ronald W., —

Jones, John R., and Willis J. Rietveld, Occurrence of *Picea pungens* (Pinaceae) near Flagstaff, Arizona, 19: 334–335

Jones, K. Bruce, and Walter G. Whitford, Feeding behavior of free-roaming *Masticophis flagellum*: an efficient ambush predator, 34:460–467

Jones, K. Bruce, Effects of grazing on lizard abundance and diversity in western Arizona, 26:107–115

Jones, K. Bruce, Habitat use and predatory behavior of *Thamnophis cyrtopsis* (Serpentes: Colubridae) in a seasonally variable aquatic environment, 35:115–122

Jones, K. Bruce, Influence of prey on the feeding behavior of *Trimorphodon biscutatus lambda* (Colubridae), 33: 488–490

Jones, K. Bruce, Lauren Porzer Kepner, and William G. Kepner, Anurans of Vekol Valley, central Arizona, 28: 469–470

Jones, Richard D., see Richerson, Jim V. —

Jones, Robert E., An unusual mallard nest, 11:308

Jones, Robert E., Habitat used by lesser prairie chickens for feeding related

to seasonal behavior of plants in Beaver County, Oklahoma, 9:111–117
Jones, Robert W., James R. Cate, and Paul A. Fryxell, Phenology and ecology of *Cienfuegosia intermedia* Fryxell (Malvaceae) and evaluation as a host plant of the boll weevil, *Anthonomus grandis* Boheman, 36: 75–83
Jones, Stanley R., and Sherman A. Phillips, Jr., Resource collecting abilities of *Solenopsis invicta* (Hymenoptera: Formicidae) compared with those of three sympatric Texas ants, 35:416–422
Jones, Susan C., Colony size of the desert subterranean termite *Heterotermes aureus* (Isoptera: Rhinotermitidae), 35:285–291
Jordan, Gilbert L., see Roundy, Bruce A., —
Jorgensen, Clive D., see Porter, Calvin A., —
Joshuella, 29:239, 35:280–282
Joste, Nancy, see Stacey, Peter B., —
Journet, Alan R. P., see Goyer, Nannette, —
Joy, James E., *Gryporhynchus tetrorchis* Hill (Cestoda: Dilepididae), 15:272
Juarez G., Julio, Teresa Jimenez A., and Daniel Navarro L., Additional records of *Bauerus dubiaquercus* (Chiroptera: Vespertilionidae) in Mexico, 33:385
Judd, B. Ira, Plant succession of old fields in the Dust Bowl, 19:227–239
Judd, F. W., and O. J. Reichman, A comparison of the water requirements of the pocket gophers, *Pappogeomys castanops* and *Thomomys bottae*, 17:302–307
Judd, Frank W., and Francis L. Rose, Population structure, density and movements of the Texas tortoise *Gopherus berlandieri*, 28:387–398
Judd, Frank W., and J. Carlton McQueen, Notes on longevity of *Gopherus berlandieri* (Testudinidae), 27: 230–232
Judd, Frank W., and Jose F. Lopez, Intraspecific variation in nest-building behavior of the white-footed mouse, *Peromyscus leucopus*, 25:438–441
Judd, Frank W., and Lonard, Robert I., —
Judd, Frank W., and Sammie L. Sides, The effect of Hurricane Allen on the near-shore vegetation of South Padre Island, 28:365–369
Judd, Frank W., Food and feeding behavior of the keeled earless lizard, *Holbrookia propinqua*, 21:17–25
Judd, Frank W., Geographic variation in the deer mouse, *Peromyscus maniculatus*, on the Llano Estacado, 14: 261–282
Judd, Frank W., Notes on some mammals from Big Bend National Park, 12:192–194
Judd, Frank W., R. I. Lonard, and S. L. Sides, The vegetation of South Padre Island, Texas in relation to topography, 22:31–48
Judd, Frank W., see Goff, M. Lee, —
Judd, Frank W., see Guetzow, David D., —
Judd, Frank W., see Lonard, Robert I., —
Judd, Frank W., see Packard, Robert L., —
Juglandaceae, 1:63, 11:72–117, 16:112, 18:432, 18:438, 18:439, 35:72
Juglans, 11:72, 11:89–91, 11:94, 11:100, 11:316, 14:420, 15:132, 16:272, 18: 442, 22:552, 28:462, 32:136
bastropensis, 16:112
californica, 28:48, 30:452
major, 1:59, 1:63, 13:449, 15:150, 15: 153–157, 19:354, 20:364, 21:119, 28: 82–84, 30:391, 31:345, 31:347–354, 31:356, 33:494, 35:72, 35:116
microcarpa, 15:150, 24:168, 24:170–172, 25:364, 25:365
mollis, 35:366
niger, 16:12, 11:86, 19:161, 19:163, 27: 385
regia, 11:87, 11:88, 14:431
represtis, 18:439
rupestris, 3:30, 14:431, 14:433, 18:432
Jumping spiders (Araneae: Salticidae) of Yuma County, Arizona, a revised list of the, David B. Richman and Vincent D. Roth, 21:199–202
Jumping spiders (Salticidae) from Yuma County, Arizona, with a description of a new species and distributional records, David B. Richman, 10:132–135
Jumping spiders (Salticidae) of Wichita County, Texas, the, Rose M. Carpenter, 17:161–168
Juncaceae, 1:63, 2:160, 12:151, 20:435, 35:74
Junco
caniceps, 25:561, 36:137
hyemalis, 15:359, 15:363, 22:370, 22: 368, 29:474, 35:466, 36:248
hymealis, 34:491
phaeonotus, 35:367–368
Juncus, 16:93, 23:52, 23:548, 25:69, 26: 229, 30:339, 33:106
balticus, 2:160, 12:151, 14:405, 31:24
bufonius, 35:64, 35:74
cooperi, 15:118, 15:120, 15:121
drummondii, 20:435
ensifolius, 35:74
interior, 2:160, 8:194, 12:151, 31:495, 31:497, 31:499, 35:74
megacephalus, 9:316
mertensianus, 20:435
mexicana, 12:151
mexicanus, 1:54, 1:63, 16:204
nodatus, 8:169
parryi, 20:435
saximontanus, 27:226
scirpoides, 9:314
torreyi, 2:160, 35:74
trigonocarpus, 9:316–317
validus, 9:313–314
Juncus megacephalus M. A. Curtis in Texas, verification of occurrence of, Marshall C. Johnston, 9:316
Juncus trigonocarpus Steudel in Henderson County, Texas, Marshall C. Johnston, 9:316–317
Juncus validus Coville var. *fascinatus* M. C. Johnston, var. nov., Marshall C. Johnston, 9:313–314
June bat records from Guadalupe Canyon, New Mexico, Russell E. Mumford, Leonard L. Oakley, and Dale A. Zimmerman, 9:43–45
Juniper age and distribution on an isolated butte in Garza County, Texas, Dalton Ellis and Joseph L. Schuster, 13:343–348
Juniper deppeana, 22:12
Juniperis communis, 17:47
Juniperus, 8:175, 11:106, 11:242, 11:314, 13:156, 13:269, 13:449, 15:280, 15: 395, 16:268, 18:351, 20:153, 20:425, 21:58, 22:49, 22:51, 22:59, 22:62, 22: 284, 22:497, 23:289, 23:292, 23:294, 23:298, 23:299, 23:533, 24:128, 24: 129, 24:131, 24:133, 24:137, 24:564, 25:11, 25:363–366, 25:479, 26:262, 26:263, 26:265, 26:276, 26:278, 26: 279, 26:282–284, 26:317, 26:332, 27: 433, 28:64, 28:336, 29:338, 30:462, 30:580, 30:612, 30:613, 31:416, 32: 181, 33:22, 33:158, 33:288, 34:453, 35:55, 35:233, 35:281, 36:311, 36: 361, 36:363
ashei, 9:158, 10:224, 16:268, 16:272, 21:242, 21:552, 22:404, 23:295, 24: 165, 24:168, 24:170–172, 24:175, 24: 177, 24:225, 24:389, 26:5, 26:6, 27: 309–311, 27:385, 29:301, 29:304, 30: 141–146, 36:295–297
ashii, 33:178
californica, 16:342, 18:315, 28:430, 29: 463–465, 36:95, 36:97, 36:302
communis, 11:103, 12:137, 12:143, 12: 474, 20:428, 22:270, 23:280, 25:560, 27:279, 30:145, 32:184, 34:41, 36: 246
depeanna, 32:197
deppeana, 4:42, 5:226, 8:181, 8:182, 10: 35, 12:110, 13:75–98, 13:99, 13:100, 15:29, 15:151, 15:154–156, 16:14,

16:105, 17:290, 18:374, 18:375, 19:356, 20:3, 20:364, 20:418, 21:55, 21:59, 21:60, 21:309, 24:214, 24:383, 25:18, 25:261, 25:362, 26:366, 27:87, 27:88, 27:97, 27:326, 28:83, 28:84, 28:120, 28:200, 30:305, 30:388, 30:389, 30:391, 31:348, 31:355, 32:153, 32:154, 33:84, 35:66, 35:69, 36:295
erythrocarpa, 24:133, 24:138, 24:323–329, 27:321, 32:183, 32:197, 34:40, 36:96, 36:295–301, 36:302–305
flaccida, 8:182, 10:35, 14:252, 16:12, 17:290, 27:87
gymnocarpa, 24:325, 24:326
horizontalis, 27:279–285, 36:295
mexicana, 24:325, 35:199
monosperma, 1:56, 1:59, 1:60, 1:62, 3:30, 5:108, 9:153, 10:35, 12:209, 13:75–98, 13:99, 13:100, 13:160, 13:161, 13:164, 13:346, 14:93, 15:29, 15:151, 15:153–156, 16:87, 16:328, 17:231, 18:434, 18:439, 19:59, 19:330, 19:349, 22:340, 22:345, 22:346, 22:348, 22:349, 23:292, 24:323–329, 25:362, 26:366, 27:2, 27:169, 27:176, 27:326, 28:53, 28:83, 28:84, 28:200, 31:202, 31:348, 31:355, 32:150, 32:292, 32:384, 32:389, 32:400, 33:104, 34:488, 35:70, 35:279, 35:322, 36:255, 36:282, 36:295, 36:296, 36:302, 36:304, 36:305
monospermum, 36:19
occidentalis, 19:112, 24:325, 24:326, 25:462
osteosperma, 10:310, 15:264, 16:451, 17:173, 19:115, 21:132, 22:269, 24:326, 24:625, 24:629, 25:175, 26:76, 26:296, 26:396, 26:397, 27:143, 28:126, 31:202, 31:320, 34:40, 34:41, 34:285, 34:442, 34:507, 35:322–328, 36:141, 36:266, 36:302, 36:304, 36:305
osterospermus, 14:404
pachyphloea, 17:424, 19:215
pachyploea, 14:93, 18:434, 18:439
pinchoitti, 13:95
pinchoti, 16:14, 17:290
pinchotii, 10:258, 13:75–98, 13:343–348, 24:177, 24:225, 24:323–329, 24:435, 36:295–301
pinchotti, 10:259, 13:75, 13:76, 14:252, 25:362, 27:87
pinchottii, 22:348, 23:292, 23:295
scopulorium, 13:146
scopulorum, 12:136, 12:137, 12:143, 13:75–98, 17:318, 19:354, 20:136–137, 27:143, 27:279–286, 28:126, 32:138, 32:184, 34:38, 34:41, 34:488, 36:19, 36:95, 36:103, 36:295
texensis, 24:323
utahensis, 21:244
virginiana, 5:120, 6:99, 10:43, 10:179, 12:345, 13:75–98, 14:93, 18:434, 18:439, 18:441, 20:323, 20:328, 20:330, 20:334, 23:623, 24:81, 25:78, 25:325, 27:56, 27:58, 27:59, 27:279–283, 27:428, 27:429, 28:61, 29:83, 30:145, 30:597, 31:73–78, 31:369, 32:273, 35:435, 35:437, 36:295–297
Juniperus scopulorum Sarg. (Cupressaceae) into Mexico, southern range extension of, Thomas A. Zanoni and Robert P. Adams, 20:136–137
Jussiaea, 21:445
repens, 4:3, 4:4
Justicia, 18:298, 32:258
americana, 4:3, 4:4, 17:385
Juvenile pelages and estivation in the Utah prairie dog, *Cynomys parvidens*, abnormal, Harold J. Egoscue, 20:139–142
Juvenile sunfish entanglement in the colonial alga, *Hydrodictyon reticulatum* (Chlorophyta), resulting from predator avoidance behavior, Bruce L. Kimmel, 26:432–433

Kadurias, 18:319
Kalanchoe
blossfeldiana, 18:331
daigremontiana, 18:331
fedschenkoi, 17:221, 18:331
laciniata, 18:331
pinnata, 18:331
velutina, 18:331–334
verticillata, 18:331
Kallah, Muhammad S., see Kothmann, M. M., —
Kallstroemia, 24:131, 25:365, 30:543, 35:369, 36:307
californica, 35:74
grandiflora, 31:34, 31:36, 35:74
hirsutissima, 30:545, 30:546, 30:548
parviflora, 21:314, 22:346
parvifolia, 22:343, 35:74
Kalmia, 22:293, 22:294
microphylla, 20:430
polifolia, 20:430
Kana, Joe C., see Hysmith, Bruce T., —
Kane, Arlo H., see Johnson, David B., —
Kansas herptiles, additional locality records for some, Eugene D. Fleharty and Dwight R. Ittner, 12:199–200
Kapadia, Zarir J., see Gould, Frank W., —
Kapustka, Lawrence A., and Elroy L. Rice, Acetylene reduction ($N^1/_4$-fixation) of glucose-amended soils from central Oklahoma old field succession plots, 23:389–396
Karban, Richard, see Yeaton, Richard I., —
Karges, John P., and Owen S. Parker, Distribution of the Mexican spiny pocket mouse (*Liomys irroratus*: Heteromyidae) in Texas, 29:229–230
Karges, John P., see Ford, Neil B., —
Karlin, Alvan A., and John D. Rickett, Microgeographic genetic variation in creole (*Etheostoma collettei*) and redfin (*Etheostoma whipplei*) darters (Percidae) in central Arkansas, 35:135–145
Karp, Catherine A., see Tyus, Harold M., —
Karwinskia, 11:302
humboldtiana, 28:388, 30:397, 30:398, 30:400, 31:101, 31:102, 31:387, 35:371, 36:213–215
humboltiana, 18:194
Karyotype of *Marmosa canescens* (Marsupialia: Didelphidae): a mouse opossum with 22 chromosomes, Mark D. Engstrom and Alfred L. Gardner, 33:231–233
Karyotype of *Sceloporus exsul* (Sauria: Iguanidae), the, Jack W. Sites, Jr., and Michael W. Haiduk, 24:393–395
Karyotype of the tropical hare (*Lepus flavigularis*, Leporidae), Manuel Uribe-Alcocer, Fernando A. Cervantes, Consuelo Lorenzo-Monterrubio, and Lourdes Guerena-Gandara, 34:304–306
Karyotype of *Thomomys townsendii similis* and comments on the karyotypes of *Thomomys*, the, Charles S. Thaeler, Jr., 17:327–331
Karyotype of *Xylorhiza wrightii* Gray (Compositae), B. L. Turner, 9:315
Karyotypes and a range extension of *Reithrodontomys* (Cricetidae: subgenus *Aporodon*) from Mexico, Duke S. Rogers, E. J. Heske, and D. A. Good, 28:372–374
Karyotypes of bats of the family Phyllostomidae and their taxonomic implications, Robert J. Baker, 12:407–428
Karyotypic orthoselection for additions of heterochromatic short arms in grasshopper mice (*Onychomys*: Cricetidae), Robert J. Baker and Richard K. Barnett, 26:125–131
Karyotypic studies in two Mexican species of *Echeandia* Ort. (Liliaceae), Guadalupe Palomino and Virginia Romo, 33:382–384
Kaspar, Timothy C., and J. Knox Jones, Jr., The desert shrew, *Notiosorex crawfordi*, in Hidalgo, Mexico, 22:155–156
Kaspar, Timothy C., and John F. Parrish, III, The porcupine, *Erethizon dorsatum* Linnaeus, (Rodentia), in Texas, 19:214–215
Kaspar, Timothy C., and William L.

McClure, The Taylor Bayou local fauna (Pleistocene) near Houston, Texas, 21:9–16
Kasper, Tim, see Seifert, Wayne, —
Kaster, Jerry L., and John H. Bushnell, Occurrence of tests and their possible significance in the worm, *Tubifex tubifex* (Oligochaeta), 26:307–310
Kattner, Kenneth R., see Drawe, D. Lynn, —
Katz, Susan J., Tool-using behavior of the pocket gopher, *Thomomys bottae* (Geomyidae)?, 25:270–271
Kaufman, Donald W., and Eugene D. Fleharty, Habitat selection by nine species of rodents in north-central Kansas, 18:443–452
Kaufman, Donald W., see Wiener, James G., —
Kaufman, Glennis A., see Wiener, James G., —
Kaul, Martha Naugler, see Kaul, Robert B., —
Kaul, Robert B., and Martha Naugler Kaul, Sex ratios of *Populus deltoides* and *Salix amygdaloides* (Salicaceae) in Nebraska, 29:265–269
Kaul, Robert B., see Churchill, Steven P., —
Kavinia
alboviridis, 19:353
himantia, 19:353
Kay, David W., Movements and homing in the canyon tree frog (*Hyla cadaverina*), 34:293–295
Kay, Fenton R., see Hoff, Carolyn L., —
Kearney, Thomas H., Robert H. Peebles, et al., Arizona flora (rev.), 6:54
Keasey, Merrit S., III, Longevity and feeding records of *Notiosorex crawfordi* in captivity, 14:251
Kebart, Karen K., and Roger C. Anderson, Phenological and climatic patterns in three tallgrass prairies, 32: 29–37
Kedrostis, 8:7
Kee, David T., and Michael J. Enright, Southern records of *Microtus ochrogaster* in Arkansas, 14:358
Keegan, H. L., see Baker, E. W., —
Keeler, K. H., Colony survivorship in *Pogonomyrmex occidentalis*, western harvester ant, in western Nebraska, 33:480–482
Keeler, K. H., Preliminary report of colony survivorship in the western harvester ant (*Pogonomyrmex occidentalis*) in western Nebraska, 27:245–246
Keeler, Kathleen H., and Myra S. Fredricks, Nocturnal pollination of *Abronia fragrans* (Nyctaginaceae), 24: 692–693
Keeley, Jon E., and Adriene Meyers, Effect of heat on seed germination of southwestern *Yucca* species, 30:303–304
Keeley, Jon E., and Thomas J. Soderstrom, Postfire recovery of chaparral along an elevational gradient in southern California, 31:177–184
Keeling, Richard P., review by, 20:292
Keenan, Charlie, see Wilde, Gene R., —
Keerlia mexicana, 16:371
Kehmeier, Kenneth J., see Platania, Steven P., —
Keil, David J., *Pectis cylindrica* (Compositae) established as a member of the Texas flora and confirmed as a distinct species, 20:286–287
Kellicottia, 17:244, 22:417, 30:242
bostoniensis, 23:636
longispina, 33:465–467
Kelsch, Steven W., and Fred S. Hendricks, Distribution of the headwater catfish *Ictalurus lupus* (Osteichthyes: Ictaluridae), 35:292–297
Kelson, Keith R., see Hall, Raymond E., —
Kelting, Ralph W., see Buck, Paul, —
Kendall, Shirley S., see Clark, William H., —
Kennedy, Harry D., see White, Donald H., —
Kennedy, J. P., An arboreal nest of the five-lined skink, Eumeces fasciatus in eastern Texas, 1:138–139
Kennedy, J. P., Notes on the habitat and behavior of a snake, Oxybelis *aeneus* Wagler, in Veracruz, 10:136–139
Kennedy, J. P., Parturition of the blue spiny lizard, Sceloporus cyanogenys Cope, 5:44–45
Kennedy, J. P., review by, 3:239–240
Kennedy, J. P., review by, 21:257–258
Kennedy, J. P., Sleeping habits of the eastern fence lizard, Sceloporus undulatus hyacinthinus (Sauria, Iguanidae), 3:90–93
Kennedy, J. P., see Stovall, Randall H., —
Kennedy, Michael L., Paul L. Leberg, and George D. Baumgardner, Morphologic variation in the coyote, *Canis latrans*, in the southern United States, 31:139–148
Kennedy, Michael L., Phyllis K. Price, and Ollar S. Fuller, Flight speeds of five species of Neotropical bats, 22: 401–404
Kennedy, Michael L., Troy L. Best, and Dala Joy Rookstool, Activity pattern of the Padre Island kangaroo rat, *Dipodomys compactus* True, 18: 242–243
Kennedy, Michael L., see Best, Troy L., —
Kennedy, Michael L., see Ritke, Mark E., —
Kennedy, Michael L., see Rucker, Richard A.,—
Kennedy, Michael L., see Sugg, Derrick W., —
Kennedy, Patricia L., see Stahlecker, Dale W., —
Kennedy, Stephen E., see Gehlbach, Frederick R., —
Kennerly, Thomas E., Jr., Gene flow pattern and swimming ability of the pocket gopher, 8:85–88
Kephyrion ovale, 20:50–52
Kepner, Lauren Porzer, see Jones, K. Bruce, —
Kepner, William G., see Jones, K. Bruce, —
Kepner, William G., see Maddux, Henry R., —
Keratella, 10:266, 10:270, 12:58, 12:63, 17:239, 17:243, 17:244, 17:247, 22: 415, 22:417, 23:169, 30:239, 30:240, 30:242, 30:247
americana, 23:636
cochlearis, 23:633–640, 33:467–470
longispina, 21:465
quadrata, 27:38, 33:467–470
valga, 1:9, 1:15, 21:465–467
Kerfoot, W. Charles, An unusually large desert short-horned lizard (Phrynosoma douglassi ornatissimum-Iguanidae) from Colorado, 7:78–79
Kermes, 27:466
Ketchersid, Chesley A., see Dixon, James R., —
Kethops, 12:271
Kevan, Peter, see Miller, Debbie, —
Key, Laura J., Lynda F. Delph, Daniel B. Thompson, and Erik P. Van Hoogenstyn, Edaphic factors and the perennial plant community of a Sonoran Desert bajada, 29:211–222
Key to the anuran tadpoles of Mexico, Ronald Altig, 32:75–84
Key to the dorsal guard hairs of Arkansas game mammals and furbearers, an annotated, Renn Tumlison, 28:315–323
Key to the larvae of *Plectrohyla* (Hylidae), with a description of the tadpole presumed to be *Plectrohyla avia*, a, Johathan A. Campbell and Ty M. Kubin, 35:91–94
Keys to Louisiana violets (Viola-Violaceae), Norman H. Russell, 6:184–186
Khalaf, Kamel T., L-orangelles in Amphipoda (Crustacea), 29:362–363
Khalaf, Kamel T., Microfolds of the integument of some spiders (Araneida), 29:514–516
Khalaf, Kamel T., Surface sculpturing of

the integument in Isopoda (Crustacea), 31:254–256
Kidd, D. E., and W. E. Wade, Algae of Quitobaquito: a spring-fed impoundment in Organ Pipe Cactus National Monument, 10:227–233
Kie, John G., and Marshall White, Population dynamics of white-tailed deer (*Odocoileus virginianus*) on the Welder Wildlife Refuge, Texas, 30: 105–118
Kie, John G., and Marshall White, Tooth failure is not an important mortality factor in a white-tailed deer herd in Texas, 31:266–267
Kiff, Lloyd F., see Grubb, Teryl G., —
Kilambi, Raj V., see Newton, Scott H., —
Killebrew, F. C., see Brewer, Ken, —
Killebrew, Flavius C., An extra costal in one specimen of *Graptemys flavimaculata* Cagle (Testudines, Emydidae), 22:400–401
Killebrew, Flavius C., and Ronald R. McKown, Mitotic chromosomes of *Gopherus berlandieri* and *Kinixys belliana belliana* (Testudines, Testudinidae), 23:162–164
Killebrew, Flavius C., Mitotic chromosomes of turtles. V. The Chelydridae, 21:547–548
Killingbeck, Keith T., Direct measurement of allochthonous litter accumulation in a tallgrass prairie stream, 29:357–358
Killingbeck, Keith T., Microhabitat distribution of two *Quercus* (Fagaceae) species in relation to soil differences within a Kansas gallery forest, 33: 244–247
Killion, Michael J., Use of vertebrate tissue by the leaf-cutting ant *Atta texana* (Hymenoptera: Formicidae: Attini), 36:116–117
Kilpatrick, C. William, and William Caire, First record of the encinal mouse, *Peromyscus pectoralis*, for Oklahoma and additional records for north-central Texas, 18:351
Kilpatrick, C. William, Distribution of the brush mouse, *Peromyscus boylii*, and the encinal mouse, *Peromyscus pectoralis*, in north-central Texas, 16: 211–213
Kilpatrick, William, see Dalquest, Walter W., —
Kimbrough, John D., see Walton, Dan W., —
Kimmel, Bruce L., Juvenile sunfish entanglement in the colonial alga, *Hydrodictyon reticulatum* (Chlorophyta), resulting from predator avoidance behavior, 26:432–433
Kimmel, Bruce L., Martha M. White, Steven R. McComas, and Brian B. Looney, Recurrence of the freshwater jellyfish, *Craspedacusta sowerbii* (Cnidaria: Hydrozoa), in the Little River system, southeastern Oklahoma, 25:426–428
Kincaid, Kenneth R., see Beck, Thomas D. I., —
Kincaid, W. Bradley, see Cameron, Guy N., —
King, Anthony W., and Anna Marie Bohning, The incidence of heartworm *Dirofilaria immitis* (Filarioidea), in the wild canids of Northeast Arkansas, 29:89–92
King, Douglas S., Max A. Nickerson, and James A. Hutchison, Mexican isolates of *Basidiobolus ranarum* Eidam, 18:93–94
King, Gary L., see McMahon, Robert F., —
King, John A. (ed.), Biology of Peromyscus (Rodentia) (rev.), 14:374–375
King, Kirke A., Bird mortality, Galveston Island, Texas, 21:414
King, Kirke A., Dennis L. Meeker, and Douglas M. Swineford, White-faced ibis populations and pollutants in Texas, 25:1969–1976, 25:225–239
King, Kirke A., Edward L. Flickinger, and Henry H. Hildebrand, The decline of brown pelicans on the Louisiana and Texas Gulf Coast, 21: 417–431
King, Kirke A., Food habits and organochlorine contaminants in the diet of olivaceous cormorants in Galveston Bay, Texas, 34:338–343
King, Kirke A., Unusual food item of the western diamondback rattlesnake (*Crotalus atrox*), 20:416–417
King, Otis M., Observations on Oklahoma toads, 5:102–103
King, R. M., see Turner, B. L., —
King, Robert Merrill, Meiotic chromosome numbers for two species of the genus Psittacanthus (Loranthaceae), 6:48–49
King, Timothy L., see Ward, Rocky, —
King, W. Ken, see Bloom, Roy A., —
King, William Ken, see Morgan, Edward C., —
Kinixys belliana, 23:162–164
Kinosternidae, 28:237–239, 29:343–348, 29:349–351, 30:413–425, 31:1–8, 34: 134–142, 34:356–368
Kinosternon
abaxillare, 11:130
alamosae, 34:134–142, 34:356, 34:358, 34:368
alamose, 35:228
angustipons, 27:453
cruentatum, 11:130, 16:228
flavescens, 1:85, 3:33, 3:38, 4:92, 4:95, 4:106, 14:31–66, 16:6, 19:21, 19:23, 19:25, 19:27, 19:28, 19:35–37, 19: 40, 19:42, 19:44, 19:45, 27:447, 27: 451, 27:452, 28:238, 28:371, 29:123–132, 29:343–348, 29:349–351, 30: 413–425, 31:1–8, 31:244–246, 31: 300, 32:517, 34:134–136, 34:138, 34: 141, 34:356–368, 35:228
henrici, 19:29
hertipes, 8:221
hirtipes, 16:228, 34:138, 35:228
integrum, 14:130, 16:228, 34:134–136, 34:138, 34:141, 34:142, 34:358, 35: 228
leucostomum, 27:447, 27:451, 34:138
scorpiodes, 27:453
scorpioides, 34:137, 34:138, 35:274, 35: 278
sonoriense, 19:21, 19:23, 19:24, 19:28–30, 26:418, 27:226, 27:447–456, 31: 557, 34:134–137, 34:357, 34:359, 34: 522–524, 35:228
subrubrum, 14:31–66, 23:459, 27:451, 27:452, 28:237–239, 34:136, 34:360
Kinraide, Thomas B., The ecological distribution of cholla cactus (*Opuntia imbricata* (Haw.) DC.) in El Paso County, Colorado, 23:117–133
Kinraide, Thomas B., The influence of soil texture on the vegetation of a grazed, short-grass prairie in Colorado, 29:277–287
Kirby, J. D., see Inglis, Jack M., —
Kirchneriella, 27:84
contorta, 24:156
elongata, 23:436
lunaris, 23:436
obesa, 20:47, 20:48, 23:436, 27:83
subsolitaria, 20:47, 20:48, 23:436
Kirk, William L., and Elenor R. Cox, An unusual assemblage of desmids from Wellborn, Texas, 20:576
Kirk, William L., and Fred E. Smeins, The diatom *Terpsinöe musica* Ehrenb. (Anaulaceae) in Brazos County, Texas, 21:246–247
Kirkland, Gordon L., Jr., and Jesus E. Maldonado, Patterns of variation in cranial damage attributable to *Skrjabingylus* sp. (Nematoda, Metastrongyloidea) in skunks (Mammalia, Mustelidae) from Mexico, 33: 15–20
Kirkland, Gordon L., Jr., The zoogeography of the mammals of the Unita Mountains region, 26:325–339
Kirkland, Henry, and Nell Looper, *Bison occidentalis* in western Oklahoma, 32:509
Kisiel, Donald S., October birth by *Peromyscus difficilis nasutus* in north central Colorado, 16:213–214
Kistler, J. R., see Adams, Robert P., —

Kit fox biology in Utah, notes on, Dennis Daneke, Melvin Sunquist, and Stephen Berwick, 29:361–362
Kit fox in southwestern Colorado, the, H. J. Egoscue, 9:40
Kitchens, Julie A., see Austin, Terry A., —
Klebenow, Donald A., see Bell, Michael W., —
Klebsiella pneumonia, 23:393
Klebsormidium, 33:317
Klinger, Scott R., Robert J. Robel, and Bennett A. Brown, Morphological and reproductive characteristics of white-tailed deer from Fort Riley, Kansas, 30:589–596
Klockera apis, 33:363
Kloeckera
apiculata, 33:362, 33:363
apis, 33:362
Klopfenstein, William E., see Robel, Robert J., —
Kluyveromyces marxianus, 33:363
Knapp, Alan K., and Lloyd C. Holbert, Production, density and height of flower stalks of three grasses in annually burned and unburned eastern Kansas tallgrass prairie: a four year record, 31:235–241
Knapp, Alan K., Effect of fire in tallgrass prairie on seed production of *Vernonia baldwinii* Torr. (Compositae), 29:242–243
Knapp, Alan K., see Briggs, John M., —
Knapp, Alan K., see Gilliam, Frank S., —
Kneiffia, 32:119
Knight, Dennis H., see Allen, Edith Bach, —
Knight, Marion T., Curtis J. Barbay, and E. O. Morrison, Incidence of infection by lung-fluke (*Haematoloechus*) of the bullfrog, *Rana catesbeiana*, in Jefferson County, Texas, 10:141–142
Knight, Paul J., and Anne C. Cully, A new species of *Astragalus* (Fabaceae) from southeastern New Mexico, 36: 198–200
Knight, R. Alec, and Doug Duerre, Notes on distribution, habitat, and sexual dimorphism of *Gerrhonotus kingii* (Lacertilia: Anguidae), 32:283–285
Knight, R. Alec, and James F. Scudday, A new *Gerrhonotus* (Lacertilia: Anguidae) from the Sierra Madre Oriental, Nuevo León, Mexico, 30:89–94
Knight, R. W., see Skousen, J. G., —
Knisley, C. Barry, Ecological distribution of tiger beetles (Coleoptera: Cicindelidae) in Colfax County, New Mexico, 29:93–104
Knopf, Fred L., and David F. Balph, Annual periodicity of Uinta ground squirrels, 22:213–224
Knopf, Fritz L., see Cannon, Richard W., —
Knopf, Fritz L., see Howe, William H., —
Knopf, Garry N., Paedogenesis and metamorphic variation in *Ambystoma tigrinum mavortium*, 7:75–76
Knorr, Marjorie S., see Knorr, Owen A., —
Knorr, Owen A., and Marjorie S. Knorr, The black swift in the Chiricahua Mountains of Arizona, 34:559–560
Knowles, Barbara B., see Koehn, Richard K., —
Knowlton, Frederick F., see Andelt, William F., —
Koberlinia, 32:389
Kobetich, Gail, Johnson, James E., —
Koch, Edward D., see Angradi, Ted R., —
Koch, Stephen D., see Fryxell, Paul A., —
Kochia, 14:343, 14:345–357, 15:412
alata, 15:412
iranica, 23:127, 23:129, 29:280, 29:285
scoparia, 2:161, 13:387, 14:178, 14:179, 14:342, 15:412, 18:22, 19:293, 19: 294, 24:552, 27:461, 27:462, 28:253–255, 28:257, 29:408, 29:411, 30:339, 30:341, 30:438, 34:488
vestica, 33:91
Kocurko, M. John, see Dalquest, Walter W., —
Kodamaius, 21:344
Kodric-Brown, Astrid, see Brown, James H., —
Koeberlina spinosa, 32:384
Koeberlinia, 10:244
spinosa, 1:66, 10:259, 15:303, 16:87, 18:430, 18:439, 23:291, 23:297, 25: 130, 30:398–400, 33:275, 33:276, 33: 281, 35:381, 36:215
Koeberliniaceae, 1:66, 23:297
Koehn, Richard K., and Barbara B. Knowles, Radiation levels in the barrel cactus, *Ferocactus wislizeni*, and their relation to some aspects of cacti ecology, 12:119–126
Koehn, Richard K., and Gerald A. Cole, Check list of the Branchiopoda (Anostraca) of Arizona with records of *Artemia salina* and *Streptocephalus dorothae*, 9:315–316
Koehn, Richard K., and W. L. Minckley, Changes with growth in selected body proportions of the cyprinid fish *Notropis lutrensis*, 10:151–155
Koehn, Richard K., see Minckley, W. L., —
Koehn, Robert D., A new checklist of mycelial fungi from marine habitats of Mustang Island, Texas, 24:365–369
Koehn, Robert D., Fungi isolated from sea foam collected at North Padre Island beaches, 27:17–21
Koehn, Robert D., Kevin A. Kuehn, and Rory M. O'Neil, Moneran populations indigenous to an artesian community within the Edwards Aquifer, 36:368–373
Koehn, Robert D., New localities for the genus Poronia (Ascomycetes) in Texas, 23:529–532
Koeleria
cristata, 7:170, 7:270, 12:323, 13:385, 13:386, 24:544, 24:545, 24:551, 29: 412
gerardi, 22:139
nitida, 35:74
phleoides, 22:139
Koenikea, 23:554
wolcotti, 23:381, 23:385
Koerth, Benjamin H., Bok F. Sowell, Fred C. Bryant, and Ernie P. Wiggers, Habitat relations of mule deer in the Texas Panhandle, 30:579–587
Kofron, Christopher P., and A. Alan Schreiber, Observations on aquatic turtles in a northeastern Missouri marsh, 32:517–521
Kofron, Christopher P., and A. Alan Schreiber, The central mudminnow (*Umbra limi*) in Missouri, with an analysis of summer foods, 28:371–372
Kofron, Christopher P., and James R. Dixon, Observations on aquatic colubrid snakes in Texas, 25:107–109
Kofron, Christopher P., Sperm of the coachwhip *Masticophis flagellum* (Serpentes: Colubridae), and a method of preparation for scanning electron microscopy of vertebrate spermatozoa, 25:118–120
Kogia
breviceps, 18:453–456, 18:462, 18:463, 21:409
simus, 18:453, 18:455, 18:456, 18:462, 18:463
Koke, Joseph R., see Schneider, Edward L., —
Kolb, James A., and Marshall White, Small mammals of the San Bernardino Mountains, California, 19:112–114
Koleria, 13:249, 15:501
crestata, 12:139, 15:499
Kolle, D. O., see McMillan, C., —
Kolle, Donald O., see Weedin, James F., —
Koller, Ronald L., and Anthony J. Gaudin, An analysis of helminth infections in *Bufo boreas* (Amphibia: Bufonidae) and *Hyla regilla* (Amphibia:

Hylidae) in southern California, 21: 503–509
Kondratieff, Boris C., see Sargent, Bradley J., —
Koster, William J., Ptychocheilus lucius (Cyprinidae) in the San Juan River, New Mexico, 5:174–175
Kothmann, M. M., and Muhammad S. Kallah, Phenology, carbohydrate reserves and nutrient content of heath aster, 23:347–361
Kotler, Burt P., A record of *Notiosorex crawfordi* (Insectivora: Soricidae) from the Great Basin Desert, Nevada, 30:448–449
Kovarik, Peter W., and Horace R. Burke, Observations on the biology and ecology of two species of *Eudiagogus* (Coleoptera: Curculionidae), 34: 196–212
Kozel, Ronald M., and Eugene D. Fleharty, Movement of rodents across roads, 24:239–248
Kramer, Robert H., see Vanicek, C. David, —
Krameria, 10:67, 19:247, 27:404
gladulosa, 16:10
glandulosa, 19:246, 23:297, 26:87, 26: 88, 30:536, 32:452, 35:72
grayi, 17:173, 29:213, 35:331
lanceolata, 4:57, 21:314, 35:72
parviflolia, 11:397
parvifolia, 9:58, 17:335, 18:194, 21:315, 24:400, 25:174, 35:72
ramosissima, 30:546, 30:548
Krameriaceae, 4:57, 23:297, 35:72
Kramm, Kenneth R., see Kramm, Russel A., —
Kramm, Russel A., and Kenneth R. Kramm, Activities of certain species of *Eleodes* in relation to season, temperature, and time of day at Joshua Tree National Monument (Coleoptera: Tenebrionidae), 16:341–355
Krammeria parvifolia, 22:227
Krappa, Ralph, see Reid, William, —
Kratter, Andrew W., First nesting record for Williamson's sapsucker (*Sphyrapicus thyroideus*) in Baja California, Mexico, and comments on the biogeography of the fauna of the Sierra San Pedro Martír, 36:247–250
Krause, Janet E., see Choate, Jerry R., —
Krausman, Paul R., and Bruce D. Leopold, Influence of large herbivores on Chihuahuan Desert vegetation, 33:107–110
Krausman, Paul R., and John A. Bissonette, Bone-chewing behavior of desert mule deer, 22:149–150
Krausman, Paul R., and Kurt F. Bahti, *Microtus pennsylvanicus* in southwestern New Mexico, 25:260–261
Krausman, Paul R., David J. Schmidly, and Ernest D. Ables, Comments on the taxonomic status, distribution, and habitat of the Carmen Mountains white-tailed deer (*Odocoileus virginianus carminis*) in Trans-Pecos Texas, 23:577–589
Krausman, Paul R., Kurt R. Rautenstrauch, John J. Hervert, Richard Remington, and Leonard L. Ordway, Immobilization of desert mule deer with etorphine plus azaperone, 31:411–414
Krausman, Paul R., Use of caves by white-tailed deer, 24:203
Krausman, Paul R., see Leopold, Bruce D., —
Krausman, Paul R., see Lipson, Milton P., —
Krausman, Paul R., see Morgart, John R., —
Krausman, Paul R., see Scarbrough, David L., —
Krausman, Paul R., see Wallace, Mark C., —
Krausman, Paul R., see Warrick, Greg, —
Krausman, Paul R., see Warrick, Greg D., —
Krebill, R. G., and Y. Hiratsuka, Nuclear condition and possible life cycle of *Peridermium ephedrae*, 16:432–433
Krigia, 4:204
biflora, 18:322
oppositifolia, 31:495
Kring, Lynn, Dick Bronaugh, Carl Prophet, and Tom Mosher, Occurrence of *Leptodora kindtii* (Focke) (Crustacea: Cladocera) in Kansas: a new record, 21:254–255
Krischan, Thomas M., see Stromberg, Juliet C., —
Krkia, 23:444
Kroll, James C., Feeding adaptations of hognose snakes, 20:537–557
Kroll, James C., review by, 17:218–219
Kroll, James C., Taste buds in the oral epithelium of the blind snake, *Leptotyphlops dulcis* (Reptilia: Leptotyphlopidae), 17:365–370
Kroll, James C., see Clark, Donald R., Jr., —
Kruse, Kipp C., see Dunlap, Donald G., —
Krynitsky, Alexander J., see White, Donald H., —
Krynitzkia
auriculata, 11:209
chaneyi, 11:206
coroniformis, 11:207
Krysl, Leslie J., see Scribner, Kim T., —
Ku, Teh-Lung, see Czaplewski, Nicholas J., —
Kuban, Joseph F., and Gregory G. Schwartz, Nectar as a diet item of the ringtailed cat, 30:311–312
Kuban, Joseph F., John Lawley, and Robert L. Neill, The partitioning of flowering century plants by black-chinned and lucifer hummingbirds, 28:143–148
Kubin, Ty M., see Campbell, Jonathan A., —
Kubly, Dennis M., see Bestgen, Kevin R., —
Kuehl, M. Cathleen, Jess K. Zimmerman, and Thomas E. Philippi, Commitment of meristems to growth and reproduction in buckhorn cholla (Cactaceae), 36:338–340
Kuehn, Kevin A., see Koehn, Robert D., —
Kuhnell, Rita J., see Hauber, Donald P., —
Kuhnia, 15:175, 16:362
chlorolepis, 1:65, 16:371
eupatorioides, 2:170, 7:170, 12:138, 12: 140, 25:335
glutinosa, 13:387, 17:6
microphylla, 15:176
Kurtomathrips brunneus, 36:52
Kurzia latissima, 4:188, 4:192, 21:465
Kuykendall, Charles B., see Stahlecker, Dale W., —
Kuykendall, Charles B., see Stephenson, Thor E., —
Kyllinga, 11:123
cayennensis, 11:124, 11:125, 30:608
odorata, 11:124
pumila, 11:124
tenuifolia, 11:124
Kynard, Boyd E., see McMahon, Thomas E., —
Kyphosidae, 28:103
Kyphosis in *Chrysemys scripta yaquia* (Testudines: Emydidae) and other turtles, Harry H. Plymale, Crawford G. Jackson, Jr., and Gerald Collier, 23:457–461
Kyphosus incisor, 28:103

L. hoffmeisteri, 26:309
L-orangelles in Amphipoda (Crustacea), Kamel T. Khalaf, 29:362–363
La Duke, John C., A new species of *Sphaeralcea* (Malvaceae), 30:433–436
La Duke, John C., and David K. Northington, The systematics of *Sphaeralcea coccinea* (Nutt.) Rydb. (Malvaceae), 23:651–660
Labeo, 7:133
Labiatae, 1:65, 2:167, 4:58, 22:343, 23: 297, 25:333, 28:71–79, 31:34, 36:77, 36:114
Labidesthes
sicculus, 2:96, 2:173–174, 3:227, 4:165,

8:137, 13:48, 19:263, 27:110–112, 30:25, 32:439
succulus, 15:141
Labiduridae, 32:491
Labidus coecus, 19:449–452, 30:611
Labiidae, 32:491
Laboratory breeding, early growth development and behavior of *Citellus tridecemlineatus* (Rodentia), Donald D. Bridgwater, 11:325–337
Laccaria
amethystina, 29:263
laccata, 29:261, 29:263
ochropurpurea, 29:263
Laccobius, 31:523
Laccodrosophila, 4:83
Laccophilius fasciatus, 14:238
Laccophilus, 31:521, 31:522
fasciatus, 12:372, 12:383, 12:388, 12:398, 14:243, 26:157, 31:523
horni, 32:288, 32:289
proximus, 31:523
Lacepede, 11:303–305
Lacerta, 15:245
maculata, 29:244
vivipara, 28:261
Lacertilia, 5:45–47, 23:308–309, 30:89–94, 32:283–285, 34:418–420
Lachance, Marc-Andre, see Starmer, William T., —
Lachnocladiaceae, 19:354
Lachophilus pictus, 24:417
Lachrochaitophorus, 27:466
Lackey, James Alden, Notes on the biology of the house mouse, *Mus domesticus*, on the Yucatan Peninsula, Mexico, 36:84–88
Lackey, James Alden, see Howe, Henry F., —
Lactarius
allardii, 29:262
chrysorheus, 29:262
corrugis, 29:262
deceptivus, 29:262
deliciosus, 29:260, 29:262
hygrophoroides, 29:262, 29:263
indigo, 29:260, 29:263
maculatipes, 29:260, 29:263
paradoxus, 29:260, 29:263
piperatus, 29:260, 29:263
proximellus, 29:263
psammincola, 29:260, 29:261, 29:263
ruginossus, 29:260, 29:263
shrysorheus, 29:260
speciosus, 29:263
subpalustris, 29:257, 29:263
subserifluus, 29:263
trivialis, 8:199
volemus, 29:260, 29:263
xanthydrorheus, 29:257, 29:260, 29:263
Lactuca, 18:119
canadensis, 30:320, 32:35, 33:68
intybacea, 16:372
ludoviciana, 13:387, 17:6, 20:325, 20:327, 20:332
pulchella, 12:140, 18:123
saligna, 18:342
seriola, 27:176
serriola, 2:170, 12:140, 27:329, 29:411, 30:339, 31:181, 35:70
Lacunicambarus, 33:120
Ladona deplanata, 2:6, 2:14
Laelapidae, 21:278, 29:239, 36:115
Laelaps, 12:262, 21:277, 21:278
Laelaptidae, 10:17, 10:19, 12:262, 35:113
Laemanctus serratus, 35:278
Laeonereis culveri, 34:150
Laeticorticium roseum, 19:351
Laevapex fuscus, 22:353–357
Laevicaulis alte, 35:94, 35:95
Lagascea, 16:373
decipiens, 16:372
glanduloa, 16:372
helianthifolia, 16:372
mollis, 16:372
Lagenidium rabenhorstii, 12:311, 12:314
Lagerheimia
ciliata, 20:48, 23:437
citriformis, 23:437
subsalsa, 20:48
Lageronia jimenezi, 34:569
Lagerstroemia indica, 18:433, 18:438, 18:439, 28:63
Lagochila, 7:150
lacera, 30:206
Lagodon rhomboides, 1:161, 20:461, 20:463, 20:464, 22:324, 28:465, 34:340, 34:341, 36:206
Lagomorpha, 1:109–115
Lagopus
lagopus, 34:30
leucurus, 23:661–667
Laguncularia racemosa, 35:237
Lagurus curtatus, 24:554, 26:331, 26:332
Lake Texoma caddisflies (Insecta: Trichoptera): 1. Species present and faunal changes since impoundment, Vincent H. Resh, David S. White, and Susan J. White, 23:381–388
Lambert, Sherman, and George M. Ferguson, Blood ejection frequency by *Phrynosoma cornutum* (Iguanidae), 30:616–617
Lamellaria digueti, 18:170
Lamellaxis gracilis, 21:134, 21:135
Lamiaceae, 35:18, 35:64, 35:72
Lamium amplexicaule, 1:122, 35:72
LaMon, Brent, see Topoff, Howard, —
Lampetra, 20:414–416
aepyptera, 20:414, 20:415
lamottenii, 20:414–416
Lampornis clemenciae, 16:24, 19:4, 30:74, 36:363
Lamproderma
arcyrionema, 10:224
scintillans, 16:145
Lampropeltis, 31:260
alterna, 3:32, 3:33, 3:48, 4:107, 10:77–78
calligaster, 1:182, 6:201, 7:272, 22:523, 33:379, 35:474, 36:172
doliata, 1:182, 7:270–272, 22:523
getulus, 1:182, 2:19, 2:20, 3:32, 3:48, 6:201, 11:137, 14:204, 14:209,–211, 19:194, 19:195, 21:403, 22:55, 22:61, 22:193, 22:194, 22:517–524, 25:118, 26:267, 26:271, 27:163, 33:339, 33:344, 33:379, 36:172, 36:175, 36:307, 36:308
mexicana, 8:224, 19:330–331, 33:380, 33:476
polyzona, 2:19
pyromelana, 26:267, 26:271, 35:368
triangulum, 2:19, 2:20, 11:137, 14:133, 16:229, 22:187–194, 25:269, 26:267, 26:271, 27:229, 32:406–408, 33:379, 33:380, 33:476, 35:278, 36:174
Lampropeltis alterna in Brewster County, Texas, another, James F. Scudday, 10:77–78
Lampropeltis triangulum (Colubridae) from northern Jalisco, México, notes on, Joseph C. Mitchell, 25:269
Lampropeltus getulus, 5:227, 11:411
Lampsilis
abrupta, 27:351
anadontoides, 27:351, 22:247
fallacoisa, 22:247
orbiculata, 27:349, 27:351
ovata, 27:360, 27:361
radiata, 27:351
reeveiana, 27:351
streckeri, 27:349
teres, 22:240–242, 22:246, 22:247, 22:249, 22:250, 29:233
ventricosa, 22:241, 22:248–250, 27:351
Lampyridae, 20:7, 20:9, 30:603
Land snails in New Mexico, first records of two species of, Artie L. Metcalf, 21:410–411
Land snails of the San Andres and Organ mountains, southern New Mexico, distribution of, Artie L. Metcalf, 29:35–44
Land snails of the Sierra San Ignacio, Chihuahua, Mexico, in relation to regional distribution, some, Artie L. Metcalf and Alejandro Carrillo, 30:459–460
Landau, Matthew, Nutritional composition of the Great Salt Lake strain of brine shrimp reared in a manure/aquaculture system, 32:61–65
Landolt, John C., Cellular slime molds (Dictyosteliales) of selected plant communities of southern Oklahoma and northern Texas, 31:267–269
Lane, Thomas M., Mericarp micromorphology of Great Plains *Scutellaria* (Labiatae), 28:71–79
Langeronia

jimenezi, 34:369–373
macrocirra, 34:373
parva, 34:370, 34:373
provitellaria, 34:370, 34:373
Langford, Andrew, Pattern of nocturnal activity of male *Dipodomys ordii* (Heteromyidae), 28:341–346
Langley, William, Habitat preference of *Onychomys torridus* (Muridae) in a desert grassland, 25:266–267
Langley, William M., see Smith, Robert L., —
Lanier-Martin, Nancy G., see Martin, Robert F., —
Lanigan, Steven H., and Charles R. Berry, Jr., Distribution of fishes in the White River, Utah, 26:389–393
Lanio aurantius, 4:78, 4:80
Lanius
excubitor, 19:429, 36:271, 36:278
ludovicianus, 10:172, 11:136, 16:11, 19:429–436, 21:240, 26:204–205, 27:367, 28:155, 29:474, 31:544, 35:30, 36:265, 36:271, 36:278, 36:363
Lanner, Ronald M., A new pine from Baja California and the hybrid origin of *Pinus quadrifolia*, 19:75–95
Lannom, Joseph R., Jr., see Turner, Frederick B., —
Lantana, 18:194, 31:387
horrida, 6:47, 6:48, 31:101, 31:102
macropoda, 10:35, 10:38, 12:83
microcephala, 30:546
Lanternarius mollinus, 26:157
Laphamia, 11:190–195, 11:223–227
angustifolia, 4:204, 11:192
bisetosa, 4:204, 11:193
cernua, 4:204
congesta, 4:204
fastigiata, 4:204
halimifolia, 4:204, 11:192
intricata, 4:204
inyoensis, 11:193
lindheimeri, 4:204, 11:192
quinqueflora, 4:205, 11:192
rotundata, 4:205
rupestris, 4:205, 11:191–194
saxicola, 4:205
staurophylla, 4:204, 4:205
villosa, 4:205
Laphygma frugiperda, 17:433
Lapidium virginicum, 35:71
Lappula
besseyi, 19:139, 19:140
coerulescens, 19:140
floribunda, 19:139, 19:144
fremontii, 12:140
grisea, 19:139
heliocarpa, 19:144
pustulata, 19:144
redowskii, 2:167, 12:140, 21:315, 21:362, 21:368, 22:347, 23:299, 24:131, 25:365, 29:411, 35:65, 35:71
texana, 1:65, 22:341, 23:320
Large bighorn sheep, *Ovis canadensis* (Artiodactyla: Bovidae), from the late Pleistocene of Colorado, a, Xiaoming Wang and John F. Neas, 32:281–283
Largemouth bass *Micropterus salmoides* choking on prey, Benny Wanjala and Jerry C. Tash, 28:380
Largidae, 29:442, 35:15–22
Largus
californicus, 35:15–22
cinctus, 29:439, 29:441
succinctus, 23:303
Laria tridentata, 21:139
Laridae, 6:103
Larimore, R. Weldon, Synchrony of cliff swallow nesting and development of the tick, *Ixodes baergi*, 32:121–126
Larimus fasciatus, 28:465
Larinia, 11:361
directa, 11:365, 30:4
Larinyssus orbicularis, 6:103
Laritz, Charles Michael, see Hubbs, Clark, —
Lariversius tibialis, 28:477
Larix, 30:529
Larrae, 17:398
Larrea, 3:30, 3:97, 3:142, 8:89, 9:57, 10:172, 10:257, 11:136, 11:314, 12:121, 18:437, 18:439, 19:247, 20:278, 21:317, 22:271, 23:419, 23:420, 23:669, 23:677, 24:118, 24:121, 24:128, 24:287, 24:404–406, 24:564, 25:133, 25:134, 25:174, 25:568, 26:85–88, 26:268, 26:437, 27:221, 32:136, 32:288, 32:388, 32:389, 33:426, 34:525, 35:231, 36:361
divaricata, 2:110, 8:52, 9:51–55, 9:58, 9:59, 9:153, 10:256, 10:259, 10:310, 11:395, 11:397, 12:163, 12:185, 12:193, 12:194, 15:33, 15:116, 15:117, 16:6, 16:87, 16:124, 17:86, 17:289, 17:333, 17:335, 17:339, 17:423, 18:128, 19:330, 20:70, 20:114, 21:3, 21:50, 21:132, 21:178, 21:252, 21:553, 22:54, 22:196, 22:226, 22:227, 22:340, 22:343–346, 23:291, 23:295, 23:298, 24:131, 24:136, 25:358, 27:44, 27:321, 28:430, 29:213, 31:277, 32:183, 32:193, 32:384, 32:457, 34:285, 34:507, 36:302–304
tridentata, 1:53, 1:55, 1:56, 1:64, 2:33–37, 11:242, 12:233, 13:232, 14:251, 16:205, 16:206, 17:169, 17:172, 17:175, 17:178, 19:246, 20:574, 21:313, 21:315, 21:393, 22:347, 23:145, 23:417, 23:607, 23:673, 23:674, 24:280, 24:399–402, 24:447, 24:710, 24:711, 25:130, 25:173, 26:84, 26:87, 26:88, 26:134, 26:204, 26:205, 26:261, 26:264, 26:265, 26:296, 27:162, 27:354–356, 27:404, 28:83, 28:97, 28:99, 28:111–213, 28:219, 28:357–363, 28:376, 28:469, 29:224, 29:241, 29:463–464, 30:305, 30:321, 30:467, 30:536, 30:564, 30:613, 30:617, 31:36, 31:112, 31:469–474, 31:544, 32:23, 32:105, 32:427–433, 32:511, 33:157, 33:250, 33:425, 33:427, 33:428, 33:430, 33:434, 33:438, 33:276, 33:288, 34:423, 34:461, 34:521, 34:523, 34:547, 34:549–551, 35:74, 35:330, 35:331, 35:356, 35:364, 35:366, 35:377, 35:380, 35:381, 36:55, 36:68, 36:89, 36:358
Larrea divaricata in relation to a temperature inversion at Yucca Flat, southern Nevada, distribution of, Philip V. Wells and Lora M. Shields, 9:51–55
Larrus ridibundus, 29:253
Larsen, Kenneth R., see Smith, Hobart M., —
Larsen, M. J., see Gilbertson, R. L., —
Larson, Donald A., see Skvarla, John J., and, —
Larson, Frederic R., see Ffolliott, Peter F., —
Larus, 31:280, 31:285
argentatus, 24:263, 25:236, 25:257
atricilla, 7:257, 20:416, 25:258, 28:328, 29:247–256, 34:342
californicus, 22:141, 22:369, 22:370, 24:391
delawarensis, 11:137, 22:141, 25:258, 29:245
glaucescens, 25:257
glaucoides, 25:257
heermanni, 22:282–283
hyperboreus, 25:257
occidentalis, 29:252
pipixcan, 22:141–142, 22:369, 22:370, 24:80, 29:253
thayeri, 25:257–258
Larval Colorado squawfish (*Ptychochielus lucius* Girard) in the upper Colorado River Basin, Colorado, 1979–1981, C. M. Haynes, T. A. Lytle, E. J. Wick, and R. T. Muth, 29:21–33
Larval development and aggregation of the range caterpillar, *Hemileuca oliviae* Cockerell (Lepidoptera: Saturniidae), field observations of, James D. Hansen, John A. Ludwig, John C. Owens, and Ellis W. Huddleston, 29:237–239
Larval flukes infecting aquatic snails in Bexar County, Texas, occurrence of, J. Robert Harkrider, 27:243–244
Lasiacis
divaricata, 12:71, 12:84
ruscifolia, 12:71
sorghoidea, 12:71
Lasiocampidae, 29:238
Lasioglossum, 1:88, 2:130–132, 25:105, 25:106
trizonatum, 28:161

versatum, 26:160–164
Lasiogyne pottsii, 3:186
Lasionycteris, 17:360
noctivagans, 4:134, 4:138, 4:141, 4:142, 6:94, 6:201, 10:220, 13:445–447, 14:360, 14:449–450, 15:13, 15:17, 15:222, 16:262–264, 17:357, 17:362, 20:145, 26:335, 27:245
noctivagens, 35:354, 35:355
Lasionycteris noctivagans, Lasiurus cinereus and Tadarida molossa in Clark County, Nevada, W. Glen Bradley and Mike O'Farrell, 10:220
Lasioseius, 28:225
Lasiurus, 7:64, 12:3, 12:4, 14:249–251, 16:437
borealis, 1:137, 4:139–141, 7:73, 7:77, 9:43, 9:44, 9:102, 10:75, 11:311, 11:496, 11:497, 12:195, 12:478, 13:15, 13:361, 14:249, 14:250, 14:361, 15:13, 15:19, 15:132, 15:133, 16:262–264, 17:97–98, 17:428, 20:147, 20:250, 20:418–420, 26:327, 26:328, 31:532, 31:534, 32:136
cinerea, 12:4
cinereus, 4:139–141, 7:73, 8:175, 9:43, 9:45, 10:75, 10:220, 11:311, 11:497, 12:195, 12:478, 13:15, 13:445, 13:446, 14:249, 14:360, 15:13, 15:19, 15:132, 15:133, 15:264, 16:262–264, 17:292, 17:299, 17:357–361, 17:425, 17:427, 20:147, 20:245, 20:250, 23:706, 25:124, 26:335, 32:136, 35:232, 35:354, 35:355
ega, 8:175, 9:43, 9:45, 11:310, 12:195, 14:249, 15:13, 15:19, 16:450, 20:500, 32:136, 32:364, 33:493, 35:152
intermedius, 11:497, 14:249, 14:250, 30:324, 32:136, 32:364, 33:493, 35:152, 35:154
seminolus, 14:249, 14:250, 32:273
xanthinus, 35:232
Lasius, 17:54
alienus, 17:52
brevicornis, 17:49, 17:50, 17:52
claviger, 17:49, 17:50, 17:52
flavus, 27:137, 27:140
fuliginous, 30:307
latipes, 17:49–51
niger, 17:49, 17:50, 17:52, 19:69, 27:135, 27:140
sitiens, 28:140
umbratus, 17:49–51
Laslei, Roberta J. Gilstrap, and John A. Ludwig, Fruit production by *Yucca elata* Engelm. (Liliaceae) in four Chihuahuan Desert habitats, 30:321–322
Lasmigona
complanata, 22:241, 22:242, 22:249, 27:350, 27:360, 27:361, 29:233
costata, 27:350
Laspeyresia, 26:377
Lasthenia
californica, 35:67, 35:70
chrysantha, 23:374
chrysostoma, 23:373
conjugens, 23:374
coronaria, 23:374
debilis, 23:374
ferrisiae, 23:374
fremontii, 23:374
glaberrima, 23:374
glabrata, 23:374
leptalea, 23:374
macrantha, 23:374
microglossa, 23:374
minor, 23:374
platycarpha, 23:374
Latana, 14:109
Late Cenozoic hylid and leptodactylid frogs from Kansas, Oklahoma and Texas, notes on, J. A. Tihen, 5:66–70
Late Pleistocene and early Holocene plant remains from Hueco Tanks State Historical Park: the development of a refugium, Thomas R. Van Devender and David H. Riskind, 24:127–140
Late Pleistocene and Holocene fauna and flora of Vulture Cave, Grand Canyon, Arizona, the, Jim I. Mead and Arthur M. Phillips, III, 26:257–288
Late Pleistocene mammals from a cave in Tamaulipas, Mexico, Walter W. Dalquest and Edward Roth, 15:217–230
Late Pleistocene mastodon (*Mammut americanum*) from the Lehner Site, southeastern Arizona, a, Jim I. Mead, C. Vance Haynes, and Bruce B. Huckell, 24:231–238
Late Pleistocene montane conifers in southeastern Utah, W. Geoffrey Spaulding and Thomas R. Van Devender, 22:269–271
Late Pleistocene reptiles and small mammals from the lower Grand Canyon of Arizona, Thomas R. Van Devender, Arthur M. Phillips, III, and Jim I. Mead, 22:49–66
Late Pleistocene-Holocene fauna from Chihuahua, Mexico, a, Henry J. Messing, 31:277–288
Late Quaternary fossils of *Poa fendleriana* (muttongrass): Holocene expansions of apomicts, Robert J. Soreng and Thomas R. Van Devender, 34:35–45
Late Quaternary mammals from the Hueco Mountains, El Paso and Hudspeth counties, Texas, Thomas R. Van Devender, George L. Bradley, and Arthur H. Harris, 32:179–195
Late Quaternary plants and vertebrates from Picacho Peak, Arizona, Thomas R. Van Devender, Jim I. Mead, and Amadeo M. Rea, 36:302–314
Late Quaternary Sciuridae from low elevations in the Mojave Desert, California, H. Thomas Goodwin and Robert E. Reynolds, 34:506–512
Lateral-line system of the silverjaw minnow, *Ericymba buccata* Cope, the, Harley W. Reno, 15:347–358
Laterocotyle padreinsulae, 24:557, 24:559, 24:560
Latest Pleistocene and Holocene leporid faunas from Texas: their composition, distribution and climatic implications, Richard C. Hulbert, Jr., 29:197–210
Latest Pleistocene and Recent vegetation of the Bishop's Cap, south-central New Mexico, the, Thomas R. Van Devender and Benjamin L. Everitt, 22:337–352
Lathyrus
leucanthus, 33:221
ochroleucus, 12:140, 12:142
polymorphus, 12:138, 12:141
Lathys, 11:340
Latipes senegalensis, 4:119
Latona setifera, 4:192
Latonopsis occidentalis, 4:193, 34:345
Latrodectus, 11:358, 20:61, 20:63, 20:66, 29:230
curacaviensis, 11:359, 11:369, 11:370
hesperus, 20:59, 29:231
mactans, 6:52, 11:359, 12:187, 21:51, 29:231, 29:514, 29:515, 30:3, 30:5
Laughing gull nest placement on Little Pelican Island, Galveston Bay, Larry C. Thebeau and Brian R. Chapman, 29:247–256
Laughlin, Harold, see Taylor, R. John, —
Laughlin, Harold E., see Raun, Gerald G., —
Lauraceae, 16:111, 16:112, 18:432, 18:438, 18:440, 18:442
Lauxaniidae, 35:239
LaVal, Richard K., Banding returns and activity periods of some Costa Rican bats, 15:1–10
LaVal, Richard K., Distributional records and band recoveries of bats from Puebla, Mexico, 16:449–451
LaVal, Richard K., Occurrence, ecological distribution, and relative abundance of bats in McKittrick Canyon, Culberson County, Texas, 17:375–364
LaVal, Richard K., review by, 21:415–416
Lavinia
exilicauda, 25:385–390
symmetricus, 35:250, 35:253
Lawhead, David N., Bobcat *Lynx rufus* home range, density and habitat

preference in south-central Arizona, 29:105–113
Lawley, John, see Kuban, Joseph F., —
Lawlor, Timothy E., see Smith, James Dale, —
Lawnia, 31:489, 31:491
taylorensis, 31:485, 31:487, 31:488, 33:263, 33:265, 33:269–273
Lawniidae, 33:265
Lawrence, William C., see Tinkle, Donald W., —
Lawson, Cheryl A., The genus *Galium* (Rubiaceae) in Oklahoma, 18:45–72
Lawson, H. Randy, Larry A. Yost, and Daniel T. Jennings, Southwestern pine tip moth: notes on larval descent behavior, predators, and associated shoot borer in northern Arizona, 28:95–97
Lay, Douglas M., Observations on reproduction in a population of pocket gophers, *Thomomys bottae*, from Nevada, 23:375–380
Layendecker, Ellen, see Yeaton, Richard I., —
Layia glandulosa, 27:7
Layzer, James B., see Lehtinen, Steven F., —
Le Conte's sparrow, *Ammodramus leconteii* (Emberizidae), wintering in western Texas, status of, Terry C. Maxwell, David E. Madden, and Ross C. Dawkins, 33:373–375
Lead-shot ingestion by bald eagles in western Arkansas, Thomas A. Nelson, Carla Mitchell, and Carolyn Abbott, 34:245–249
Leaf variability in the water oak, *Quercus nigra* L., a study of, Ernest C. Smith, 4:206–207
Leaf-toed geckos, genus *Phyllodactylus*, of northeastern South America, the, James R. Dixon, 7:211–226
Least shrew (*Cryptotis parva*) in New Mexico, Barbara Hoditschek, Jack F. Cully, Jr., Troy L. Best, and Charles Painter, 30:600–601
Least shrew, *Cryptotis parva*, in southwestern Kansas and southeastern Colorado, Jerry R. Choate and Michael P. Reed, 33:361–362
Least shrew in Colorado, notes on the, Carl D. Marti, 16:447–448
Least shrew in northern Colorado, new information on the, Olwen Williams and G. S. McArthur, 16:448–449
Leatherwood, Stephen, see Reeves, Randall R., —
Leavitt, Richard D., see Fassler, David J., —
Lebbeus lagunae, 29:60
Leberg, Paul L., see Kennedy, Michael L., —
Lebia lecontei, 32:386–388
Lebistes reticulatus, 9:16
Lecane, 17:247, 22:112, 22:417, 23:633
crepidula, 23:636
hornemanni, 23:636
inopinata, 23:636
luna, 23:636
ungulata, 23:636
Lechea
leggettii, 32:278
mensalis, 32:278
mucronata, 32:278
pulchella, 32:278–279
sansabeana, 32:278
tenuifolia, 12:348, 19:318, 32:278
Lechea pulchella (Cistaceae) for Texas, first record of, David E. Lemke, 32:278–279
Lechuguilla (*Agave lecheguilla*: Agavaceae) in New Mexico, a new record of, C. E. Freeman, 17:423
Lechytia, 20:13–27
arborea, 20:13, 20:19
asiatica, 20:14
chthoniiformis, 20:19
hoffi, 20:13, 20:21, 20:23–26
pacifica, 20:21, 20:24, 20:26
sina, 20:13, 20:16, 20:19, 20:20
trinitatis, 20:15, 20:19
Lechytia in the United States (Pseudoscorpionida, Chthoniidae), the genus, William B. Muchmore, 20:13–27
Lecidea crendat, 20:257
Lecithodendriidae, 34:369–373
Ledenbergia macrantha, 18:74
Lederer, Roger J., Facultative territorialty in Townsend's solitaire (*Myadestes townsendi*), 25:461–467
Lederle, P. E., see Christian, D. P., —
Ledum groenlandicum, 27:124
Lee, Julian C., and Mark A. Salzburg, Mating success and pairing patterns in *Bufo valliceps* (Anura: Bufonidae), 34:155–157
Lee, M. Raymond, see Jones, J. Knox, Jr., —
Lee, Thomas E., Jr., Geographic distribution of the cytotypes of *Chaetodipus nelsoni canescens* (Rodentia: Heteromyidae), 35:454–455
Leech Placobdella pediculata Hemingway parasitizing Aplodinotus grunniens in Oklahoma, the, Branley A. Branson and Bobby G. Amos, 6:53
Leeches (Hirudinoidea) in Arizona, new distribution records for, Dean W. Blinn and Ronald W. Davies, 34:431–432
Leersia, 23:198, 23:693, 25:401–405, 25:408
hexandra, 25:399, 33:173, 33:175
oryzoides, 2:158, 4:119
Legler, John M., and Robert G. Webb, Noteworthy records of skinks (genus *Eumeces*) from northwestern Mexico, 5:16–20
Legler, John M., The Texas slider (Pseudemys floridana texana) in New Mexico, 3:230–231
Leguminosae, 1:64, 1:66, 2:124, 2:163, 4:56, 5:187–193, 7:29–40, 9:181–188, 9:207–218, 10:81–124, 12:151, 12:336–337, 13:104, 15:187–191, 15:389–391, 16:112, 17:191–195, 18:73, 18:323, 18:393–396, 18:432, 18:437–441, 19:337–340, 20:275–278, 20:430, 20:574, 22:31, 22:35, 22:37, 22:343, 23:297, 23:357, 23:497, 23:502, 23:507, 23:508, 24:542, 25:280–282, 25:330, 25:336, 26:353, 27:118, 31:34, 32:39–52, 32:527, 33:221, 36:77, 36:123, 36:124, 36:198
Leguminosae I. (*Neptunia* and *Cassia*), notes on, Donald R. Windler, 12:336–337
Leguminoseae, 17:4, 29:182
Lehtinen, Steven F., and James B. Layzer, Reproductive cycle of the plains minnow, *Hybognathus placitus* (Cyprinidae), in the Cimarron River, Oklahoma, 33:27–33
Leibfried, William C., see Brown, Bryan T., —
Leiobunum townsendii, 12:261, 31:53
Leiocapitella, 20:480
Leiodidae, 23:227–238, 23:236, 28:476
Leiolopisma
incertum, 11:130
laterale, 30:468
Leiopus
houstoni, 27:23
texanus, 27:23
Leiostomus xanthurus, 1:162, 18:211–227, 20:463, 34:340, 36:206
Leitner, Lawrence A., Plant communities of a large arroyo at Punta Cirio, Sonora, 32:21–28
Leiurus quinquestriatus, 15:504
Leiva, Carlos, see Spellenberg, Richard, —
Lejeunea flava, 28:240
Lek disturbances on lesser prairie chickens, effects of, John A. Crawford and Eric G. Bolen, 21:238–240
Lemaireocereus, 18:190, 18:194
dumortieri, 18:193, 18:198
humilis, 30:78
thurberi, 30:78, 32:22
Lemairocereus thurberi, 21:127, 21:128
Lemen, Cliff, and Patricia Waring Freeman, Quantification of competition among coexisting heteromyids in the Southwest, 28:41–46
Lemke, David E., and Edward L. Schneider, *Xanthosoma sagittifolium* (Araceae): new to Texas, 33:498–499
Lemke, David E., and Richard D. Wor-

thington, *Brassica* and *Rapistrum* (Brassicaceae) in Texas, 36:194–197
Lemke, David E., Aquatic macrophytes of the upper San Marcos River, Hays Co., Texas, 34:289–291
Lemke, David E., First record of *Lechea pulchella* (Cistaceae) for Texas, 32: 278–279
Lemma micromorphology in the annual *Muhlenbergia* (Poaceae), Paul M. Peterson, 34:61–71
Lemma minor, 21:259
Lemmiscus curtatus, 31:415
Lemna, 21:478, 23:548, 26:418, 27:35, 30: 414, 30:420
gibba, 27:226, 33:170, 33:173, 33:175
minor, 2:159, 26:321, 27:226, 34:290
purpusilla, 25:399
Lemnaceae, 2:159, 26:321, 33:175, 34: 290
Lenarchus
brevipennis, 31:441
fautini, 31:441
Length-weight relationship and condition of *Leiostomus xanthurus* Lacepede, and *Micropogon undulatus* (Linnaeus) in Galveston Bay, Texas, Jack C. Parker, 18:211–227
Lentescospora submarina, 24:367
Lentibulariaceae, 33:175, 34:290
Lentinus lepideus, 8:200
Lentz, Fleet S., see Everitt, James H., —
Lentz, Lindley, see Everitt, James H., —
Leon, Cuauhtemoc, see Carvacho, Alberto, —
Leon Springs pupfish, *Cyprinodon bovinus*, from Pecos County, Texas, rediscovery and redescription of the, Anthony A. Echelle and Robert Rush Miller, 19:179–190
Leon-Gallegos, Hector M., see Hennen, Joe F., —
León-Paniagua, Livia, Esther Romo-Vázquez, Juan Carlos Morales, David J. Schmidly, and Daniel Navarro-López, Noteworthy records of mammals from the state of Querétaro, Mexico, 35:231–234
León-Paniagua, Livia, see Navarro Sigüenza, Adolfo G., —
Leonard, A. Byron, History of the name combination *Biorbia microendocarpica* (Brooks) Leonard, 22:391–393
Leopard darter, *Percina pantherina*, current status of the, Rex L. Eley, James C. Randolph, and Rudolph J. Miller, 20:343–354
Leopard frogs (*Rana pipiens* complex: Ranidae) in Arizona and southeastern California, status of, Robert W. Clarkson and James C. Rorabaugh, 34:531–538
Leopard lizard, *Crotaphytus wislizeni*, in Texas, distribution of the, R. W. Treadwell, 11:413
Leopold, Bruce D., and Paul R. Krausman, Diets of two desert mule deer herds in Big Bend National Park, Texas, 32:449–455
Leopold, Bruce D., and Paul R. Krausman, Factors influencing desert mule deer distribution and productivity in southwestern Texas, 36:67–74
Leopold, Bruce D., see Krausman, Paul R., —
Leoselia greggii, 9:107
Lepadella, 12:58, 12:59, 12:63
Lepandella
ovalis, 23:636
patella, 23:636
Lepechinia, 10:244
hastata, 35:78
Lepidanthus phyllanthoides, 5:1
Lepidium, 8:171, 20:332, 24:131, 25:365, 26:266, 36:306
alyssoides, 1:63, 1:67
austrinum, 14:352, 19:289, 23:501, 25: 322
densiflorum, 1:122, 12:140, 21:362, 23: 320, 25:329, 28:336, 29:411, 29:415, 29:417, 29:419, 33:67, 33:68, 35:436
lasiocarpum, 21:315, 22:342, 34:546–548, 35:64, 35:71
medium, 20:574, 21:315
montanum, 1:56, 15:503, 16:202, 16: 203, 16:205
oblongum, 9:115, 9:116
perfoliatum, 31:24
thurberi, 35:64, 35:71
virginicum, 2:162, 23:501, 24:187, 25: 322, 29:249, 29:250, 33:335, 33:336
Lepidochelys kempi, 28:281
Lepidocolaptes
souleyetii, 9:132
souleyetii, 4:70
Lepidomeda
albivallis, 25:49^, 27:437, 27:438, 30: 505, 30:506
altivelis, 9:250, 25:496, 30:517
mollispinis, 23:520, 36:158–170
vittata, 12:291–302, 34:535, 34:536, 36: 169
Lepidopa
benedicti, 20:481, 20:483
mearnsi, 20:481, 20:484
Lepidophyma, 16:230
flavimaculatum, 16:225, 16:228, 16:235, 35:374
gaigeae, 16:225, 16:228, 16:234
pajapanensis, 35:373–374
smithi, 16:225, 16:228, 16:235
sylvaticum, 35:373, 35:374
tuxtlae, 35:374
Lepidoploa, 9:239–244
Lepidoptera, 13:372, 18:305–316, 21:31–35, 27:335–343, 28:383–384, 29: 237–239, 31:201–206, 35:463–464
Lepidosaphes, 16:322–325, 16:327, 18:428
beckii, 16:323–324, 18:434, 18:436
beckiii, 16:323
boguschi, 16:323, 16:324, 16:326, 18: 436
camellia, 18:436
camelliae, 16:323–325, 18:430
concolor, 15:275
gloverii, 16:324, 18:436
ilicis, 16:328
mimosarum, 17:402
peninsularis, 15:277
ulmi, 16:323, 16:326, 16:327
Lepidospartum squamatum, 35:18
Lepidostoma, 25:27, 28:353, 28:413, 32: 289
cascadense, 31:434
grisea, 31:434
knowltoni, 31:434
knulli, 28:354, 28:355, 28:414, 28:415
mira, 31:434
moneka, 25:453, 25:457, 31:435
ormea, 31:423, 31:435
pluviale, 31:435
rayneri, 31:422
roafi, 31:435
stigma, 31:422
strophis, 31:435
unicolor, 31:435
veleda, 31:435
Lepidostomatidae, 25:453, 25:457, 28:354, 28:414, 31:434, 32:289
Lepidum densiflorum, 13:249
Lepiota
lutea, 29:260
procera, 29:262
rubrotincta, 29:262
tinctoria, 29:262
Lepiotaceae, 29:257, 29:262
Lepisosteidae, 8:136, 16:239, 17:273–278, 18:343–344, 22:250, 24:694–695, 32: 216, 32:226–228, 32:234
Lepisosteus, 7:119, 7:128, 13:47, 15:45–54, 16:239–247, 16:437, 21:10, 32: 233
oculatus, 15:45, 15:46, 16:240, 17:273–278, 18:343, 19:260, 25:513, 25:514, 27:110–112, 29:378, 32:522, 35:225, 36:203, 36:204, 36:208
osseus, 4:160, 6:2, 6:3, 13:45–50, 15: 45, 15:46, 16:240, 16:438, 17:379, 18:343, 18:344, 19:260, 25:513, 25: 514, 27:112, 30:560, 32:215, 32:216, 32:408, 32:410, 36:203, 36:204, 36: 208
platostomus, 2:95, 4:160, 18:343, 22: 250, 27:112
platyrhinchus, 35:225
platyrhincus, 28:223
platystomus, 11:305
productus, 2:98, 4:160, 8:136
spatula, 2:95, 2:97, 4:160, 11:303–305, 15:46, 15:47, 15:49–52, 16:438, 18:

343–344, 24:694–695, 25:513, 25:514
tropicus, 32:227, 32:228
Lepocinclis, 10:188–210
Lepomis, 2:92, 5:83, 12:464, 13:47, 16:281, 16:282, 19:109, 20:177–184, 22:250, 22:324, 22:527, 23:490, 24:535, 30:458, 31:377, 32:218, 34:340, 36:175
auritus, 2:98, 3:10, 29:378, 29:382, 33:182, 36:203, 36:204
cyanellus, 3:10, 4:166, 8:48, 11:311, 11:313, 11:322, 12:333–335, 13:51–54, 14:306, 14:307, 15:141, 16:283, 16:285, 16:288, 16:293, 17:103, 17:381, 18:344, 18:405, 18:410, 18:412, 19:186, 19:187, 19:263, 19:407, 19:408, 19:411, 20:177, 20:179–182, 21:495, 22:94, 22:142, 22:250, 23:487, 23:491, 23:495, 23:496, 23:520, 24:2, 24:311, 25:58, 25:297–311, 25:535, 26:389, 26:391, 26:433, 27:110–112, 27:217, 28:170, 28:371, 29:378, 29:497, 29:498, 30:24, 30:25, 30:120, 30:306, 30:560, 31:160, 31:379, 31:521, 32:214, 32:216, 32:409, 32:410, 32:439, 33:139, 34:119, 34:229, 34:408, 35:87, 35:178, 35:179, 35:185, 35:250, 35:347, 35:406, 35:407, 36:189, 36:190, 36:203, 36:204, 36:287
gibbosus, 22:515, 35:87
gulosus, 19:263, 22:324, 22:525, 22:528, 22:529, 27:110–112, 29:378, 29:504, 32:215, 32:216, 35:347, 35:406, 36:203, 36:205
humilis, 2:101, 4:167, 15:141, 15:357, 18:344, 18:410, 20:177, 20:179–182, 25:58, 27:110–112, 30:25, 30:26, 31:160, 35:347, 35:406
machrochirus, 32:214
macrochiris, 12:333–334
macrochirtus, 16:283
macrochirus, 3:8, 3:10, 4:166, 8:137, 12:335, 14:214, 14:318, 14:370, 15:141, 16:283, 16:285, 16:288, 16:290, 16:293, 17:371–374, 18:344, 18:405, 19:264, 19:408, 19:411, 20:177, 20:179, 20:181, 20:315–322, 21:151–160, 21:497, 22:250, 22:281, 22:324, 23:520, 22:525, 22:528, 22:529, 24:2, 25:58, 25:298, 25:513, 25:514, 26:433, 26:433–436, 27:109–112, 27:217, 28:170, 28:380, 29:378, 29:504, 30:25, 30:253, 30:306, 30:509, 31:96, 31:160, 31:379, 32:216, 32:408–410, 32:439, 32:522, 32:524, 33:139, 33:195, 34:408, 35:87, 35:179, 35:250, 35:347, 35:406, 36:190, 36:203, 36:204, 36:208, 36:287
macrolophus, 22:525
marginatum, 16:288
marginatus, 1:18, 2:96, 16:283, 16:285, 16:288, 19:264, 22:544, 35:347
megalotis, 3:8, 3:10, 4:166, 8:137, 12:333–335, 14:370, 15:141, 16:283, 16:285, 16:288, 16:293, 17:381, 18:344, 19:264, 20:177, 20:179, 20:181, 20:182, 21:495, 22:525, 22:528, 22:529, 24:2, 24:482, 25:58, 27:109–112, 27:217, 30:25, 31:379, 32:214, 32:216, 32:409, 32:410, 32:439, 32:522, 32:524, 33:182, 35:346, 35:347, 35:406, 35:408, 36:203, 36:204
microlophus, 1:24, 2:100, 4:167, 12:335, 16:283, 19:264, 20:177, 20:179–282, 22:528, 22:529, 28:170, 29:378, 32:439, 32:522, 35:347, 36:203, 36:205, 36:208
punctatus, 1:18, 2:98, 8:137, 29:378, 29:382, 29:383, 30:306, 35:347, 35:349–351
symmetricus, 2:97, 3:8, 3:10, 29:504–505, 32:522, 32:524, 35:346
Lepomis symmetricus Forbes and *Fundulus chrysotus* (Gunther) from Aransas County, Texas, records of, Doyle T. Mosier, 29:504–505
Lepomys cyanellus, 11:311
Leporid *Aztlanolagus agilis* Russell and Harris (Leporidae: Leporinae), new records of the small, Alisa J. Winkler and Yukimitsu Tomida, 33:391–396
Leporidae, 20:497, 20:498, 20:505, 26:327, 27:460–463, 28:316, 29:197–210, 31:280, 32:185, 33:391–396, 34:304–306, 35:200, 36:100
Leporinae, 33:391–396
Leppla, Norman C., Habits of the hypertrophic blister beetle, *Cysteodemus armatus*, 21:49–54
Leprus cyaneus, 27:200, 27:203, 27:205
Leptdoma cognatum, 16:272
Leptestheria compleximanus, 12:383, 12:386, 12:387, 12:395, 12:398, 12:402, 18:476, 18:478, 18:479
Lepthemis vesiculosa, 2:7, 2:15
Leptilon, 20:332
canadensis, 13:210, 18:431, 18:439, 18:440
Leptinotarsa
decimlineata, 8:54, 8:55
defecta, 8:54, 8:55
Leptismatidae, 28:377
Leptocalamus trilineatus, 11:483, 11:485
Leptocera atra, 12:267
Leptoceridae, 23:383, 23:555, 25:252, 26:157, 28:354, 28:414, 31:436, 34:253
Leptochelia, 36:353
Leptochloa, 11:182, 11:383
dubia, 4:118, 5:9, 8:187, 10:50, 12:76, 22:342, 22:551, 32:191
filiformis, 4:118, 12:79
nealleyi, 11:187, 23:506, 25:322
uninervia, 11:393
virgata, 12:82
Leptochloöpsis, 11:145, 11:184, 11:185, 11:187, 11:372–394
condensata, 11:372, 11:382, 11:384, 11:389–391
virgata, 11:372, 11:382–384, 11:387, 11:389
Leptochola dubia, 32:111
Leptocuma forsmani, 20:481
Leptodactylidae, 5:66–70, 35:358–361
Leptodactylon pungens, 34:442
Leptodactylus
fragilis, 26:362, 32:78, 34:171, 35:277
labialis, 14:131, 32:78
melanonotus, 11:2, 14:130, 14:132, 26:362, 32:78, 35:277
Leptodea
fragilis, 22:241, 22:242, 22:245, 22:249, 27:350, 27:360, 27:361, 29:233
laevissima, 22:246
Leptodeira
annulata, 10:128, 14:131, 14:132, 26:356, 35:274, 35:278
nigrofasciata, 35:274, 35:278
punctata, 2:25
rhombifera, 35:274
septentrionalis, 8:221, 10:128, 10:129, 11:3, 16:229, 34:171, 35:274, 35:278
Leptoderia, 14:134
annulata, 14:133
Leptodiaptomus, 30:162
minutus, 26:82
tyrrelli, 26:82, 26:83
Leptodictyum riparium, 6:186
Leptodiera punctata, 2:19
Leptodora, 30:243
kindti, 33:466, 33:467
kindtii, 21:254–255, 23:168–170, 23:686–688, 26:74–75, 28:118–119, 30:242, 30:247
Leptodora kindtii (Focke) (Crustacea: Cladocera) and associated zooplankters in southeastern Kansas lakes, observations of, Carl W. Prophet, 23:168–170
Leptodora kindtii (Focke) (Crustacea: Cladocera) in Arkansas, new record of, Ralph B. Roseberg and Tom Moen, 26:74–75
Leptodora kindtii (Focke) (Crustacea: Cladocera) in Kansas: a new record, occurrence of, Lynn Kring, Dick Bronaugh, Carl Prophet, and Tom Mosher, 21:254–255
Leptodora kindtii (Focke) (Crustacea: Cladocera) in Oklahoma and Texas, discovery of, Jack R. Holt, David S. White, and Alan P. Covich, 23:686–688
Leptodora kindtii (Focke) (Crustacea: Cladocera) in southern Louisiana since 1973, John V. Conner and C. Fred Bryan, 28:118–119
Leptoglossus, 26:378
brevirostris, 29:435–437, 29:439–442
occidentalis, 26:375–377
phyllopus, 23:303

Leptohyphes, 25:142, 25:147
packeri, 31:15, 31:17–20
phalarobranchus, 31:18
sabinas, 31:18
vescus, 31:15, 31:17, 31:19, 31:20
Leptoloma cognatum, 2:158, 4:56, 4:117, 7:169, 7:172, 7:173, 16:273, 16:275, 10:37, 25:326, 35:74, 36:123
Leptonycteris, 12:407, 12:421, 12:426, 15:228, 20:243, 20:250, 22:164, 22:165
nivalis, 4:14, 4:15, 8:174–175, 12:478, 14:359, 15:21, 15:221, 16:249–259, 16:449, 17:287–292, 17:428, 20:242, 20:244, 20:247, 20:419, 28:144, 30:312, 30:445, 32:135, 32:174
sanborni, 11:306, 12:411, 12:412, 12:420, 12:422, 12:427, 15:13, 15:21, 16:251, 16:257, 17:289, 17:291, 17:292, 18:197, 20:249, 22:403, 23:155, 30:324, 32:136, 32:169, 32:172, 32:174, 32:175, 32:366, 32:494, 33:493, 33:494, 35:78, 35:232
yerbabuenae, 16:249–259, 18:196, 18:197
Leptonycteris nivalis (Phyllostomatidae) in Big Bend National Park, Texas, status of, David A. Easterla, 17:287–292
Leptophiebia bradleyi, 31:17
Leptophis
ahaetulla, 23:685, 27:161
diplotropis, 9:48, 35:278
mexicanus, 35:275
Leptophlebiidae, 25:251, 31:17, 34:253
Leptopogon amaurocephalus, 4:74, 4:80
Leptorhynchoides thecatus, 22:361, 29:381, 29:383
Leptosphaeria
albopunctata, 24:367
discors, 24:367
halima, 24:367
maritima, 24:367
pelagica, 24:367
Leptothorax, 21:6, 28:138, 30:259
carinatus, 28:140
hispidus, 28:140
nitens, 28:140
pergandei, 28:140
rugatulus, 17:49, 17:50, 17:52, 28:140
schaumi, 28:140
terrigena, 28:140
tricarinatus, 28:140
Leptotila verreauxi, 7:257, 18:198–200, 18:245, 30:567–571, 33:365, 36:259–261
Leptotrombidium
mexicanum, 15:452
myotis, 13:444–446
panamensis, 10:17–19
Leptotyphlopidae, 16:123–124, 17:365–370
Leptotyphlops, 36:307, 36:308
dulcis, 3:33, 3:45, 3:46, 4:107, 11:131, 12:455–462, 16:229, 17:309, 17:365–370, 21:123, 33:339, 33:344
goudotii, 35:278
humilis, 3:33, 3:45, 3:46, 9:46, 9:47, 12:457, 16:123–124, 34:522
phenops, 16:229
Leptotypholps humilis, 12:186
Lepturges
angulatus, 27:26
celtis, 27:26
infilatus, 27:26
Lepus, 16:155, 21:13, 22:14, 22:57, 23:153, 23:529, 24:275, 24:276, 24:278, 26:317, 31:280, 31:417, 33:391, 33:395, 35:236
alleni, 21:12, 33:487, 34:304, 34:305, 36:100
americanus, 21:451, 23:281, 25:36, 26:333, 26:334, 33:303
californicus, 1:109–115, 2:35, 3:26, 5:100, 10:315, 12:3, 12:11, 13:16, 16:7, 16:158, 16:214–217, 16:437, 18:196, 18:197, 18:352, 20:498, 21:10, 21:12, 21:14, 21:453, 21:454, 23:415, 23:564, 24:277, 24:554, 26:203, 26:328, 26:430, 28:317, 28:321, 28:322, 29:197–210, 29:340, 29:359–361, 30:340, 30:342, 31:279, 32:152, 32:153, 32:157, 32:158, 32:185, 32:293, 32:457–459, 33:367–370, 33:487, 34:304, 34:305, 35:200, 35:201, 36:100
callotis, 20:497, 29:358–360, 34:305
flavigularis, 34:304–306
townsendii, 18:352–354, 24:554, 26:335, 26:336, 29:201, 29:202, 30:340, 30:341, 32:157, 32:158
Lernaea, 25:487, 28:178, 28:179
carassii, 35:206–210
cyprinacaea, 22:529, 22:531
cyprinacea, 21:68, 21:69, 28:399, 28:400, 28:403
tenuis, 22:529
Lernaeidae, 35:206–210
Lernea, 30:521
Leskeella nervosa, 31:398
Lespedeza, 12:350
capitata, 2:155, 2:156, 2:163, 7:169, 12:348
intermedia, 7:170
procumbens, 7:170
repens, 7:170
stuevei, 2:163, 7:169, 25:330, 27:57
virginica, 4:57, 35:436
Lesquerella, 17:1, 22:347, 29:304, 32:452
fendleri, 21:315, 22:342, 23:296, 28:376, 31:36, 32:400
gordoni, 20:574, 22:342, 23:296, 27:305, 35:66, 35:71
gordonii, 2:162, 21:315, 23:320, 25:329
gracilis, 30:546, 30:548
lasiocarpa, 23:501, 25:322
ludoviciana, 12:139, 12:141, 27:301
montana, 24:552
ovalifolia, 4:56, 14:342, 14:352, 17:5, 17:7
purpurea, 35:65, 35:71
Lesquerrela pupurea, 22:342
Lessa, Enrique P., see Spellenberg, Richard, —
Lesser prairie chicken use of man-made leks, Maple A. Taylor, 24:706–707
Lesser siren, *Siren intermedia* (Urodela), notes on the, Charles Bennett and R. John Taylor, 13:455–457
Lestes, 8:70, 14:237, 14:242, 15:99, 15:101
alacer, 2:9, 2:14, 12:372
alcer, 12:384, 26:156
australis, 8:61, 8:69
congener, 6:131
disjunctus, 2:9, 2:14, 6:111–137, 8:58
dryas, 2:9, 2:14, 6:130, 6:131
forcipatus, 2:9, 2:12
forficula, 6:131, 6:132
inaequalis, 2:9, 2:14
rectangularis, 2:9, 2:14, 9:301
segma, 12:372
sponsa, 6:115, 6:117, 6:130, 6:132
unguiculatus, 2:9, 2:14
vigilax, 2:9, 2:14
Lestidae, 2:9, 6:111–137, 26:156, 32:289
Lethocerus, 8:136
griseus, 9:100, 10:77
uhleri, 9:100
Lethocerus griseus, an uncommon food item of the common mallard, E. O. Morrison, 10:77
Letisimulation in *Virginia striatula* (*Linnaeus*), Robert A. Thomas and Fred S. Hendricks, 21:123–124
Leucaena, 34:59
latisiliqua, 25:322
leucocephala, 23:502
pulverulenta, 23:502, 25:322, 27:23, 30:397, 30:398, 30:400, 36:213–215
retusa, 10:258, 10:259
Leucaspis cupressi, 16:328
Leucauge venusta, 11:365, 30:7
Leucelene ericoides, 17:7, 21:314, 23:296, 35:65, 35:70
Leuciscus evermanni, 31:158
Leuck, Beth E., Edwin E. Leuck, II, and Ross T. Bowlin Sherwood, A new population of New Mexico whiptail lizards, *Cnemidophorus neomexicanus* (Teiidae), 26:72–74
Leuck, Edwin E., II, see Leuck, Beth E., —
Leucobryum albidum, 28:241
Leucocoprinus
cepaestipes, 29:262
luteus, 29:262
Leucocrinum montanum, 12:140, 29:412
Leucocytozoon, 25:558, 25:559
Leucodon julaceus, 5:44, 28:241
Leucogyophana pseudomollusca, 17:409, 17:416, 17:418

Leucogyrophana
mollusca, 17:409, 17:414–416, 19:351
pseudomollusca, 19:351
Leucolejeunea
clypeata, 28:240
unciloba, 28:240
Leucopaxillus albissimus, 8:200
Leucophenga neovaria, 5:89, 5:90
Leucophoyx thula, 7:255, 27:52
Leucophyllum, 15:33, 32:452
frutescens, 16:10, 24:177, 24:305, 24:306, 26:291, 30:398, 30:400, 30:536, 30:539, 31:387, 36:215
laevigatum, 27:30
minus, 23:291, 23:295, 23:297, 27:30, 30:536
texana, 14:109
texanum, 18:436, 18:440
violaceum, 10:257, 10:259
Leucopoa, 18:321
Leucopternis albicollis, 4:68
Leucorrhinia dubia, 8:82
Leucorus, 12:269
Leucosidae, 11:140
Leucosticte tephrocotis, 22:370, 22:371
Leucosyke, 11:101
Leucotrichia pictipes, 31:432, 34:480
Leucrocuta, 34:480
maculipennis, 31:15, 31:17
Leuctridae, 36:326, 36:327
Levenson, Howard, and Robert S. Hoffmann, Systematic relationships among taxa in the Townsend chipmunk group, 29:157–168
Leverich, Wesley J., Pocket gophers, tanks, and plant community composition, 28:378
Leverich, Wesley J., The relationship between *Phlox drummondii* (Polemoniaceae) and its predator *Disonycha alabamae* (Chrysomelidae), 24:536–537
Leverich, Wesley J., see Schaal, Barbara A., —
Levi, Herbert W., Shortage of scientists? Oklahoma, 18:350
Lewis, Michael A., see Collins, James P., —
Lewis, Michael R., see Martin, Robert F., —
Lewis, Steven P., and Richard C. Harrel, Physicochemical conditions and diversity of macrobenthos of Village Creek, Texas, 23:263–272
Lewis, Steven P., Records of *Baetisca obesa* (Say) (Ephemeroptera: Baetiscidae) in Southeast Texas and Southwest Louisiana, 31:396–398
Lewis, Steven P., see Taylor, Steven J., —
Lewis, Thomas H., A Mogollon description of *Cyprinodon*, 26:71–72
Lewis, Walter H., A monograph of the genus *Rosa* in North America. II. *R. foliolosa*, 3:145–153
Lewis, Walter H., A monograph of the genus *Rosa* in North America. III. *R. setigera*, 3:154–174
Lewis, Walter H., and Dwight M. Moore, Hedyotis australis (Rubiaceae), a new species from the south central United States, 3:208–211
Lewis, Walter H., and Royce L. Oliver, Meiotic chromosomes in six Texas and Mexican Nemastylis and Sisyrinchium (Iridaceae), 6:45–46
Lewis, Walter H., Chromosome numbers for Ampelopsis arborea (Vitaceae) and Linaria texana (Scrophulariaceae), 3:214
Lewis, Walter H., Chromosome numbers for five American species of Calicarpa, Lantana, and Phyla (Verbenaceae), 6:47–48
Lewis, Walter H., Chromosome numbers for four North American asclepias, 6:46–47
Lewis, Walter H., Chromosome numbers for three United States species of Xyris (Xyridaceae), 6:99–100
Lewis, Walter H., Chromosomes of East Texas Hedyotis (Rubiaceae), 3:204–207
Lewis, Walter H., Rosa setigera F. alba a form of var. tomentosa, 3:214
Lewis, Walter H., Three chromosome numbers for Claytonia virginica (Portulacaceae), 3:130–132
Lewisia pygmaea, 20:431
Leydigia
acanthocercoides, 4:188, 4:192
quadrangularis, 4:188, 4:192
Liabum
discolor, 16:372
glabrum, 16:372
Liatris, 8:93, 12:80, 29:326, 29:329, 35:436
aspera, 7:170, 21:259, 32:31, 32:35
bracteata, 4:208
cymosa, 4:208
elegans, 12:348
glabrata, 2:170, 4:207, 4:208
mucronata, 4:208, 27:312
punctata, 2:170, 4:50, 4:52, 4:59, 4:208, 7:169, 12:139, 12:144, 17:7, 23:625, 25:336
pycnostachya, 4:207
secunda, 4:208
squarrosa, 4:59, 4:207, 7:170, 12:348
tenuis, 4:207–208
Liatris tenuis n. sp. (Compositae), another endemic in southeastern Texas, Lloyd S. Shinners, 4:207–208
Liatrus punctata, 14:342
Libellula, 14:237, 23:140, 23:218
auripennis, 2:6, 2:14
axilena, 2:12
comanche, 2:6, 2:14, 7:196
croceipennis, 2:6, 2:14, 2:16
cyanea, 2:6, 2:14, 4:132, 7:196
flavida, 2:6, 2:14, 4:132
incesta, 2:6, 2:14, 4:131
luctuosa, 2:6, 2:14, 4:132, 6:112
pulchella, 2:6, 2:14, 4:131, 12:372
quadrimaculata, 4:131
saturata, 2:6, 2:14, 12:372
semifasciata, 2:6, 2:14
vibrans, 2:6, 2:14, 4:132
Libellulidae, 2:4, 6:18, 7:191–197, 17:81, 19:109, 23:554, 25:252, 26:156, 27:457–458, 32:289, 36:164, 36:167
Libocedrus decurrens, 11:299, 19:112
Libythea bachmanni, 24:607, 24:610
Libytheidae, 24:607, 24:610
Licea, 9:157
biforis, 9:160–165, 10:221, 10:222, 23:690
flexuosa, 9:164
minima, 10:222
operculata, 16:143
parasitica, 10:222
pedicellata, 9:155, 10:221, 23:690
tenera, 10:221
variabilis, 9:164, 23:690
Liceaceae, 10:222, 16:143, 23:690
Lichanura
trivigata, 12:186
trivirgata, 34:522, 34:524
Lichonycteris obscura, 11:493
Licht, Paul, and Frederick R. Gehlbach, Ficimia cana and Tropidodipsas fasciata (Reptilia: Serpentes) in San Luis Potosí, Mexico, 6:197–198
Lieb, Carl S., review by, 30:621–622
Lieb, Carl S., see Clark, Donald R., Jr., —
Lieb, Carl S., see Dixon, James R., —
Liesveld, Douglas, and Kent Fiala, The cotton rat in Nebraska, 21:559
Life cycle of *Gymnosporangium cupressi*, the, Roger S. Peterson, 13:102–103
Life histories of the wolf spiders *Pardosa ramulosa* and *P. sierra* (Araneae: Lycosidae), comparative, Donald Van Dyke and Donald C. Lowrie, 20:29–44
Life history and ecology of the bluntnose shiner (*Notropis simus pecosensis*) in the Pecos River of New Mexico, Michael D. Hatch, William H. Baltosser, and C. Gregory Schmitt, 30:555–562
Life history and ecology of the desert night snake, *Hypsiglena torquata desertícola*: Colubridae, in southwestern Idaho, aspects of the, Lowell V. Diller and Richard L. Wallace, 31:55–64
Life history aspects of the paleback darter, *Etheostoma pallididorsum* (Pisces: Percidae), in the Caddo River sys-

tem, Arkansas, Patrick S. Hambrick and Henry W. Robison, 24:475–484
Life history aspects of the predaceous diving beetle, *Dytiscus dauricus* (Gebler), in Arizona, Joseph R. Holomuzki, 30:485–490
Life history data on some southwestern *Myotis*, Wayne H. Davis and Roger W. Barbour, 15:261–263
Life history notes and distribution of the johnny darter, *Etheostoma nigrum* (Percidae), in Colorado, David L. Propst and Clarence A. Carlson, 34: 250–259
Life history notes on the cliff chipmunk, *Eutamias dorsalis*, in Utah, E. Blake Hart, 21:243–246
Life history of *Diplocentrus bigbendensis* Stahnke (Scorpiones, Diplocentridae), the, Oscar F. Francke, 29:387–393
Life history of *Etheostoma punctulatum* (Pisces: Percidae) in northeastern Oklahoma, Stephen P. Vives, 32: 439–447
Life history of the desert shrew *Notiosorex crawfordi*, Donald F. Hoffmeister and Woodrow W. Goodpaster, 7:236–252
Life history studies of the earthworm Sparganophilus eiseni in Louisiana, Walter J. Harman, 10:22–24
Light and air on the trapping response of the pocket gopher, *Thomomys bottae* (Geomyidae), effects of, George J. Gamboa, 19:444–446
Light intensity on root and nodule growth of *Acacia smallii* seedlings, effects of, E. Burmeister and O. W. Van Auken, 34:54–60
Light requirements for growth of *Prosopis glandulosa* seedlings, J. K. Bush and O. W. Van Auken, 32:469–473
Lightle, Paul C., Delbert Wiens, and Frank G. Hawksworth, Low-temperature injury to Phoradendron in Arizona and New Mexico, 8:204–209
Lightle, Paul C., see Hawksworth, Frank G., —
Lightning-caused destruction in a desert plant community, Warren F. Steenbergh, 16:419–429
Ligia, 31:254, 31:255, 36:353
Ligidae, 36:353
Ligula
intestinalis, 28:399–401, 28:403
syprinacea, 28:403
Ligularia, 18:320
amplectens, 18:317, 18:321
bigelovii, 18:317, 18:321
caloxantha, 18:321
holmii, 18:317, 18:321
kanaitzensis, 18:321
pudica, 18:317, 18:321
soldanella, 18:317, 18:322, 20:429
taraxacoides, 18:317, 18:322
Ligule of *Selaginella fraiponti*, observations on the, Charles O. Rock and Ronald H. Segal, 17:405–408
Ligumia
recta, 27:350
subrostrata, 27:350
Ligurotettix, 21:52
Ligusticum porteri, 12:323, 12:326, 28: 290
Ligustrum, 18:441, 21:482, 27:429, 28:64
amurense, 18:433, 18:437, 18:440
japonica, 13:210
japonicum, 18:433, 18:440
lucidum, 13:210, 18:434, 18:440, 18: 442
ovalifolium, 18:434, 18:438, 18:440
sinense, 18:434, 18:438, 18:440
vulgare, 13:204, 29:83
Lile stolifera, 32:228
Liliaceae, 1:63, 1:67, 2:160, 4:56, 12:154, 15:410, 18:432, 18:438–442, 19:71, 20:435, 21:177–184, 23:507, 24:123–126, 25:327, 28:290, 30:321–322, 32: 526, 33:382–384, 35:74
Lilium, 5:50
medeoloides, 5:51
Lillywhite, H., see North, F., —
Limacella, 26:1, 26:3
illinita, 26:2, 26:3
Limacidae, 4:143, 7:55, 24:688
Limax
flavus, 4:143, 4:144, 4:146
marginatus, 4:143, 4:145
Limenandra, 18:166
Limenitis, 30:75
astyanax, 30:73, 30:74
Limitation of the hybrid index using *Quercus* leaf characters, a, Roger C. Anderson and Thieron Harrison, 24: 463–473
Limnadia stanleyana, 16:301
Limnadiidae, 32:1–4
Limnaoedus, 3:83
Limnephilidae, 28:127, 31:438, 31:452, 32:289, 34:185
Limnephilus, 27:39, 32:289, 34:480
abbreviatus, 31:442
assimilis, 31:444
castor, 31:442
clausa, 31:444
clausus, 31:422, 31:444
coloradensis, 31:442
concolor, 31:422, 31:444
dispar, 31:442
diversus, 31:442, 31:444
ectus, 31:422
externus, 31:442
exulans, 31:444
frijole, 31:443
hageni, 31:443
hyalinus, 31:443
janus, 31:443
kincaidi, 31:444
labus, 31:443
lithus, 31:443
minusculus, 31:442
moestus, 31:443
perpusillus, 31:444
picturatus, 31:422, 31:444
productus, 31:444
rhombicus, 31:423
rohweri, 31:444
sansoni, 31:423
secludens, 31:444
spinatus, 31:444
sublanatus, 31:445
taloga, 31:445
tarsalis, 31:445
thorus, 31:445
Limnesia, 23:554
Limnesiidae, 23:554
Limnichidae, 24:197, 25:250
Limnichites
browni, 24:197
simplex, 24:197
Limnochironomus, 1:152
Limnocoris, 25:142, 25:147, 25:251
Limnocythere, 17:244, 25:252, 25:255
reticulata, 23:223
Limnodea arkansana, 4:116, 25:278
Limnodrilus, 14:224, 14:226, 14:237, 14: 239, 14:241, 14:242, 14:244
claparedeanus, 23:139
hoffmeisteri, 23:139, 23:268, 24:509, 24: 517, 24:519, 24:520, 24:523–525, 25: 140, 25:145, 25:253, 25:264, 27:38, 28:130
udekemianus, 14:236, 23:139, 24:509, 24:517–520, 24:524, 25:140, 25:145, 25:253
Limnodromus
griseus, 36:110
scolopaceus, 36:110
Limnogonus hesione, 9:101
Limnologic information on waters of the Cuatro Cienegas Basin, Coahuila, Mexico, preliminary, W. L. Minckley and Gerald A. Cole, 13:421–431
Limnological features of Lyon County Lake after drainage and reflooding, Carl W. Prophet, 14:317–325
Limnological studies of temporary ponds in southeastern Louisiana, Walter G. Moore, 15:83–110
Limnology and biota of mine spoils ponds in Colorado, comparative, Steven P. Canton, 27:33–42
Limnology of playa lakes on the Llano Estacado, New Mexico and Texas, the, James E. Sublette and Mary Smith Sublette, 12:369–406
Limnophila, 14:238
sessiflora, 34:290
Limnophilus, 28:190
Limnophora, 14:238, 23:555

Limnorchis, 13:338
dilatata, 13:335, 13:339
dilatatiformis, 13:339
hyperborea, 13:335, 13:339, 13:340
saccata, 13:335, 13:339
stricta, 13:335
viridiflora, 13:340
Limnoria, 36:353
Limnoridae, 36:353
Limonia, 14:238
Limonium
californicum, 1:64
latifolium, 9:235
limbatum, 1:66
nashii, 22:37, 22:42, 22:44, 22:46, 23:503, 25:316, 36:123
Limosa
fedoa, 35:240, 36:109
haemastica, 36:110
Linaceae, 2:164, 4:57, 23:502, 25:330, 29:182, 29:429–433, 35:72
Linanthus, 24:431
aureus, 35:64, 35:73
bigelovii, 35:64, 35:73
nudatus, 27:371
septentrionalis, 29:411
Linaria, 23:153
canadensis, 23:320, 25:334
texana, 3:214, 35:73
Linathus aureus, 16:347
Lind, Owen T., see Bane, Carol A., —
Lind, Owen T., see Meyerhoff, Richard D., —
Lindauer, Ivo E., A comparison of the plant communities of the South Platte and Arkansas river drainages in eastern Colorado, 28:249–259
Lindberg, David R., see Belk, Denton, —
Lindeborg, Robert G., The desert shrew, Notiosorex, in San Miguel County, New Mexico, 5:108–109
Linder, Allan D., The American percid fishes *Ammocrypta clara* Jordan and Meek and *Ammocrypta pellucida* (Baird), 4:176–184
Linderiella, 20:91
occidentalis, 20:95, 20:101
Linderiellidae, 20:91
Lindernia anagallidea, 13:122
Lindheimera, 1:128, 1:132
mexicana, 1:125
texana, 1:125–127, 1:130, 24:433
Lindleya mespiloides, 36:358
Lindleyella mespiloides, 11:242
Lindsay, Hague L., and Warren H. Adams, First published records of *Crystallaria asprella* in Oklahoma, 19:218–219
Lindsay, Hague L., Jr., Additional records of *Ambystoma annulatum* from Arkansas and Oklahoma, 6:199–200
Lindsay, Hague L., Jr., see Blair, Albert P., —
Lindsey, Gaye P., see DeMott, Sara L., —
Lineaspis, 18:427
cupressi, 16:328, 16:329, 18:434
Liner, Ernest A., A new subspecies of false coral snake (*Pliocercus elapoides*) from San Luis Potosí, Mexico, 5:217–220
Liner, Ernest A., and Harold A. Dundee, Notes on reptiles and amphibians from southern Guerrero and Oaxaca, Mexico, 14:129–134
Liner, Ernest A., Notes on four small herpetological collections from Mexico. I. Introduction, turtles and snakes, 8:221–227
Liner, Ernest A., Notes on four small herpetological collections from Mexico. II. Amphibians, 11:296–298
Liner, Ernest A., Notes on four small herpetological collections from Mexico. III. Lizards, 11:406–408
Liner, Ernest A., review by, 27:125–126
Linhart, Samuel B., see Crespo, Raúl Flores, —
Linhart, Yan B., Maintenance of variation in cone morphology in California closed-cone pines: the roles of fire, squirrels and seed output, 23:29–40
Linicera albiflora, 31:349
Linnaea, 22:293, 22:294
Linosyris ramulosa, 9:192
Linotetranidae, 29:239, 29:240
Linum, 27:301
alatum, 23:502, 25:317
lewisii, 12:323, 24:433, 25:330, 29:429, 29:432, 35:72
medium, 29:326
perenne, 29:429, 29:432
pratense, 4:57, 23:320, 29:429–433, 36:354
puberulum, 35:65, 35:72
rigidum, 2:164, 4:57, 12:140, 14:331, 17:7, 23:320, 24:433, 25:331, 28:381, 28:382, 29:432
sulcatum, 7:169, 32:35
usitatissimum, 29:182, 29:183, 29:185
Linyphia, 11:367
marginata, 11:367
triangularis, 20:30
Linyphiidae, 11:366, 12:260, 20:59, 29:231, 30:1, 30:3, 30:6, 30:9, 30:121, 30:122, 30:124, 33:215–218, 34:350
Liodesus affinis, 26:157
Liolaemus, 33:124
Liometopum, 17:54, 28:138
apiculatum, 28:140
occidentale, 17:49, 17:50, 17:52
Liomys, 10:282, 10:283, 34:85, 34:95, 34:98
adspersus, 34:96
irroratus, 10:17–21, 11:306, 15:220, 15:226, 20:498, 23:155, 25:123, 28:379, 29:229–230, 34:96, 34:97, 36:344–346
pictus, 18:196, 18:197, 18:199, 18:200, 23:155, 30:324, 34:96, 34:97
salvini, 34:96
spectabilis, 34:96, 34:97
Lionycteris spurrelli, 34:417
Lipaugus unirufous, 4:72
Lipid content and delayed emergence of hatchling yellow mud turtles, David R. Long, 31:244–246
Lipid deposition and withdrawal before and during hibernation in *Pipistrellus subflavus* (Chiroptera: Vespertilionidae), Gene R. Ploskey and John A. Sealander, 24:71–78
Lipid values of epigean and cave-adapted *Astyanax*, comparative, Francis L. Rose and Robert W. Mitchell, 27:357–358
Lipocellidae, 28:425
Liposcelidae, 29:239
Lippia, 8:191, 15:415
cuneifolia, 15:415
graveolens, 26:87, 27:30, 36:77
lanceolata, 15:415
wrightii, 1:65, 17:423
Lipson, Milton P., and Paul R. Krausman, Parasites of desert leporids in the Picacho Mountains, Arizona, 33:487–488
Liquadumbar, 23:71
Liquidambar, 11:445, 23:424, 28:61, 28:64
styraciflua, 6:181, 12:342, 12:346, 13:364, 13:448, 14:98, 15:360, 18:431, 18:440, 18:441, 19:401, 21:475, 21:480, 21:481–483, 22:137, 27:387, 28:239, 29:83, 29:258, 31:192, 34:73, 34:154, 35:472, 36:172
Liquidamber styraciflua, 21:405
Lirceus hoppinae, 1:151
Liriodendron tulipifera, 6:181
Lisianthus russellianus, 2:41
Lisowski, Edward A., see Webb, Donald W., —
Lissemysia, 24:558, 24:561
Lissonotus flavocinctus, 27:23
Lissorchis
gullaris, 24:685
hypentelii, 29:377, 29:379, 29:382, 29:384
Lissorhoptrus oryzophilus, 31:521, 31:523, 34:204
Lista zoogeografica y ecologica de la ictiofauna continental de Chiapas, Mexico, Ma. de Lourdes Lozano y Salvador Contreras Balderas, 32:223–236
Listera australis, 25:275
Listera australis Lindley (Orchidaceae) new for Oklahoma, Lawrence K. Magrath, 25:275
Listronotus, 31:523

distinctus, 6:196
grypidioides, 28:475
humilis, 28:475
ingens, 6:196
nebulosus, 6:196
punctiger, 28:475
rotundicollis, 6:196
Listrophoridae, 10:17, 10:19, 35:113
Listrophorus, 10:19, 10:21
Lita
recens, 18:308
rectistrigella, 18:308
Litaneutria minor, 20:6
Lithocarpus densiflorus, 22:155
Lithospermum, 23:292, 23:299, 25:364, 25:365
canescens, 32:35
caroliniense, 2:167
cobrense, 35:65, 35:71
fossilium, 22:391, 22:392
incisum, 12:140, 25:333, 28:382, 30:547, 30:549, 35:65, 35:71
linearium, 17:7
multiflorum, 31:34, 31:36
Lithurge, 25:105
Lithyphantes, 11:359
pular, 11:360
Litter of *Thamnophis sirtalis proximas* (Say), a record, J. Hoyt Bowers, 12:200
Litter size and notes on reproduction in the giant water vole (*Arvicola richardsoni*), Larry N. Brown, 22:281–282
Litter size in *Sigmodon hispidus*, Larry P. Bowdre, 16:126–128
Litter survival of deer mice (*Peromyscus maniculatus*) in nest boxes, Roger A. Sleeper, 25:259–260
Little Colorado River spinedace, *Lepidomeda vittata*, in Arizona, the, W. L. Minckley and Louis H. Carufel, 12:291–302
Littlefield, Carroll D., Swainson's hawks praying on fall armyworms, 17:433
Littlejohn, M. J., see Fouquette, M. J., Jr., —
Littorina saxatilis, 27:255
Litvaitis, John A., and William S. Bartush, Coyote-deer interactions during the fawning season in Oklahoma, 25:117–118
Liu, Robert K., see Turner, Bruce J., —
Liver of the alligator gar Lepisosteus spatula (Lacepede), the structure of the, Burrus McDaniel and Stanley Casto, 11:303–305
Lixellus
filiformis, 8:168, 8:169
haldemani, 8:162, 8:163, 8:167–169
Lizard from Mexico of the *schiedi* group of *Anolis*, another new, Hobart M. Smith, 13:368–370
Lizard malaria in Arizona: island biogeography of *Plasmodium chiricahuae* and *Sceloporus jarrovi*, Jerome L. Mahrt, 32:347–350
Lizard of the *schiedi* group of *Anolis* from Mexico, a new, Hobart M. Smith and Dennis R. Paulson, 13:365–368
Lizards Cnemidophorus tigris, Cnemidophorus tessellatus and Crotaphytus wislizeni, observations on the, Donald W. Tinkle, 4:195–200
Llama hollomani, 22:260, 22:261
Llewellyn, Jeffrey B., Habitat selection by the desert woodrat (*Neotoma lepida*) inhabiting a pinyon-juniper woodland in western Nevada, 26:76–78
Lloydia serotina, 20:435
Loasa, 21:439
Loasaceae, 1:64, 2:165, 4:57, 21:433–441, 22:343, 23:297, 25:332, 31:34, 35:72
Lobaria, 17:25
Lobelia, 10:257
cardinalis, 2:169, 19:329, 24:214, 35:71
fenestralis, 27:362
laxiflora, 35:78
puberula, 12:348
siphilitica, 19:329
spicata, 32:35
syphilitica, 12:140, 12:142
Lobeliaceae, 2:169
Lobifera, 18:168
Lobipes lobatus, 14:362, 17:211, 36:108
Lobomon, 9:210
acutifolium, 9:216
montanum, 9:216
obtusifolium, 9:216
sarmentosum, 9:216
Local species richness of mammals at Bodie, California, high, Andrew T. Smith, 24:553–555
Lochmaeocles, 27:24
cornuticeps, 27:23, 27:25, 27:26
tessellatus, 27:25
Lochmiller, Robert L., and William J. Sheffield, Reproductive traits of male nilgai antelope in Texas, 34:276–278
Locomotor reactions of two cyprinodontid fishes to differences in dissolved oxygen concentrations, Loren G. Hill, William J. Matthews, and Gary D. Schnell, 23:397–400
Locustidae, 14:166, 17:81
Loden, Michael S., see Harman, Walter J., —
Lodes, Michael J., see Hoover, Jan Jeffrey, —
Loeflingia squarrosa, 35:71
Loeselia
amplectens, 18:77
scariosa, 9:107–108
Loeselia scariosa (Mart. & Gal.) Walp. in Texas again, George B. Van Schaack and Marshall C. Johnston, 9:107–108
Loganaceae, 25:332
Loganiaceae, 8:210–212, 13:137–142, 22:38, 23:297, 23:502
Logperches (*Percina caprodes* and *Percina macrolepida*) in Colorado, reports and verified occurrence of, Steven P. Platania, 35:87–88
Lolium, 11:326
multiflorum, 4:116
perenne, 9:308, 12:76, 31:178, 31:180–183, 35:316–319
temulentum, 35:316–319
Lomatium
nevadense, 35:70
orientale, 12:140, 21:362
Lonard, R. I., see Judd, Frank W., —
Lonard, Robert I., and Floyd R. Waller, Jr., *Helianthus simulans* S. E. Wats. (Compositae) in Robertson County, new to Texas, 16:121
Lonard, Robert I., and Frank W. Judd, Comparison of the effects of the severe freezes of 1983 and 1989 on native woody plants in the lower Rio Grande Valley, Texas, 36:213–217
Lonard, Robert I., and Frank W. Judd, Effects of a severe freeze on native woody plants in the lower Rio Grande Valley, Texas, 30:397–403
Lonard, Robert I., and Frank W. Judd, Phytogeography of South Padre Island, Texas, 25:313–322
Lonard, Robert I., *Calamagrostis inexpansa* (Gramineae) new to Kansas, 18:483
Lonard, Robert I., Frank W. Judd, and Sammie L. Sides, Annotated checklist of the flowering plants of South Padre Island, Texas, 23:497–509
Lonard, Robert I., see Carls, E. Glenn, —
Lonard, Robert I., see Heep, Michael R., —
Lonchocarpus acuminatus, 32:363
Lonchophylla concava, 15:3
Lonchorhina aurita, 11:490
Long, Charles A., and Carolyn J. Jones, Variation and frequency of occurrence of the baculum in a population of Mexican free-tailed bats, 11:290–295
Long, Charles A., and Claudine F. Long, Geographic records of the swift fox, *Vulpes velox*, 9:108
Long, Charles A., and Claudine F. Long, Range extension of the gray fox, *Urocyon cinereoargenteus*, 9:108–109
Long, Charles A., and Donald Cronkite, Taxonomy and ecology of sibling chipmunks in central Colorado, 14:283–291
Long, Charles A., Reproduction in the

white-footed mouse at the northern limits of its geographic range, 18: 11–20
Long, Claudine F., see Long, Charles A., —
Long, David R., Clutch formation in the turtle, *Kinosternon flavescens* (Testudines: Kinosternidae), 31:1–8
Long, David R., Lipid content and delayed emergence of hatchling yellow mud turtles, 31:244–246
Long, David R., Mullerian ducts in male *Bufo woodhousei*, 33:240–243
Long, Robert W., review by, 3:240–243
Long-eared owl diet in northwestern New Mexico, Carl D. Marti, Jeffrey S. Marks, Timothy H. Craig, and Erica H. Craig, 31:416–419
Long-legged myotis (*Myotis volans*) from central México, a noteworthy record of the, José Ramírez-Pulido, Gerardo Ceballos, and Stephen L. Williams, 25:124
Long-nosed bat in New Mexico, the, Clyde Jones and James S. Findley, 8:174–175
Long-term effects of a 1969 fire and three 2,4,5-T treatments on *Prosopis glandulosa* in Mitchell Co., Texas, Guy R. McPherson, Carlton M. Britton, and Henry A. Wright, 35:235–237
Long-term heavy-grazing effects on soil and vegetation in the Four Corners region, Apollo B. Orodho, M. J. Trlica, and C. D. Bonham, 35:9–14
Long-term sperm retention by a female crayfish (Decapoda, Astacidae), a case of, Douglas W. Albaugh, 18: 97–98
Long-tongued bat and spotted bat at Las Vegas, Nevada, Denny G. Constantine, 32:392
Longevity and feeding records of *Notiosorex crawfordi* in captivity, Merrit S. Keasey, III, 14:251
Longevity of *Gopherus berlandieri* (Testudinidae), notes on, Frank W. Judd and J. Carlton McQueen, 27:230–232
Longevity of the pocket mouse, *Perognathus longimembris*, Vaughan W. Edmonds and Daniel S. Fertig, 17: 300–301
Longevity record for *Myotis californicus*, Stephen D. Duke, Gary C. Bateman, and Martha M. Bateman, 24: 693
Longevity record for the little brown bat, *Myotis lucifugus*, in the western states, a, L. N. Brown, 34:287
Longistriata adunca, 23:404, 23:405
Longitudinal gradients of fishes in Thompson Creek, Louisiana, Vincent Guillory, 27:107–115
Longitudinal patterns in the fish assemblages of an Ozark stream, David L. McNeely, 31:375–380
Lonicera, 18:430, 18:439, 18:440, 28:64
albiflora, 6:99, 10:258, 10:259, 15:152, 15:160
arizonica, 15:153, 36:43
japonica, 24:64, 27:311
subspicata, 28:48
Loomelania melania, 19:215
Loomis, Richard B., see Davis, Richard M., —
Loomis, Richard B., see Wrenn, William J., —
Looney, Brian B., see Kimmel, Bruce L., —
Looper, Nell, see Kirkland, Henry, —
Lopez, Genaro, see Baker, Robert J., —
Lopez, Jose F., see Judd, Frank W., —
López-Forment, William, see Ramírez-Pulido, José, —
Lopezia mexicana, 27:362
Lophocereus, 34:523
schotti, 30:346
schottii, 25:339, 31:530, 32:22, 32:23, 34:392–401, 34:521
Lophocolea bidentata, 1:118
Lophodytes cucullatus, 17:148, 29:493
Lophopanopeus lockingtoni, 11:140
Lophortyx
californica, 4:170
californicus, 13:28, 20:507, 22:369, 24: 199, 27:220
douglasii, 2:35
gambelii, 2:122–128, 4:170, 13:27–34, 26:254, 27:220
Loranthaceae, 1:63, 2:45–47, 6:48, 12:154, 18:74, 18:433, 18:440, 29:435–444, 35:72
Lordalychidae, 29:239
Loring, Michael W., and Loren G. Hill, Temperature selection and shelter utilization of the crayfish, *Orconectes causeyi*, 21:219–226
Loring, Steven J., see MacKay, William P., —
Lot, Antonio, y Alejandro Novelo, Vegetacion y flora acuatica del Lago de Patzcuaro, Michoacan, Mexico, 33: 167–175
Lota, 15:356
vulgaris, 20:446, 20:448
Lotodes, 10:81–124
Lotus, 33:109
grandiflorus, 35:18
greenei, 35:72
humistratus, 33:428, 35:72
neomexicanus, 21:315
oroboides, 35:72
procumbens, 27:371
rigidus, 17:173, 17:174
scoparium, 28:48
scoparius, 31:180, 31:182, 35:18
strigosus, 31:182
wrightii, 27:329
Loudenslager, Eric J., John N. Rinne, G. A. E. Gall, and Robert E. David, Biochemical genetic studies of native Arizona and New Mexico trout, 31: 221–234
Loupomys, 32:238
Loureira cuneifolia, 8:123
Löve, Áskell, and William Simon, Cytotaxonomical notes on some American orchids, 13:335–342
Lovell, David C., Jerry R. Choate, and Steven J. Bissell, Succession of mammals in a disturbed area of the Great Plains, 30:335–342
Low-temperature injury to Phoradendron in Arizona and New Mexico, Paul C. Lightle, Delbert Wiens, and Frank G. Hawksworth, 8:204–209
Lowe, Charles H., and C. Wayne Howard, Viviparity and reproductive pattern in *Phrynosoma ditmarsi* in Sonora, Mexico, 20:265–270
Lowe, Philip O., Peter Ffolliott, and John G. Goodwin, Nematode parasites in largemouth bass, Presa de Novillo Reservoir, Sonora, Mexico, 22:537–538
Lowery, George H., Jr., The mammals of Louisiana and its adjacent waters (rev.), 20:289–291
Lowrie, Donald C., see Van Dyke, Donald, —
Loxia curvirostra, 19:6, 34:493, 36:248
Loxocemus
bicolor, 12:439–453, 14:130, 35:278
bronni, 12:450
sumichrasti, 12:449, 12:450
Loxodonta africana, 24:234
Loxogenes, 34:370
Loxosceles
devia, 11:340
laeta, 20:30
reclusa, 11:339, 11:340, 30:6
refescens, 11:340
Loxoscelidae, 11:339, 30:6
Loxothysanus, 16:373
sinuatus, 16:372
Lozano, Ma. de Lourdes, y Salvador Contreras Balderas, Lista zoogeografica y ecologica de la ictiofauna continental de Chiapas, Mexico, 32: 223–236
Lozano, Rogelio, see Reid, William, —
Lozano, Rogelio, see Reid, William H., —
Lucania, 23:490, 23:491, 23:494
goodei, 31:96
parva, 2:95, 2:99, 19:186, 22:324, 23: 487, 23:491, 24:181–185, 24:318, 25: 535, 29:504, 32:213, 32:215, 32:216, 32:409, 32:410, 36:189, 36:190, 36: 205, 36:208

Lucas, Spencer G., see Smartt, Richard A., —
Lucelene ericoides, 14:342
Lucier, Thomas, see Hubbs, Clark, —
Luderia kempii, 31:484
Ludwig, John A., see Beavis, William D., —
Ludwig, John A., see DePree, Elaine, —
Ludwig, John A., see Gadzia, Jimi S. Graham, —
Ludwig, John A., see Hansen, James D., —
Ludwig, John A., see Laslei, Roberta J. Gilstrap, —
Ludwig, John A., see Smith, Stanley D., —
Ludwig, John A., see Wallen, Deborah R., —
Ludwigia
adscendens, 33:175
alternifolia, 12:348
palustris, 15:333, 15:341
peploides, 33:175, 34:344, 34:345
repens, 34:290
Luebke, R. W., see Howells, R. G., —
Luederia kempi, 31:488, 31:491, 33:263, 33:266
Luehea candida, 12:336
Lulworthia
kniepii, 24:367
medusa, 24:367
Lumbricid earthworm populations in a Colorado mountain river, James V. Ward, 21:71–77
Lumbriculidae, 8:134, 8:135, 25:140, 25:253
Lumbricus terrestris, 10:23
Lumbrinereis, 20:480
Lung-fluke (*Haematoloechus*) of the bullfrog, *Rana catesbeiana*, in Jefferson County, Texas, incidence of infection by, Marion T. Knight, Curtis J. Barbay, and E. O. Morrison, 10:141–142
Lupinus, 12:153, 12:325, 24:544, 27:369–377, 28:462, 36:306
adsurgens, 27:371, 27:374–376
albifrons, 27:374–376, 35:18
albus, 27:373
ammophilus, 20:159–170
arboreus, 27:369, 34:57, 35:15, 35:18, 35:20
arbustus, 20:162
arcticus, 20:160, 20:162, 20:163, 20:167, 20:168
argentus, 20:162
arizonicus, 23:605–615, 25:282
benthamii, 27:371, 27:373, 27:374, 27:376
bicolor, 27:371, 27:373, 27:374, 27:376
brevicaulis, 35:67, 35:72
brewerii, 27:375
burkei, 20:163, 20:167
campestris, 12:152
concinnus, 21:315, 35:72
confusus, 20:167, 20:168
crassus, 20:164, 20:166–169
delicatulus, 20:167, 20:169
delicatus, 20:168
densiflorus, 27:371, 27:373–376,
durangensis, 20:168, 20:169
ehrenbergii, 18:74
elatus, 27:371, 27:375, 27:376
elegans, 12:152
excubitus, 27:371, 27:374–376
filicatus, 20:168
filicaulis, 20:167
formosus, 27:371, 27:374–376
hirsutissimus, 35:18
holmgrenianus, 18:398, 18:400
longifolius, 27:371, 27:374
losanii, 12:152
luteolus, 27:371, 27:373, 27:374, 27:376
madrensis, 20:159, 20:163, 20:167–169
mexicanus, 18:74
montanus, 12:152, 20:163
neomexicanus, 20:163, 20:167 168
ornatus, 20:159, 20:160, 20:162–164, 20:169
ornustus, 20:163
palmeri, 35:66, 35:72
perennis, 20:159, 20:162, 20:163, 20:167–169
plattensis, 20:163, 20:168, 20:169
polyphyllus, 20:162, 20:163
potosinus, 20:167, 20:168
prunophilus, 20:159–170
pusillus, 29:412
ruber, 27:371, 27:373, 27:374, 27:376
saxosus, 20:165–169
sierrae-blancae, 12:323
sparsiflorus, 12:185, 35:64, 35:72
subcarnosus, 30:543
succulentus, 27:371, 27:373, 27:374, 27:376
texensis, 25:280–282, 32:527
tooelensis, 20:160
truncatus, 35:18
villosus, 20:162
wyethii, 20:160–166, 20:168
Lupinus prunophilus Jones and *L. ammophilus* Greene (Papilionaceae), affinities of, B. J. Cox, 20:159–170
Lutjanidae, 32:226, 32:231, 35:45
Lutjanus, 35:45
analis, 36:206
apodus, 28:104, 36:206
argentiventris, 32:231
campechanus, 28:465, 36:206
colorado, 32:231
griseus, 20:463, 28:465, 36:205
novemfasciatus, 32:231
synagris, 36:206
Lutra
annectens, 18:200, 20:498, 20:499, 20:501
canadensis, 4:33, 26:335, 28:317, 28:319, 30:450, 32:158, 32:163, 32:164, 32:286–287
Lutreolina crassicaudata, 33:232
Lutrochus
arizonicus, 24:197
luteus, 8:113, 24:197, 25:141, 25:147, 25:250, 25:381, 25:383, 32:412
Lutzomyia vexator, 32:349
Luxilus, 12:466, 12:467
cardinalis, 34:415–416
chrysocephalus, 34:415
pilsbryi, 34:416
Luzula
parviflora, 20:435
spicata, 20:435
Lycaena dione, 21:34
Lycaenidae, 13:372, 18:308, 21:34, 28:466, 29:435, 29:437
Lycidae, 20:7, 20:9
Lycium, 5:144, 12:233, 17:174, 17:176, 17:394, 18:436, 18:440, 19:59, 19:129, 22:227, 32:423, 33:430, 36:305
andersoni, 27:359, 30:598
andersonii, 9:51, 9:58, 9:59, 15:138, 23:673, 23:674, 24:400, 25:173–175, 25:178, 26:296, 27:404, 31:471–473, 35:64, 35:74
californicum, 35:28
exsertum, 35:67, 35:74
pallidum, 35:74
berberioides, 10:259
berlandieri, 1:65, 22:340, 22:343, 22:344, 23:291, 23:298, 26:303, 26:304, 30:400, 30:598, 36:215, 36:303
brevipes, 29:213, 29:215
californicum, 28:211–213
carolinianum, 23:10, 23:504, 25:316, 25:402
fremontii, 28:213, 32:23–25
pallidum, 1:65, 1:67, 15:152, 23:674, 24:400, 24:401, 25:174, 27:4
puberulum, 23:291, 23:298
torreyi, 1:56, 1:65, 24:189
Lycogala
conicum, 10:222
epidendrum, 10:222
Lycomorpha pholus, 21:34
Lycopersicon esculentum, 35:19
Lycopodium annotinum, 9:107
Lycopodium annotinum on Wheeler Peak, Taos County, New Mexico, Neal L. Osborn, 9:107
Lycopus
americanus, 2:167, 12:140, 25:333
asper, 2:155, 2:156, 2:167
Lycosa, 11:355, 15:325, 28:100, 30:121, 34:51
acompa, 30:7, 30:11
antelucana, 11:357, 20:58, 30:10
avida, 11:357, 14:407, 21:43
baltimoriana, 11:357
carolinensis, 11:356, 16:124, 30:7
coloradensis, 20:55, 20:58, 20:61, 20:62, 20:65, 20:67

entelucana, 30:4
erratica, 11:357
frondicola, 11:357
gosiuta, 11:357, 14:407, 14:409
gulosa, 11:357
helluo, 11:357, 21:43
mimula, 14:407
ocreata, 11:357
permuda, 11:357
pulcra, 11:357
punctulata, 11:357
rabida, 11:356, 30:4
t-insignata, 20:30
Lycosidae, 11:355, 14:403–410, 15:323, 15:328, 20:6, 20:9, 20:29–44, 20:58, 20:61, 20:62, 21:42–44, 28:100, 29:231, 30:1, 30:4, 30:7, 30:9, 30:121, 30:122, 30:124, 30:603, 32:396, 32:491, 32:492
Lycurus
phleodies, 20:294
phleoides, 5:9, 8:190, 12:80, 16:14, 17:231, 27:339, 28:200, 29:358, 30:389, 35:67, 35:74
Lycus, 24:605
Lygaeidae, 20:7, 27:330, 28:376, 30:550, 32:396, 32:417, 32:420, 32:422, 35:156
Lygaeus lateralis, 2:127
Lygodesmia, 16:370
juncea, 12:139, 12:143, 13:387, 23:129, 29:280, 29:412
pauciflora, 15:181, 15:184
ramosissima, 15:175, 15:181, 15:184
rostrata, 25:336
tenuifolia, 15:181, 15:184
texana, 15:175, 15:181, 15:184
Lygosoma laterale, 1:134, 1:182, 5:77, 5:79, 5:81, 5:85, 9:105, 20:468
Lymnaea, 23:554, 25:236
bulimoides, 5:147, 5:155, 9:103, 12:372, 12:383, 12:385, 12:398, 12:402, 14:372, 16:307, 16:309, 27:239
caperata, 27:239, 27:240
columella, 14:372, 27:239, 27:349, 27:350
dalli, 5:155
humilis, 5:147, 5:155, 9:103, 27:239, 27:240, 14:239, 14:246, 16:316
modicella, 5:155
obrussa, 5:155
parva, 5:155
pereger, 31:543
reflexa, 27:239, 27:240
Lymnaeidae, 5:155, 9:103, 12:372, 23:554, 25:273, 25:393, 27:350, 28:190
Lynbya major, 11:202
Lynceus brevifrons, 12:383, 12:386, 12:387, 12:394, 12:398
Lynch, John D., and Hobart M. Smith, A new toad from western Mexico, 11:19–23
Lynch, Robert, see Pfiester, Lois A., —
Lyngbya, 14:369, 18:96, 24:162, 25:420, 31:43, 31:46
aerugineo-coerulea, 23:442
aestuarii, 10:231, 10:232, 11:202, 23:442, 24:158
aeurgineo-caerulea, 24:158
bergei, 8:239
corticola, 23:442
digueti, 23:442
diguetii, 24:158
hieronymusii, 11:202
latissima, 23:442
limnetica, 20:50, 20:51, 24:158, 24:160
major, 24:159
major, 23:442
majuscula, 23:442
martensiana, 23:442, 24:159, 24:160
nordgaardii, 23:442, 24:159, 24:160
stagnina, 23:442
taylorii, 11:202
Lynn, Robert T., A comparative study of display behavior in *Phrynosoma* (Iguanidae), 10:25–30
Lynx
lynx, 23:529
rufus, 4:32, 6:24, 7:240, 10:140, 12:156, 13:20, 17:430, 20:499, 21:14, 21:413, 21:451–457, 23:18, 23:529, 24:554, 26:293, 27:457, 29:105–113, 31:135–136, 31:216, 31:281, 32:149–150, 32:155–156, 32:158, 32:164, 32:457–461, 33:104–105, 33:163
Lynx from Nebraska, a recent record of a, Harvey L. Gunderson, 23:529
Lyonia lucida, 28:455
Lyonothamnus asplenifolius, 34:146–147
Lyons, John, and Sonia Navarro-Perez, Fishes of the Sierra de Manantlan, west-central Mexico, 35:32–46
Lyophyllum decastes, 8:200
Lyraspis ilicis, 16:328
Lyre snake *Trimorphodon vilkinsoni* in New Mexico, second record of the, Clyde Jones and James S. Findley, 8:175–177
Lysianassidae, 36:353
Lysianthus
exaltatus, 2:40
glaucifolius, 2:40
Lysiella, 13:338
obtusata, 13:335
oligantha, 13:340
Lysiloma
acapulcense, 32:363
candida, 21:127
divaricata, 36:361
Lysterophis, 20:554
Lythraceae, 1:39–41, 4:58, 15:414, 18:433, 18:439, 22:37, 23:502, 35:72, 36:123
Lythrum, 15:414
alatum, 15:414, 25:315
californicum, 4:52, 4:58, 15:414, 23:503, 25:315, 33:336, 33:337, 35:72, 36:123
lanceolatum, 2:130, 22:37, 23:503
Lytle, T. A., see Haynes, C. M., —
Lytogaster gravida, 19:70
Lytta
auriculata, 18:308
magister, 28:476
stygica, 18:308, 18:313
sublaevis, 18:308
tenebrosa, 18:308, 18:313
vulnerata, 18:308, 18:313
Lyuris phleoides, 21:59

Mabuya unimarginata, 35:278
Macaeranthera, 16:372
MacArthur foliage density estimate with actual leaf surface area and biomass, a comparison of the, Richard N. Conner and Kathleen A. O'Hallorran, 31:270–273
Macbrideola
cornea, 16:143, 16:145
decapillata, 16:143, 16:145, 23:691
scintillans, 9:155, 10:221, 10:224
MacCracken, James G., Coyote foods in southwestern Colorado, 26:317–318
Macdonaldius andersoni, 35:458–460
Mace, Arnett C., Jr., Osmotic water stress: mesophyll saturation deficit and transpiration rates of tamarisk, 16:117–120
Mace, Don S., Jr., and Leon McGraw, Jr., A confirmation of the occurrence of *Uca minax* LeConte (Ocypodidae) in Texas, 30:148
Machaerantha
pinnatifida, 23:296
scabrella, 22:342
Machaeranthera, 15:181, 16:370, 17:181, 19:361–363, 24:645–653, 34:488
aspera, 18:119, 18:121
bigelovii, 18:121
blephariphylla, 15:177, 15:182, 30:536
boltoniae, 15:177, 24:645–652
brevilingulata, 24:645–652
canescens, 18:121
canscens, 12:140
cichoriacea, 1:65
coloradoensis, 18:118, 18:121
gracilis, 35:70
gymnocephala, 15:182
gypsophila, 27:30
leucanthemifolia, 18:121
linearis, 1:65, 1:68, 15:177, 18:121
mexicana, 24:645–652
parviflora, 1:67
phyllocephala, 22:38, 22:43, 22:44, 22:46, 23:501, 25:316, 29:250, 36:122
pinnatifida, 23:129, 24:187, 29:280, 35:70
rubricaulis, 18:119, 18:121
scabrella, 24:714
selbyi, 18:369

tagetina, 35:64, 35:70
tanacetifolia, 2:170, 15:182, 18:121, 21:314
tenuis, 15:177, 24:645–652
tephrodes, 35:66, 35:70
tortifolia, 24:401
wrightii, 15:177, 15:182
gummosus, 21:127
Machaonia coulteri, 35:231, 35:234
Machilidae, 16:446
Mack, Lisa, see Topoff, Howard, —
MacKay, Emma, see MacKay, William, —
MacKay, Emma E., see MacKay, William P., —
Mackay, Harold A., A range extension of creeping wintergreen into New Mexico, 15:142
Mackay, Harold A., *Alchemilla minor* Huds. (Rosaceae) in New Mexico, 17:197
MacKay, William, and Emma MacKay, Analysis of internest movement in *Formica haemorrhoidalis* Emery (Hymenoptera: Formicidae), 28:295–302
MacKay, William, and Emma MacKay, Coexistence and competitive displacement involving two native ant species (Hymenoptera: Formicidae), 27:135–142
MacKay, William, and Emma MacKay, Temperature modifications of the nest of *Pogonomyrmex montanus* (Hymenoptera: Formicidae), 30:307–309
MacKay, William P., A new harvester ant from the mountains of southern California (Hymenoptera: Formicidae), 25:151–156
MacKay, William P., and Emma E. MacKay, Diurnal foraging patterns of *Pogonomyrmex* harvester ants (Hymenoptera: Formicidae), 34:213–218
MacKay, William P., Juan Francisco Perez Dominguez, and Luz Isela Valdez Sanchez, The army ants of the state of Chihuahua Mexico (Hymenoptera: Formicidae: Ecitoninae), 30:611–612
MacKay, William P., Steven J. Loring, Thomas M. Frost, and Walter G. Whitford, Population dynamics of a playa community in the Chihuahuan Desert, 35:393–402
MacKay, William P., The home range of the banded rock lizard *Petrosaurus mearnsi* (Iguanidae), 20:113–120
MacKay, William P., The scoliid wasps of the southwestern United States (Hymenoptera: Scoliidae), 32:357–362
Maclura
pomifera, 2:160, 10:43, 12:304, 14:93, 14:106, 14:107, 18:438, 18:440, 19:161, 24:533, 27:385, 27:428, 28:67, 29:83, 34:16
promifera, 18:433
MacMahon, James A., see Bickham, John W., —
MacMahon, James A., see Phillips, Donald L., —
Macoma mitchelli, 1:101
Macracis, 30:469, 30:470
Macrelmis, 32:288, 32:289
Macrobdella decora, 15:270
Macrobiotus
echinogenitus, 17:21–23, 35:302
furcatus, 17:21–23, 17:25
harmsworthi, 17:21, 17:24, 17:25, 35:302, 35:303
hufelandii, 17:21, 17:24, 17:25, 35:302–304
intermedius, 35:302
islandicus, 35:302
richtersi, 35:303
rubens, 17:21
Macrobranchium, 35:37
Macrochaetus, 23:636
Macroclemiys temmincki, 31:300
Macroclemmys, 1:176
temmincki, 1:182
Macroclemys temmincki, 21:547, 21:548, 27:454
Macrocyclops
albidus, 4:189, 4:193
ater, 4:189, 4:193, 14:324
Macroderoides spiniferus, 22:361
Macroderoididae, 27:73–78
Macrohaptor hopkinsi, 16:285, 16:287
Macroinvertebrates, 14:221–230, 14:231–248, 25:23–32, 28:125–135
Macroinvertebrates of a Colorado high mountain stream, Robert A. Short and James V. Ward, 25:23–32
Macromia, 8:135
annulata, 2:2, 2:12
australensis, 2:12
georgina, 2:4, 2:13
pacifica, 2:4, 2:15
wabashensis, 2:12
Macronema, 23:384
Macronychus glabratus, 8:112, 8:114
Macronyssidae, 10:17, 10:19, 20:241, 20:242, 20:244–247, 21:278
Macronyssidae and Laelapidae (Acarina: Mesostigmata) parasitic on bats, the, (rev.), Frank J. Radovsky, 13:374–376
Macronyssus, 21:277, 21:278
crosbyi, 20:241, 20:244
longisetosus, 20:241, 20:246
Macroparasites of fish from Eagle Mountain Lake, Texas, Terrence L. Gruninger, Clifford E. Murphy, and Joseph C. Britton, 22:525–535
Macrophoma, 24:368, 27:18
Macrophyllum macrophyllum, 31:532, 34:417–418
Macrophytes, 34:289–291
Macropterus
dolomieui, 16:288
salmoides, 14:213
Macroptilium gibbosifolium, 35:72
Macrorhoptrus sphaeralceae, 6:196
Macrosiagon dimidiatum, 28:476
Macrosiphonia
brachysiphon, 35:64, 35:70
macrosiphon, 23:296
Macrostomidae, 23:554
Macrostomum, 23:554
Macrothemis, 14:237
Macrothricidae, 4:188, 34:345
Macrothrix, 12:62
laticornis, 4:188, 4:191, 4:192, 14:324, 34:345, 34:347
Macrotus, 12:407, 12:422, 12:423, 17:427, 34:417
californicus, 4:15, 11:310, 33:494
mexicanus, 10:75
waterhousi, 12:195
waterhousii, 11:142–143, 12:408, 12:409, 12:419, 12:420, 12:426, 14:359, 15:13, 15:14, 15:396, 20:247, 23:155, 32:364, 35:232
Macuillamia rotundifolia, 15:415
Madden, David E., see Maxwell, Terry C., —
Maddux, Henry R., and William G. Kepner, Spawning of bluehead sucker in Kanab Creek, Arizona (Pisces: Catostomidae), 33:364–365
Maeda-Martinez, Alejandro M., *Paralimnetis mapimi* nueva especie (Crustacea: Conchostraca), un nuevo camaron almeja del Desierto Chihuahuense en el norte de Mexico, 32:67–74
Maevia, 11:349
fraternus, 11:353
inclemens, 17:165, 30:5
vittata, 11:353
Magalodacne
fasciata, 10:73, 10:74
heros, 10:73, 10:74
Magers, Theron E., see Hahn, Donald E., —
Magnolia, 11:103, 13:367, 28:63
grandiflora, 23:265, 30:463, 34:154
grandifolia, 29:261
leei, 16:112, 16:115
tripetala, 18:433, 18:440, 18:441
virginiana, 11:445, 12:346, 29:261, 34:154
Magnoliaceae, 16:111, 16:112, 18:433, 18:440
Magora gibberosa, 11:363
Magrath, Lawrence K., and Kermit L. Johnson, The genus *Rhynchospora* (Cyperaceae) in Kansas, 15:389
Magrath, Lawrence K., *Listera australis*

Lindley (Orchidaceae) new for Oklahoma, 25:275
Magrath, Lawrence, K., see Weedon, Ronald R., —
Mahler, W. F., and U. T. Waterfall, Baccharis (Compositae) in Oklahoma, Texas and New Mexico, 9: 189–202
Mahler, William F., Pollen morphology of the *Dalea mollis-D. neomexicana* complex (Leguminosae) in the United States, 15:187–191
Mahler, Wm. F., *Gnaphalium helleri* Britton (Compositae–Inuleae) in the Texas flora, 19:329
Mahler, Wm. F., The distribution of *Pyrrhopappus rothrockii* Gray (Compositae-Cichorieae) in Texas, 20:139
Mahler, Wm. F., see Coats, Catherine E., —
Mahmoud, I. Y., Comparative ecology of the kinosternid turtles of Oklahoma, 14:31–66
Mahnken, Robert, and Jerry Wilhm, Diel variation in species composition and diversity, density, and chlorophyll content of phytoplankton in an intermittent stream in Oklahoma, 27: 79–86
Mahonia (Berberidaceae) en el norte de Mexico, notas sobre la distribucion geografica de dos especies de, Jorge S. Marroquín, 11:238–244
Mahonia
fremontii, 26:397
repens, 12:137–139, 12:143
trifoliolata, 22:404
Mahrdt, Clark R., Courtship and copulatory behavior of *Cnemidophorus tigris tigris* (Sauria: Teiidae), 21:252–254
Mahrt, Jerome L., Lizard malaria in Arizona: island biogeography of *Plasmodium chiricahuae* and *Sceloporus jarrovi*, 32:347–350
Mahrt, Jerome L., Prevalence of malaria in populations of *Sceloporus jarrovi* (Reptilia: Iguanidae) in southeastern Arizona, 34:436–438
Maintenance of variation in cone morphology in California closed-cone pines: the roles of fire, squirrels and seed output, Yan B. Linhart, 23:29–40
Majidae, 11:140
Major fatty acids of wild bobwhites during fall and winter, Robert J. Robel and William E. Klopfenstein, 30:33–39
Malachiidae, 15:321, 20:7, 33:282, 36:51
Malachra capitata, 19:324
Malaclemys centrata, 23:459
Malacosoma pluviale, 29:238
Malacothrix
californica, 35:64, 35:70
clevelandii, 35:65, 35:70
fendleri, 21:315, 35:70
foliosa, 35:18
glabrata, 23:609, 23:611, 24:187
sonchoides, 18:119, 18:123
Malaria in populations of *Sceloporus jarrovi* (Reptilia: Iguanidae) in southeastern Arizona, prevalence of, Jerome L. Mahrt, 34:436–438
Malavastrum coromandelianum, 7:203
Malaxis
ehrenbergii, 14:447
soulei, 14:447
unifolia, 10:144
Maldonado, Jesus E., see Kirkland, Gordon L., Jr., —
Male pseudohermaphroditism in a population of kangaroo rats, *Dipodomys ordii*, Gary S. Pfaffenberger, Floyd W. Weckerly, and Troy L. Best, 31: 124–126
Malenka, 25:26
biloba, 36:326, 36:327
Mallard nest, an unusual, Robert E. Jones, 11:308
Mallomonas, 10:266, 17:245, 23:60
caudata, 23:445
Mallos trivittatus, 34:350, 34:353
Malomonas, 25:420
Malpighia glabra, 23:10, 30:400, 31:102, 36:215
Malpighiaceae, 12:154, 22:343, 23:297, 35:72
Malus, 27:428
Malva, 19:97
albifolia, 19:101
coccinea, 23:657
leprosa, 19:101
neglecta, 2:165, 17:47
parviflora, 25:314, 25:322
sherardiana, 19:101
Malvaceae, 1:64, 1:66–68, 2:126, 2:165, 3:215, 12:81, 13:383, 15:413, 18:368, 18:433, 18:439, 18:480–483, 19:97–103, 22:343, 23:297, 23:503, 23:651–660, 23:708–709, 25:332, 26:353, 30: 433–436, 33:221, 35:64, 35:72, 36: 75–83, 36:358–360
Malvastrum, 19:325
americanum, 19:324, 23:503, 25:322, 33:365, 36:77
aurantiacum, 19:324
coccineum, 13:387, 14:342, 17:7, 23:657, 23:658
cockerellii, 23:657
corchorifolium, 19:323, 19:324
coromandelianum, 19:324, 30:546, 30: 548
dissectum, 23:657
elatum, 23:658
Malvella
lepidota, 19:97, 19:100, 19:102
leprosa, 19:97–102
sagittifolia, 19:97, 19:98, 19:100, 19:102
sherardiana, 19:97–102
Mamillaria, 29:412
Mammal community structure in northeastern Nevada, small, Michael J. O'Farrell and William A. Clark, 31: 23–32
Mammal populations sampled by pit-fall and live-traps in Durango, Mexico, a comparison of small, Michael K. Petersen, 25:122–124
Mammal records from Sinaloa: *Nyctinomops aurispinosa* and *Onychomys torridus*, new, Don E. Wilson, 30: 323–324
Mammalaria microcarpa, 12:120, 12:121
Mammalia, 1:194, 22:487–493, 25:505, 25:512, 33:15–20
Mammalian predation on honey ants, *Myrmecocystus* (Formicidae), Robert M. Chew, 24:677–682
Mammalian prey of the common barn-owl (*Tyto alba*) along the Texas coast, Rollin H. Baker, 36:343–347
Mammalian prey selection by a captive bobcat, Thomas R. Stephenson, 33: 104–105
Mammals and reptiles for northwestern Zacatecas, Mexico, new records of, Rollin H. Baker, Mary W. Baker, Jerry D. Johnson, and Robert G. Webb, 25:568–569
Mammals from a Holocene sequence in central Texas and their paleoenvironmental implications, small, Alisa J. Winkler, 35:199–205
Mammals from Big Bend National Park, notes on some, Frank W. Judd, 12: 192–194
Mammals from Coahuila, Mexico, notes on the distribution of some, John T. Baccus, 23:707–708
Mammals from eastern Honduras, noteworthy records of, Lee Benshoff, Terry L. Yates, and Jeffery W. Froehlich, 29:511–514
Mammals from eastern Texas, additional records of, Robert L. Packard, 6:193–195
Mammals from Hidalgo, Mexico, records of, J. Knox Jones, Jr., Dilford C. Carter, and Wm. David Webster, 28:378–380
Mammals from Isla Cozumel, Quintana Roo, Mexico, records of, Mark D. Engstrom, Cheryl A. Schmidt, Juan Carlos Morales, and Robert C. Dowler, 34:413–415
Mammals from north-central Texas, additional records of, James C. Cokendolpher, David L. Holub, and Dennis C. Parmley, 24:376–377

Mammals from northern Texas, notes on some, William L. Cutter, 4:30–34
Mammals from Puebla, Mexico, distribution and natural history notes on some, Lawrence R. Heaney and Elmer C. Birney, 21:543–545
Mammals from southern Oaxaca, Rollin H. Baker and Daniel Womochel, 11:306
Mammals from the state of Querétaro, Mexico, noteworthy records of, Livia León-Paniagua, Esther Romo-Vázquez, Juan Carlos Morales, David J. Schmidly, and Daniel Navarro-López, 35:231–234
Mammals from western Texas, three species of, J. Knox Jones, Jr., and M. Raymond Lee, 7:77–78
Mammals in Durango, México, noteworthy range extensions of some, Michael K. Petersen, 21:139–142
Mammals in northern Mexico and Arizona, noteworthy range extensions of, Donald F. Hoffmeister, 22:150–151
Mammals in the state of Zacatecas, Mexico, new records of, John O. Matson, Rollin H. Baker, and J. Keever Greer, 23:154–156
Mammals of north-central Texas, Walter W. Dalquest, 13:13–22
Mammals of the Holloman local fauna, Pleistocene of Oklahoma, Walter W. Dalquest, 22:255–268
Mammals of the Pleistocene Slaton local fauna of Texas, Walter W. Dalquest, 12:1–30
Mammals of the San Bernardino Mountains, California, small, James A. Kolb and Marshall White, 19:112–114
Mammals on the central High Plains of eastern Colorado, associations of small, Michael P. Moulton, Jerry R. Choate, Steven J. Bissell, and Robert A. Nicholson, 26:53–57
Mammilaria gummifera, 21:315
Mammillaria, 12:143, 28:83, 29:213, 32:23
grahamii, 35:71, 36:305
gummifera, 22:341, 35:71
heyderi, 35:71
macromeris, 26:205
microcarpa, 12:185, 23:674, 28:212, 35:67, 35:71
pottsii, 30:536
scolymoides, 10:259
tetrancistra, 12:185
tuberculosa, 10:257, 10:259
vivipara, 12:140
wrightii, 34:162
Mammut, 32:239, 35:107
americana, 1:109
americanum, 21:14, 24:231–238
Mammuthus, 22:256, 29:199, 32:189, 32:191, 35:107
columbi, 22:266, 24:231, 32:282
haroldcooki, 22:255, 22:258, 22:259
imperator, 22:258
meridionalis, 22:259
Mamut americanum, 8:150
Man as a dispersal agent, F. R. Fosberg, 3:1–6
Manacus candei, 4:72
Manculus quadridigitatus, 11:137
Manduca, 20:394
quinquemaculata, 20:391, 20:393
Manfreda, 20:70
brachystachya, 32:169–178
Manfredium eudactylotum, 23:636
Mangifera indica, 32:363
Mangini, Maurizio A., First record of a Texas population of *Tilapia* (Pisces: Cichlidae), 28:374–375
Mangora, 11:361
fascialata, 30:7
gibberosa, 11:370, 30:7
maculata, 11:364, 30:7
ornata, 11:364
placida, 11:364, 30:7
Manihot
angustiloba, 35:66, 35:72
esculenta, 12:151
Manis, Archie, see Wilson, Gerald T., —
Manisuris cylindrica, 5:8, 7:170, 12:349
Manley, Donald G., Notes on the courtship and mating of *Dasymutilla* Ashmead (Hymenoptera: Mutillidae) in California, 21:552–554
Mann, Elton W., *Bacillus uniflagellatus*: sp. n. its unusual characteristics, 13:349–352
Mannes, John C., and Douglas B. Jester, Age and growth, abundance, and biomass production of green sunfish, *Lepomis cyanellus* (Centrarchidae), in a eutrophic desert pond, 25:297–311
Mannia
californica, 3:122
fragans, 6:187, 6:188
fragrans, 31:398
Manning, Richard W., see Jones, J. Knox, Jr., —
Manolepis putnami (Serpentes: Colubridae) from Chiapas, Mexico, first record of, Jerry D. Johnson, 23:538
Manolepis putnami, 23:538, 35:271
Mantidae, 18:285, 20:6, 28:377, 32:417, 32:421, 32:422, 32:424
Mantispidae, 24:605, 24:606
Manzanares, A. Romero, see Yeaton, R. I., —
Map of primeval vegetation in New Mexico, a, Frederick A. Gross and William A. Dick-Peddie, 24:115–122
Marah
gilensis, 35:66, 35:71
macrocarpus, 31:179, 31:182
Marasmius, 29:261
impudicus, 8:200
Maravalia pressa, 16:381
Marcellini, Dale, Range extension of the gecko, *Hemidactylus frenatus*, in Mexico, 15:397
Marchantia, 12:142
polymorpha, 12:113–118
Marchantiaceae, 12:113–118
Mareca americana, 5:107, 14:177
Marer, Patrick J., see Banta, Benjamin H., —
Mares, Michael A., see Carley, Curtis J., —
Mares, Michael A., see Fleharty, Eugene D., —
Margaranthus solanaceus, 23:504, 25:322, 35:74
Margarita metallica, 10:223
Margulis, Susan Weinberg, A possible cleaning symbiosis between *Pica pica* and *Odocoileus hemionus*, 32:138–139
Marilia, 28:353, 28:413, 32:289
flexuosa, 28:354, 28:414
Marina calycosa, 35:64, 35:72
Marion, Ken R., and Owen J. Sexton, Protective behavior by male pronghorn, *Antilocapra americana* (Artiodactyla), 24:709–710
Mariscus
aggregatus, 30:608
flavus, 11:125, 30:607, 30:608
huarmensis, 11:124, 11:125, 30:608
Mark-recapture method for adult caddisflies (Insecta: Trichoptera), a, David S. White and Max T. Henschen, 23:533–536
Markey, Donald R., Red snow in Arizona, 17:312
Marking Colorado squawfish embryos and newly hatched larvae with tetracycline, Robert T. Muth and Thomas P. Nesler, 34:432–436
Marking larval salamanders with fluorescent pigments, Patrick H. Ireland, 18:252–253
Markow, Therese A., see Fogleman, James C., —
Marks, Jeffrey S., see Marti, Carl D., —
Marmosa, 15:228
canescens, 33:231–233
mexicana, 11:306, 15:221, 28:378
Marmota, 22:64, 26:336, 29:162
flaviventris, 14:165, 14:168, 20:487–494, 21:520, 21:521, 22:49, 22:59–61, 22:283–284, 24:554, 25:36, 26:267, 26:275, 26:276, 26:282, 26:283, 26:335, 34:279, 34:284–287
marmota, 20:489
maximus, 22:221

monax, 15:203, 20:489, 22:213, 22:547–550, 28:317, 28:318, 28:320
Marmota flaviventris from the central Mojave Desert of California: biogeographic implications, H. Thomas Goodwin, 34:284–287
Marpissa
bina, 17:166
formosa, 30:8
lineata, 20:60, 30:5
pikei, 17:166, 30:5
robusta, 21:199, 21:202
undata, 11:349, 11:370
Marquardt, Richard E., Barnacle goose in Oklahoma, 5:228
Marr, Thomas G., and Ralph J. Raitt, Annual variations in patterns of reproduction of the cactus wren (*Campylorhynchus brunneicapillus*), 28:149–156
Marra, Peter P., Barbara M. Burke, and Ignazio Albergamo, Common barn-owl pellets from Louisiana, an analysis of, 34:142–144
Marroquín, Jorge S., Notas sobre la distribucion geografica de dos especies de Mahonia (Berberidaceae) en el norte de Mexico, 11:238–244
Marroquin, Jorge S., see Zamudio-Ruiz, Sergio, —
Marrubium vulgare, 1:57, 1:65, 16:276, 27:176, 28:48, 29:304, 31:347–351, 31:354, 31:355, 31:357, 35:18, 35:72
Marrubrium vulgare, 27:7
Marsden-Jones, E. M., and W. B. Turrill, British knapweeds. A study in synthetic taxonomy (rev.), 1:47–48
Marsdenia
agnota, 21:406, 21:408
bourgeana, 21:406
gilgiana, 21:406
gymnemoides, 21:406
lanata, 21:406–409
macrophylla, 21:407
mexicana, 21:406
tubularis, 21:406
Marsdenia lanata (Asclepiadaceae), and notes on the species, a new name, Warren Douglas Stevens, 21:406–409
Marsh, Clois E., J. Leon McGraw, Jr., and Richard C. Harrel, Rotifer population in a Southeast Texas oxbow lake with emphasis on cyclomorphosis of *Keratella cochlearis*, 23:633–640
Marsh, Edie, see Hubbs, Clark, —
Marsh, Paul C., and James E. Brooks, Predation by ictalurid catfishes as a deterrent to re-establishment of hatchery-reared razorback suckers, 34:188–195
Marsh, Paul C., and William E. Rinne, An unusually high incidence of spinal deformity among threadfin shad, 28:117–118
Marsh, Paul C., Effect of incubation temperatuare on survival of embryos of native Colorado River fishes, 30:129–140
Marsilea, 12:202, 13:118, 15:408
macropoda, 24:304, 24:305, 25:402
mucronata, 15:408, 24:434, 31:495, 31:499
uncinata, 15:408
vestita, 26:418
Marsileaceae, 13:118, 15:408
Marssonella, 8:232
Marssoniella, 8:232
Marsupialia, 33:231–233
Martarega
hondurensis, 23:617, 23:621
mexicana, 22:120, 22:327, 22:329, 22:331
Martes
americana, 13:449–451, 25:36, 26:333
pennanti, 10:143, 26:333, 26:334, 26:337
Marti, Carl D., Avian use of an oakbrush community in northern Utah, 22:367–374
Marti, Carl D., Jeffrey S. Marks, Timothy H. Craig, and Erica H. Craig, Long-eared owl diet in northwestern New Mexico, 31:416–419
Marti, Carl D., Notes on the least shrew in Colorado, 16:447–448
Marti, Carl D., review by, 24:397–398
Marti, Carl D., Some comparisons of the feeding ecology of four owls in north-central Colorado, 14:163–170
Marti, Carl D., see Wagner, Phillip W., —
Martin, Chester O., The cover illustration, *Euderma maculatum*, (Chiroptera: Vespertilionidae), 18:112–114
Martin, Chester O., see Schmidly, David J., —
Martin, Donald C., see Tacha, Thomas C., —
Martin, F. Douglas, Feeding habits of *Cyprinodon variegatus* (Cyprinodontidae) from the Texas coast, 14:368–369
Martin, F. Douglas, see Hubbs, Clark, —
Martin, John W., Jr., see Hendricks, D. Paul, —
Martin, Mark W., see Martin, Robert F., —
Martin, Paulette S., see Hubbs, Clark, —
Martin, R. R., see McMillan, C., —
Martin, Robert A., Further study of the Friesenhahn Cave *Peromyscus*, 13:253–266
Martin, Robert E., and Kenneth G. Matocha, The Texas kangaroo rat, *Dipodomys elator*, from Motley Co., Texas, with notes on habitat attributes, 36:354–356
Martin, Robert E., review by, 14:453
Martin, Robert F., George O. Miller, Michael R. Lewis, Sarah R. Martin, and Walter R. Davis, II, Reproduction of the cave swallow: a Texas cave population, 22:177–186
Martin, Robert F., Mark W. Martin, and Nancy G. Lanier-Martin, Geographic variation in white facial markings of juvenile cave swallows, 31:402–403
Martin, Robert F., Proximate ecology and mechanics of "intergeneric" swallow hybridization (*Hirundo rustica* x *Petrochelidon fulva*), 27:218–220
Martin, Robert F., Spawning behavior of the gray redhorse, *Moxostoma congestum* (Pisces: Catostomidae) in central Texas, 31:399–401
Martin, Sarah R., see Martin, Robert F., —
Martin, Stephen J., Additional records of black-footed ferrets in Wyoming, 28:95
Martin, William C., see Mexal, John, —
Martinez, Antonio, see Alvarez, Ticul, —
Martinez del Rio, Carlos, and Luis E. Eguiarte, The effect of nectar availability on the foraging behavior of the stingless bee *Trigona testacea*, 32:313–319
Martinez, E. F., see Senner, S. E., —
Martinez, Steve, Jr., see McKee, Cynthia Ruiz, —
Martinson, Robert, see Gray, Lawrence J., —
Martynia
fragrans, 28:448
louisianica, 2:168, 28:448
violaceae, 28:448
Martyniaceae, 2:168, 27:228, 28:445–449, 30:150–151, 30:343–348, 35:73
Masaridae, 24:380–381
Mascarello, James T., see Baker, Robert J., —
Maschalanthus polygonoides, 8:18
Maslin, T. Paul, The status of the rattlesnake *Sistrurus catenatus* (Crotalidae) in Colorado, 10:31–34
Mason, P. H., see Meyer, R. P., —
Mass die-off of the Mexican brown bat, *Myotis velifer*, in Texas, a, Gerald G. Raun, 5:104–105
Mass loss, nutrients, and invertebrates associated with elm leaf litter decomposition in perennial and intermittent reaches of tallgrass prairie streams, comparison of, Cathy M. Tate and Martin E. Gurtz, 31:511–520

Masser, M. P., and W. E. Grant, Fire ant-induced trap mortality of small mammals in east-central Texas, 31: 540–542
Masticophis, 7:240, 19:196, 26:267, 31: 260, 33:380
biliniatus, 34:522
flagellum, 1:182, 3:31–33, 3:46, 4:102, 5:227, 11:411, 11:412, 12:186, 16:7, 16:229, 19:194, 22:146, 23:18, 25: 118–120, 26:270, 26:293, 27:163, 34: 144, 34:460–467, 34:519, 34:523, 34: 524, 35:474, 36:171, 36:172, 36:174–176
lateralis, 34:466
mentovarius, 8:224, 35:274, 35:278
striolatus, 14:130
taeniatus, 3:31, 3:33, 3:47, 4:95, 4:102, 8:221, 8:224, 11:49–53, 11:133, 16: 11, 16:229, 19:194, 26:270, 26:293, 27:163, 31:61
Mastigloia smithii, 24:153
Mastigoproctus giganteus, 12:259
Mastogloia
braunii, 26:312, 26:314, 26:316
elliptica, 26:314
pumila, 26:312, 26:314, 26:316
smithii, 26:314
Mastophorus
dipodomis, 21:331
muris, 21:327, 21:328, 21:330, 21:331, 23:401–403, 23:405
Mastotermes darwiniensis, 35:287
Matelea
cyclophylla, 21:407
prosthecidiscus, 21:407
Maternal behavior and neonate aggregation in the western diamondback rattlesnake, *Crotalus atrox* (Crotalidae), observations on, Andrew H. Price, 33:370–373
Maternal behavior of a Mexican pocket gopher (*Pappogeomys castanops*), the, Graham C. Hickman, 20:142–144
Maternal influence on phenotypic expression in hybrids between two species of *Micropterus*, Gary P. Garrett, 33:405–411
Maternal response to neonate vocalizations in Ord's kangaroo rat (*Dipodomys ordii*), John P. LeVick, 27: 122–123
Mather, Charles M., New bivalve records from Lake Texoma, Oklahoma-Texas, 34:563–564
Mathiasen, Robert L., Distribution and effect of dwarf mistletoes parasitizing *Pinus strobiformis* in Arizona, New Mexico, and northern Mexico, 24:455–461
Mating behavior in the *Streptocephalus* fairy shrimps (Crustacea: Anostraca), Fred H. Wiman, 25:541–546
Mating behavior of *Polyphylla diffracta* (Coleoptera: Scarabaeidae), Harold G. Fowler and Walter G. Whitford, 26:215–216
Mating call as evidence of relations in the *Hyla eximia* group, W. Frank Blair, 5:129–135
Mating call types of the plains spadefoot, *Scaphiopus bombifrons*, in southwestern United States, distribution of two, Jack R. Pierce, 20:578–582
Mating expectancies and sex ratio in the damselfly, Enallagma praevarum (Odonata: Coenagrionidae), Clifford Johnson, 9:297–304
Mating success and pairing patterns in *Bufo valliceps* (Anura: Bufonidae), Julian C. Lee and Mark A. Salzburg, 34:155–157
Matocha, Kenneth G., see Martin, Robert E., —
Matson, John O., Rollin H. Baker, and J. Keever Greer, New records of mammals in the state of Zacatecas, Mexico, 23:154–156
Matsumuraiella conterminata, 21:344
Matthews, William J., and Frances P. Gelwick, Fishes of Crutcho Creek and the North Canadian River in central Oklahoma: effects of urbanization, 35:403–410
Matthews, William J., and Henry W. Robison, Addition of *Etheostoma colletei* (Percidae) to the fish fauna of Oklahoma and of the Red River drainage in Arkansas, 27:215–216
Matthews, William J., and Loren G. Hill, Buccal cavity prey retention in largemouth bass (*Micropterus salmoides*), 23:307–308
Matthews, William J., and Loren G. Hill, Habitat partitioning in the fish community of a southwestern river, 25: 51–66
Matthews, William J., and Loren G. Hill, Tolerance of the red shiner, *Notropis lutrensis* (Cyprinidae) to environmental parameters, 22:89–98
Matthews, William J., Eric Surat, and Loren G. Hill, Heat death of the orangethroat darter *Etheostoma spectabile* (Percidae) in a natural environment, 27:216–217
Matthews, William J., Ingestion of sand by the duskystripe shiner, *Notropis pilsbryi* Fowler, 22:543–544
Matthews, William J., Jan Jeffery Hoover, and W. Bryan Milstead, Fishes of Oklahoma springs, 30:23–32
Matthews, William J., see Asbury, Kenneth, —
Matthews, William J., see Harp, George L., —
Matthews, William J., see Hill, Loren G., —
Matthews, William J., see Mayden, Richard L., —
Maturity and fecundity of the bluehead sucker, *Catostomus discobolus* (Catostomidae), in the upper Colorado River Basin, Charles W. McAda and Richard S. Wydoski, 28:120–123
Mauer, Roger A., see Bradley, W. Glen, —
Maughan, O. E., see Rutherford, D. Allen, —
Maughan, O. Eugene, see James, Paul W., —
Maughan, O. Eugene, see Wagner, Bruce A., —
Mauney, Morris, Jr., New distributional records for caryophyllid cestodes from Arkansas, 24:685–686
Maur, Roger A., and W. Glen Bradley, Observations on sexual behavior in Merriam's kangaroo rat, 11:134–136
Maurandia antirrhiniflora, 16:324, 18:436
Maurandya antirrhiniflora, 35:73
Maxillary canine and supernumerary incisors in Arizona Coues white-tailed deer, Ross K. Watkins and Philip J. Urness, 17:211–213
Maxwell, Marvin H., and Larry N. Brown, Ecological distribution of rodents on the High Plains of eastern Wyoming, 13:143–158
Maxwell, Terry C., David E. Madden, and Ross C. Dawkins, Status of Le Conte's sparrow, *Ammodramus leconteii* (Emberizidae), wintering in western Texas, 33:373–375
Maxwell, Terry C., First record of Heermann's gull in Texas, 22:282–283
Maxwell, Terry C., Vireos (Aves: Vireonidae) in west-central Texas, 24: 223–229
Mayatrichia, 25:143, 25:255, 32:288
acuna, 31:432, 36:286
ayama, 25:382, 25:383
ponta, 25:382, 25:383
Mayberry, Lillian F., John R. Bristol, and Donald W. Duszynski, *Isospora californica* (Protozoa: Eimeriidae) in *Peromyscus maniculatus* (Cricetidae) from White Sands National Monument, New Mexico, 25:125–126
Mayden, Richard L., and Frank B. Cross, Reevaluation of Oklahoma records of the southern cavefish, *Typhlichthys subterraneus* Girard (Amblyopsidae), 28:471–473
Mayden, Richard L., and William J. Matthews, Zoogeographic implications of *Luxilus cardinalis* (Cyprinidae) and *Etheostoma radiosum* (Percidae) in the Washita River System, Oklahoma, 34:415–416
Mayden, Richard L., Biogeography of

Ouachita Highland fishes, 30:195–211
Mayden, Richard L., see Hillis, David M., —
Mayeux, H. S., Jr., and C. J. Scifres, Vegetative growth and mortality of Drummond's goldenweed (*Isocoma drummondii* [T. & G.] Greene: Compositae) as influenced by soil moisture and site characteristics, 24: 97–114
Mayeux, H. S., see Everitt, J. H., —
Mayflies (Ephemeroptera) of the Concho River, Texas, Brad C. Henry, Jr., 31:15–21
Mayfly nymph, *Heptagenia flavescens* (Walsh) (Ephemeroptera: Heptageniidae), southwestern range extension and unusual habitat for the, Richard V. Anderson and William S. Vinikour, 23:167–168
Maynard, Sharon Seiler, *Branchinecta paludosa* (Müller) (Crustacea: Anostraca) in northern Utah with some notes on its ecology, 20:582–585
Maytenus
phyllanthoides, 36:215
texana, 28:388, 30:398, 30:400
Mazama
americana, 28:380, 35:4, 35:234
gouazoubira, 35:4
Mazatlania fulgarata, 20:480
Maze, J. R., see Tucker, J. M., —
McAda, Charles W., and Richard S. Wydoski, Maturity and fecundity of the bluehead sucker, *Catostomus discobolus* (Catostomidae), in the upper Colorado River Basin, 28:120–123
McAda, Charles W., Charles R. Berry, Jr., and Charles E. Phillips, Distribution of fishes in the San Rafael River system of the upper Colorado River Basin, 25:41–49
McAda, Charles W., Colorado squawfish, *Ptychocheilus lucius* (Cyprinidae), with a channel catfish, *Ictalurus punctatus* (Ictaluridae), lodged in its throat, 28:119–120
McAda, Charles W., see Tyus, Harold M., —
McAdoo, J. Kent, see Ports, Mark A., —
McAlister, Wayne H., Species distribution in a mixed Scaphiopus-Bufo breeding chorus, 3:227–229
McAllister, Chris T., and Stanley E. Trauth, An instance of the eastern collared lizard, *Crotaphytus collaris collaris* (Sauria: Iguanidae) feeding on *Sigmodon hispidus* (Rodentia: Cricetidae), 27:358–359
McAllister, Chris T., and Stanley E. Trauth, Endoparasites of *Crotaphytus collaris collaris* (Sauria: Iguanidae) from Arkansas, 30:363–370
McAllister, Chris T., First record of *Corrodopsylla hamiltoni* (Siphonaptera: Hystricopsyllidae) in Texas, 34:561–563
McAllister, Chris T., Food habits and feeding behavior of *Crotaphytus collaris collaris* (Iguanidae) from Arkansas and Missouri, 30:597–600
McAllister, Chris T., Ingestion of spinose ear ticks, *Otobius megnini* (Acari: Argasidae) by a Texas spotted whiptail, *Cnemidophorus gularis gularis* (Sauria: Teiidae), 32:511–512
McAllister, Chris T., Rocky Ward, and Kenneth L. Williams, Noteworthy milk snakes (*Lampropeltis triangulum*) from Texas, 32:406–408
McAlpine, Susan, Continued decline of elk populations within Guadalupe Mountains National Park, Texas, 35:362–363
McArthur, E. Durant, see Hegerhorst, Dale, —
McArthur, E. Durant, Stewart C. Sanderson, and Kimball T. Harper, Expansion of the known distribution of the rare Zion tansy, *Sphaeromeria ruthiae* (Asteraceae), 34:441–443
McArthur, G. S., see Williams, Olwen, —
McAtee, J. W., see Scifres, C. J., —
McAtee, Jerry W., Robert D. Oefinger, and C. J. Scifres, Predicting top-growth yield of gulf cordgrass from basal diameter and volume measurements, 23:197–204
McAtee, W. L., A review of the Nearctic Viburnum (rev.), 1:90–91
McAuliffe, Joseph R., Paloverdes, pocket mice, and bruchid beetles: interrelationships of seeds, dispersers, and seed predators, 35:329–337
McAuliffe, Joseph R., see Hutto, Richard L., —
McBee, James T., see Poff, Mark J., —
McCafferty, W. P., see Waltz, R. D., —
McCamant, Richard E., see Rylander, Michael K., —
McCarley, Howard, and Curtis Carley, *Canis latrans* and *C. rufus* vocalization: a continuum, 21:399–400
McCarley, Howard, and Loren G. Hill, Reproduction of *Lepisosteus spatula* (Lepisosteidae) in Lake Texoma, 24: 694–695
McCarley, Howard, and M. F. Cundiff, Range extensions for some East-Texas amphibians, 10:311–312
McCarley, Howard, and Robert F. Clarke, The Southwestern Association of Naturalists: the first 30 years, 1953 to 1983, Howard McCarley and Robert F. Clarke, 34:1–26
McCarley, Howard, Differential reproduction in *Spermophilus tridecemlineatus*, 14:293–296
McCarley, Howard, New locality records for some Oklahoma mammals, 6:108–109
McCarley, Howard, *Rana areolata* in southern Oklahoma-northern Texas, 15:266–267
McCarley, Howard, *Rana grylio* in the coastal prairie of Texas, 20:420
McCarley, Howard, review by, 14:374–375
McCarley, Howard, The taxonomic status of wild Canis (Canidae) in the south central United States, 7:227–235
McCarley, Howard, see Brown, Richard H., —
McCarley, Howard, see Taylor, R. John, —
McCarley, W. H., Color variations of ground squirrels (*Citellus mexicanus*, Sciuridae) in Texas, 1:30–34
McCarthy, Timothy J., Black and white owl in Belize (British Honduras), 20:585–586
McCarthy, Timothy J., Michael L. Reed, and David W. Burton, Bilateral hyperdontia in the Neotropical bat *Macrophyllum macrophyllum*, 34: 417–418
McClean, Terry M., see Fonteyn, Paul J., —
McCleary, James A., and Kenneth A. Wagner, A study of three xeric plant communities, 17:169–180
McCleary, James A., New Arizona plant records, 4:154–155
McCleary, James A., Notes on Arizona plants, 2:152–154
McClenaghan, Leroy R., Jr., Notes on the population ecology of *Perognathus fallax* (Rodentia: Heteromyidae) in southern California, 28:429–436
McClenaghen, Leroy R., Jr., see Gaarde, William A., —
McClintock, Nancy, see Wilhm, Jerry, —
McClung, G. Dan, and Jack R. Davis, Additional records of *Cordylophora lacustris* Allman, 1871 (Hydroida: Clavidae) from Texas, 28:112–113
McClung, G. Dan, Jack R. Davis, Darrell Commander, John Pettitt, and Ellen C. Cover, First records of *Cordylophora lacustris* Allman, 1871 (Hydroida: Clavidae) in Texas with morphological and ecological notes, 23:363–370
McClure, William L., A new record of

Opheodrys vernalis blanchardi in Texas, 14:129
McClure, William L., see Kaspar, Timothy C., —
McCoid, Michael J., and James R. Dixon, Notes on Mexican *Rhadinaea* (Serpentes: Colubridae), 26:436–437
McCoid, Michael J., and Thomas H. Fritts, Growth and fatbody cycles in feral populations of the African clawed frog, *Xenopus laevis* (Pipidae), in California with comments on reproduction, 34:499–505
McCoid, Michael J., and Thomas H. Fritts, Notes on the diet of a feral population of *Xenopus laevis* (Pipidae) in California, 25:272–275
McCoid, Michael J., Jack W. Sites, Jr., and James R. Dixon, An additional specimen of *Chersodromus rubriventris* (Colubridae), 25:429
McComas, Steven R., see Kimmel, Bruce L., —
McCoy, C. J., A new alligator lizard (genus *Gerrhonotus*) from the Cuatro Cienegas Basin, Coahuila, Mexico, 15:37–44
McCoy, C. J., Communal hibernation of the lizard *Cnemidophorus tigris* (Teiidae) in Colorado, 19:218
McCoy, C. J., Jr., see Branson, B. A., —
McCoy, C. J., Jr., see Branson, Branley A., —
McCoy, Clarence J., Hobart M. Smith, and J. A. Tihen, Natural hybrid toads, *Bufo punctatus* x *Bufo woodhousei*, from Colorado, 12:45–54
McCoy, Clarence J., Jr., and Pat H. Miller, Ecological distribution of the subspecies of *Ammospermophilus leucurus* in Colorado, 9:89–93
McCoy, Clarence J., Jr., and V. Eugene Nelson, Helix aspersa (Gastropoda: Pulmonata) established in Colorado, 7:268–269
McCoy, Clarence J., Jr., Distribution of the subspecies of *Sceloporus undulatus* (Reptilia: Iguanidae) in Oklahoma, 6:79–85
McCoy, Clarence, J., Jr., Notes on snakes from northern Mexico, 9:46–48
McCoy, Clarence J., Jr., see Branson, Branley A., —
McCranie, James R., First record of *Tantilla bocourti* (Reptilia: Colubridae) from Zacatecas, Mexico, 22:275
McCuller, Ronald E., and Gerald G. Raun, Notes on the distribution of some reptiles and amphibians in northeastern Texas, 16:220
McCulloch, Clay Y., A history of predator control and deer productivity in northern Arizona, 31:215–220
McCulloch, Clay Y., Jr., Age classification and weight variations of Ord's kangaroo rat on the southern Great Plains, 6:149–155
McCulloch, Clay Y., Recent records of white-tailed deer in northern Arizona, 12:482–484
McCullough, David A., see Harris, Charles P., —
McCullough, Jack D., and Betsy Smith, Some ecological observations on *Urnatella gracilis* Leidy, 20:171–176
McCullough, Jack D., and Vickie L. Reat, Effects of temperature and body length on filtering rates of two chydorid Cladocera, 36:237–242
McCutchen, Henry E., A minimum breeding age for a desert bighorn ewe, 22:153
McDaniel, B., and Eric G. Bolen, A new distribution record for the genus *Cheiroseius* Berlese with a description of a new species from Texas (Acarina: Ascidae), 28:225–230
McDaniel, B., Host records of ectoparasites from small mammals of South Dakota, 24:689–691
McDaniel, B., see Bolen, E. G., —
McDaniel, Burrus, and Stanley Casto, The structure of the liver of the alligator gar Lepisosteus spatula (Lacepede), 11:303–305
McDaniel, Burrus, The armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae), 13:201–242
McDaniel, Burruss, and Irving Patterson, Nematode infestation of a white pelican found along the Gulf Coast of Texas, 11:312
McDaniel, Burruss, Fungus infection of two species of grasshoppers in western South Dakota, 31:269–270
McDaniel, Burruss, The armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part II the tribe Aspidiotini, 14:89–113
McDaniel, Burruss, The armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part III the tribe Aspidiotini, 14:411–440
McDaniel, Burruss, The armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part IV the tribe Diaspidini, 15:275–308
McDaniel, Burruss, The armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part V the tribe Diaspidini, 16:321–340
McDaniel, Burruss, The armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part VI the tribe Diaspidini, 17:389–404
McDaniel, Burruss, The armored scale insects of Texas (Homoptera: Coccoidea: Diaspididae) Part VII tribe Odonaspioini subfamily Phoenicococcinae host list of Texas Diaspididae keys of subfamilies, tribes and genera of Texas Diaspididae, 18:417–442
McDaniel, James S., and Horace H. Bailey, Seasonal population dynamics of some helminth parasites of centrarchid fishes, 18:403–416
McDaniel, Kirk C., see Hague, Zahoorul, —
McDaniel, V. Rick, see Huggins, James A., —
McDaniel, V. Rick, see Paige, Ken N., —
McDaniel, V. Rick, see Saugey, David A., —
McDaniel, V. Rick, see Tumlison, Renn, —
McDiarmid, Roy W., and Mercedes S. Foster, Breeding habits of the toad *Bufo coccifer* in Costa Rica, with a description of the tadpole, 26:353–363
McDonald, H. Gregory, see Akersten, William A., —
McDonald, J. N., and K. C. Corkum, A woodland musk ox, *Symbos cavifrons* (Artiodactyla: Bovidae), from Bayou Sara, Louisiana, 32:139–143
McGaugh, M. Houston, and Hugh H. Genoways, State laws as they pertain to scientific collecting permits (rev.), 22:287
McGee, Louis E., Extension of the range eastward for *Taxidea taxus* (Carnivora: Mustellidae), 10:78
McGee, Louis E., see Tyler, Jack D., —
McGinnies, W. G., B. J. Goldman, and Patricia Paylore (eds.), Deserts of the world (rev.), 14:373–374
McGlathery, T. R., see McMillan, C., —
McGraw, J. Leon, Jr., and Terry C. Allison, Helminth parasites of Centrarchidae from the Little River system of Texas, 12:332–334
McGraw, J. Leon, Jr., see Lewis, David P., —
McGraw, J. Leon, Jr., see Marsh, Clois E., —
McGraw, J. Leon, Jr., see Simpson, Douglass T., —
McGraw, Leon, Jr., see Mace, Don S., Jr., —
McGregor, Ronald L., and W. T. Barker, Thymelaea passerina (L.) Coss. and Germ. (Thymelaeaceae) in western Nebraska, 14:128
McGregor, Ronald L., Larry Harms, and Aleta Petrik, Eleocharis quadrangulata var. crassior, Rhyncospora

harveyl, and Scleriaciliata (Cyperaceae) in Kansas, 11:414
McIver, James D., Spiders from a Colorado grassland, 29:230–232
McKamie, James A., and Gary A. Heidt, A comparison of spring food habits of the bullfrog, *Rana catesbeiana*, in three habitats of central Arkansas, 19:107–111
McKee, Cynthia Ruiz, and Steve Martinez, Jr., An endoparasite of *Holbrookia propinqua propinqua* (Iguanidae), 26:75–76
McKenna, Thomas M., see Schnell, Gary D., —
McKenney, Charles O., and Royce E. Ballinger, Snake predators of lizards in western Texas, 11:410–412
McKenzie, T. L., see Meyer, R. P., —
McKinnerney, Marsha, Carrion communities in the northern Chihuahuan Desert, 23:563–576
McKown, Ronald R., see Killebrew, Flavius C., —
McLaughlin, Roy E., see Vidrine, Malcolm F., —
McLaughlin, Steven P., A new species of *Amsonia* (Apocynaceae) from central New Mexico, 30:563–565
McLaughlin, Steven P., and Janice E. Bowers, A floristic analysis and checklist for the northern Santa Rita Mountains, Pima Co., Arizona, 35: 61–75
McMahon, Robert F., and Archibald W. Hopkins, New populations of the fresh-water limpets, *Ferrissia walkeri* (Pilsbry and Ferriss) and *Laevapex fuscus* (C. B. Adams) (Pulmonata: Anacylidae) in north central Texas, 22:353–357
McMahon, Robert F., David W. Aldridge, and Gary L. King, New distribution records for two species of freshwater limpet (*Pulmonata: Basommatophora*) in southern Oklahoma, 21:241–242
McMahon, Thomas E., and Boyd E. Kynard, Avoidance of antitranspirant by western mosquitofish, *Gambusia affinis affinis* (Pisces: Poeciliidae), 24:87–91
McMillan, C., C. E. Jens, W. R. Adler, R. V. Blystone, W. H. Gillespie, J. R. Irwin, R. E. Janowsky, D. O. Kolle, T. R. McGlathery, R. R. Martin, R. W. Morey, C. R. Mynard, and T. S. Patty, Factors influencing the narrow restriction of *Pilularia americana* in Texas, 13:117–127
McMillan, Calvin, and J. Talmer Peacock, Bud-bursting in diverse populations of mesquite (Prosopis: Leguminosae) under uniform conditions, 9:181–188
McMillan, Eben, see Holland, Dan C., —
McMillin, James H., and Dallas A. Sutton, Additional information on chromosomes of *Aplodontia rufa* (Sciuridae), 17:307–308
McNair, Douglas B., A comparison of oology and nest record card data in evaluating the reproductive biology of lark sparrows, *Chondestes grammacus*, 30:213–224
Mcnair, Douglas B., Reuse of other species nests by lark sparrows, 29:506–509
McNatt, Randy, Discovery and loss of a new locality for the Gila topminnow, *Poeciliopsis occidentalis occidentalis* (Poeciliidae), 24:555–556
McNeal, Dale W., Jr., Annotated check list of the alpine vascular plants of Specimen Mountain, Rocky Mountain National Park, Colorado, 20: 423–435
McNeely, David L., Longitudinal patterns in the fish assemblages of an Ozark stream, 31:375–380
McNeill, J., The genus *Talinaria*, 22:394–397
McPherson, A. B., review by, 20:289–291
McPherson, Guy R., Carlton M. Britton, and Henry A. Wright, Long-term effects of a 1969 fire and three 2,4,5-T treatments on *Prosopis glandulosa* in Mitchell Co., Texas, 35:235–237
McPherson, James K., see Hall, Shelly L., —
McQueen, J. Carlton, see Judd, Frank W., —
Mead, Jim I., and Arthur M. Phillips, III, The late Pleistocene and Holocene fauna and flora of Vulture Cave, Grand Canyon, Arizona, 26: 257–288
Mead, Jim I., C. Vance Haynes, and Bruce B. Huckell, A late Pleistocene mastodon (*Mammut americanum*) from the Lehner Site, southeastern Arizona, 24:231–238
Mead, Jim I., see Czaplewski, Nicholas J., —
Mead, Jim I., see Van Devender, Thomas R., —
Meade, T. G., and C. A. Bedinger, Jr., Helminth parasitism in some species of fresh water fishes of eastern Texas, 16:281–295
Meade, Thomas G., and C. A. Bedinger, Jr., *Posthodiplostomum minimum* (Trematoda: Diplostomidae) in fishes of Madison County, eastern Texas, 12:334–335
Meaney, Carron A., Steven J. Bissell, and Jennifer S. Slater, A nine-banded armadillo, *Dasypus novemcinctus* (Dasypodidae), in Colorado, 32:507–508
Means, Linda L., and John W. Goertz, Nesting activities of northern mockingbirds in northern Louisiana, 28: 61–70
Mearn's quail, *Cyrtonyx montezumae* (Vigors) near Flagstaff, Arizona, records of, Harley G. Shaw, 16:125
Mecham, John S., Evidence of reproductive isolation between two populations of the frog, *Rana pipiens*, in Arizona, 13:35–44
Mecham, John S., Polymorphic *Eumeces multivirgatus* from the Texas High Plains, 12:104–105
Mecham, John S., Some Pleistoscene amphibians and reptiles from Friesenhahn Cave, Texas, 3:17–27
Mecynogea lemniscata, 30:4
Mecynotarsus delicatulus, 28:474, 28:477
Mecysmus angustus, 28:477
Meda, 11:322
fulgida, 11:313, 11:321, 12:301, 20:186, 28:33–40, 28:399, 28:400, 28:402, 34:408, 36:7–13
Medellín, Rodrigo A., Guillermina Urbano-Vidales, Oscar Sánchez-Herrera, Guadalupe Téllez-Girón S., y Héctor Arita W., Notas sobre murcielagos del este de Chiapas, 31:532–535
Medellín L., Rodrigo A., see Urbano-Vidales, Guillermina, —
Medica, Philip A., see Turner, Frederick B., —
Medicago, 30:546, 30:548, 34:208
arabica, 7:170
denticulata, 12:153
lupulina, 1:122, 12:140, 12:153, 27:329
polymorpha, 23:502, 25:322
sativa, 2:122, 2:125, 2:163, 12:153, 13: 161, 16:205, 19:441, 26:76, 28:336, 28:348, 30:573, 34:488, 35:18, 35: 323
Medin, Dean E., see Anderson, Allen E., —
Medina, Alvin L., Riparian plant communities of the Fort Bayard watershed in southwestern New Mexico, 31:345–359
Mediterranean gecko in Coahuila, Mexico, range extension of, Roland H. Wauer and George Burdick, 19:446
Mediterranean lichen Parmelia perreticulata in central Texas, the, Mason E. Hale, Jr., 3:212
Meeker, Dennis L., see King, Kirke A., —
Meffe, Gary K., Dean A. Hendrickson, and John N. Rinne, Description of

a new topminnow population in Arizona, with observations on topminnow/mosquitofish co-occurrence, 27: 226–228
Meffe, Gary K., Density-dependent cannibalism in the endangered Sonoran topminnow (*Poeciliopsis occidentalis*), 29:500–503
Meffe, Gary K., Predation and species replacement in American southwestern fishes: a case study, 30:173–187
Megaceryle alcyon, 11:136, 17:148, 27:226
Megacheuma brevipennis, 28:474
Megachile, 2:131, 25:105
comata, 36:341, 36:342
rotundata, 2:130
Megachilidae, 20:8, 22:554–557, 25:105, 25:106, 32:419, 32:422, 36:341
Megacormus gertschi, 25:522
Megalobrachium
smithi, 11:139
tuberculipes, 11:139
Megalodiscus temperatus, 17:198, 17:200
Megalonaias gigantea, 27:350
Megalonyx, 22:337, 32:239, 36:181
jeffersoni, 8:150, 22:257, 22:266
jeffersonii, 21:14
Megalops atlanticus, 32:228
Megaluropus, 20:481, 20:482, 20:484
Megarcys, 25:26
signata, 35:133
Megaselia, 19:70
rufipes, 12:267
Megasorex gigas, 2:174–175
Megastachya uninervia, 11:393
Megastigmus albifrons, 26:377
Megathymidae, 32:491, 32:492
Megatylopus matthewi, 19:344
Megetra, 21:49
cancellata, 35:369
Megistocera, 14:238
Mehlhop-Cifelli, Patricia, see Moss, Susan P., —
Meierkord, Marcie, see Ruffner, George A., —
Meinzer, Wyman P., Jr., and Fred S. Guthery, Age distributions and weights of coyotes in northwestern Texas, 25:275–278
Meioneta, 29:231
micaria, 30:3
Meiotic chromosome numbers for two species of the genus Psittacanthus (Loranthaceae), Robert Merrill King, 6:48–49
Meiotic chromosome numbers in Texas species of the genus *Coreopsis* (Compositae-Heliantheae), B. L. Turner, 5:12–15
Meiotic chromosomes in six Texas and Mexican Nemastylis and Sisyrinchium (Iridaceae), Walter H. Lewis and Royce L. Oliver, 6:45–46
Meisch, M. V., see Heiss, J. S., —
Melampodinae, 1:125–132
Melampodium, 1:125, 1:131, 1:132, 15: 183, 16:372–375, 16:379, 16:381, 16: 385, 34:11
divaricatum, 9:35, 16:372
elucanthum, 33:108, 33:109
flaccidum, 9:31
hispidum, 15:177
leucanthum, 1:66, 2:170, 10:259, 15: 177, 17:174, 17:176, 21:315, 22:341, 35:67, 35:70, 36:354
longicorne, 35:64, 35:70
perfoliatum, 9:31
sericeum, 35:70
strigosum, 35:70
Melampsora
epitea, 8:182
monticola, 8:182
Melanaspis, 18:426
delicata, 14:411–413, 18:432
deliquescens, 14:412, 14:414, 18:432
elaeagni, 14:411, 14:415, 14:416
latipyga, 14:412, 14:415, 18:433, 18: 436, 18:437
lilacina, 14:413, 14:415, 14:417, 18:431
nigropunctatus, 14:411, 14:418, 14:419, 14:421, 18:431
obscura, 14:411, 14:418, 14:420, 18:431, 18:432
smilacis, 14:412, 14:420, 14:421, 14: 422, 18:433
tenebricosa, 14:411, 14:423, 14:424, 18: 430–433, 18:436, 18:437
tricuspis, 14:415
Melandryidae, 28:476
Melanerpes
aurifrons, 36:363
erythrocephalus, 5:175, 17:148
formicivorous, 32:399
formicivorus, 5:175, 7:262, 16:13, 28: 100, 29:474
lewis, 34:495
uropygialis, 28:113
Melanistic *Canis* in Arkansas, Philip S. Gipson, 21:124–126
Melanistic chipmunk from Colorado, a, Paul F. Gilbert and Douglas L. Gilbert, 15:264–265
Melanistic coyote from Oklahoma, a, Arthur F. Halloran, 8:48–49
Melanistic pronghorn fawns on the Desert Experimental Range, Utah, W. P. Clary, D. M. Beale, and R. C. Holmgren, 30:159–161
Melanistic tendency in the Great Plains toad, Bufo cognatus, a, Arthur N. Bragg, 3:229–230
Melanochelys trijuga, 23:459
Melanoides tuberculatus, 30:479
Melanoleuca melaleuca, 29:263
Melanoplus, 21:53
arizonae, 27:201, 27:203, 27:205
bivittatus, 31:269
desultorius, 27:201, 27:203, 27:205, 27: 206
differentialis, 31:269
femurrubrum, 27:198, 31:269
gladstoni, 27:202, 27:203, 27:205, 27: 206
glaucipes, 32:464
lakinus, 27:203, 27:205
Melanothus castanipes, 20:7
Melanotis caerulescens, 18:199, 36:362
Melanotus, 30:603
Melanthera nevea, 16:373
Melcher, Betty A., see Schmidly, David J., —
Melchert, Thomas E., *Thelesperma curvicarpum* T. E. Melchert (Compositae), new species, 8:179
Meleagrididae, 22:404–405
Meleagris gallopavo, 7:256, 9:94–98, 13: 415, 16:155, 17:295, 19:3, 21:451, 21:454, 22:404–405, 22:550–553, 23: 305, 26:304, 31:103, 35:23–27, 36: 332–337
Melia
acedarach, 28:87
azadirachta, 18:438
azedarach, 13:210, 14:109, 18:433, 18: 440, 18:441, 21:482, 27:385, 28:83
Meliaceae, 18:433, 18:440
Melica
mutica, 4:116, 10:52
porteri, 28:462
spectabilis, 28:290
Melilotis, 19:115
alba, 15:501
officinalis, 15:501
Melilotus
alba, 1:122, 2:163, 12:139, 26:252, 28: 255
albus, 16:203–205, 23:502, 25:322, 35: 72
indicus, 23:502, 25:322, 35:72
officinalis, 1:122, 12:140, 25:330, 29: 411
Melissodes, 1:88, 1:89, 2:131
obliqua, 2:130
Melitara dentata, 26:216–217, 26:440–441
Mellott, Ron S., and Jerry R. Choate, *Sciurus aberti* and *Microtus montanus* on foothills of the Culebra Range in southern Colorado, 29:135–137
Meloe occultus, 18:308
Meloidae, 8:54, 13:51–54, 18:308, 18:310, 18:311, 20:7, 28:476, 28:478, 32:418, 32:422, 35:369
Melosira, 10:188–210, 17:14, 17:16, 20: 171, 21:246, 22:414, 22:415, 22:543, 24:162
ambigua, 22:413, 24:156
distans, 20:399, 20:402, 20:403, 22:413, 24:156, 24:160
granulata, 20:49, 20:397, 20:399, 20: 401, 20:403, 20:404, 20:406, 22:413,

23:91, 23:93, 24:156, 24:159, 24:160, 28:245
italica, 22:413, 22:458, 24:156
undulata, 22:413
varians, 20:49, 20:176, 20:405, 22:413, 22:458, 22:464, 24:156, 24:159, 26:32, 26:313
Melospiza
georgiana, 14:363
lincolnii, 4:78, 7:265, 18:196, 32:378
melodia, 20:505, 30:453, 34:491
Melothria, 8:7
pendula, 29:250
Melyridae, 27:325, 32:151, 32:396, 32:418
Membracidae, 17:195, 29:438, 30:550
Membras martinica, 1:159, 1:164, 2:95, 34:340, 36:203, 36:206
Memoriam: John Keever Greer, 1930–1980, in, E. Blake Hart, 28:385–386
Mendora spinescens, 12:233
Meneely, Scott C., and Sanford D. Schemnitz, Chemical composition and in vitro digestibility of deer browse three years after a wildfire, 26:365–374
Meneely, Scott C., Observations of collared peccaries in juniper and Ponderosa pine habitats, 30:305
Menemerus bivittatus, 17:166
Menetus dilatatus, 16:316, 27:350
Mengden, Greg, see Quinn, Hugh R., —
Menidia, 13:47, 15:355, 29:504
audens, 2:94, 3:227, 4:165, 4:166, 13:45, 13:48, 13:49, 22:544–547, 24:184, 24:546, 25:120–122, 25:385, 27:110–112
beryllina, 2:95, 20:463, 22:324, 24:546–549, 25:535, 31:96, 32:215, 32:216, 35:406, 36:203, 36:205, 36:208
peninsulae, 34:340, 36:206
Menilda audens, 23:313
Menke, A. S., Synonymical notes and new distribution records in *Abedus* (Hemiptera, Belostomatidae), 22:115–123
Menodora, 10:244, 25:365
heterophylla, 30:545, 30:546, 30:548
scabra, 21:315, 22:343, 22:344, 35:73
scoparia, 31:474
spinescens, 9:58
Mensural discrimination between *Peromyscus leucopus* and *P. maniculatus* (Rodentia) in Kansas, Jerry R. Choate, Robert C. Dowler, and Janet E. Krause, 24:249–258
Mentha, 12:215
arvensis, 2:155, 2:156, 2:167
spicata, 17:47, 35:436
Menticirrhus
americanus, 1:162
littoralis, 1:162
Mentzelia, 12:215, 21:439, 22:347, 24:131, 31:34, 31:36
albicaulis, 21:315, 35:67, 35:72
asperula, 35:72
integra, 1:64
multiflora, 22:343, 23:297, 24:714, 35:65, 35:72
nuda, 24:435, 25:332, 30:338, 30:339
oligosperma, 4:57, 24:435
puberula, 26:265
pumila, 1:64, 21:248, 21:315
stricta, 2:165
Menyanthes trifoliata, 2:152, 2:153
Mephitis, 13:265, 16:160, 26:279, 32:458, 32:459
macroura, 7:240, 16:458, 20:499, 33:15–19, 35:234
mephitis, 4:32, 6:24, 13:20, 15:135, 20:497, 23:18, 23:565, 24:554, 24:681, 26:293, 26:329, 28:316, 28:317, 28:320, 30:225, 30:226, 30:340, 30:342, 30:462, 32:158, 32:163, 32:511, 32:512, 33:15–19, 35:226, 36:260
Mephitus mephitus, 22:277
Mercado R., Pedro, see Palomino H., Guadalupe, —
Mercado-Morales, David, New record of *Reithrodontomys megalotis megalotis* and recent record of *R. m. saturatus* (Rodentia) in Nuevo Leon, Mexico, 35:366–367
Mergus, 23:158, 25:567, 26:427
merganser, 21:556, 26:51, 34:492, 35:88–89
serrator, 5:107, 26:49
Mericarp micromorphology of Great Plains *Scutellaria* (Labiatae), Thomas M. Lane, 28:71–79
Merickel, Frank W., and James K. Wangberg, Species composition and diversity of macroinvertebrates in two playa lakes on the southern High Plains, Texas, 26:153–158
Meridion, 10:266
circulare, 20:197, 20:201–203, 22:413, 22:459, 22:460, 22:464, 24:153, 26:313
Meringis
agilis, 35:112, 35:113
arachnis, 35:111
parkeri, 16:435
Meriolix serrulata, 14:439, 18:434, 18:440
Meriones unguiculatus, 28:345
Merismopedia, 10:188–210, 18:96, 18:99, 18:100, 25:414, 25:420
convoluta, 23:444
glauca, 23:444
marssonii, 23:444
punctata, 23:444
tenuissima, 10:230, 10:232, 23:444, 24:158
tenuissma, 20:50, 20:51
Meristems to growth and reproduction in buckhorn cholla (Cactaceae), commitment of, M. Cathleen Kuehl, Jess K. Zimmerman, and Thomas E. Philippi, 36:338–340
Meristic and morphometric characters of a population of *Lucania parva* (Pisces: Cyprinodontidae) isolated in False River, Louisiana, Barry Chernoff and H. Dale Hall, 24:181–185
Meristic study of the redbelly dace, *Chrosomus erythrogaster* (Cyprinidae), from a stream in southern Oklahoma, a, Loren G. Hill and Thomas A. Jenssen, 13:55–60
Merkle, Loy T., A bregmatic bone in the genus *Perognathus*, 18:350–351
Mermiria bivittata, 27:203, 27:205
Mermithidae, 14:236, 14:237
Merragata, 36:164
hebroides, 9:101, 12:489
Merremia palmeri, 12:146, 12:150
Merriam's shrew, *Sorex merriami*, from New Mexico, noteworthy records of, Victor E. Diersing, 24:708–709
Merriman, Hal J., see Carpenter, Charles C., —
Mertensia, 23:153, 33:220
ciliata, 20:428, 33:223
fusiformis, 28:290, 28:292
viridis, 20:428
Merulius
molluscus, 17:414
pseudomolluscus, 17:416
Mesaspis moreleti, 35:275
Meshaka, Walter E., see Butterfield, Brian P., —
Meshaka, Walter E., see Trauth, Stanley E., —
Mesocapnia, 36:327
arizonensis, 31:503, 31:506–509, 36:326
frisoni, 31:503, 31:505–509, 36:326, 36:329
lapwae, 36:326
werneri, 31:503, 31:506–508, 31:510, 36:326
Mesocestoides, 30:471
Mesocrangon munitella, 29:65
Mesocricetus auratus, 26:196, 33:260
Mesocyclops, 23:687
edax, 4:189, 4:193, 14:323, 14:324, 21:465, 21:466, 22:417, 23:169, 24:1, 24:2, 24:5
leuckarti, 4:189, 4:193, 14:324, 23:169
Mesodon, 27:239
inflecta, 4:146
thyroidus, 3:226
Mesoplodon
densirostris, 18:456
europaeus, 18:453, 18:456, 18:462
Mesopolobus, 29:53
Mesostigma grande, 20:48
Mesostigmata, 6:103–105, 13:374–376
Mesostoma, 23:554
Mesotaenium, 9:168
Mesovelia, 23:554
cryptophila, 9:101, 12:486, 12:487

mulsanti, 9:101, 12:486, 12:487
Mesoveliidae, 9:101, 12:486–487, 23:554
Mesquite age and size in relation to dunes and artifacts, Jimi S. Graham Gadzia and John A. Ludwig, 28:89–94
Messing, Henry J., A late Pleistocene-Holocene fauna from Chihuahua, Mexico, 31:277–288
Messor, 34:216
Meta, 11:361, 11:365
Metabronema, 28:403
salvelini, 28:399–401, 29:505, 29:506
Metachirops, 28:379
Metacryba californica, 21:199, 21:202
Metacypris, 23:223
Metacyrba, 11:349
arizonensis, 10:134, 21:199, 21:202
californica, 10:134
taeniola, 10:134, 11:353, 17:166, 17:167, 21:199, 21:202, 30:8
undata, 17:167, 30:8
Metadontia amoena, 29:441, 29:442
Metaloba, 24:607, 24:610
Metamysidopsis swifti, 20:138
Metamysidopsis swifti Bacescu, 1969 (Crustacea: Mysidacea) from the Gulf Coast of Mexico, a new locality record for, W. Wayne Price, 20:138
Metaphidippus, 11:349, 15:321, 15:323, 17:162, 34:354
aeneolus, 34:350, 34:353
barrowsi, 30:8
castaneus, 17:163
galathea, 11:350, 11:370, 17:163, 30:5, 30:11
imperialis, 10:134
insignis, 30:8
manni, 17:163, 17:164, 21:199, 21:201, 30:8
pervagus, 30:8
protervus, 30:121
vitis, 10:134, 11:352, 17:164, 21:199, 21:201, 30:8
Metaponium convexicolle, 18:308, 18:311
Metarrhizium, 27:18
Metastelma barbigerum, 8:188
Metastoma roemeri, 30:459
Metastrongyloidea, 33:15–20
Metazoa, 1:6–15
Metazoan parasites of *Recurvirostra americana* Gmelin (Aves), from southwestern Texas and Monte Vista National Wildlife Refuge, Colorado, with a checklist of helminth parasites hosted by this species in North America, Carlos A. Garcia and Albert G. Canaris, 32:85–91
Metcalf, Artie L., and Alejandro Carrillo, Some land snails of the Sierra San Ignacio, Chihuahua, Mexico, in relation to regional distribution, 30:459–460
Metcalf, Artie L., and Richard A. Smartt, Gastropods of Howells Ridge, Grant County, New Mexico: a fauna in the process of extinction?, 19:57–64
Metcalf, Artie L., and Walter E. Johnson, Gastropods of the Franklin Mountains, El Paso County, Texas, 16:85–109
Metcalf, Artie L., Distribution of land snails of the San Andres and Organ mountains, southern New Mexico, 29:35–44
Metcalf, Artie L., First records of two species of land snails in New Mexico, 21:410–411
Metcalf, Artie L., review by, 18:360–361
Metcalfa pruinosa, 29:438
Metepeira, 11:361, 21:43
labyrinthea, 11:362, 11:370, 30:4
Metopoloba pruinosa, 28:477
Metoponium candidum, 32:491
Metoponorthus hidalguensis, 29:315
Metricnemus, 14:239
lundbecki, 1:152
Metriocnemus, 14:245
Metrobates hesperius, 9:101
Metroxylon, 18:434, 18:440, 18:441
Mexal, John, and William C. Martin, Chemotaxonomy of *Ribes*, 21:523–530
Mexican Acanthaceae. II., new and reconsidered, Thomas F. Daniel, 31:169–175
Mexican and Central American amphibians and reptiles, notes on some, Craig E. Nelson and Max A. Nickerson, 11:128–131
Mexican bats, additional records of some, José Ramírez-Pulido and William López-Forment, 24:541–544
Mexican big-eared bat in Utah, second record of the, David M. Armstrong, 19:114–115
Mexican clingfish. *Gobiesox fluviatilis*, from Durango and Chihuahua, new localities for the rare, Brooks M. Burr and Donald G. Buth, 22:125–128
Mexican flying squirrels (*Glaucomys volans*) (Rodentia: Sciuridae), notes on the biology of, Gerardo Ceballos and Alvaro Miranda, 30:449–450
Mexican gastropods, notes on, B. A. Branson, 9:104
Mexican isolates of *Basidiobolus ranarum* Eidam, Douglas S. King, Max A. Nickerson, and James A. Hutchison, 18:93–94
Mexican lizard, *Norops milleri* (Sauria: Iguanidae), rediscovery of a rare, Jonathan A. Campbell, 34:560–561
Mexican mammals, additional records of, Guillermina Urbano-Vidales, Oscar Sánchez-Herrera, Guadalupe Téllez-Girón, and Rodrigo A. Medellín L., 32:134–137
Mexican *Rhadinaea* (Serpentes: Colubridae), notes on, Michael J. McCoid and James R. Dixon, 26:436–437
Mexican shrew Megasorex gigas (Merriam), notes on the, William B. Davis, 2:174–175
Mexican snakes (Ophidia), notes on, William B. Davis and James R. Dixon, 2:19–27
Mexican species from *Eupatorium* to *Brickellia* (Compositae), transfer of two, P. A. Harcombe and J. H. Beaman, 12:127–133
Mexican species of *Uromyces* (Uredinales), the, Joe F. Hennen and George B. Cummins, 12:146–155
Mexican spiny pocket mouse (*Liomys irroratus*: Heteromyidae) in Texas, distribution of the, John P. Karges and Owen S. Parker, 29:229–230
Mexipyrgus churcinceanus, 14:371
Mexithauma quadripaludium, 14:371
Meyenia
crateriformis, 22:140
mulleri, 22:140
Meyer, Edward R., Vegetation and pollen rain in the Cuatro Cienegas Basin, Coahuila, Mexico, 20:215–224
Meyer, John R., see Nelson, Craig E., —
Meyer, John R., see O'Brian, G. Patrick, —
Meyer, R. P., F. G. Zalom, T. L. McKenzie, and P. H. Mason, Notes on insects associated with desert broom (*Baccharis sarothroides* Gray) (Compositae) in southeastern Arizona, 24:603–612
Meyerhoff, Richard D., and Owen T. Lind, Aquatic insects of McKittrick Creek, Guadalupe Mountains National Park, Texas, 32:288–289
Meyers, Adriene, see Keeley, Jon E., —
Meyers, Dewey G., and Elenor R. Cox, A record of *Helicodictyon planctonicum* (Ulotrichales) from Texas, 17:311–312
Micaria, 11:343, 15:321, 20:59, 20:62, 20:64, 20:66
albocincta, 15:322, 15:326
aurata, 11:344
coloradensis, 15:322
jacksonia, 15:322
longipes, 20:59
nanella, 30:7
tetonia, 15:322
triangulosa, 30:4, 30:10
Michael, Edwin D., Aggressive behavior of white-tailed deer, 13:411–420
Michael, Edwin D., and Patrick I. Thornburgh, Immediate effects of hardwood removal and prescribed burning on bird populations, 15:359–370
Michael, Edwin D., Behavioral interac-

tions of deer and some other mammals, 12:156–162
Michael, Edwin D., Unusual pelage and skeleton of raccoon, 13:105
Michel, Larry, Reproduction in a Southwest New Mexican population of *Urosaurus ornatus*, 21:281–299
Michophrys platysoma, 11:140
Miconia magnifica, 14:103
Micractiniaceae, 11:197
Micractinium, 10:188–210
pusillum, 20:48
Micranthe whitneyi, 36:302, 36:308
Micranthia humilis, 9:101
Micrarionta
dallasi, 33:117–119
gabbii, 33:117
"*Micrarionta*" *dallasi*, a helicinid (Prosobranch), not a helminthoglyptid (Pulmonate), land snail: paleoclimatic implications, Barry Roth and Timothy A. Pearce, 33:117–119
Micrasema, 25:27
bactro, 31:425
Micrasterias, 10:266, 10:270, 17:245, 23:59, 25:420
apiculata, 24:158
fimbriata, 20:576
laticeps, 11:199
muricata, 11:199
radiata, 20:576
truncata, 23:439
Micrathena, 11:360, 29:231
gracilis, 11:361, 30:7
sagittata, 11:362
Micrathene whitneyi, 12:331–332, 16:19, 28:99–100, 36:311, 36:312
Microarthropod fauna, 28:417–421
Microarthropods and nematodes in kangaroo rat burrows, T. R. Seastedt, O. J. Reichman, and T. C. Todd, 31:114–116
Microbembex, 20:337–342
argyropleura, 20:337, 20:338
nigrifrons, 20:337
Microcephalothrips abdominalis, 36:52
Microchaete tenera, 23:443
Micrococcus, 13:399, 36:370, 36:371
Microcoleus, 24:159, 31:43, 31:46
acutissimus, 23:442
paludosis, 11:202
paludosus, 23:442
Microcreagris
laudabilis, 23:233
tibiale, 23:233
Microcylloepus, 25:141, 25:147, 25:381, 25:383, 30:55, 36:286
carinatus, 24:197
moapus, 24:197
pusillus, 8:113, 25:250, 32:412
similis, 24:197
Microcystis, 17:17, 23:56, 23:58, 23:60, 23:452, 25:420
bengalensis, 23:443
flos-aquae, 23:443, 23:446
incerta, 11:201
marginata, 23:443
protocystis, 23:443, 23:446
pulverea, 23:443, 24:158
ramosa, 23:443
robusta, 23:443
Microdesmidae, 32:226, 32:232
Microdesmus dorsipunctatus, 32:227, 32:232
Microdinodes blickenstaffi, 24:197
Microdipodops, 10:282, 10:284, 34:85
megacephalus, 13:243–248, 24:554
pallidus, 13:246, 30:448
Microdontomerus anthonomi, 19:318
Microfilaria stahnkei, 35:458
Microfilaria *Piratuba mitchelli* (Smith) (Onchocercidae) from the Gila monster, *Heloderma suspectum* Cope (Helodermatidae), redescription of the, Stephen R. Goldberg and Charles R. Bursey, 35:458–460
Microfolds of the integument of some spiders (Araneida), Kamel T. Khalaf, 29:514–516
Microgeographic genetic variation in creole (*Etheostoma collettei*) and redfin (*Etheostoma whipplei*) darters (Percidae) in central Arkansas, Alvan A. Karlin and John D. Rickett, 35:135–145
Microgobius gulosus, 2:95, 29:504
Microhabitat associations of small mammals in southeastern Colorado, with special emphasis on *Peromyscus* (Rodentia), David O. Ribble and Fred B. Samson, 32:291–303
Microhabitat differences between *Opuntia parryi* and *O. littoralis* (Cactaceae) in the mixed chaparral-inland coastal sage association, Richard I. Yeaton, Ellen Layendecker, Kevin S. Sly, and Robert Eckert, 28:215–220
Microhabitat distribution of two *Quercus* (Fagaceae) species in relation to soil differences within a Kansas gallery forest, Keith T. Killingbeck, 33:244–247
Microhabitat partitioning among coexisting species of arid-land darkling beetles (Tenebrionidae): behavioral responses to vegetation architecture, factors influencing, Robert R. Parmenter, Cheryl A. Parmenter, and Carl D. Cheney, 34:319–329
Microhabitat relationships of kangaroo rats (*Dipodomys compactus* and *D. ordii*) in southern Texas, George D. Baumgardner and David J. Schmidly, 30:315–317
Microhyla, 3:84
carolinensis, 1:181, 1:184, 5:165, 5:168, 7:80
olivacea, 8:144, 8:147–149, 16:6
usta, 11:2
Micromorphology of the lemma in *Stipa robusta* and *Stipa viridula* (Gramineae: Stipeae): taxonomic significance, Joseph R. Thomasson, 26:211–214
Micronecteris megalotis, 23:155
Micronycteris, 7:64, 12:407, 12:423
hirsuta, 29:482
megalotis, 7:68, 10:75, 12:408, 12:410, 12:420, 12:426, 31:532, 35:152
sylvestris, 7:67
Micropalama himantopus, 7:263, 17:211, 36:110
Microperca punctulata, 8:231
Microphis
brachurus, 32:227, 32:230
brachyurus, 36:206
Microphyla carolinensis, 1:183
Microphysula ingersolli, 7:54
Micropogon, 22:325
undulatus, 1:100–104, 1:162, 18:211–227, 20:463, 22:324
Micropogonias undulatus, 34:340, 34:341, 36:206
Micropsectra, 23:140, 23:268, 23:270, 25:27, 25:381
Micropterus, 2:92, 31:377, 35:346, 36:260
almoides, 22:537
dolomieui, 12:463, 12:464, 17:381, 19:263, 21:494, 22:537, 25:86, 27:99–106, 28:170, 30:185, 31:377, 31:379, 32:353, 32:409, 32:410, 32:439, 33:195, 33:405–418, 34:406, 34:408, 36:189, 36:190
lutrensis, 2:98
punctulatus, 2:98, 4:166, 8:137, 8:140, 12:335, 16:283, 16:285, 16:288, 16:293, 19:263, 21:493–501, 22:525, 22:528, 22:529, 22:544, 27:99, 27:109–112, 29:378, 30:192, 30:193, 30:560, 32:215, 32:216, 32:439, 33:139, 33:406, 35:347
salmoides, 3:8, 3:10, 4:166, 8:137, 11:311, 11:322, 12:332–334, 12:335, 13:49, 14:318, 15:141, 16:281, 16:283, 16:285, 16:288, 16:293, 19:263, 19:407, 19:408, 19:410, 21:151–160, 21:493–501, 22:94, 22:95, 22:127, 22:525, 22:528, 22:529, 23:307–308, 23:520, 24:2, 24:695, 25:298, 25:487, 25:494, 26:433, 27:110–112, 27:223–225, 28:170, 28:223, 28:328, 28:380, 29:377, 29:378, 29:382, 29:383, 30:25, 30:147–148, 30:157, 30:185, 30:193, 30:458, 30:475, 30:509, 31:162, 31:379, 32:214, 32:216, 32:230, 32:410, 32:439, 32:522, 32:524, 33:195, 34:193, 34:229, 34:408, 35:87, 35:179, 35:347, 35:406, 35:407, 36:189, 36:190, 36:203, 36:204, 36:287
treculi, 2:98, 27:99–106, 33:405–411
Microptus punctulatus, 36:287

Microrhammus ericoides, 32:511, 16:10, 17:397, 18:435, 18:440
Microscyopidae, 22:491
Microseris, 18:119
lindleyi, 35:70
linearifolia, 18:117, 18:123, 35:70
Microsorex hoyi, 20:417–418
Microspermum, 11:118
Microspora, 9:168, 17:245, 22:112, 22:414
Microsteris gracilis, 31:24, 35:73
Microtendipes, 25:250, 25:253, 25:254
caducus, 32:289
pedellus, 1:152
Microthamnion, 9:168
Microtrombicula
intranasalis, 15:438
merrihewi, 15:437–458
nasalis, 15:449
wrenni, 15:444, 15:449
Microtus, 12:29, 14:164, 14:168, 14:211, 16:448, 17:81, 17:82, 22:1–19, 24:37, 24:139, 24:245, 26:267, 26:283, 26:317, 26:318, 27:145, 29:200, 31:416, 32:179, 32:191, 34:142, 36:310
californicus, 15:212, 15:214, 19:113, 19:116, 27:222, 31:282
guatemalensis, 12:189–191
longicaudus, 13:270, 13:271, 17:324, 17:325, 20:138, 20:139, 20:417, 21:331, 22:1–18, 22:289, 22:292, 22:293, 22:297, 22:299, 22:300, 23:77, 23:79–82, 23:284, 24:554, 25:36, 26:277, 26:335, 27:222, 31:263–265, 31:282, 31:283, 31:416, 32:188, 34:286, 36:246
ludovicianus, 16:436–439, 21:14
mexicanus, 14:356–358, 16:438, 20:505, 22:1–18, 24:137, 24:710, 25:36, 25:260, 26:277, 29:246, 31:263–265, 31:279, 31:282, 31:283, 31:287, 32:188, 32:193
montanus, 17:323, 17:324, 19:116, 19:453, 20:138–139, 20:417, 22:1–18, 22:289, 22:292, 22:293, 22:297, 22:299–301, 24:137, 24:554, 24:710, 25:36, 26:196, 26:201, 26:329, 26:336, 27:222, 29:135–137, 31:23, 31:26–28, 31:264, 31:265, 31:283, 32:188, 32:193, 36:142, 36:269
ochrogaster, 13:148, 13:151, 13:152, 13:154, 13:156, 14:165, 14:358, 15:209–216, 16:437–439, 18:445, 18:448, 18:450, 19:116, 19:117, 19:284, 19:441, 21:195, 21:559, 22:1–18, 24:239, 24:241–243, 24:689, 24:690, 25:67, 25:71, 25:216, 26:54, 26:55, 26:193, 26:196, 26:208–210, 26:219, 26:220, 27:222, 27:460, 29:205, 29:403–406, 30:339, 30:340, 31:263–265, 31:283, 31:287, 33:495, 33:496, 35:105, 35:107–109, 35:169, 35:199, 35:203
pennsylvanicus, 13:154, 14:165, 16:449, 17:324, 18:25, 19:115–117, 19:453, 20:138, 20:139, 20:281, 22:1–18, 23:82, 23:153, 24:690, 24:708, 24:710, 25:260–261, 26:196, 26:210, 26:218–220, 27:222, 27:459, 28:408, 30:340, 31:263–265, 31:277, 31:281–283, 35:105, 35:107–109
pinetorum, 4:153, 6:194, 10:315, 13:19, 13:265, 16:438, 16:439, 19:116, 25:71, 26:68, 27:222, 35:199, 35:203
quasiater, 21:543, 21:544, 35:233
Microtus ochrogaster in Arkansas, southern records of, David T. Kee and Michael J. Enright, 14:358
Microtus pennsylvanicus in southwestern New Mexico, Paul R. Krausman and Kurt F. Bahti, 25:260–261
Microtychius, 20:303
Microvelia, 8:136, 23:554, 28:35, 28:36, 32:289
americana, 9:101
beameri, 26:157
hinei, 9:101
pulchella, 9:101
Micruroides, 18:248
euryxanthus, 5:34, 34:522
Micrurus, 5:219
fulvius, 5:77, 5:82, 5:85, 16:229, 36:172, 36:175
laticollaris, 10:77
Micrurus laticollaris Peters, from Jalisco, Mexico, James R. Dixon and Robert G. Webb, 10:77
Micryphantidae, 11:367, 21:43, 21:45, 30:124
Micurus, 18:248
browni, 35:278
fulvius, 35:474
nuchalis, 35:271
Middendorf, G. A., and C. A. Simon, Thermoregulation in the iguanid lizard *Sceloporus jarrovi*: the influences of age, time, and light condition on body temperature and thermoregulatory behaviors, 33:347–356
Middendorf, George A., see Hulse, Arthur C., —
Middendorf, George A., see Simon, Carol A., —
Middle American bats, notes on, Dilford C. Carter, Ronald H. Pine, and William B. Davis, 11:488–499
Middle Eocene Primates (Mammalia) from southwestern Wyoming, Michael E. Nelson, 22:487–493
Middle Holocene herpetofauna of Klein Cave, Kerr County, Texas, Dennis Parmley, 33:378–382
Midsummer feeding habits of the Midland water snake, Gale Edward Zelnick, 11:311–312
Migration, movements and habitat preferences of Colorado squawfish, *Ptychocheilus lucius*, in the Green, White and Yampa rivers, Colorado and Utah, Harold M. Tyus and Charles W. McAda, 29:289–299
Migration of warblers in southern Nevada, George T. Austin, 15:231–237
Migrogale, 10:149, 10:150
Miles, Donald B., A record of brown-headed cowbird (*Molothrus ater*) nest parasitism of rufous-crowned sparrows (*Aimophila ruficeps*), 31:253–254
Milichiidae, 29:356–357
Milk snakes (*Lampropeltis triangulum*) from Texas, noteworthy, Chris T. McAllister, Rocky Ward, and Kenneth L. Williams, 32:406–408
Milla biflora, 35:66, 35:74
Miller, Brian J., Henry J. Harlow, and Danny N. Walker, Morphological differences in appendicular skeletons of *Spermophilus tridecemlineatus*, *Spermophilus elegans*, and *Spermophilus armatus*, 34:302–304
Miller, Bryan E., see Forcum, Donald L., —
Miller, Charles M., see Goldberg, Stephen R., —
Miller, David L., Distribution, abundance, and habitat of the Arkansas darter *Etheostoma cragini* (Percidae) in Colorado, 29:496–499
Miller, Debbie, and Peter Kevan, Insecticides and non-target arthropods on *Artemisia filifolia* (Compositae), 24:439–446
Miller, George O., see Martin, Robert F., —
Miller, Harvey A., see Crum, Howard, —
Miller, Matthew K., see Hauber, Donald P., —
Miller, Pat H., see McCoy, Clarence J., Jr., —
Miller, Robert Rush, and Anthony A. Echelle, *Cyprinodon tularosa*, a new cyprinodontid fish from the Tularosa Basin, New Mexico, 19:365–377
Miller, Robert Rush, and W. L. Minckley, *Gambusia aurata*, a new species of poeciliid fish from northeastern Mexico, 15:249–259
Miller, Robert Rush, Redescription and illustration of *Cyprinodon latifasciatus*, an extinct cyprinodontid fish from Coahuila, Mexico, 9:62–67
Miller, Robert Rush, see Echelle, Anthony A., —
Miller, Robert Rush, see Gehlbach, Frederick R., —
Miller, Robert Rush, see Hubbs, Carl L., —
Miller, Robert Rush, see Smith, Michael L., —
Miller, Rudolph J., Nestbuilding and

breeding activities of some Oklahoma fishes, 12:463–468
Miller, Rudolph J., see Eley, Rex L., —
Miller, Rudolph J., see Robison, Henry W., —
Miller, Russell B., and Cynthia L. Willard, The pollination ecology of *Aquilegia micrantha* (Ranunculaceae) in Colorado, 28:157–164
Miller, Russell B., Hawkmoth pollination of *Aquilegia chrysantha* (Ranunculaceae) in southern Arizona, 30: 69–76
Miller, Walter B., see Reeder, Richard L., —
Milleria quinqueflora, 9:31, 9:35
Milliped genus *Texophon* Chamberlin and the new tribe Texophonini (Callipodida: Schizopetalidae), the, Rowland M. Shelley, 34:381–391
Millipeds *Thrinaxoria lampra* (Chamberlin) and *Stenodesmus tuobitus* (Chamberlin) in eastern and southern Texas (Polydesmida: Xystodesmidae), occurrences of the, Rowland M. Shelley, 35:96–97
Milnesium tardigradum, 17:21, 17:26, 17: 27, 35:302, 35:303
Milstead, Elisabeth, see Hillis, David M., —
Milstead, Elisabeth, see Hubbs, Clark, —
Milstead, W. Bryan, see Matthews, William J., —
Milstead, William W., and Donald W. Tinkle, Notes on the porcupine (*Erethizon dorsatum*) in Texas, 3:236–237
Milstead, William W., and Donald W. Tinkle, Seasonal occurrence and abundance of bats (Chiroptera) in northwestern Texas, 4:134–142
Milstead, William W., Relict species of the Chihuahuan desert, 5:75–88
Milstead, Wm. W., Observations on the natural history of four species of whiptail lizard, Cnemidophorus (Sauria, Teiidae) in Trans-Pecos Texas, 2:105–121
Mimetic assemblage of lycid and cerambycid beetles in central Chiapas, Mexico, a new, Thomas C. Emmel, 10:14–16
Mimetidae, 11:360, 20:60, 20:61, 20:63, 30:4, 30:7, 30:9
Mimetus
dissimulatus, 11:360
hesperus, 11:360, 20:60, 20:63, 20:64, 30:4, 30:9
interfector, 11:360
notius, 30:4
puritanus, 30:7
Mimidae, 4:81
Mimon, 34:417
bennettii, 11:491
cozumelae, 11:491, 35:152
crenulatum, 28:374
Mimon crenulatum keenani (Chiroptera: Phyllostomidae) from Belize, Ronald G. Ruiz, 28:374
Mimosa, 4:14, 4:19, 18:193, 36:362
biuncifera, 15:151, 16:10, 17:173, 23: 291, 23:297, 25:365, 27:321, 27:326, 28:83, 35:66, 35:72, 35:381
borealis, 27:311, 35:80, 35:81
dysocarpa, 35:72
emoryana, 23:291, 23:297
malacophylla, 30:400, 36:215, 36:216
pigra, 26:353
strigillosa, 23:502, 25:322, 33:336, 33: 337
Mimosestes limbatus, 35:334
Mimoshinia rufofacialis, 36:80, 36:81
Mimosoideae, 20:275–278
Mimulus, 24:214
cardinalis, 34:442
glabratus, 3:217
guttatus, 20:432, 34:442, 35:73
longiflores, 35:19
Mimulus floribundus Dougl. (Scrophulariaceae) in Arkansas, Dwight M. Moore, 3:217–219
Mimus
longicaudus, 26:290
polyglottos, 2:35, 7:259, 11:136, 16:6, 18:195, 23:704–705, 25:174–176, 25: 553, 26:289–293, 27:165, 27:367, 28: 61–70, 29:473, 29:506, 31:113, 34: 143, 34:495
Minckley, C. O., and James E. Deacon, Foods of the Devil's Hole pupfish, *Cyprinodon diabolis* (Cyprinodontidae), 20:105–111
Minckley, C. O., and S. W. Carothers, Recent collections of the Colorado River squawfish and razorback sucker from the San Juan and Colorado rivers in New Mexico and Arizona, 24:686–687
Minckley, W. L., A new poecilid fish (genus *Gambusia*) from the Rio Grande drainage of Coahuila, Mexico, 8:154–161
Minckley, W. L., and Buddy Lee Jensen, Replacement of Sonoran topminnow by Pecos *Gambusia* under hatchery conditions, 30:465–466
Minckley, W. L., and Gerald A. Cole, Preliminary limnologic information on waters of the Cuatro Cienegas Basin, Coahuila, Mexico, 13:421–431
Minckley, W. L., and Louis H. Carufel, The Little Colorado River spinedace, *Lepidomeda vittata*, in Arizona, 12:291–302
Minckley, W. L., and Richard K. Koehn, Re-discovery of the fish fauna of the Sauz Basin, northern Chihuahua, Mexico, 10:313–315
Minckley, W. L., and Willard E. Barber, Some aspects of biology of the longfin dace, a cyprinid fish characteristic of streams in the Sonoran Desert, 15:459–464
Minckley, W. L., Dean A. Hendrickson, and Darrell J. Siebert, Additional records for the Pacific gizzard shad, *Dorsoma smithi* (Clupeidae), from Sonora, México, 24:695–697
Minckley, W. L., Notes on the spawning behavior of red shiner, introduced into Burro Creek, Arizona, 17:101–103
Minckley, W. L., Status of the razorback sucker, *Xyrauchen texanus* (Abbott), in the lower Colorado River Basin, 28:165–187
Minckley, W. L., see Barber, Willard E., —
Minckley, W. L., see Collins, James P., —
Minckley, W. L., see Koehn, Richard K., —
Minckley, W. L., see Miller, Robert Rush, —
Minckley, W. L., see Vives, Stephen P., —
Minckley, Wendell L., see Webb, Robert G., —
Minimum breeding age for a desert bighorn ewe, a, Henry E. McCutchen, 22:153
Mink in Northeast New Mexico, James W. Yarbrough and Eugene H. Studier, 13:105
Minnow populations in a small desert stream resulting from naturally and artifically induced factors, changes in, John N. Rinne, 20:185–195
Minta, Steven C., see Zezulak, David S., —
Minton, Sherman A., Jr., Observations on amphibians and reptiles of the Big Bend region of Texas, 3:28–54
Mintzer, Alex C., and Carole L. Mintzer, Population status of the Mexican leafcutting ant, *Atta mexicana* (Formicidae), in the Sonoran Desert of Arizona, 33:250–251
Mintzer, Carole L., see Mintzer, Alex C., —
Minuartia obtusiloba, 20:428
Minytrema, 7:82, 7:150
melanops, 2:96, 4:162, 12:335, 15:140, 19:262
Mirabilis, 8:188, 12:78, 30:547, 30:549
albida, 23:503, 25:322, 25:328
bigelovii, 32:23
exaltata, 2:161
jalapa, 35:78

linearis, 2:161, 7:170, 24:552, 35:65, 35:73
longiflora, 30:389, 35:73
multiflora, 1:63, 16:205, 24:131, 27:7, 27:329, 31:355
nyctaginea, 7:170
oblongifolia, 35:73
oxybaphoides, 1:63
Miranda, Alvaro, see Ceballos, Gerardo, —
Mirandea
andradenia, 31:169, 31:170, 31:172, 31:173
grisea, 31:173
huastecensis, 31:173
Miratemnid pseudoscorpions from the Western Hemisphere (Pseudoscorpionida, Miratemnidae), two, William B. Muchmore, 20:231–239
Miratemnidae, 20:231–239
Miratemnus, 20:231
hispidus, 20:236
Miridae, 20:7, 24:196, 25:267–268, 27:329, 27:330, 28:377, 29:442, 30:550, 32:417, 32:422, 36:51
Mirochernes, 25:89, 25:90
Mississippi silversides (Menidia audens) instead of brook silversides (Labidesthes sicculus): a correction, Walter W. Dalquest, 3:227
Misumena
americana, 11:346
calycina, 11:345, 11:370
vatia, 16:201, 21:44, 34:350, 34:352
Misumenoides, 16:201
aleatoria, 11:345
formosipes, 11:345, 11:370, 30:4
Misumenops, 15:325, 15:503, 34:350, 36:51
asperatus, 11:346, 16:202, 21:44, 26:89, 30:4
californicus, 16:202
carletonicus, 30:8, 30:11
celer, 11:345, 11:346, 11:370, 16:202, 21:44, 30:4, 30:10
coloradensis, 16:201–207, 28:96, 29:230, 29:231
oblongus, 11:345, 11:346, 11:370, 21:44, 30:5, 30:121
Mitchell, Carla, see Nelson, Thomas A., —
Mitchell, Christine A., see White, Donald H., —
Mitchell, G. Clay, Population study of the funnel-eared bat (*Natalus stramineus*) in Sonora, 12:172–175
Mitchell, Joseph C., Notes on *Lampropeltis triangulum* (Colubridae) from northern Jalisco, México, 25:269
Mitchell, Joseph C., Observations on the ecology and reproduction of the leopard lizard, *Gambelia wislizenii* (Iguanidae), in southeastern Arizona, 29:509–511
Mitchell, Joseph C., see Brooks, Garnett R., —
Mitchell, Robert W., A comparison of temperate and tropical cave communities, 14:73–88
Mitchell, Robert W., and William L. Rhodes, New host records for the mesostigmatid nasal mite Rhinonyssus rhinolethrum (Acarina: Rhinonyssidae), 5:107–108
Mitchell, Robert W., Egg and young guarding by a Mexican cave-dwelling harvestman, *Hoplobunus boneti* (Arachnida), 15:392–394
Mitchell, Robert W., New avian host records for some mesostigmatid nasal mites, 6:103–105
Mitchell, Robert W., The cover illustration, *Cryptocellus osorioi*, (Arachnida: Ricinulei), 14:123–138
Mitchell, Robert W., Winter invertebrate Metazoa of Goose Lake, Muleshoe Wildlife Reserve, Texas, 1:6–15
Mitchell, Robert W., see Rose, Francis L., —
Mitchell, Sandra, see Woodward, Bruce Douglas, —
Mitchella repens, 12:348, 12:350, 34:154
Mite, *Ewingana* (*Doreyana*) *doreyae* Dusbábek 1968 (Acarina, Myobiidae) from the United States with notes on streblid flies from Big Bend National Park, Texas, first record of the, John O. Whitaker, Jr., David A. Easterla, and A. Fain, 32:505
Mite *Pyemotes* sp. feeding on spider eggs (Acarina: Tarsonemoidea), an instance of the, J. Norman Grim and Earle A. Cross, 25:264–266
Mite-induced bud gall in globemallow, Janice Baker Hoover and Lora Mangum Shields, 16:413–418
Mites phoretic upon native bees, descriptions of three new species of, Earle A. Cross, 13:325–334
Mitostylus
elongatus, 8:162–164
setosus, 8:164
tenuis, 8:163, 8:164
Mitotic chromosomes of *Gopherus berlandieri* and *Kinixys belliana belliana* (Testudines, Testudinidae), Flavius C. Killebrew and Ronald R. McKown, 23:162–164
Mitotic chromosomes of turtles. V. The Chelydridae, Flavius C. Killebrew, 21:547–548
Mitrephanes phaeocercus, 18:199
Mlodinow, Michael A., see Smith, Kimberly G., —
Mniotilta varia, 4:76, 18:105
Mnium
affine, 28:241
cuspidatum, 30:151
Moapa coriacea, 9:248, 9:250, 25:497, 30:519
Mobley, Harold M, see Brown, Walter V., —
Mockford, Edward L., and Alfonso Neri Garcia Aldrete, A new species and notes on the taxonomic position of Asiopsocus Gunther (Psocoptera), 21:335–346
Mockford, Edward L., *Asiopsocus sonorensis* (Psocoptera: Asiopsocidae): a new record, augmented description, and notes on reproductive biology, 22:21–29
Mockford, Edward L., Forms, distribution, and relationships of '*Psocus*' *coquilletti* Banks (Psocoptera: Psocidae), 30:13–22
Mockford, Edward L., Two new species of *Speleketor* from southern California with comments on the taxonomic position of the genus (Psocoptera: Prionoglaridae), 29:169–179
Mockingbird and western kingbird entangled in string used in nest construction, Larry D. Foreman, Brian W. Cain, and William S. Stewart, 23:704–705
Moczygemba, J. H., see Howells, R. G., —
Mode of reproduction in the smallmouth salamander, *Ambystoma texanum* (Ambystomatidae), in Iowa, Jeffrey D. Camper, 35:99–100
Model for phosphorus and potassium flux in a tall-grass prairie, a, Joyce D. Sheedy, Forrest L. Johnson, and Paul G. Risser, 18:135–149
Modiola caroliniana, 19:324
Modiolus demissus, 27:259
Moehringia lateriflora, 18:341
Moen, Tom, see Roseberg, Ralph B., —
Mogollon description of *Cyprinodon*, a, Thomas H. Lewis, 26:71–72
Mohlenbrock, Robert H., Tribe Hedysareae, subtribe Stylosanthinae (Leguminosae), of Central America and Mexico, 7:29–40
Mohonia
andtieuxii, 11:240
angustifolia, 11:240
arguta, 11:240
chiapensis, 11:240
chochoco, 11:240
ehrenbergii, 11:240
eutriphylla, 11:240
fremontii, 11:240, 11:244
gracilis, 11:240, 11:244
hartwegii, 11:240
ilicina, 11:240
incerta, 11:240
lanceolata, 11:240
longipes, 11:240

moranensis, 11:240
muelleri, 11:240
pallida, 11:240
pinifolia, 11:238–244
quinquefolia, 11:240
schiedeana, 11:240
subintegrifolia, 11:240
tenuifolia, 11:240
tinctoria, 11:240
trifoliolata, 11:238, 11:240–244
zimapana, 11:240
Moina
brachiata, 4:187, 4:192, 14:324
hutchinsonii, 26:217–218
macrocopa, 4:187, 4:192
micrura, 23:169
rectirostris, 4:187, 4:192
wierzejskii, 35:393, 35:394, 35:396–398, 35:400, 35:401
Moina hutchinsonii Brehm (Cladocera) in a Nebraska sandhills lake, the occurrence of, Robert Hiskey, Richard S. Holland, and Gary L. Hergenrader, 26:217–218
Moinidae, 26:217, 34:345
Moinodaphnia macleayi, 34:345
Moir, W. H., and M. J. Trlica, Plant communities and vegetation pattern as affected by various treatments in shortgrass prairies of northeastern Colorado, 21:359–371
Moir, William H., A fire history of the High Chisos, Big Bend National Park, Texas, 27:87–98
Moir, William H., The subalpine tall grass, *Festuca thurberi*, community of Sierra Blanca, New Mexico, 12: 321–328
Molanna flavicornis, 31:436, 31:447
Molannidae, 31:447
Molars in a Texas white-tailed deer, anomalous third, Ronald G. Horejsi, A. Kent Montei, and Jerran T. Flinders, 18:468–469
Molina viscosa, 9:195
Molinia, 4:126
Molles, Manuel C., Jr., Recovery of a stream invertebrate community from a flash flood in Tesuque Creek, New Mexico, 30:279–287
Mollhagan, Tony, Habitat influence on helminth parasitism of the cotton rat in western Texas, with remarks on some of the parasites, 23:401–407
Mollhagen, T. R., see Bogan, M. A., —
Mollhagen, Tony, and Rollin H. Baker, *Myotis volans interior* Miller in Knox County, Texas, 17:97
Mollhagen, Tony, Distributional and taxonomic notes on some West Texas bats, 17:427–430
Mollienesia, 13:319
latipinna, 8:137, 9:248, 9:249
mexicana, 9:248, 9:249
formosa, 2:99
Mollienisia latipinna, 2:99
Mollugo, 11:115, 21:248
cerviana, 21:315
verticillata, 2:162, 25:329, 30:547, 30: 549, 35:70
Mollusca, 13:457–458, 16:307–320, 18: 165–176, 27:238–240, 27:347–352
Mollusca of the White River, Arkansas and Missouri, Mark E. Gordon, 27: 347–352
Mollusca of the Wichita, Arbuckle, and Black Mesa uplifts of Oklahoma, and description of *Stenotrema wichitorum*, new species, Branley A. Branson, 16:307–320
Molluscan zoogeography: distribution of Gyraulus arizonensis (Pilsbry and Ferriss), a note on, Branley A. Branson, 8:51–52
Mollusks from Pleistocene local faunas in Caddo and Canadian counties, Oklahoma, additional collections of, Branley A. Branson, John Taylor, and Connie Taylor, 27:238–240
Molossidae, 17:297–300, 20:243, 20:252, 21:321–326, 24:389, 26:327, 31:280, 35:151–157
Molossops greenhalli, 31:534
Molossus, 20:251
ater, 11:498, 14:358, 16:450, 24:543, 31:534, 32:364, 35:151–153, 35:155, 35:157
molossus, 24:543, 31:534
rufus, 30:324
sinaloae, 35:151–153, 35:157
Molothrus, 28:69
aeneus, 33:252
ater, 2:35, 5:100, 10:142, 14:253, 16:6, 17:293, 18:107, 18:196, 21:240, 22: 370, 29:474, 30:214, 30:430, 30:453, 31:253–254, 31:260, 33:252, 34:491
Molting in the pintail (*Anas acuta*) and northern shoveler (*Anas clypeata*) on the Texas Gulf Coast, records of, Francis W. Smith, 21:558
Momotidae, 4:81
Momotus momota, 4:69
Monachus tropicalis, 18:453
Monanthochloe, 13:223
littoralis, 18:440
littoralis, 5:9, 15:303, 15:307, 18:435, 22:36, 22:42, 22:43, 22:46, 23:506, 25:316, 28:388, 30:398, 36:123, 36: 125
Monarda, 18:374, 18:379
austromontana, 35:72
citriodora, 24:433, 26:346, 35:72, 36: 354
fistulosa, 12:138, 12:139, 32:35. 32:395
fruticulosa, 35:386, 35:390
menthaefolia, 18:375, 18:376, 18:379
pectinata, 23:316, 23:320, 27:176
punctata, 2:167, 20:329, 25:333, 31:34–36
Monarthrum fasciatum, 20:229
Moncrief, Nancy D., Absence of genic variation in a natural population of nine-banded armadillos, *Dasypus novemcinctus* (Dasypodidae), 33: 229–231
Moneilema albopicta, 26:440
Moneran populations indigenous to an artesian community within the Edwards Aquifer, Robert D. Koehn, Kevin A. Kuehn, and Rory M. O'Neil, 36:368–373
Monobothrium ingens, 24:686
Monocotyledoneae, 35:64
Monodelphis, 33:232
Monoecocestus sigmodontis, 23:401, 23: 403, 23:405
Monograph of the genus *Rosa* in North America. II. *R. foliolosa*, a, Walter H. Lewis, 3:145–153
Monograph of the genus *Rosa* in North America. III. *R. setigera*, a, Walter H. Lewis, 3:154–174
Monogynella, 18:319
Monolepis, 15:412
nuttalliana, 1:122, 15:412, 29:411
Monomorium, 28:138, 29:78
minimum, 26:7, 26:8, 28:140, 29:442, 31:555, 31:556, 35:416–421
pharaonis, 28:300, 31:274
viridum, 25:181, 25:187, 25:193, 28: 140
Monophylla pallipes, 27:26
Monopsyllus
fornacis, 27:237
wagneri, 16:435
Monoptilon bellioides, 12:185
Monotylephorus, 24:509, 24:517–519, 24: 524, 25:253–255
Monostyla, 10:266, 15:104, 17:244, 22: 417, 23:633
bifurca, 23:636
bulla, 23:636
closterocerca, 23:636
hamata, 23:636
lunaris, 23:636
pyriformis, 23:636
quadridentata, 21:465, 23:636
Monotropa
hypopithys, 22:136–137
uniflora, 21:405, 22:137
Monotropa hypopithys L. for Texas and a new county record, a second collection of, David H. Riskind and Peggy A. Amerson, 22:136–137
Monson, Gale, see Ellis, David H., —
Montandon, 9:100
Montane mammalian biogeography in New Mexico, Bruce D. Patterson, 25:33–40
Montane *Ptomaphagus* beetles from New Mexico and zoogeography of south-

western caves (Coleoptera; Leiodidae; Catopinae), new, Stewart B. Peck, 23:227–238
Montane vole in northeastern New Mexico and adjacent Colorado, the, Walter W. Dalquest, 20:138–139
Montanoa, 16:364, 16:373
Monte Carlo simulation, 36:1–6
Montei, A. Kent, see Horejsi, Ronald G., —
Montei, Alan Kent, see Quinton, Dee A., —
Montgomery, S. J., D. F. Balph, and D. M. Balph, Age determination of Uinta ground squirrels by teeth annuli, 15:400–402
Monus rubra, 18:440
Monvillea
anisitsii, 30:78
cavendishiii, 30:78
Moor, Kenneth S., see Bradley, W. Glen, —
Moor, Kenneth S., see Deacon, James E., —
Moore, Dwight M., Mimulus floribundus Dougl. (Scrophulariaceae) in Arkansas, 3:217–219
Moore, Dwight M., Neviusia alabamensis Gray (Rosaceae) in Arkansas, 1:87
Moore, Dwight M., see Lewis, Walter H., —
Moore, Dwight W., and Gary A. Heidt, Distribution of the prairie vole, *Microtus ochrogaster* (Rodentia), in Arkansas, 26:208–210
Moore, Dwight W., see Frey, Jennifer K., —
Moore, George A., Milton B. Trautman, and Milton R. Curd, A description of postlarval gar (*Lepisosteus spatula* Lacépède, Lepisosteidae), with a list of associated species from the Red River, Choctaw County, Oklahoma, 18:343–344
Moore, George A., see Niazi, Anwar D., —
Moore, Raymond J., see Norman, Eliane M., —
Moore, Rebecca A., see Beasom, Samuel L., —
Moore, Richard H., Observations on fishes killed by cold at Port Aransas, Texas, 11–12 January 1973, 20:461–466
Moore, Richard L., and C. David Simpson, Disease mortality of waterfowl on Texas playa lakes, 25:566–568
Moore, Walter G., and John B. Young, Fairy shrimps of the genus *Thamnocephalus* (Branchiopoda, Anostraca) in the United States and Mexico, 9:68–77
Moore, Walter G., Limnological studies of temporary ponds in southeastern Louisiana, 15:83–110
Moore, Walter G., New World fairy shrimps of the genus *Streptocephalus* (Branchiopoda, Anostraca), 11:24–48
Moore, Walter G., The effect of prolonged wet storage on the hatchability of eggs of *Streptocephalus seali* Ryder (Brachiopoda: Anostraca), 24:201–203
Moore, Walter G., see Eggler, Willis A., —
Mooser, O., A new species of Pleistocene fossil tortoise, genus *Gopherus*, from Aguascalientes, Aguascalientes, Mexico, 17:61–65
Mooser, O., Fossil Equidae from the middle Pliocene of the Central Plateau of Mexico, 13:1–12
Mooser, O., Pliocene horses of the Ocote local fauna, central plateau of Mexico, 18:257–268
Mooser, Oswaldo, and Walter W. Dalquist, A new species of camel (genus *Camelops*) from the Pleistocene of Aguascalientes, Mexico, 19:341–345
Moraceae, 1:63, 2:160, 11:114, 16:111, 16:112, 18:433, 18:439, 18:440, 25:328, 35:73
Morafka, David J., A biogeographical analysis of the Chihuahuan Desert through its herpetofauna (rev.), 24:715–716
Morales, Juan Carlos, Description of a new species of *Jellisonia* Traub, 1944 (Siphonaptera: Ceratophyllidae) from Guerrero, México, 35:310–315
Morales, Juan Carlos, see Ayala-Barajas, Ricardo, —
Morales, Juan Carlos, see Engstrom, Mark D., —
Morales, Juan Carlos, see León-Paniagua, Livia, —
Mordella
atrata, 8:54
insulata, 8:54
Mordellidae, 8:54, 27:26, 30:550
Mordellistena comata, 8:54
Moretti, Miles A., see Platania, Steven P., —
Morey, Elsie D., see Northington, David K., —
Morey, R. W., see McMillan, C., —
Morgan, Edward C., and William Ken King, Tooth replacement in king mackerel, *Scomberomorus cavalla* (Pisces: Scombridae), 28:261–269
Morgan, Edward C., The distribution of the subspecies of *Sceloporus undulatus* (Sauria: Iguanidae) in Louisiana, 17:67–72
Morgan, Raymond P., II, see Chapman, Joseph A., —
Morganella, 18:425
cueroensis, 14:425, 14:426, 18:432, 18:436, 18:437
Morgart, John R., and Paul R. Krausman, Early breeding in bighorn sheep, 28:460–461
Morgart, John R., Carnivorous behavior by a white-tailed antelope ground squirrel, *Ammospermophilus leucurus*, 30:304–305
Moriarty, David J., Effect of search time on food preference in *Peromyscus leucopus* (Cricetidae), 21:469–474
Moriarty, David J., Richard E. Farris, Diane K. Noda, and Patricia A. Stanton, Effects of fire on a coastal sage scrub bird community, 30:452–453
Morisonia americana, 10:62
Morkillia, 7:185, 11:241
Mormoopidae, 20:243, 22:401–403, 34:417
Mormoops, 20:243
megalophylla, 2:88, 3:102–106, 4:61–63, 5:104, 7:64–74, 12:262, 15:13, 15:135, 17:426, 17:427, 20:243, 20:244, 20:247, 20:252, 22:401–403, 32:505, 35:152, 35:232
Morone
americanus, 22:96
chrysops, 20:316, 23:257, 25:86, 25:298, 27:110–112, 28:328, 28:332, 30:560, 32:215, 32:216, 32:410, 35:406, 35:408, 36:204
crysops, 22:281, 36:203
interrupta, 2:96
mississippiensis, 27:110–112, 36:261
saxatilis, 22:96, 23:247, 25:86, 28:170, 34:118–123, 34:193
Morphocorixa compacta, 9:99
Morphogeography of four grass taxa in north-central and eastern Texas, Louis H. Bragg, 9:219–231
Morphologic variation among rock pocket mice (*Chaetodipus intermedius*) from New Mexico lava fields, Floyd W. Weckerly and Troy L. Best, 30:491–501
Morphologic variation in the coyote, *Canis latrans*, in the southern United States, Michael L. Kennedy, Paul L. Leberg, and George D. Baumgardner, 31:139–148
Morphologic variation in the Texas mouse, *Persomyscus attwateri*, Derrick W. Sugg, Michael L. Kennedy, and Gary A. Heidt, 35:163–172
Morphological and reproductive characteristics of white-tailed deer from Fort Riley, Kansas, Scott R. Klinger, Robert J. Robel, and Bennett A. Brown, 30:589–596

Morphological differences between the females of *Drosophila melanogaster* and *D. simulans*, James N. Thompson, Jr., Brent N. Hisey, and R. C. Woodruff, 24:204–205

Morphological differences in appendicular skeletons of *Spermophilus tridecemlineatus*, *Spermophilus elegans*, and *Spermophilus armatus*, Brian J. Miller, Henry J. Harlow, and Danny N. Walker, 34:302–304

Morphological fossil plant species: *Euonymus glanduliferus*, a, Tod F. Stuessy and Robert S. Irving, 13: 353–357

Morphological growth patterns of saguaro (*Carnegiea gigantea*: Cactaceae) on flats and slopes in Organ Pipe Cactus National Monument, Arizona, Richard I. Yeaton, Richard Karban, and Holliday B. Wagner, 25:339–349

Morphological variation in mesquite (Prosopis, Leguminosae) in the lowlands of northeastern Mexico, Joseph D. Graham, 5:187–193

Morphological variation in the dark kangaroo mouse, notes on, Frank Schitoskey, Jr., 13:243–248

Morphological variation in the Trans-Pecos rat snake (*Elaphe subocularis*), Robert G. Webb and George M. Ferguson, 31:118–121

Morphological variation of the Texas lyre snake (Trimorphodon biscutatus vilkinsoni) from the Franklin Mountains, West Texas, Leroy H. Banicki and Robert G. Webb, 27: 321–324

Morphology and behavior of greater x lesser prairie chicken hybrids, John A. Crawford, 23:591–596

Morphology and biogeography of *Chrysothamnus nauseosus* ssp. *texensis* (Asteraceae): a new Guadalupe Mountains endemic, Loran C. Anderson, 25:197–205

Morphology and cytology of Uniola (Gramineae), Harris O. Yates, 11: 145–189

Morphometrics of *Terrapene coahuila* (Chelonia, Emydidae), with comments on its evolutionary status, William S. Brown, 16:171–184

Morris, Michael I., A biosystematic analysis of the *Caltha leptosepala* (Ranunculaceae) complex in the Rocky Mountains II. Anatomy and palynology, 19:131–138

Morrison, E. O., and H. L. Carpenter, Range extension for *Zorotypus hubbardi* Caudell (Zoraptera), 22:141

Morrison, E. O., Lethocerus griseus, an uncommon food item of the common mallard, 10:77

Morrison, E. O., *Rhabdias ranae* infections in three species of Oklahoma Anura, 12:335–336

Morrison, E. O., see Hoffpauir, Charles, —

Morrison, E. O., see Jacobs, Barry, —

Morrison, E. O., see Knight, Marion T., —

Morrison, Eston O., see Tanzer, Ernest C., —

Morrison, Michael L., Edwin Shanley, Jr., and R. Douglas Slack, Breeding biology and age-specific mortality of olivaceous cormorants, 24:259–226

Morrison, Michael L., Edwin Shanley, Jr., and R. Douglas Slack, The food of nestling olivaceous cormorants, 22: 321–326

Morrison, Michael L., R. Douglas Slack, and Edwin Shanley, Jr., Interspecific association of olivaceous cormorants and roseate spoonbills, 23: 681–683

Mortonia, 22:51

latisepala, 8:212

scabrella, 9:153, 10:257, 10:259, 22:62, 23:291, 23:293–296, 23:299, 26:87, 26:264, 26:265, 26:283, 30:393, 30: 394, 35:71

sempervirens, 35:65, 35:71

Morus, 14:109, 14:423, 17:394, 18:440, 19:164, 19:441

alba, 2:155, 2:160, 19:161, 24:169, 24: 171, 24:172, 27:428

microphylla, 1:63, 15:150, 15:153, 15: 159, 22:340, 22:349, 24:131, 24:135, 25:362–365, 26:253, 28:83, 35:73

rubra, 12:345, 13:236, 14:110, 15:152, 18:433, 18:441, 19:155, 19:158–161, 20:76, 20:328, 20:331, 21:90, 21:101, 21:482, 24:169–171, 25:328, 27:385, 27:428, 29:83

Mosher, Tom, see Kring, Lynn, —

Moshin, A. K. Mohammad, and Benny J. Gallaway, Seasonal abundance, distribution, food habitats and condition of the southern brook lamprey, *Ichthyomyzon gagei* Hubbs & Trautman, in an East Texas watershed, 22:107–114

Mosier, Doyle T., Records of *Lepomis symmetricus* Forbes and *Fundulus chrysotus* (Gunther) from Aransas County, Texas, 29:504–505

Moss, 12:138

Moss, Susan P., and Patricia Mehlhop-Cifelli, Status of the Texas kangaroo rat, *Dipodomys elator* (Heteromyidae), in Oklahoma, 35:356–358

Mosses new to Tarrant County, Texas, five, Charles R. Gardner and Archibald W. Hopkins, 22:135

Mother-young behavior in white-tailed deer, *Odocoileus virginianus*, David H. Hirth, 30:297–302

Mother-young interactions in aoudads, *Ammotragus lervia*, Khushal Habibi, 32:111–116

Mougeotia, 10:188–210, 10:261, 10:266, 10:269, 10:270, 10:272, 17:245, 17: 247, 22:112, 23:59, 24:158, 24:161, 25:416, 25:420

tenuissima, 23:437

Moulton, Michael P., Jerry R. Choate, and Steven J. Bissell, Biogeographic relationships of pocket gophers in southeastern Colorado, 28:53–60

Moulton, Michael P., Jerry R. Choate, Steven J. Bissell, and Robert A. Nicholson, Associations of small mammals on the central High Plains of eastern Colorado, 26:53–57

Moulton, Michael P., see Choate, Jerry R., —

Moulton, Michael P., see Honeycutt, Rodney L., —

Moulton, Michael P., see Rose, Francis L., —

Mountain lion kill in Southwest Texas, a, A. F. Van Pelt, 22:271

Mouqeotia, 8:232

Mourning dove body weights in southeastern New Mexico during and after a dry spring and early summer, James P. Griffing, Paul E. Sawyer, and Charles A. Davis, 21:545–547

Mouthless cypriniform fishes from Louisiana and Arkansas, Patrick S. Hambrick and Richard E. Spieler, 22:143–146

Movement and reproduction of vampire bats in Colima, Mexico, notes on local, Richard J. Burns and Raúl Flores Crespo, 19:446–449

Movement of rodents across roads, Ronald M. Kozel and Eugene D. Fleharty, 24:239–248

Movement of the painted lady butterfly in Wyoming, a southward, D. F. Owen and R. G. Wiegert, 30:158–159

Movements and growth of fishes in the Gila River Drainage, Arizona and New Mexico, Kevin R. Bestgen, Dean A. Hendrickson, Dennis M. Kubly, and David L. Propst, 32:351–356

Movements and homing in the canyon tree frog (*Hyla cadaverina*), David W. Kay, 34:293–295

Movements of the Mexican free-tailed bat in Texas, Henry L. Short, Richard B. Davis, and Clyde F. Herreid, II, 5:208–216

Movements of white-tipped doves in southern Texas, Charles P. Boyd-

stun and Charles A. DeYoung, 33: 365–367
Mowbray, Elmer E., and John W. Goertz, Nesting season and reproductive rates of cavity nesting birds of North Louisiana, 17:145–151
Mowbray, Elmer E., see Goertz, John W., —
Moxostoma, 7:82, 7:83, 7:100, 7:128, 7: 150
aureolum, 7:104
austrinum, 29:399, 35:34, 35:37, 35:38, 35:46
carinatum, 19:262
congestum, 2:94, 2:98, 12:335, 17:376–378, 29:378, 29:383, 31:399–401, 32: 213, 32:214, 32:216, 32:408, 32:410, 32:411–413, 35:446, 36:203, 36:204, 36:208
duquesnei, 19:262
erythrurum, 2:94, 4:162, 15:140, 19:262, 20:416, 31:379
lachneri, 31:400
poecilurum, 2:96, 27:110–112
Moyle, Peter B., see Geary, R. Eugene, —
Mozinna
sessiliflora, 8:123
spathulata, 8:122, 8:123
Mpoame, Mbida, and John N. Rinne, Helminths of Apache (*Salmo apache*), Gila (*S. gilae*), and brown (*S. trutta*) trouts, 29:505–506
Mpoame, Mbida, and John N. Rinne, Parasites of some fishes native to Arizona and New Mexico, 28:399–405
Mubanga, George, Jerry L. Holechek, Raul Valdez, and Sanford D. Schemnitz, Relationships between diet and fecal nutritive quality in mule deer, 30:573–578
Mublenbregia torreyi, 28:200
Muchmore, William B., *Interchernes*, a new genus of pseudoscorpion from Baja California (Pseudoscorpionida: Chernetidae), 25:89–93
Muchmore, William B., The genus *Lechytia* in the United States (Pseudoscorpionida, Chthoniidae), 20:13–27
Muchmore, William B., Two miratemnid pseudoscorpions from the Western Hemisphere (Pseudoscorpionida, Miratemnidae), 20:231–239
Mucilago crustacea, 16:149
Mucilium
lacustre, 22:239, 22:240, 22:248
partumeium, 22:239
transversum, 22:239, 22:240, 22:248
Mucor, 27:18, 27:19
Mucronella aggregata, 19:353
Mueller, Allan J., see Sears, Norman E., —
Mueller, Dale M. J., see Neumann, Alan J., —
Mueller, Gordon A., Spawning by *Rhinichthys osculus* (Cyprinidae), in the San Francisco River, New Mexico, 29:354–356
Mueller, Gordon, Observations of spawning razorback sucker (*Xyrauchen texanus*) utilizing riverine habitat in the Lower Colorado River, Arizona-Nevada, 34:147–149
Mugil, 22:325
cephalus, 1:162, 2:98, 3:10, 4:165, 20: 462–464, 22:323, 22:324, 23:524, 27: 112, 28:328, 28:329, 32:227, 32:232, 34:340, 34:341, 36:203, 36:206, 36: 208
curema, 1:162, 1:153, 2:95, 28:104, 32: 232, 34:340, 36:206
galapagensis, 32:227
hospes, 32:232
Mugilidae, 4:165, 28:103, 31:528, 32:226, 32:231, 35:34, 35:42
Muhlenbergia, 3:30, 3:128, 14:331, 20: 257, 26:252, 27:326, 27:362, 30:389, 33:429, 33:433, 33:434, 34:61–71, 34:488, 35:63
annua, 34:62, 34:63, 34:65, 34:68, 34: 70
appressa, 34:62, 34:64, 34:65, 34:68, 34:70
arenacea, 21:261, 21:314
arenicola, 27:339
asperifolia, 2:158
biloba, 34:65, 34:68, 34:70
brandegei, 34:65, 34:68, 34:70
breviculmis, 34:65, 34:66, 34:70
brevis, 34:65, 34:68, 34:70
capillaris, 29:326, 29:329, 35:387, 35: 390
ciliata, 12:77, 12:80, 34:62, 34:64–66, 34:70
confusa, 34:65, 34:68, 34:70
crispiseta, 34:62, 34:64–66, 34:70
cuspidata, 12:138, 12:141, 12:144, 13: 384–386, 17:6
decumbens, 34:65, 34:66, 34:68, 34:70
depauperata, 34:65, 34:67, 34:68, 34: 70
diversiglumis, 34:62, 34:65, 34:68, 34: 70
dubia, 12:84
dubioides, 35:64, 35:74
elongata, 12:80
eludens, 34:65–68, 34:70
emersleyi, 8:189, 10:52, 12:80, 12:110, 16:14, 21:309, 27:88, 30:389, 35:67, 35:74
filiformis, 34:63, 34:65, 34:66, 34:70
flavida, 34:65, 34:66, 34:70
fragilis, 12:70, 12:75, 34:62, 34:63, 34: 65, 34:68, 34:70, 35:74
glabrata, 12:84
glauca, 12:70, 12:85
implicata, 12:77, 12:80, 34:62, 34:65, 34:68, 34:70
involuta, 5:9
lindheimeri, 5:9
longiligula, 21:60, 30:388, 30:389, 30: 391, 30:392, 35:66, 35:74
macroura, 12:84
marshii, 12:81
metcalfei, 8:190, 32:111
microsperma, 12:77, 34:62, 34:64, 34: 65, 34:68, 34:70
minutissima, 25:279, 34:65, 34:68, 34: 70
montana, 12:321, 12:323, 12:324, 12: 326
monticola, 31:350, 31:354, 35:74
parviglumis, 12:77, 12:81, 12:84
pauciflora, 8:187, 31:350, 32:400, 35: 74
pectinata, 34:62, 34:63, 34:65, 34:66, 34:70
plumbea, 12:81
porteri, 1:62, 10:37, 12:77, 12:81, 16: 10, 21:3, 21:315, 22:342, 22:344, 23: 297, 31:36, 32:428–431, 33:370, 33: 428, 33:430, 35:64, 35:74, 36:54, 36: 55
pulcherrima, 34:62, 34:64–68, 34:70
pungens, 1:62, 12:476–477
pusilla, 34:62, 34:65, 34:66, 34:68, 34: 70
racemosa, 12:139, 13:385, 13:386, 19: 441, 19:442, 28:462
ramulosa, 34:62, 34:65, 34:67, 34:68, 34:70
repens, 8:189, 10:50, 12:81, 27:339, 32: 400
reverchoni, 4:45, 4:48, 4:52, 4:54, 4:56, 4:119
richardsonii, 17:231
rigens, 4:119, 4:127, 8:190, 8:193, 8: 194, 10:50, 10:51, 10:53, 31:347, 31: 350, 31:352, 31:354, 31:355, 35:74
rigida, 8:189, 12:84, 27:88, 35:74
schmitzii, 34:62, 34:64–66, 34:71
schreberi, 5:9
setifolia, 12:84
shepherdi, 34:62, 34:65, 34:68, 34:71
sinuosa, 34:63, 34:65, 34:68, 34:70, 35: 74
sobolifera, 26:220
speciosa, 12:70, 12:81
strictior, 34:63, 34:65–67, 34:70
subbiflora, 34:65, 34:66, 34:68, 34:70
tenella, 12:77, 34:62, 34:65, 34:66, 34: 70
tenuifolia, 34:62, 34:65, 34:68, 34:70
tenuissima, 34:62, 34:65, 34:68, 34:70
texana, 34:65, 34:68, 34:70
torreyi, 17:231, 20:294, 21:362, 23:117, 23:127, 23:129, 24:550, 24:551, 27: 301, 29:277, 29:279, 29:280, 29:358, 30:439, 36:255
utilis, 4:119, 5:9
vaginata, 34:62, 34:65–67, 34:70
villiflora, 35:366

wolfii, 34:62, 34:65, 34:68, 34:70
wrightii, 29:182, 29:185
xerophila, 35:64, 35:74
Muhlenbergia pungens Thurber (Gramineae) in Texas Panhandle, Marshall C. Johnston, 12:476–477
Muhlenbergis porteri, 32:427
Mule deer fawn bed site selection on the Pinon Canyon Maneuver Site, Colorado, Thomas P. Gerlach and Michael R. Vaughan, 36:255–258
Mullen, Gary R., see Trauth, Stanley E., —
Mullerian ducts in male *Bufo woodhousei*, David R. Long, 33:240–243
Multiple lenses in the eye of a largemouth bass, Renn Tumlison, Alan D. Price, and John K. Beadles, 30:147–148
Multivariate analyses of terrestrial reptilian distribution in Texas: an alternate view, Rocky Ward, Earl G. Zimmerman, and Timothy L. King, 35:441–445
Multivariate analysis of early and late nest sites of Abert's towhees, Deborah M. Finch, 30:427–432
Multivariate morphometric analysis between *Hydroporus veronicae* and *H. terminalis* (Coleoptera: Dytiscidae), a, Richard A. Rochette, 30:445–448
Muma, Martin H., Solpugid (Arachnida) populations in a creosotebush vs. a mixed plant association, 25:129–136
Muma, Martin H., Two vernal ground-surface arachnid populations in Tularosa Basin, New Mexico, 20:55–67
Mumford, Russell E., Leonard L. Oakley, and Dale A. Zimmerman, June bat records from Guadalupe Canyon, New Mexico, 9:43–45
Mundochthonius, 20:21
Munroa squarrosa, 1:62, 2:158, 23:129, 29:280, 29:284, 31:36
Muntingia calabura, 32:363, 32:365
Murcielagos del este de Chiapas, notas sobre, Rodrigo A. Medellín, Guillermina Urbano-Vidales, Oscar Sánchez-Herrera, Guadalupe Téllez-Girón S., y Héctor Arita W., 31:532–535
Murcielagos del genero *Leptonycteris* en Mexico, con la designacion del lectotipo de *L. yerbabuenae* Martinez y Villa, 1940, notas sobre los, José Ramírez-Pulido, y Ticul Alvarez, 16:249–259
Muridae, 20:505, 25:266–267, 36:89, 36:101
Murphy, Clifford E., see Gruninger, Terrence L., —
Murphy, James B., see Gillingham, James C., —
Murray, Geneva Biffle, and Bedford M. Vestal, Effects of environmental structure on the burrow distribution of thirteen-lined ground squirrels, *Spermophilus tridecemlineatus* (Sciuridae), 24:79–85
Mus, 5:99, 16:448, 17:302
domesticus, 36:84–88
ludovicianus, 31:106–107
musculus, 4:41, 5:100, 5:101, 5:195, 10:71, 11:306, 13:19, 13:148, 13:154, 13:156, 14:165, 14:168, 14:358, 16:449, 17:81, 17:324, 19:116, 20:278, 23:405, 24:37, 24:239, 24:242, 24:243, 24:690, 25:75, 26:54, 26:55, 26:430, 27:459, 30:340, 31:106, 31:401, 33:106, 33:255–261, 33:496, 34:142, 34:143, 35:366, 36:346
Musa
paradisiaca, 18:433, 18:438, 18:440, 32:363
velutina, 22:162
Musaceae, 18:440
Musca domestica, 19:70, 26:431
Musci, 1:35–38
Muscidae, 19:65, 19:70, 20:8, 23:565, 23:566, 23:570, 23:571, 23:575
Muscina flukei, 19:70
Muscivora forficata, 15:265–266, 17:296–297, 19:111–112, 19:439–440, 21:454, 25:553
Musculium, 12:202
transversum, 27:350
Museaceae, 18:433
Mustela, 32:239
erminea, 13:277, 17:325, 24:554, 25:36, 25:260, 26:335, 36:245–246
frenata, 4:33, 6:195, 16:209, 16:210, 19:114, 19:453, 20:499, 21:141, 21:245, 23:707, 24:554, 26:335, 28:317–319, 28:380, 30:340, 30:341, 32:158, 32:162, 35:234, 36:245, 36:246
nigripes, 4:33, 13:20, 18:350, 23:178, 28:95, 30:340, 30:341, 31:277, 31:281, 31:283
vison, 13:20, 13:105, 13:275–282, 26:335, 28:317, 28:318, 29:145
Mustela frenata in northern Baja California, Mexico, occurrence of, Gene L. Ralston and William H. Clark, 16:209
Mustelidae, 10:78, 13:449–451, 20:497, 20:499, 26:327, 31:281, 32:286–287, 33:15–20
Musumena calycina, 11:345
Mutellidae, 26:430, 26:431
Muth, R. T., see Haynes, C. M., —
Muth, Robert T., and Thomas P. Nesler, Marking Colorado squawfish embryos and newly hatched larvae with tetracycline, 34:432–436
Muth, Robert T., Charles M. Haynes, and Clarence A. Carlson, Culture of roundtail chub, *Gila robusta robusta* (Cyprinidae), through the larval period, 30:152–154
Muth, Robert T., see Haynes, Charles M., —
Mutillidae, 21:552–554, 29:511, 32:419, 32:421, 32:422, 32:424
Myadestes
obscurus, 18:196, 18:199
townsendi, 25:461–467, 29:473, 34:490
Mycanthococcus antarcticus, 11:198
Mycelial fungi from marine habitats of Mustang Island, Texas, a new checklist of, Robert D. Koehn, 24:365–369
Mycena
atkinsoniana, 29:263
clavicularis, 29:263
galericulata, 29:263
haematopus, 29:263
pura, 29:263
viscosa, 29:261, 29:263
Mycetophagidae, 28:476
Mycetophilidae, 12:266, 14:238
Mycobacterium, 36:370, 36:371
leprae, 33:229, 33:230
Mycoplasma, 35:26
Mycteria americana, 6:105
Myers, Deanna, and James K. Wangberg, Blue cactus borer infestation levels in three West Texas habitats, 26:216–217
Myiarchus, 4:73
cinerascens, 2:31, 7:264, 16:6, 24:572, 27:222, 29:473, 34:492
crinitus, 17:149
nuttingi, 18:195
tyrannulis, 26:254
tyrannulus, 22:276
Myiobius sulphureipygius, 4:73, 4:80
Myiopagis viridicata, 4:80, 18:199, 18:200
Myiozetetes similis, 4:73
Mylabridae, 2:127
Mylodon harlani, 22:257, 22:258
Mylohyus, 12:12
Mynard, C. R., see McMillan, C., —
Myobia, 21:277, 21:278
musculi, 24:690
Myobiidae, 12:262, 20:241, 20:245, 20:247, 21:278, 24:690, 32:505, 36:115
Myocastor coypus, 16:454–457, 28:315–317, 28:319, 28:322
Myochrous denticollis, 8:54
Myocoptes muscuinus, 24:690
Myocoptidae, 24:690
Myodopsylla, 12:268
collinsi, 4:62, 20:241, 20:244, 20:245, 20:248, 20:249
gentilis, 20:241, 20:244–248, 20:250, 20:251
Myosotis, 30:547, 30:549
Myosurus, 15:412
cupulatus, 35:73
minimus, 15:412

Myotis, 7:64, 11:245, 14:1–13, 15:228, 24:450, 31:280
albescens, 31:533
apache, 14:2
auricularis, 15:16
auriculus, 14:1–13, 16:262–264, 17:360, 17:426, 20:145–147, 26:439–440, 32:391
californicus, 9:43–45, 10:74, 11:310, 11:496, 12:163–171, 12:477, 12:478, 15:13, 15:15, 15:135, 15:264, 16:262–264, 17:359, 17:425–427, 19:452, 22:427–433, 23:155, 23:706, 24:448, 24:693, 26:328, 29:246, 33:494, 35:354, 35:355
evotis, 6:93, 14:1–13, 15:11, 15:13, 16:262–264, 17:360, 20:146, 26:335, 32:391, 35:354, 35:355
fortidens, 7:71, 24:543, 30:324, 31:533, 32:364
grisescens, 1:137, 8:174, 17:104, 22:403, 24:74, 24:76
keaysi, 28:378, 31:534, 35:152
keeni, 1:137
keenii, 14:1–13, 15:11, 15:13, 15:15, 20:146, 32:391, 35:341
leibii, 13:444–446, 16:262–264, 17:97, 17:98, 17:359, 17:360, 17:426–428, 26:329, 35:341, 35:354
liebii, 20:147
lucifugus, 4:137, 4:140, 4:141, 7:77, 9:205, 10:311, 13:362, 13:444–446, 14:7, 14:360, 15:13, 15:132, 15:261–263, 16:261–264, 17:97, 17:104–105, 17:360, 17:428, 24:74, 24:76, 26:335, 30:374, 32:135, 34:287, 35:341
micronyx, 14:3
milleri, 14:2–7
nigricans, 7:72, 13:361, 15:222, 16:450
ruber, 11:265
sodalis, 10:311, 17:104, 35:341–342
subulatus, 1:138, 5:100, 6:94, 15:13, 15:16, 20:499
thysanodes, 7:72, 11:495, 12:192, 13:362, 13:444, 13:445, 14:3, 14:360, 15:13, 15:15, 15:135, 15:261, 15:395, 16:262–264, 17:104, 17:287, 17:288, 17:292, 17:359, 17:360, 17:425, 17:426, 20:146, 20:242, 20:245, 20:249, 20:499, 25:114–115, 26:335, 32:149, 32:391, 33:494, 35:354, 35:355
thysanodoes, 15:13
velifer, 1:137, 3:102–106, 4:61, 4:62, 4:136–138, 4:140–141, 5:104–105, 5:228, 8:175, 9:43, 9:44, 10:74, 10:311, 11:306, 12:195, 13:15, 15:13, 15:14, 15:132, 15:133, 15:135, 15:222, 15:452, 17:359, 17:360, 19:452, 20:242, 20:244, 20:248, 20:249, 20:499, 21:275, 21:277, 22:403, 24:376, 26:328, 26:429, 26:430, 27:356, 27:463–464, 28:409, 29:246, 30:324, 30:405–412, 31:126–128, 32:135, 32:136, 32:149, 33:494
volans, 13:444, 13:446, 14:360, 15:11, 15:13, 15:16, 15:263, 15:395, 16:262–264, 17:97, 17:288, 17:358–360, 17:424–426, 20:146, 20:242, 20:245, 20:249, 25:124, 26:335, 29:246, 35:354
yumanensis, 11:311, 13:362, 15:11, 15:13, 15:15, 15:132, 15:133, 15:135, 15:222, 15:261, 16:262–264, 19:115, 20:244, 20:248, 20:249, 20:499, 26:328, 29:246, 32:135, 32:136
Myotis auriculus (Vespertilionidae) in northern Arizona, presence of, Richard M. Warner and Nicholas J. Czaplewski, 26:439–440
Myotis auriculus from Guatemala, first record of, Robert S. Hoffmann, J. Knox Jones, Jr., and J. A. Campbell, 32:391
Myotis grisescens in Kansas, second record of, J. Knox Jones Jr., and Jerry F. Downhower, 8:174
Myotis volans interior Miller in Knox County, Texas, Tony Mollhagen and Rollin H. Baker, 17:97
Myrica, 11:106
cerifera, 12:346, 26:345–350, 28:63, 31:192
segregata, 2:143
Myricaceae, 11:74, 11:75, 11:106, 11:114
Myricaria
alopecuroides, 2:68
dahurica, 2:54
Myriocarpa, 11:101
Myriophyllum, 4:4, 4:8, 4:9, 6:201, 6:202, 8:137, 9:106, 14:33, 14:34, 14:36, 15:108, 21:481, 22:544, 27:35
brasiliense, 34:290
heterophyllum, 17:384, 34:290
spicatum, 12:56, 34:290
Myrmarachne, 11:349, 21:199, 29:231
cutleri, 10:132, 10:133
hentzi, 11:353
Myrmecia, 33:317
Myrmecina, 18:283
Myrmecocystus, 2:127, 24:677–682
depilis, 21:3, 21:7, 24:677–680, 25:268
melliger, 24:678, 28:27–30, 28:140
mexicanus, 21:6, 21:8, 24:677–680, 28:21–31
mimicus, 21:3, 21:7, 25:181, 25:185, 25:187, 25:193, 28:22–24, 33:276
mojave, 28:23, 28:24
navajo, 21:6, 21:8
placodops, 24:678
Myrmecophaga tridactyla, 36:98
Myrmekiaphila fluviatilis, 11:369
Myrmeleonidae, 32:396
Myrmeleontidae, 28:377, 30:550, 32:418, 32:420, 32:422
Myrmentoma, 18:39
Myrmex, 29:436, 29:438
estriatus, 29:437
Myrmica
discontinua, 28:289, 28:290, 28:292
rubra, 27:135, 27:137, 29:425, 30:307
scabrinodis, 27:137
schencki, 17:49, 17:50, 17:52, 17:53
Myrmicinae, 23:205–213, 36:140–142
Myrophis punctatus, 1:103, 36:205
Myrsinaceae, 4:208–209, 9:233, 16:112
Myrtaceae, 35:19
Myrtillocactus, 18:194, 36:77, 36:361
geomentrizens, 18:193
geometrizans, 30:78
Myrtilocactus cochal, 21:127
Mysidacea, 17:203–205, 20:138, 20:481
Mysis, 33:471
Mystacides
alafimbriata, 31:436
interjecta, 31:436, 31:447
longicornis, 31:436
Mythicomyia
grandis, 34:527
petena, 34:530
sedonae, 34:527–530
strenua, 34:530
Mythicomyia from central Arizona (Diptera: Bombyliidae), a new species of, Neal L. Evenhuis, 34:527–530
Mytilaspis
albus, 15:275
concolor, 15:275
gloverii, 16:324
mimosarum, 17:402
piniflolae, 16:338
Mytilella sexspina, 16:324
Mytilina, 23:636
Mytiliopsis leucophaeata, 5:149
Myxobolus
catostomi, 28:399, 28:401
discrepans, 28:399, 28:401
macrocapsularis, 28:399, 28:400
nodularis, 28:399, 28:401
oblongus, 28:399, 28:401
Myxocprinus, 7:82
Myxocyprinus, 7:150
asiaticus, 7:81
Myxomycetes, 9:155–159, 9:160–165, 10:221–226, 16:143–150, 23:689–691
Myxomycetes from Texas, with notes on some rarely reported species, first list of, Constantine J. Alexopoulos, 10:221–226
Myxomycetes from Texas. II Additions and corrections, Constantine J. Alexopoulos and Mary R. Henney, 16:143–150
Myxomycetes from West Texas, eight new species of, Linda L. Talley and Kenneth B. Williams, 23:689–691
Myxophyceae, 1:14, 8:229, 8:232, 17:244, 23:51, 23:53, 23:56, 23:57, 23:60, 25:411, 25:414, 25:416–420, 25:422, 35:207
Myxosoma, 28:178
Myzocytium
proliferum, 12:311, 12:314
Myzocytium zoophthorum, 12:311, 12:314

Nabhan, Gary Paul, and Karen L. Reichhardt, Hopi protection of *Helianthus anomalus*, a rare sunflower, 28:231–235
Nabidae, 36:51
Nader, Iyad A., Kangaroo rats: intraspecific variation in *Dipodomys spectabilis* Merriam and *Dipodomys deserti* Stephens (rev.), 24:717
Nadler, Charles F., see Pizzimenti, John J., —
Nadler, Charles F., see Sutton, Dallas A., —
Naematoloma fasciculare, 29:264
Naganuma, Kenneth, and Henry A. Hespenheide, Behavior of visitors at insect-produced analogues of extrafloral nectaries on *Baccharis sarothroides* Gray, 33:275–286
Nagiller, Sandra J., see Grubb, Teryl G., —
Naididae, 12:372, 12:383, 12:402, 13:249–250, 14:240, 18:151–164, 23:139, 23:541–544, 23:554, 24:509, 25:253, 25:261–264, 27:287–298, 31:542–544
Naiman, Robert J., and David L. Soltz (eds.), Fishes in North American deserts (rev.), 27:469
Naiman, Robert J., Preliminary food studies of *Cyprinodon macularius* and *Cyprinodon nevadensis* (Cyprinodontidae), 24:538–541
Nais, 23:554
behningi, 27:294
communis, 14:224, 14:226, 24:509, 24:513, 24:514, 27:294, 27:295
elinguis, 18:156, 27:298
magnaseta, 18:151, 18:154–156, 18:164
pardalis, 27:298
variabilis, 14:231, 14:236, 14:237, 14:240, 14:241, 18:156, 18:157, 18:164, 23:139, 24:509, 24:514, 24:515, 24:520, 24:524, 25:140
Najadaceae, 2:152, 2:153, 2:157, 15:409, 33:175, 34:290
Najas, 13:250, 14:36, 14:173, 15:409, 21:154–156, 21:158, 21:159, 23:52, 24:161, 25:379, 25:418
guadalupensis, 2:157, 10:77, 25:411, 25:413, 25:414, 25:421, 26:418, 33:169, 33:170, 33:173, 33:175, 34:290
guadualupensis, 15:409
marina, 2:152, 2:153, 21:152, 21:153, 27:226
quadalupensis, 14:33, 14:35, 14:38, 20:206, 23:548
Nama, 17:181
carnosum, 1:55, 1:65
dichotomum, 35:72
hispidum, 1:56, 21:315, 23:297, 29:367–375, 35:72, 36:56
stevensii, 24:435, 29:367–375
Nandina, 28:63
Nannippus, 25:505
aztecus, 13:1, 13:7–12
hesperides, 13:1, 13:10, 25:508
lenticularis, 25:507, 25:508, 25:511
minor, 13:10, 25:508
montezuma, 13:10
peninsulatum, 13:10
phlegon, 25:508, 25:509
Nannochloris, 25:420
Nanophyes
canadensis, 6:70
obesulus, 6:70
sabinae, 6:65, 6:70
vesperus, 6:65, 6:68, 6:70
watsoni, 6:70
Nanorchestidae, 28:417–419, 29:239–241, 35:280
Napidae, 29:455
Naranjo-Garcia, Edna, *Sonorella canannea*, a new species of land snail (Gastropoda: Pulmonata: Helminthoglyptidae) from Sonora, Mexico, 33:81–84
Narnia wilsonii, 25:181, 25:189, 25:191, 25:193
Narpus angustus, 24:197
Nash, Donald J., see Ramey, Craig A., —
Nasiaeschna, 8:135, 23:554
pentacantha, 2:3, 2:13, 4:132
Nassarius
iodes, 20:480, 20:482, 20:484
obsoletus, 27:255
Nassella, 26:213
Nasturtium, 11:316, 14:34, 14:36, 14:37, 24:314, 29:399
officianale, 29:498
officinale, 2:162, 3:225, 4:4, 26:418, 27:226, 28:33, 34:478, 35:71
Nastus borbonicus, 11:391
Nasua
narica, 6:23, 7:240
nasua, 25:36, 35:233
Natalus, 7:64
mexicanus, 4:64, 7:71
stramineus, 11:310, 12:172–175, 16:450, 31:533, 35:152
Natantia, 29:59–71
Natrix, 5:228, 10:169, 19:109, 19:110, 24:703
cyclopion, 11:137, 14:208, 14:209
erythrogaster, 1:182, 3:31, 3:49, 4:107, 5:77, 5:79, 5:81, 5:82, 5:84–86, 5:227, 6:43, 9:206, 11:137, 14:208–211, 19:195
fasciata, 14:209, 14:209
grahami, 1:182
harteri, 6:33–44
natrix, 25:118
rhombifera, 1:27–29, 1:180, 1:182, 5:227, 6:43, 9:206, 12:199, 14:208, 14:209
rufipunctatus, 18:247, 20:281
septemvittata, 1:180, 1:182
sipedon, 1:182, 11:311–312, 14:208, 14:209, 27:229, 27:263
sipidon, 17:200
taxispilota, 5:77, 5:82, 5:84, 5:85, 14:208, 14:209
valida, 10:140–141
Natural accident to big free-tailed bat, Neal G. Guse, Jr., 18:470
Natural darter hybrids: *Etheostoma gracile* x *Percina maculata*, *Percina caprodes* x *Percina maculata*, and *Percina phoxocephala* x *Percina maculata*, Lawrence M. Page, 21:161–168
Natural history of four species of whiptail lizard, Cnemidophorus (Sauria, Teiidae) in Trans-Pecos Texas, observations on the, Wm. W. Milstead, 2:105–121
Natural history of Pimephales vigilax (Cyprinidae), Henry L. Parker, 8:228–235
Natural history of the Alamos mud turtle, *Kinosternon alamosae* (Kinosternidae), John B. Iverson, 34:134–142
Natural history of the black-bellied tree duck (*Dendrocygna autumnalis*) in southern Texas, E. G. Bolen, B. McDaniel, and C. Cottam, 9:78–88
Natural history of the rough green snake, *Opheodrys aestivus* (Colubridae), aspects of the, Steven K. Goldsmith, 29:445–452
Natural history of the yellow mud turtle *Kinosternon flavescens* (Kinosternidae) in Iowa: a proposed endangered species, aspects of the, James L. Christiansen, James A. Cooper, John W. Bickham, Benny J. Gallaway, and Marlin D. Springer, 30:413–425
Natural hybrid toads, *Bufo punctatus* x *Bufo woodhousei*, from Colorado, Clarence J. McCoy, Hobart M. Smith, and J. A. Tihen, 12:45–54
Natural hybridization and trend toward extinction in some relict Texas toad populations, Lauren E. Brown, 16:185–199
Natural hybridization between Hadropterus scierus and Percina caprodes, Clark Hubbs and Charles Michael Laritz, 6:188–192
Natural nest site availability for black-bellied whistling ducks in South Texas, Don Delnicki and Eric G. Bolen, 20:371–378
Natural nests and egg clutches of the Texas spotted whiptail, *Cnemidophorus gularis gularis* (Sauria: Teiidae), from northcentral Texas, Stanley E. Trauth, 32:279–281
Natural revegetation of an unreclaimed lignite surface mine in east-central

Texas, J. G. Skousen, C. A. Call, and R. W. Knight, 35:434–440
Natural revegetation of lead/zinc mine spoil in northeastern Oklahoma, the, David J. Gibson, 27:425–436
Naturalization of *Colocasia esculenta* (Araceae) in the San Marcos River, Texas, Robert E. Akridge and Paul J. Fonteyn, 26:210–211
Naucoridae, 9:100, 23:554, 25:251, 29:455, 31:535–539, 32:289, 35:253, 36:357
Naucoridae (Hemiptera) from the United States and Mexico, with morphological and taxonomic notes, new distributional records of, Jack R. Davis, 31:535–539
Nauphoeta cinerea, 30:59, 31:88
Nauphota cinerea, 11:306
Navarro L., Daniel, A stranding record of *Globicephala macrorhynchus* (Cetacea: Delphinidae) in Yucatan, Mexico, 33:247–248
Navarro L., Daniel, see Juarez G., Julio, —
Navarro-López, Daniel, see León-Paniagua, Livia, —
Navarro-Perez, Sonia, see Lyons, John, —
Navarro Sigüenza, Adolfo G., Livia León-Paniagua, y Blanca E. Hernández Baños, Notas sobre las aves del estado de Queretaro, Mexico, 36:360–364
Navicula, 8:232, 10:266, 10:270, 17:16, 17:244, 18:99, 18:100, 22:310, 22:414, 22:415, 23:59, 24:162, 25:416, 25:420, 25:538, 27:82–84, 31:43, 35:206
accomoda, 24:153, 26:314, 28:245
aikensis, 24:153
anglica, 24:153, 26:314, 28:245
angusta, 22:414, 22:459
arvensis, 20:202
atomus, 24:153
biconica, 35:209
canalis, 22:414
capitata, 22:414, 22:459, 24:153, 26:314, 28:245
cincta, 26:314
cocconeiformis, 26:314
confervacea, 26:314, 28:245
contenta, 28:245
cryptocephala, 20:49, 20:201, 20:202, 22:414, 22:459, 22:460, 22:464, 24:153, 26:314, 28:245
cuspidata, 22:414, 22:459, 24:153, 26:314, 28:245, 30:464
decussis, 24:153, 26:314
densestriata, 26:314
dicephala, 10:40
elginensis, 24:153, 26:312, 26:314, 28:245
eliginensis, 22:414
elmorei, 28:245
exigua, 20:49, 22:414, 26:314
falaisiensis, 28:245
festiva, 28:245
gottlandica, 24:153
graciloides, 24:153, 26:314
gregaria, 26:314
halophila, 26:314
hambergii, 28:245
hefleri, 20:49
heufleri, 26:314
hustedtii, 28:245
inflexa, 26:314
jaerenfeltii, 24:153
laevissima, 22:459
lanceolata, 24:153, 26:314
luzonensis, 22:413
meniscula, 24:153, 28:246
menisculus, 10:40, 24:154, 28:246
minima, 22:459, 24:154, 26:314, 28:246, 30:464
minnewaukonesis, 24:154
minuscula, 28:244, 28:246
muralis, 24:154
mutica, 22:459, 24:154, 26:314, 28:246, 35:209
notha, 28:246
odiosa, 24:154
paucivisitata, 28:244, 28:246
pelliculosa, 20:49, 22:459, 26:314
peregrina, 26:314
placentula, 24:154
protracta, 28:246
pseudoreinhardtii, 24:154
pupula, 20:49, 22:413, 22:459, 24:154, 26:314, 28:246
pygmaea, 22:413, 22:458, 26:314, 35:209
radiosa, 24:154, 26:32, 26:314, 28:246
rhynchocephala, 10:40, 22:413
rhyncocephala, 24:154
sabiniana, 24:154, 28:246
salinarium, 20:49
salinarum, 20:202, 22:413, 22:458, 22:460
schroeteri, 35:209
secreta, 22:413, 26:314
seminumum, 24:154
subfasciata, 28:246
subhamulata, 26:314
subhanulata, 20:49
subinflatoides, 26:312, 26:314, 26:316
subtilissima, 24:154
symmetrica, 24:154
tenelloides, 26:314
tenera, 22:458, 22:460
tripunctata, 20:49, 20:202, 22:413, 22:458–460, 24:154, 24:159, 26:314, 35:209
variostriata, 28:246
virdula, 10:40
viridula, 20:405, 22:413, 23:90, 23:93, 24:154, 26:32, 26:33, 26:314, 28:246, 30:464
vulpina, 24:154, 26:314
Naviculaceae, 10:40, 26:313, 28:245
Neacomys, 33:401
Neal, Bobby J., Albino Harris ground squirrels at Ajo, Arizona, 9:104–105
Neal, Bobby J., and Stanley A. Wood, Notes on hematocrits from Arizona mammals and birds, 10:69–72
Neal, Bobby J., Seasonal changes in body weights, fat depositions, adrenal glands and temperatures of *Citellus tereticaudus* and *Citellus harrisii* (Rodentia), 10:156–166
Neal, James A., see Ruffner, George A., —
Neal, Joseph C., see Smith, Kimberly G., —
Neanthes
succinea, 19:333–334
virens, 36:353
Nearest-neighbor analysis of the spatial distribution of houses of *Neotoma micropus* in southwestern Oklahoma, Monte Thies and William Caire, 36:233–237
Neas, John F., see Wang, Xiaoming, —
Nebo hierichonticus, 25:517, 25:519–521, 29:387
Nebria
arkansana, 15:325
gebleri, 15:325
gyllenhali, 15:323
longula, 15:325
purpurata, 15:325
trifaria, 15:323
Neck, Raymond W., Adventive land snails in the Brownsville, Texas area, 21:133–135
Neck, Raymond W., Differential freeze-related mortality in feral populations of introduced veronicellid slugs in extreme southern Texas, 35:94–95
Neck, Raymond W., New state record: *Antheraea polyphemus oculea* (Lepidoptera: Saturniidae) from Coahuila, Mexico, 35:463–464
Neck, Raymond W., Possible adaptive significance of certain aspects of armadillo foraging behavior, 21:242–243
Necrophorus marginatus, 26:431
Nectandra
ambigens, 31:532
lancifolia, 16:112
Nectar amino acids in four species of *Agave* (Agavaceae), C. Edward Freeman, William H. Reid, and John W. Zaun, 28:113–115
Nectar as a diet item of the ringtailed cat, Joseph F. Kuban and Gregory G. Schwartz, 30:311–312
Nectar availability on the foraging behavior of the stingless bee *Trigona*

testacea, the effect of, Carlos Martinez del Rio and Luis E. Eguiarte, 32:313–319
Nectar constituents of the Cactaceae, Ron Scogin, 30:77–82
Nectar sugar variability in two species of *Agave* (Agavaceae), William H. Reid, C. Edward Freeman, and James E. Becvar, 30:443–445
Nectar-feeding bats in Arizona, records of, Ronnie Sidner and Russell Davis, 33:493–495
Nectarinia reichenowi, 25:461
Nectomys, 33:401
Nectopsyche, 23:383, 25:143, 28:190
coloradensis, 31:422
diarina, 31:436
gracilis, 31:437
lahontanensis, 31:437
stigmatica, 31:437
Necturus maculosus, 1:181, 28:271, 30:192, 36:64
Neff, J. L., see Seigler, D., —
Negative correlation between numbers of a darkling beetle and a carabid predator, David H. Wise, 30:148–150
Nehalennia, 14:237, 14:242
Nehallenia, 8:135
integricollis, 2:10, 2:14
Neidium, 25:420
affine, 22:458, 28:246
bisculatum, 28:246
dubium, 22:413, 24:154, 26:314
hercynicum, 28:246
iridis, 23:90, 23:93, 24:154, 26:312, 26:314
productum, 24:154
Neighbours, M. L., see Gilmartin, A. J., —
Neill, Robert L., The birds of the Buescher Division (rev.), 21:143–144
Neill, Robert L., see Kuban, Joseph F., —
Neivamyrmex
agilis, 30:611
andrei, 30:611
angulimandibulatus, 19:309–312
carettei, 22:421, 22:424
carolinensis, 30:612
carolinesis, 30:611
diabolus, 19:312
fuscipennis, 20:85–90, 28:138
graciellae, 31:274–276
harrisi, 30:611, 30:612
harrisii, 28:139
leonardi, 22:421, 22:424
macropterus, 20:85–90, 30:612
minor, 28:138
moseri, 22:421, 22:424
nigrescens, 12:455–462, 21:6, 28:139
nyensis, 22:421–425
opacithorax, 12:455–462, 28:139
pauxillus, 22:421, 22:424
pilosus, 28:138
rosenbergi, 19:312
swainsoni, 30:612
texanus, 30:612
Neivamyrmex angulimandibulatus, new species (Formicidae: Dorylinae) from Cordoba, Mexico, Julian F. Watkins, II, 19:309–312
Neivamyrmex fuscipennis to *N. macropterus* (Dorylinae: Formicidae), the relationship of, Julian F. Watkins, II, 20:85–90
Neivamyrmex nyensis, n. sp. (Formicidae: Dorylinae) from Nye County, Nevada, U.S.A., Julian F. Watkins, II, 22:421–425
Nekrolagus, 24:275, 24:276, 24:278, 33:391, 33:395
progressus, 24:277, 33:394
Nelson, Craig E., and John R. Meyer, Variation and distribution of the Middle American snake genus, *Loxocemus* Cope (Boidae?), 12:439–453
Nelson, Craig E., and Max A. Nickerson, Notes on some Mexican and Central American amphibians and reptiles, 11:128–131
Nelson, Craig E., The deciduous dentition of the Central American phyllostomid bats *Macrotus waterhousii* and *Pteronotus suapurensis*, 11:142–143
Nelson, Craig E., see Anderson, Sydney, —
Nelson, David H., Population dynamics in the carabid beetle: *Pasimachus punctulatus*, 15:55–69
Nelson, Jimmy H., and George L. Harp, Qualitative and quantitative variation of net plankton of Craighead Lake, 17:239–248
Nelson, Michael E., Discovery of a specimen of wapiti from central Kansas, 26:74
Nelson, Michael E., Middle Eocene Primates (Mammalia) from southwestern Wyoming, 22:487–493
Nelson, Richard Clay, An additional nesting record of the lucifer hummingbird in the United States, 15:135–136
Nelson, Thomas A., Carla Mitchell, and Carolyn Abbott, Lead-shot ingestion by bald eagles in western Arkansas, 34:245–249
Nelson, V. Eugene, see McCoy, Clarence J., Jr., —
Nelson, Zachary C., see Hirshfeld, Joseph R., —
Neltuma palmeri, 5:187–193
Nelumbo
lutea, 6:182, 9:42, 20:206
pentapetalum, 20:206
Nemacladus
capillaris, 24:187
glanduliferus, 24:187, 35:64, 35:71
Nemastylis
coelestina, 12:348
purpurea, 6:45, 6:46
Nematalycidae, 28:419
Nematoda, 33:15–20
Nematode infestation of a white pelican found along the Gulf Coast of Texas, Burruss McDaniel and Irving Patterson, 11:312
Nematode parasites in largemouth bass, Presa de Novillo Reservoir, Sonora, Mexico, Philip O. Lowe, Peter Ffolliott, and John G. Goodwin, 22:537–538
Nematus, 19:70
Nemognatha
curta, 28:476
nigripennis, 28:476
scutellaris, 18:308, 18:312
Nemophila phacelioides, 29:19
Nemotaulius hostilis, 31:445
Nemoura, 25:26
avicularis, 35:131
trispinosa, 35:131
Nemouridae, 20:517–521, 32:443, 35:131, 36:325–327, 36:329
Neoantistea, 11:353
agilis, 11:354
mulaiki, 30:4, 30:9
Neobidessus, 31:523
Neochloris, 9:168
Neochoerus, 21:10, 21:12–14
Neocleon, 28:35
Neocloen, 28:39
Neocloeon, 25:550
Neoclypeodytes descretus, 32:288, 32:289
Neoclytus acuminatus, 27:23
Neocompsa
exclamationis, 27:23, 27:25
mexicana, 27:23, 27:25
Neocorbicula, 30:454, 30:456
Neocorixa, 36:164, 36:167
Neodiprion pratti, 29:238
Neoechinorhynchus, *Neodiprion pratti*, 29:238
Neoechinorhynchus, 28:399, 28:401, 28:403
cylindratum, 16:293, 16:294
cylindratus, 12:334, 18:406, 18:411, 18:412, 22:361, 22:363, 22:529–531, 27:224, 27:225, 29:381, 29:383
emyditoides, 22:533
Neoelmis, 32:288, 32:289
caesa, 8:113
gracilis, 24:197
nicon, 24:197
sul, 24:197
Neofiber, 12:24
alleni, 12:9
leonardi, 12:1, 12:3, 12:8, 12:28
Neogenyton, 11:377
Neohipparion, 13:6, 13:10, 13:11, 25:505
arrellanoi, 25:506

eurystyle, 25:510
floresi, 25:506
leptode, 25:508
monias, 25:506
otomii, 13:1, 13:5, 13:7, 25:506
whitneyi, 25:507
Neolimnius palpalis, 24:197
Neolindleya, 13:338
Neolloydia intertexta, 21:315, 35:71
Neomamillaria radiosa, 17:7
Neomoseris neomexicana, 12:233
Neomys fodiens, 33:386
Neonella vinnula, 30:5
Neoneura, 27:39
Neonyssus
belopolskii, 6:104, 6:105
bulbuci, 6:105
ixobrynchi, 6:104
Neoperla clymene, 1:151, 35:132
Neophylax splendens, 31:445
Neophyllobiidae, 28:419
Neoponera villosa, 29:442
Neopringlea, 7:185
Neoscona, 11:361
arabesca, 11:364, 11:369, 11:370, 21:43, 30:4, 30:121
benjamina, 11:364
domiciliorum, 21:43
eximia, 11:364
hentzii, 30:7
minima, 21:43
pratensis, 11:364, 11:370, 21:43
utahana, 30:7
Neosignoretia
yuccae, 17:398
yulupae, 14:98
Neoteneriffiola
luxoriensis, 8:31
uta, 8:23–27, 8:29, 8:31
Neothremma alicia, 31:452
Neotoma, 4:103, 5:198, 12:332, 13:195, 13:403, 14:128, 14:164, 14:165, 14:168, 15:226, 18:286, 20:503, 20:505, 20:508, 20:509, 21:10, 21:14, 21:391–398, 22:7, 22:11, 22:64, 22:337, 22:339, 23:289–301, 24:127–140, 25:361–372, 25:565–566, 26:126, 26:257–258, 26:267, 26:317, 26:318, 26:430, 27:145, 31:417, 32:179–195, 32:294, 32:295, 32:383–390, 32:460, 33:104, 33:257, 34:35–45, 35:107, 35:108, 35:236, 36:33, 36:94–106, 36:302–314
albigula, 2:35, 3:51, 5:100, 7:240, 10:69–72, 10:172, 12:3, 12:8, 13:19, 13:270, 13:402, 13:404–406, 14:448, 16:16, 16:49, 17:97, 19:330, 20:271–272, 20:278, 20:279, 20:498, 21:391, 21:392, 21:395, 21:397, 22:57, 22:58, 22:61, 23:415, 24:279, 24:280, 24:284, 24:285, 24:287, 24:288, 25:123, 26:84, 26:167–181, 26:277, 28:42, 28:200, 30:491, 31:281, 31:256, 31:262, 31:417, 32:153, 32:188–190, 32:193, 32:291, 32:293, 32:297, 32:457–459, 33:236, 34:144, 35:80, 35:173–176, 35:202, 35:203, 35:233, 35:331, 35:334, 35:377, 35:380, 35:457, 36:90, 36:91, 36:101, 36:103, 36:104, 36:114, 36:302, 36:309, 36:312
alleni, 33:398
cinerea, 13:148, 13:149, 13:155, 17:324, 17:325, 19:453, 22:57, 23:81, 24:554, 24:555, 25:36, 26:277, 26:329, 26:330, 26:395, 26:398–400, 26:402, 26:403, 26:405, 31:277, 31:281–283, 31:417, 32:189, 32:190, 36:103, 36:312
cinereus, 33:236, 33:238
floridana, 4:153, 11:469, 11:471, 12:8, 13:19, 13:265, 16:43–54, 18:351, 20:271, 20:413, 21:11, 21:454, 24:377, 25:71, 26:54, 26:55, 26:68, 31:277, 31:281, 33:256, 33:496, 35:173–176, 35:202, 35:203
fuscipes, 7:240, 11:469, 11:471, 11:474, 12:176–179, 16:43, 16:49, 16:50, 19:113, 21:393, 21:395, 28:49–51, 32:156, 33:236, 33:238
goldmani, 20:498, 21:141, 33:236–239, 35:233
intermedia, 26:178
lepida, 11:469, 11:471, 11:474, 12:8, 15:26, 17:333, 17:335–338, 17:340–342, 20:271, 20:272, 21:391, 21:395, 22:57, 22:58, 22:61, 22:78, 22:80, 22:81, 22:83, 22:86, 22:561, 22:562, 26:76–78, 26:277, 26:298, 26:299, 26:328, 26:395, 26:398–403, 26:405, 28:50–52, 28:430, 29:1, 30:448, 31:26, 31:28, 31:256, 31:277, 31:281, 31:416, 31:530, 33:236, 33:238, 33:496, 35:80, 36:101, 36:103, 36:312
mexicana, 11:306, 12:8, 13:270, 13:272, 17:324, 22:49, 22:57, 22:58, 22:60, 22:61, 23:77, 23:79–82, 25:36, 26:277, 28:200, 28:379, 28:408, 31:282, 32:189–190, 32:193, 33:236, 33:238, 35:173–176, 36:15, 36:101, 36:103, 36:310, 36:312
micropus, 2:35, 5:195–197, 7:240, 8:38, 8:40, 10:18, 10:20, 10:21, 11:467–475, 12:8, 13:19, 13:270, 14:351–353, 14:448, 15:220, 15:227, 15:228, 15:497, 16:44, 16:50, 16:51, 16:437, 20:278–279, 20:506, 21:11, 21:12, 21:14, 21:391, 21:395, 23:415, 28:109, 31:277, 31:281, 32:188, 32:190, 32:291, 32:293, 32:297, 33:236–238, 33:397–400, 34:387, 35:80–82, 35:173–176, 35:202, 35:203, 36:119, 36:233–237, 36:344–346, 36:364
palantina, 23:155
palatina, 23:155
phenax, 33:236, 33:238
stephens, 32:190
stephensi, 12:8, 22:57, 22:58, 22:61, 25:36, 26:277, 31:417, 32:189, 32:191, 32:193, 36:101, 36:103, 36:312
Neotoma micropus in Chihuahua, Michael A. Bogan and Daniel F. Williams, 20:278–279
Neotoma micropus nests with various plant species in southwestern Oklahoma, association of, Monte Thies and William Caire, 35:80–82
Neotoma nest for breeding by Gambel's quail, use of, Glenn E. Walsberg and Eileen Zerba, 31:256
Neotomodon alstoni, 36:114
Neotrichia, 23:139, 25:255
halia, 31:432
minutisimella, 23:383
okopa, 31:432
osmena, 31:432
Neottianthe cucullata, 13:338
Nepa apiculata, 9:100
Nephelopsis obscura, 15:271
Nephila clavipes, 29:514, 29:515
Nephrocytium
agardhianum, 23:436, 24:156
limneticum, 23:436
Nephrolepis exaltata, 18:435, 18:438, 18:440
Nephthys, 20:480
Nepidae, 9:100, 23:223, 23:554, 35:253
Neppia schubarti, 25:472
Neptunea lutea, 4:57
Neptunia, 19:337–340
lutea, 7:170, 19:338, 29:326, 29:329
oleracea, 12:336, 19:338–340
palmeri, 19:338
plena, 12:336, 19:338–340
prostrata, 19:339
pubescens, 12:336, 19:338, 19:339, 36:123
Neptunia in Mexico (Leguminosae), Donald R. Windler and Bonnie Kay Windler, 19:337–340
Nereidae, 36:353
Nerisyrenia, 17:181
camporum, 1:63, 22:342, 23:296, 28:99, 32:452
linearifolia, 1:63
Nerium, 18:430, 18:440
oleander, 23:500, 25:322
Nerodia, 31:56, 32:94, 32:275, 35:115, 35:120, 35:442, 36:175
erythrogaster, 24:701, 24:702, 25:107, 35:474, 36:172
fasciata, 24:701, 24:702, 25:107, 25:109, 35:474, 36:172
rhombifera, 24:701, 24:702, 25:107–109
sipedon, 32:515
Nesler, Thomas P., see Muth, Robert T., —
Nesler, Thomas P., see Wick, Edmund J., —
Nesom, Guy L., Ant dispersal in *Wedelia hispida* Hbk. (Heliantheae: Compositae), 26:5–12
Nesom, Guy L., *Erigeron geiseri* (Compositae) in Oklahoma, 24:386–387

Nest architecture and population of the honey ant, *Myrmecocystus mexicanus* Wesmael (Formicidae), in Colorado, John R. Conway, 28:21–31
Nest building and mating in the golden eagle, notes on, R. W. Strandtmann, 7:267–268
Nest ecology, productivity, and growth of the loggerhead shrike on the short-grass prairie, David K. Porter, Mark A. Strong, J. Brent Giezentanner, and Ronald A. Ryder, 19:429–436
Nest, eggs and hatchlings of the Mediterranean gecko, *Hemidactylus turcicus* (Sauria: Gekkonidae), from Texas, Stanley E. Trauth, 30:309–310
Nest of the slaty vireo, *Vireo brevipennis* (Vireonidae), in Colima, Mexico, third known, Bruce G. Stewart, William A. Carter, and Jack D. Tyler, 33:252–253
Nest parasitism of the dickcissel by the yellow-billed cuckoo in Marshall County, Oklahoma, John A. Wiens, 10:142
Nestbuilding and breeding activities of some Oklahoma fishes, Rudolph J. Miller, 12:463–468
Nesticidae, 11:360, 12:260, 20:59
Nesticus pallidus, 11:360, 12:260, 20:59
Nesting activities of northern mockingbirds in northern Louisiana, Linda L. Means and John W. Goertz, 28: 61–70
Nesting and sight records of mountain plovers in northwestern New Mexico, recent, T. H. Craig, E. H. Craig, and Edward Steele, 30:451–452
Nesting Botteri's sparrow, *Aimophila botterii*, in southern Texas, a range extension for, Dawn K. Conway and Karen L. P. Benson, 35:348–349
Nesting common mergansers in Chihuahua, Mexico, Bryan T. Brown, 35: 88–89
Nesting of a New World woodpecker in tamarisk (*Tamarix chinensis*), first, Timothy Brush, 28:113
Nesting of the black-bellied tree duck near Phoenix, Arizona, notes on the, A. Roy Johnson and Jon C. Barlow, 15:394–395
Nesting record for Botteri's sparrow, *Aimophila botterii*, in South Texas, new, Douglas W. Swanson, 30:161
Nesting record for Williamson's sapsucker (*Sphyrapicus thyroideus*) in Baja California, Mexico, and comments on the biogeography of the fauna of the Sierra San Pedro Martír, first, Andrew W. Kratter, 36:247–250
Nesting record of the lucifer hummingbird in the United States, an additional, Richard Clay Nelson, 15:135–136
Nesting records for three species of Louisiana birds, John W. Goertz and Elmer E. Mowbray, 15:265–266
Nesting records for two species of birds in Trans-Pecos Texas, Harry M. Ohlendorf and Veryl Board, 17:99–100
Nesting season and reproductive rates of cavity nesting birds of North Louisiana, Elmer E. Mowbray and John W. Goertz, 17:145–151
Nesting success of San Clemente sage sparrows, David W. Willey, 35:28–31
Nesting-habitat relationships of riparian birds along the Colorado River in Grand Canyon, Arizona, Bryan T. Brown and Michael W. Trosset, 34: 260–270
Nestronia umbellula, 2:150
Netherland, Lane, The effect of disturbances in tall grass prairie sites on an index of diversity and equitability, 24:267–274
Netrium, 18:99, 18:100
  digitus, 20:576, 24:158
Netta, 26:427
Netting bats for eleven years in western New Mexico, notes on, Clyde Jones and Royal D. Suttkus, 16:261–266
Neuenschwander, Leon F., Henry A. Wright, and Stephen C. Bunting, The effect of fire on a tobosagrass-mesquite community in the Rolling Plains of Texas, 23:315–337
Neuenschwander, Leon F., Steven H. Sharrow, and Henry A. Wright, Review of tobosa grass (*Hilaria mutica*), 20:255–263
Neumann, Alan J., Ann E. Rushing, Evangelina Bazán, and Dale M. J. Mueller, Bryophytes of Huntsville State Park, Texas, 28:239–242
Neurocordulia
  molesta, 2:4, 2:13
  obsoleta, 2:4, 2:13
  virginiensis, 2:4, 2:13
  xanthosoma, 2:4, 2:15
Neurolena, 16:373
  lobata, 16:373
Neuumania, 23:554
Neviusia alabamensis, 1:87
Neviusia alabamensis Gray (Rosaceae) in Arkansas, Dwight M. Moore, 1: 87
Nevroctola, 11:372
  maritima, 11:373
  paniculata, 11:373
New Mexico whiptail lizards, *Cnemidophorus neomexicanus* (Teiidae), a new population of, Beth E. Leuck, Edwin E. Leuck, II, and Ross T. Bowlin Sherwood, 26:72–74
New World fairy shrimps of the genus *Streptocephalus* (Branchiopoda, Anostraca), Walter G. Moore, 11:24–48
Newborn kit fox, description of a, Harold J. Egoscue, 11:501–502
Newman, George A., Recent bird records from the Guadalupe Mountains, Texas, 19:1–7
Newton, Scott H., and Raj V. Kilambi, Determination of sexual maturity of white bass from ovum diameters, 14: 213–220
Niazi, Anwar D., and George A. Moore, The Weberian apparatus of *Hybognathus placitus* and *H. nuchalis* (Cyprinidae), 7:41–50
Nicholiella, 16:334
Nicholson, Robert A., see Moulton, Michael P., —
Nickell, G. L., see Syvertsen, J. P., —
Nickell, Gaylin L., see Carter, Jack L., —
Nickerson, Max A., see King, Douglas S., —
Nickerson, Max A., see Nelson, Craig E., —
Nicodemia, 13:138
  madagascariensis, 13:141
Nicoletia, 12:264
Nicolletia edwardsii, 27:30
Nicotiana, 2:177–179, 14:142, 18:194, 33: 86
  glauca, 1:117, 28:48
  repanda, 23:504, 25:322
  trigonophylla, 17:173, 21:315, 22:343, 23:298, 35:74
Nicotina galuca, 23:216
Nicrophorus, 23:572, 23:574
  carolinus, 27:11–15
  marginatus, 28:476
  orbicollis, 27:14
  tomentosus, 27:14
Night roosting behavior in four species of desert bats, Joseph R. Hirshfeld, Zachary C. Nelson, and W. Glen Bradley, 22:427–433
Night snake (*Hypsiglena*: Colubridae) exclusive of California and Baja California, status of the southern populations of the, James R. Dixon and Robert H. Dean, 31:307–318
Night snake Hypsiglena ochrorhyncha and relatives, a taxonomic reevaluation of the, James R. Dixon, 10: 125–131
Nigritella, 13:338
Nigrospora, 27:19, 32:133
  sphaerica, 24:367, 27:18
Nikirk, Neil J., see Tyus, Harold M., —
Nilotanypus, 25:251, 32:289, 34:185
Nine-banded armadillo, *Dasypus nov-*

emcinctus (Dasypodidae), in Colorado, a, Carron A. Meaney, Steven J. Bissell, and Jennifer S. Slater, 32: 507–508
Nine-banded armadillo, *Dasypus novemcinctus*, in Colorado, the, Donald E. Hahn, 11:303
Niptus
abditus, 13:193, 13:194, 13:197, 13:199
absconditus, 13:193, 13:194, 13:196, 13: 197, 13:199
abstrusus, 13:193–195, 13:199
hilleri, 13:193
hololeucus, 13:193, 13:194
kelleri, 13:193
ventriculus, 13:194, 13:195, 28:476, 28: 477
Niptus from North American caves (Coleoptera: Ptinidae), two new species of, T. J. Spilman, 13:193–200
Nish, Darrell H., see Braun, Clait E., —
Nitella, 2:152, 2:153, 20:217, 25:414, 25: 420
capillata, 23:87
gracillis, 23:87
Nitidulidae, 23:566, 23:570, 23:571, 23: 575, 25:106, 32:151, 32:491
Nitrobacter, 10:248, 10:249, 12:98
Nitrogen fixing potential of the surface waters of a large impoundment, observations on the, Ross W. Hall, Jr., and Dale W. Toetz, 18:94–97
Nitrophila, 15:112
occidentalis, 15:118–121
Nitzchia, 22:543, 27:82
Nitzschia, 20:51, 22:414, 22:415, 23:59, 24:162, 25:416, 25:420, 25:538, 27: 84, 28:244, 31:43, 35:208
accicularis, 24:154
acicularis, 19:418, 20:49, 20:202, 22: 308, 22:311, 22:413, 22:418, 22:458, 22:464, 26:315, 28:247
acuta, 24:154
amphibia, 22:413, 22:458, 22:460, 24: 154, 24:160, 26:315, 35:209
angustata, 22:458, 26:316
apiculata, 22:413, 22:458
apiculta, 24:154
bergii, 26:312, 26:316
capitellata, 24:154, 26:316, 28:247
clausii, 24:154
closterium, 20:49, 20:51
communis, 24:154, 26:316
commutata, 24:154
denticula, 22:458
dissipata, 20:49, 22:413, 24:154, 26:316
dissipta, 20:202
elliptica, 22:413
fasiculta, 24:154
filiformia, 24:154
filiformis, 20:49, 22:413, 22:458, 26:316, 35:206, 35:209
fonticola, 20:49, 20:50, 20:202, 24:154, 28:247
frustulum, 24:154, 26:316, 28:247
gracilis, 24:154, 28:247
hantzschiana, 28:247
holsatica, 22:413
hungarica, 19:418, 22:413, 22:458, 24: 154, 26:316
ignorata, 24:154
kutzingiana, 26:316
lacunarum, 26:316
linearis, 10:40, 22:413, 22:458, 28:247, 30:464, 35:209
lorenziana, 24:154, 28:247
microcephala, 26:316
obtusa, 22:458, 22:460, 24:155, 26:312, 26:316
palea, 19:418, 20:49, 20:197, 20:201–203, 22:413, 22:418, 22:458–460, 22: 464, 24:155, 26:316, 28:247, 35:209
paleaceae, 20:49, 20:50
paradoxa, 20:49, 22:413
parvula, 20:202, 22:413, 22:458, 24:155, 28:247
romana, 20:202, 24:155, 26:316
sigma, 22:413, 22:458, 24:155, 26:316
sigmoidea, 22:413, 22:458
silicula, 26:312, 26:316
sinuata, 10:40, 26:316
stagnorum, 23:87, 23:90, 24:155
sublinearis, 26:316, 28:247, 30:464
subtilis, 20:49
thermalis, 24:155
tropica, 35:209
tryblionella, 20:49, 22:414, 22:459, 22: 460, 23:90, 24:155, 26:316, 28:247
vermicularis, 20:49
vivax, 26:312, 26:316
Nitzschiaceae, 10:40, 26:315, 28:247
Niveaspis, 18:428
ilicis, 16:328, 16:329, 18:430
Nixon, E. S., A vegetational study of the Pine Ridge of northwestern Nebraska, 12:134–145
Nixon, Elray S., Successional stages in a hardwood bottomland forest near Dallas, Texas, 20:323–336
Nixon, Elray S., see Burandt, Charles L., —
Nixon, Elray S., see Hoff, Victor J., —
Nixon, Stuart E., Freshwater triclads (Turbellaria) of Arizona, 25:469–477
Noble, Robert E., A recent record of the puma (*Felis concolor*) in Arkansas, 16:209
Nocardia, 13:399
Nocomis, 15:355, 24:501, 24:506, 33:143
asper, 24:502, 24:503, 24:505, 24:506, 30:200, 31:377, 32:439, 35:211
bellicus, 24:502
biguttatus, 12:463, 12:464, 16:444, 22: 543, 31:149, 31:152, 31:153
buguttatus, 15:140
leptocephalus, 12:466, 24:502, 24:503, 27:110–112, 33:137, 33:139, 33:141, 33:142, 33:144, 33:145, 35:211
micropogon, 12:465, 24:502, 24:503, 24: 505, 24:506
Noctilio, 11:490
albiventris, 32:508–509
leporinus, 11:489, 31:532
Noctilio albiventris (Chiroptera: Noctilionidae) in Mexico, first record of, Oscar J. Polaco, 32:508–509
Noctilionidae, 32:508–509, 34:417
Noctuidae, 6:18, 18:308, 20:7, 23:575, 24: 692, 26:88–90, 28:377, 29:435, 29: 437, 32:396, 32:418, 32:422, 36:51
Nocturnal pollination of *Abronia fragrans* (Nyctaginaceae), Kathleen H. Keeler and Myra S. Fredricks, 24:692–693
Noda, Diane K., see Moriarty, David J., —
Nodocion, 20:66
gosoga, 20:64
rufithoracicus, 30:4
utus, 20:59, 20:62
Nodonata, 8:54
Nodularia spumigena, 23:443
Nolina, 1:57, 4:14, 4:18, 4:19, 14:420, 18: 433, 18:440, 19:59, 19:330, 22:51, 24:121, 27:326, 30:389
beldingii, 35:76
cespitifera, 20:217
ereumpens, 16:10
erumpens, 15:136
erumpums, 27:339
greenei, 18:326
macrocarpa, 30:610
micrantha, 25:364, 25:365
microcarpa, 1:56, 1:63, 4:43, 18:326, 22:62, 25:131, 25:444, 26:265, 31: 254, 32:494, 35:66, 35:74
texana, 21:59
Nomada, 2:130
Nomadacris septemfasciatus, 27:198
Nomadopsis beamerorum, 29:367, 29:372
Nomia
melanderi, 13:325–334
nortoni, 13:325–334
Non-equilibrium population structure in three Chihuahuan Desert cacti, William Reid, Rogelio Lozano, and Ross Odom, 28:115–117
Nopalea, 16:230
lutaea, 30:78
Norman, Eliane M., Additional data concerning the distribution of Emorya suaveolens, 9:206
Norman, Eliane M., and Raymond J. Moore, Notes on *Emorya* (Loganiaceae), 13:137–142
Norops
anisolepis, 35:275
biporcatus, 35:275
crassulus, 35:275
laeviventris, 35:273, 35:274, 35:278

milleri, 34:560–561
polyrachis, 34:561
schiedii, 34:560, 34:561
sericeus, 35:278
North American Drosophilidae, three new, Marshall R. Wheeler, 5:89–91
North American grasses, new name combinations for some, Frank W. Gould, 15:391–392
North American malvellas (Malvaceae), the, Paul A. Fryxell, 19:97–103
North American mites in the genus Euschoengastia (Acarina: Trombiculidae), two new species of, William J. Wrenn, John T. Baccus, and Richard B. Loomis, 21:301–309
North, F., and H. Lillywhite, The function of burrow terrets in a gregariously nesting bee, 25:373–378
Northarctus, 22:488
Northington, David K., A new combination in *Pyrrhopappus* (Compositae: Cichorieae), 18:343
Northington, David K., Elsie D. Morey, and Thomas R. Van Devender, Phyletic interpretations from fossil (ca 16,000 B.P.) remains of *Sophora* in the southwestern United States, 22:495–504
Northington, David K., see La Duke, John C., —
Noserus, 18:310
Nostoc, 8:232, 12:56
commune, 20:257
ellipsosporum, 10:227
entophytum, 23:443
hatei, 23:443
linckia, 23:443
muscorum, 10:227
parmelioides, 23:443
Nostocaceae, 11:202
Nostochopsis, 22:112
Nostoe, 14:369
Notemigonus, 19:109
chrysoleucas, 31:153, 36:203
crysoleucas, 2:92, 2:93, 2:100, 3:8, 3:10, 4:162, 12:335, 15:140, 16:283, 18:344, 19:261, 22:544, 24:2, 27:110–112, 28:221, 30:25, 30:306, 30:509, 32:522, 32:524, 33:139, 35:406, 36:204, 36:245
crysoleucus, 12:301, 19:110, 28:170
Notemogonus crysoleucas, 8:136
Noteridae, 23:555, 24:409–429, 31:523
Noterus bicolor, 24:424
Noteus, 10:266
Notharctidae, 22:488
Notharctus
robustior, 22:487–489
tenebrosus, 22:488, 22:489
Nothocalais cuspidata, 12:140
Notholaena
cochisensis, 35:69
grayi, 22:137, 22:138, 35:69
limitanea, 30:389, 35:69
sinuata, 10:259, 22:343, 23:297, 30:389, 33:287, 35:65, 35:69
standleyi, 1:57, 1:62, 22:137, 22:138
Notholca, 10:266, 22:417, 30:242
Nothoscordium bivalve, 8:194
Nothoscordum, 15:410
bivalve, 7:170, 12:154, 15:410, 23:507, 25:322, 30:547, 30:549
Nothrotheriops, 22:337, 36:178–185
shastense, 22:49, 26:257, 26:263, 26:282, 26:283
shastensis, 34:284, 36:178–180
texanum, 36:180, 36:181
Nothrotheriops from the Pleistocene of Oklahoma and Paleogeography of the genus, William A. Akersten and H. Gregory McDonald, 36:178–185
Nothrotherium, 22:257
Notiophilus directus, 15:323, 15:325
Notiopsocus, 21:335, 21:339, 21:340, 21:342, 21:344, 21:345
Notiosorex, 2:37, 5:198, 15:228, 28:378, 31:404
crawfordi, 2:33, 4:14, 4:111, 5:108–109, 5:195, 5:196, 7:236–252, 12:195, 13:15, 13:104–105, 13:449, 14:128, 14:251, 14:448–449, 15:221, 17:315, 17:321, 17:423, 21:139, 22:7, 22:14, 22:155–156, 22:284–285, 23:536–537, 24:375–376, 25:123, 26:267, 26:275, 26:283, 28:100–102, 30:448–449, 31:279, 31:403, 31:529–530, 33:361, 35:107, 35:200, 36:100, 36:103, 36:104, 36:119–121, 36:344–346
crawfordii, 32:293
gigas, 2:174
Notiosorex c. crawfordi in Arizona, additional records of, Steven W. Carothers, 13:449
Notiosorex crawfordi (Insectivora: Soricidae) from the Great Basin Desert, Nevada, a record of, Burt P. Kotler, 30:448–449
Notiosorex crawfordi evotis from Nayarit, Duane A. Schlitter, 17:423
Notiosorex crawfordi from southern Nevada, additional records of, W. Glen Bradley and Kenneth S. Moor, 13:104–105
Notiosorex crawfordi in Oklahoma, and new distributional records, status of, Jack D. Tyler and A. R. Gilliland, 24:375–376
Notiphila, 14:238
hamifera, 6:86, 6:87
pallidipalpis, 6:87
Notocactus ottonis, 30:78
Notocotylus
linearis, 32:85, 32:87, 32:88, 32:90
stagnicolae, 32:85, 32:87, 32:88, 32:90
urbanensis, 27:244
Notoedres, 20:243
lasionycteris, 20:248
myotis, 20:241, 20:244, 20:248
Notolagus, 24:278, 33:395
lepusculus, 24:276, 24:277
velox, 24:276
Notommata, 10:266, 10:270
Notonecta, 8:136, 12:383, 12:403, 15:103
hoffmanni, 22:329, 22:333, 23:621, 27:276
indica, 9:100, 22:329, 22:335, 23:618–620
irrorata, 9:100, 36:357
kirbyi, 22:329, 22:332, 23:618–620
lobata, 22:330, 22:333, 23:618–621, 32:288, 32:289
raleighi, 9:100
repanda, 22:327, 22:331, 22:333
uhleri, 9:100
undulata, 9:100, 12:372, 12:383, 12:388, 12:398, 22:331, 22:335, 23:617, 23:619–621, 26:156
unifasciata, 22:331, 22:334, 26:156
Notonectidae, 8:229, 9:100, 12:372, 12:383, 12:388, 15:99, 15:101, 22:327–336, 23:617–622, 24:539, 26:156, 30:550, 32:289, 36:357
Notonectidae (Hemiptera) of Arizona, the, Frank G. Zalom, 22:327–336
Notophtalmus, 28:470
Notophthalmus, 15:245
viridescens, 6:202, 11:138, 28:273
Notoptera, 9:27
epalacea, 9:28, 9:32, 9:36
tequilana, 9:36
Notopteridae, 15:355
Notopterus, 15:355
Notoxus
calcaratus, 5:223, 28:474
serratus, 28:474
Notropis, 8:137, 13:47, 13:48, 19:109, 25:86, 29:377
aguirrepequenoi, 20:123, 20:124
albeolus, 35:213
amabilis, 2:98, 3:13, 3:14, 36:203, 36:204, 36:208
amnis, 2:97
antheriodies, 13:185
ariommus, 30:206
atherinoides, 2:96, 4:163, 18:295, 19:261, 24:549, 25:58, 25:564, 26:442, 27:110–112, 29:495, 30:207, 35:406
atrocaudalis, 2:97, 19:220, 19:221, 22:438
bairdi, 2:94, 2:98, 4:163, 14:370, 19:221, 22:95, 25:564, 30:559
bifrenatus, 7:116
blennius, 2:95, 4:163, 27:109–112, 29:495, 31:151, 31:156, 33:139
boops, 4:163, 9:106, 19:220, 19:261, 21:497, 24:482, 27:217, 30:306, 32:255, 32:256, 34:415
boucardi, 20:123
braytoni, 2:93, 17:377, 17:378, 20:124, 36:203, 36:204
brazosensis, 1:21–23, 1:25, 2:98, 4:163

buccula, 2:94, 2:98
buchanai, 27:112
buchanani, 4:163, 20:124, 20:125, 20:128, 24:382, 27:110, 27:111, 36:203, 36:204, 36:208
camurus, 22:96, 27:109–112
cerasinus, 12:466
chalybaeus, 2:94, 22:544
chalybeus, 8:136
chihuahua, 2:99, 17:376–379
chrosomus, 30:203
chrysocephalus, 12:467, 19:220, 19:261, 21:495, 22:515, 22:543, 27:109–112, 33:137, 33:139, 33:142, 33:144, 33:145, 35:211–215
coccogenis, 12:466, 12:467, 30:203
corntus, 12:466
cornutus, 2:94, 9:206, 12:466, 12:467, 16:442, 22:438, 22:543, 26:442, 29:495, 31:155, 31:156, 33:142, 34:229, 35:212–214
deliciosus, 1:70, 2:94, 2:98, 4:163, 31:157
dilectus, 18:293, 18:298
dorsalis, 22:543, 31:156
emiliae, 19:261, 27:110–112, 31:96, 35:213
fumeus, 3:10, 19:260, 33:139
fumus, 2:97
galacturus, 19:220, 22:543, 29:496, 30:202, 30:205
gilberti, 31:156
girardi, 2:94, 14:370, 22:143, 25:51, 25:52, 25:57–62, 25:564, 30:559, 33:32, 36:229
greenei, 30:202, 30:203
heterolepis, 31:149, 31:152
hudsonius, 29:496
ionthas, 18:293
ipni, 1:73
jemezanus, 2:93, 17:378, 28:104, 30:555, 30:560, 32:215, 32:216, 32:408–410, 36:186, 36:191, 36:203, 36:204, 36:208
lepidus, 2:98
leuciodus, 30:203
longirostris, 27:109–112, 29:133, 31:186, 33:139, 33:155
lutrensis, 2:102, 3:10, 4:163, 10:151–155, 10:314, 11:322, 12:301, 14:370, 15:140, 15:257, 17:101–103, 17:377–379, 18:344, 19:221, 19:407, 19:410, 20:121, 20:123, 22:89–98, 22:142, 22:143, 22:513, 22:514, 23:307, 23:520, 24:318, 25:41, 25:43, 25:45, 25:51–53, 25:56–62, 25:298, 25:525–528, 25:535, 26:34, 26:389, 26:391, 26:442, 27:110–112, 28:170, 29:497, 30:25, 30:26, 30:555, 30:560, 31:156, 32:214, 32:216, 32:409, 32:410, 33:139, 34:119, 34:189, 34:191, 34:408, 34:408, 35:211, 36:7–13, 36:203, 36:204, 36:208
maculatus, 1:18, 2:95, 19:221, 24:382, 27:110–112
megalops, 31:155
nubila, 33:142
nubilus, 30:202, 30:203, 30:206, 31:377, 32:439
orca, 32:408–410, 36:186, 36:203, 36:204, 36:208
ornatus, 29:399
ortenburgeri, 2:94, 19:260, 27:215, 30:196, 30:203
oxyrhynchus, 1:23, 2:98
ozarcanus, 24:381–383, 30:202, 30:203
percobromus, 2:96, 4:162, 22:95
perpallidus, 18:291–304, 27:215, 30:196, 30:207, 32:251–260
pilsbryi, 12:463, 12:464, 12:466, 12:467, 16:442–444, 22:543–544, 30:25, 30:200, 30:201, 30:203, 31:377–379, 32:439
piptolepsis, 31:156
potteri, 1:23–25, 2:98, 4:163, 18:344, 19:220, 19:221, 24:549, 29:495–496, 35:211
proserpinus, 2:93, 25:87, 35:446
roseus, 2:94, 3:10, 8:136
rubellus, 4:3, 15:140, 16:442, 26:442, 30:200, 31:379, 32:255, 32:256, 34:415, 35:214
sabinae, 2:94
saladonis, 18:301, 20:124, 20:125
scylla, 31:157
shumardi, 18:292, 19:221, 27:110–112
simus, 2:93, 30:555–562, 32:408–410, 36:186, 36:187, 36:191
snelsoni, 30:196, 32:251, 32:253, 32:255, 32:256, 32:258
spectrunculus, 30:203
spilopterus, 19:219–220, 22:514
stramineus, 14:370, 15:140, 19:407, 19:410, 20:124, 20:125, 22:143, 22:543, 23:307, 25:58, 29:497, 30:25, 30:555, 30:559, 30:560, 31:157, 35:406–408, 36:253, 36:287
telescopus, 19:220, 22:543, 30:202, 30:205
texanus, 27:112, 29:133–135, 33:147–156
tropicus, 20:121–131
umbratilis, 2:96, 4:163, 9:106, 15:140, 19:220, 19:260, 21:497, 22:438, 22:440, 22:544, 27:112, 32:255, 32:256
venustus, 2:98, 3:10, 3:13, 3:14, 4:163, 8:136, 22:511–516, 22:544, 26:441–442, 27:109–112, 29:378, 31:185–189, 32:255, 32:256, 32:258, 33:139, 33:154, 35:350
volucellus, 2:93, 2:98, 20:124, 20:125, 24:382, 27:109–112, 31:151, 31:153, 31:156, 32:251, 32:253, 32:255, 32:256, 32:258
whipplei, 19:220, 19:261, 32:255, 32:256, 32:258
whipplii, 22:96
wickliffi, 27:109–112
zonatus, 30:203, 31:151, 35:213
zonistius, 30:203
Notropis bairdi (Cyprinidae) in the Cimarron River, Oklahoma, James D. Felley and E. Gus Cothran, 25:564
Notropis perpallidus, a cyprinid fish from south-central United States: description, distribution and life history aspects, Franklin F. Snelson, Jr., and Robert E. Jenkins, 18:291–304
Notropis tropicus, a new cyprinid fish from eastern Mexico, Carl L. Hubbs and Robert Rush Miller, 20:121–131
Noturus
albater, 20:415, 20:415, 30:202
eleutherus, 14:256–257, 19:262, 30:207
exilis, 15:140, 18:98, 23:688–689, 30:200, 30:205, 30:206, 31:379, 32:439
flavater, 30:202
flavus, 6:60, 6:64, 18:98–99, 31:151, 31:553–555
funebris, 6:61
gyrinus, 6:61, 23:539, 30:207, 31:554, 33:139
hildebrandi, 6:63
lachneri, 30:196, 30:197, 30:207
leptacanthus, 6:61, 27:112
miurus, 6:61, 6:63
nocturnus, 19:262, 22:438
phaeus, 18:475, 27:110–112
placidus, 30:202
taylori, 30:196, 30:197, 30:207
Noturus eleutherus Jordan (Ictaluridae), an extension of the known range for, Henry W. Robison, 14:256–257
Novelo, Alejandro, see Lot, Antonio, —
Novelties in *Tridax* (Compositae), A. Michael Powell, 8:177–179
Novomessor, 28:300
cockerelli, 21:7, 21:8, 24:677, 24:678, 26:430
Nowak, Ronald M., A possible occurrence of the jaguar in Louisiana, 17:430–432
Nucifraga columbiana, 7:264, 19:1, 19:5, 21:516, 34:492, 35:150, 36:248
Nuclear condition and possible life cycle of *Peridermium ephedrae*, R. G. Krebill and Y. Hiratsuka, 16:432–433
Nuctenea cornuta, 30:7
Nuculaspis, 18:426
californica, 14:425, 18:434
Nudilus paradoxus, 2:150
Nuevos registros para la fauna carcinologica del noreste de Mexico y descripcion de una nueva especie: *Eualus subtilis*, n. sp. (Crustacea: Decapoda: Natantia), Alberto Carvacho y Rodrigo Olson, 29:59–71
Numbers and distribution of waterfowl breeding on Oklahoma waterlands, 1978–79, Mickey E. Heitmeyer and Paul A. Vohs, Jr., 29:493–495

Numenius
americanus, 7:257
phaeopus, 17:210, 35:240, 36:108
Numida, 26:427
Nuphar, 1:18, 25:379
advena, 21:375, 21:380
luteum, 21:373, 34:290
polysepalum, 21:373–382
Nutrient content of cactus and woody plant fruits eaten by birds and mammals in South Texas, J. H. Everitt and M. A. Alaniz, 26:301–305
Nutritional composition of the Great Salt Lake strain of brine shrimp reared in a manure/aquaculture system, Matthew Landau, 32:61–65
Nutritive contents of two grasses and one browse species following rangeland burning in South Texas, J. H. Everitt and H. S. Mayeux, 28:242–244
Nutritive value of fruits or seeds of 14 shrub and herb species from South Texas, James H. Everitt, 31:101–104
Nuxia capitata, 13:141
Nyctaginaceae, 1:63, 2:126, 2:161, 17:181, 20:574, 22:343, 23:297, 23:503, 24:692–693, 25:328, 27:413–423, 31:34, 35:73
Nyctea scandiaca, 33:377
Nycteribiidae, 20:241, 20:243–246
Nycteriglyphus, 20:241, 20:244–246, 20:250
bifolium, 20:248
Nycterophaeta luna, 24:692, 24:693
Nycterophilia, 20:241, 20:243, 20:244
coxata, 20:247
mormoopsis, 32:505
Nycticeius humeralis, 13:447–448, 15:131, 15:399–400, 17:292, 19:271, 19:272, 19:275, 24:76
Nycticorax
nycticorax, 6:105, 20:282, 29:248
violaceus, 35:240
Nyctidromus albicollis, 4:68, 7:258
Nyctinomops
aurispinosa, 30:323–324
aurispinosus, 32:136
macrotis, 35:232
Nyctiophylav fraternus, 23:382
Nyctomys, 33:397–403
sumichrasti, 29:513, 29:514, 33:397–399
Nyctophilus, 12:485
Nyctoporis, 18:310
Nyffeler, M., D. A. Dean, and W. L. Sterling, Prey records of the web-building spiders *Dictyna segregata* (Dictynidae), *Theridion australe* (Theridiidae), *Tidarren haemorrhoidale* (Theridiidae), and *Frontinella pyramitela* (Linyphiidae) in a cotton agroecosystem, 33:215–218
Nymphaea, 8:91, 13:424, 22:355, 29:453–455, 35:206
ampla, 20:217
mexicana, 33:169, 33:170, 33:172, 33:175
odorata, 6:182, 26:159–165
Nymphaeaceae, 26:159–165, 33:175, 34:290
Nymphalidae, 21:34, 24:607, 24:610, 30:73, 32:418, 32:422
Nymphophilus minckleyi, 14:371
Nymphula, 23:555
Nysius ericae, 20:2
Nyssa, 11:445, 18:441
aquatica, 6:175, 6:178, 21:475, 21:478, 21:480, 23:265, 23:548, 34:73
sylvatica, 6:181, 9:42, 12:345, 15:291, 15:360, 16:337, 18:431, 18:440, 21:482, 23:265, 28:63, 29:83

O'Brian, G. Patrick, Hanley K. Smith, and John R. Meyer, An activity study of a radioisotope-tagged lizard, Sceloporus undulatus hyacinthinus (Sauria: Iguanidae), 10:179-187
O'Brien, W. John, see Drenner, Ray W., —
O'Farrell, Michael J., and William A. Clark, Small mammal community structure in northeastern Nevada, 31:23-32
O'Farrell, Michael J., W. Glen Bradley, and Gary W. Jones, Fall and winter bat activity at a desert spring in southern Nevada, 12:163-171
O'Farrell, Mike, see Bradley, W. Glen, —
O'Halloran, Kathleen A., see Conner, Richard N., —
O'Kane, Kevin D., Joseph C. Britton, and Donna R. Coldiron, New distributional records of *Corbicula manilensis* (Pelecypoda: Corbiculidae) in south central United States, 22:397-400
O'Leary, John F., Habitat preferences of *Lupinus* (Fabaceae) in the western transverse ranges of southern California, 27:369-377
O'Neil, Rory M., see Koehn, Robert D., —
O'Shea, Thomas J., Fat content in migratory central Arizona Brazilian free-tailed bats, *Tadarida brasiliensis* (Molossidae), 21:321-326
Oak forest and an oak savannah in central Oklahoma, a quantitative comparison between an, Forrest L. Johnson and Paul G. Risser, 20:75-84
Oakley, Leonard L., see Mumford, Russell E., —
Oaks in Oklahoma in relation to seasonal water potential and transpiration rates, geographic distribution of two species of, Shelly L. Hall and James K. McPherson, 25:283-295
Oberholser, Harry C., The bird life of Texas (rev.), 20:291-292
Obione acanthocarpa, 33:454
Obliquaria reflexa, 22:236, 22:241, 22:242, 22:244, 22:245, 22:248, 22:249, 23:384, 27:350, 27:360, 27:361
Obluctaspis lobata, 17:391
Obovaria olivaria, 27:350
Obrium
maculatum, 27:23, 27:25
mozinnae, 27:25
Observations and behavior patterns of prairie chickens (*Tympanuchus cupido attwateri*) in Galveston County, Texas, some, Herbert H. Hannan, Bernard Callender, and John D. Woodham, 9:305-306
Occurrence and activity of *Reithrodontomys megalotis*, *Microtus ochrogaster*, and *Peromyscus maniculatus* as recorded by a photographic device, Curtis J. Carley, Eugene D. Fleharty, and Michael A. Mares, 15:209-216
Occurrence, ecological distribution, and relative abundance of bats in McKittrick Canyon, Culberson County, Texas, Richard K. LaVal, 17:375-364
Ochoterenatrema labda, 4:63, 4:64
Ochotona princeps, 17:325, 24:553-555, 25:36, 26:333, 26:334, 26:337, 31:69
Ochotonidae, 26:327
Ochrotomys, 13:253
nuttalli, 6:109, 13:254-256, 13:258, 13:261, 13:373, 31:107, 31:110
Ochrotrichia
logana, 31:433
lometa, 31:433
oregona, 31:433
stylata, 31:433
susanae, 31:433
tarsalis, 23:383
trapoiza, 31:433
unio, 31:423
Ochteridae, 9:100
Ochterus americanus, 9:100
Ochthiphilidae, 4:154
Ochtotrichia logana, 31:433
Ockendon, David J., A taxonomic study of Psoralea subgenus Pediomelum (Leguminosae), 10:81-124
Ockendon, David, *Psoralea palmeri* Ockendon sp. nov., 11:412
Octhebius, 12:383, 12:389
October birth by *Peromyscus difficilis nasutus* in north central Colorado, Donald S. Kisiel, 16:213-214
Octochaetidae, 15:267
Octomacrum, 21:68
Ocular anomaly of *Misumenops* sp. (Araneae: Thomisidae), Daniel T. Jennings, 15:503

Ocypode, 20:480
Ocypodidae, 30:148
Odocoileus, 20:501, 22:262, 26:267, 26:283, 32:457, 32:495
couesi, 12:484
hemionus, 4:33, 8:150, 13:159-166, 15:29-36, 15:485-494, 16:11, 16:154, 20:497, 22:149-150, 22:255, 22:257, 22:266, 22:278, 23:152, 23:279, 23:578, 23:705-706, 24:190, 24:554, 24:705-706, 25:113-114, 25:434-438, 26:147, 26:279, 26:317, 26:318, 26:335, 26:365-374, 26:398, 28:97, 29:335, 30:340, 30:342, 30:437-441, 30:573-578, 30:579-587, 31:215-220, 31:266, 31:289-298, 31:411, 31:414, 32:138-139, 32:152, 32:153, 32:158, 32:165, 32:404-406, 32:449-455, 33:107, 33:157-165, 35:1-8, 35:323, 36:67-74, 36:183, 36:246, 36:268
virginiana, 13:21
virginianus, 4:32, 6:21, 6:25, 6:76, 10:316, 12:4, 12:15, 12:156-162, 12:482-484, 13:411-420, 13:433-443, 15:30, 15:485, 16:16, 16:154, 16:210, 16:437, 17:211-213, 18:196, 18:468-469, 20:499, 21:10, 21:13, 21:14, 21:451, 21:454, 22:149, 22:279, 22:505-509, 23:197, 23:577-589, 24:203, 24:297-310, 24:377-380, 24:705, 25:117, 25:434-438, 26:147-152, 26:302, 26:328, 26:329, 28:316, 28:317, 28:321, 28:322, 29:301-307, 30:105-118, 30:297-302, 30:340, 30:341, 30:589-596, 31:82, 31:101, 31:266-267, 31:296, 31:411, 31:494, 32:138, 32:152, 32:153, 32:158, 32:165, 32:454, 33:21-25, 33:56, 33:107, 33:157, 34:428-431, 35:1-8, 36:257
Odom, Ross, see Reid, William, —
Odonaspioini, 18:417-442
Odonaspis, 18:429
fistulata, 18:419
litorosa, 18:420, 18:421, 18:435
ruthae, 18:420-422, 18:434, 18:435
Odonata, 2:1-18, 4:131-133, 6:111-137, 7:78-79, 8:57-84, 9:297-304, 27:457-458, 32:131-134
Odonata of Oklahoma, the, George H. Bick and Juanda C. Bick, 2:1-18
Odontacarus
cayolargoensis, 10:17, 10:18
dentatus, 35:111, 35:113
plumosus, 10:17, 10:18
Odontia pruni, 19:351
Odontobracon, 33:279
cellulus, 33:276
Odontoceridae, 28:354, 28:414, 32:289
Odontomachus
clarus, 28:139
haematoda, 26:6
Odontomyia, 14:238, 23:555, 26:157
Odontonema
auriculatum, 31:169, 31:174, 31:175
callistachyum, 31:174, 31:175
glaberrimum, 31:174, 31:175
Odontoschisma prostratum, 28:240
Oecanthus niveus, 29:442
Oecetis, 14:224, 14:226, 23:139, 23:382, 23:555, 25:143, 25:147, 26:157, 28:353, 28:413
arizonica, 31:437
avara, 25:252, 28:354, 28:355, 28:414, 31:437
cinerascens, 23:383, 23:385, 23:386, 23:534, 23:535
disjuncta, 28:355, 28:414, 31:437
ditissa, 23:383
inconspicua, 14:238, 14:243, 23:381-386, 23:534, 23:535, 31:437
nocturna, 23:383
ochracea, 31:438
Oeciacus vicarius, 21:275
Oecleus, 32:151
decens, 30:610
nolinus, 30:610-611
Oecobiidae, 30:6, 30:121, 30:122
Oecobius cellariorum, 30:6, 30:121
Oecophylla longinoda, 28:300
Oedaleothrips hookeri, 36:49, 36:51, 36:52
Oedemeridae, 28:476
Oedogonium, 8:232, 10:229, 10:266, 17:14, 17:16, 17:245, 17:247, 22:459, 23:59, 23:434, 23:452, 24:157, 25:416, 25:420
cardiacum, 5:111-116
crassiusculum, 23:439
cryptoporum, 23:439
intermedium, 23:439
mexicanum, 23:440
plagiostomum, 23:440
punctatum, 23:439
Oefinger, Robert D., see McAtee, Jerry W., —
Oenothera, 1:55, 5:50, 10:242, 11:217, 11:220, 15:414, 17:339, 20:332, 25:336, 30:80, 30:81
albicaula, 30:338
albicaulis, 12:140, 21:314, 21:362
biennis, 7:170, 12:140, 12:142
brevipes, 15:138
caespitosa, 29:412, 35:65, 35:73
canescens, 15:414
cardiophylla, 12:185
clavaeformis, 12:185
coronopifolia, 21:362
delessertiniana, 32:117
deltoides, 18:306
drummondi, 22:37, 22:40, 22:42, 22:44
drummondii, 23:503, 25:316, 28:367, 28:368, 29:250, 36:123
engelmannii, 2:166, 23:503, 25:322
epilobifolia, 29:15
fremontii, 14:342, 17:7
fruticosa, 29:15, 29:16, 29:18, 29:20
grandis, 25:332
hartwegii, 1:64
heterophylla, 2:166
hookeri, 26:252, 35:19
jamesii, 2:166
kunthiana, 23:321
laciniata, 1:122, 2:166, 20:325, 20:327, 23:503, 25:322, 25:332
lavandulaefolia, 14:342, 17:7
leptocarpa, 12:185
missouriensis, 4:58, 6:98
nuttallii, 29:412
pallida, 25:332
primaveris, 22:343
primiveris, 21:315, 35:73
rhombipetala, 25:332
runcinata, 1:64
serrulata, 2:166, 4:58, 9:116, 12:140, 13:387, 14:331, 14:342, 17:7
speciosa, 23:503, 25:322, 29:15-20, 32:117-120, 33:67, 33:68, 33:336, 33:337, 35:436
Ofcarcik, R. P., E. E. Burns, and J. G. Teer, Acceptance of selected acorns by captive fox squirrels, 17:349-355
Ogilvie, Philip W., see Anderson, Sydney, —
Ogyrides
alphaerostris, 29:59, 29:66-68
limicola, 29:68
occidentalis, 29:68
yaquiensis, 29:66
Ogyrididae, 29:66
Ogyris
alphaerostris, 29:66
occidentalis, 29:66
Ohlendorf, Harry M., and Veryl Board, Nesting records for two species of birds in Trans-Pecos Texas, 17:99-100
Ohlendorf, Harry M., Arthropod diet of a western horned owl, 16:124-125
Ohlendorf, Harry M., Observations on a colony of *Eumops perotis* (Molossidae), 17:279-300
Ohmart, Robert D., see Glinski, Richard L., —
Ohmart, Robert D., see Raitt, Ralph J., —
Ohmart, Robert D., see Stamp, Nancy E., —
Oil-killed birds and fate of bird carcasses at crude oil pits in Texas, number of, Edward L. Flickinger and Christine M. Bunck, 32:377-381
Oklahoma mammals, geographic ranges of three, James N. Thompson, Jr., and J. Keever Greer, 15:131
Oklahoma mammals, new locality records for some, Howard McCarley, 6:108-109
Oklahoma mammals, two noteworthy records of, Frederick B. Stangl, Jr., and Walter W. Dalquest, 31:123-124
Oklahoma record for the silver-haired bat,

Lasionycteris noctivagans, second, Jack D. Tyler and Lloyd Payne, 27: 245
Oklahoma slugs, with additions to the previously known fauna, notes on, Branley A. Branson, 4:143-147
Oklahoma snails (Gastropoda), with new records, notes on, Branley A. Branson, 3:224-226
Oldenlandia, 3:204
boscii, 25:315
corymbosa, 3:206
Oldham, Thomas W., see Scifres, Charles J., —
Oleaceae, 1:87-88, 2:140-151, 18:433, 18: 439, 18:440, 22:343, 35:73
Oleacinidae, 24:688
Olendorff, Richard R., Golden eagle country (rev.), 22:288
Olethreutidae, 18:308, 20:1, 20:7, 20:9, 20:226
Olfactory organ and eyes in five genera of American barbeled minnows (Pisces: Cyprinidae), observations on the gross anatomy of the, Branley A. Branson, 24:501-507
Olfersia bisulcata, 23:307
Oligocephalus, 16:439
Oligochaeta, 13:249-250, 18:151-164, 23: 541-544, 24:509-525, 25:261-264, 26:307-310, 27:287-298, 31:542-544
Oligochaeta (Naididae) with additional distributional records from Oklahoma and Texas, new species of, Walter J. Harman, 18:151-164
Oligochaete Branchiura sowerbyi from Oklahoma, a record of the, Kenneth J. Evans, 3:223-224
Oligochinus lighti, 36:353
Oligomeris linifolia, 23:297
Oligonema schweinitzii, 10:223
Oligoneuriidae, 31:17
Oligonychus pratensis, 24:441
Oligophlebodes, 25:27
ardis, 31:445
minuta, 31:446
sierra, 31:446
sigma, 31:446
Oligoplites
mundus, 32:230
saurus, 1:163, 32:230, 36:206
Oligyra, 33:118
orbicula, 16:316
orbiculata, 5:149, 14:372
Oligyridae, 5:149
Olin, G., S. M. Alcorn, and J. M. Alcorn, Dispersal of viable saguaro seeds by white-winged doves (*Zenaida asiatica*), 34:281-284
Olios fasciculatus, 26:437-439
Olios fasciculatus Simon, a giant crab spider (Araneae: Sparassidae), observations on, Daniel T. Jennings, 26: 437-439
Olivaceous cormorants nesting in north central Texas, Kathleen S. Zinn, 21: 556-557
Olivaea, 16:370
leptocarpa, 16:373
Oliver, George V., Jr., see Wilson, Nixon, —
Oliver, Royce L., see Lewis, Walter H., —
Olivera, Jesus Arenas, see Brown, Bryan T., —
Olla v-nigrum, 29:441, 29:442
Olmsted, Charles E., III, and Elroy L. Rice, Relative effects of known plant inhibitors on species from first two stages of old-field succession, 15:165-173
Olmsted, Larry L., see Cloutman, Donald G., —
Olness, A., see Troeger, W. W., —
Olneya, 34:523
tesota, 21:128, 21:393, 22:227, 23:673, 23:674, 28:213, 31:471, 31:472, 32: 23, 32:105, 33:158, 33:250, 34:521, 36:302
Ololygon staufferi, 32:80, 32:82, 35:277
Olsen, Richard D., see Sommerfeld, Milton R., —
Olsen, Ronald W., Water: a limiting factor for a population of wood rats, 21: 391-398
Olson, Carl A., see Baumann, Richard W., —
Olson, Rodrigo, see Carvacho, Alberto, —
Olson, Thomas E., Clait E. Braun, and Ronald A. Ryder, Cooing activity and nesting of mourning doves in northeastern Colorado, 28:335-340
Olvera, O., M. E. De La Rosa, V. M. Salceda, M. I. Gaso, and J. Guzman, Population genetics of Mexican *Drosophila*. VII. Inversion polymorphism in populations of *Drosophila pseudoobscura* from southern Mexico, 27:361-364
Olvera, O., see Gaso, M I., —
Olyra yucatana, 12:73
Omalodes grossus, 32:491, 32:494
Omomyidae, 22:489
Omomys, 22:490
carteri, 22:487, 22:489
Omophron
americanus, 9:314, 9:315
grossus, 9:314, 9:315
nitidus, 9:314, 9:315
robustus, 9:314, 9:315
tesselatus, 9:314, 9:315
Omophronidae, 9:314-315
Omophronidae of Oklahoma (Coleoptera), Kurt F. Schaefer and William A. Drew, 9:314-315
Onager semiplicatus, 22:263
Onagra, 11:217
Onagraceae, 1:64, 1:66, 2:165, 4:58, 8: 10-14, 11:217-222, 12:154, 13:383, 15:414, 18:369, 18:434, 18:440, 20: 431, 22:37, 22:343, 23:503, 24:435, 25:103, 25:332, 28:290, 29:15-20, 29: 250, 31:34, 32:117-120, 33:175, 33: 221, 34:290, 34:344, 35:19, 35:73, 36:123
Onchidella binneyi, 18:166
Onchocercidae, 35:458-460
Onchotona princeps, 13:450
Oncideres pustulata, 27:23-27
Oncobyrsa rivularis, 23:444
Oncorhynchus, 20:315
kisutch, 28:170
mykiss, 35:249, 36:126, 36:160, 36:187, 36:189, 36:190
nerka, 28:170, 32:287
Oncostoma cinereigulare, 4:74
Ondatra, 32:238, 32:239
zibetheca, 16:438
zibethicus, 6:109, 13:19, 14:165, 14:168, 16:210, 19:453, 26:68, 26:335, 28: 317, 28:319, 28:322, 30:340, 30:341, 31:557, 34:246
Oniscoidea, 29:309-319
Oniscus asellus, 31:254, 31:255
Onocosmoecus
coloradensis, 31:446
unicolor, 31:446
Onosmodium occidentale, 12:140
Onthophagous
brevicornis, 32:388
brevifrons, 32:386-389
browni, 32:386, 32:388, 32:389
Onuphia, 20:480
Onychelmis longicollis, 24:197
Onychodiaptomus birgei, 26:82
Onychomys, 2:34, 12:28, 15:229, 16:448, 22:59, 26:125-131, 26:167, 31:281, 32:191, 33:397, 33:401, 34:97, 35: 199, 36:91, 36:92
arenicola, 26:125-130, 34:51
jinglebobensis, 12:3, 12:8
leucogaster, 2:36, 5:195, 7:78, 10:21, 10: 315, 10:316, 12:8, 12:196-197, 13: 18, 13:148, 13:151, 13:152, 13:154, 13:156, 14:165, 14:168, 14:351, 15: 26, 15:217, 15:227, 15:228, 17:324, 18:445, 18:448, 18:450, 19:285, 21: 454, 24:377, 24:708, 25:216, 25:266, 26:54, 26:55, 26:126, 26:128-130, 26: 193-197, 26:298, 26:299, 26:331, 26: 398-403, 26:405, 28:42, 28:101, 28: 200, 30:341, 31:27, 31:28, 31:30, 31: 417, 31:418, 32:189, 32:294, 32:299, 35:202, 35:456, 35:457, 36:90, 36: 94, 36:101, 36:103, 36:346
torridus, 2:36, 5:99, 5:100, 15:227, 17: 333, 17:335-338, 17:340, 17:342, 20: 278, 20:498, 22:78, 22:82, 22:86, 23: 187-195, 24:280, 24:284, 24:285, 24: 287, 25:123, 25:266-267, 26:125-130, 26:298, 26:299, 28:430, 30:323-

324, 32:189, 35:456, 35:457, 36:90, 36:101
Onychonema, 17:245
laeve, 11:199
Onychothelyphonus bonneri, 17:154
Oochoristica, 30:363-370, 30:468-471
bivitellobata, 10:313, 30:368
deserti, 21:333
parvula, 30:368
scelopori, 30:368
Oocystaceae, 11:198
Oöcystis, 10:188-210, 23:56, 23:57, 23:452, 25:414, 25:420
apiculata, 13:134
borgei, 10:229, 10:230, 22:414, 23:436
eremosphaeria, 10:229, 11:198
gigas, 10:229, 10:230
marsonii, 13:134
novae-semliae, 23:436
parva, 20:48, 22:310, 23:436
polymorpha, 13:129-135
pusilla, 23:436, 24:156
submarina, 23:436
Oology and nest record card data in evaluating the reproductive biology of lark sparrows, *Chondestes grammacus*, a comparison of, Douglas B. McNair, 30:213-224
Oonopidae, 20:58
Oophila amblystomatis, 11:197
Oostethus
brachyurus, 28:102, 28:104
lineatus, 32:227
Opalina, 21:503
Opedomus agrarius, 10:149
Opeia obscura, 27:200, 27:202, 27:203, 27:205
Opephora
ansata, 26:313
martyi, 22:413
schulzi, 26:312, 26:313
Operational sex ratios and sex biased mortality in *Scaphiopus* (Pelobatidae), Bruce Woodward, 29:232-234
Opheodrys
aestivus, 1:182, 5:79, 27:228-230, 29:445-452, 31:246-249, 33:473-477, 33:488-490, 35:474, 36:172
mayae, 18:345
vernalis, 13:106, 14:129, 18:344-346, 33:473, 33:477
Opheodrys vernalis blanchardi in Texas, a new record of, William L. McClure, 14:129
Ophidia, 2:19-27
Ophigomphus, 14:237
Ophiocytium, 22:112
capitatum, 24:158
majus, 11:200
Ophioglossaceae, 24:395-396
Ophioglossiaceae, 4:55
Ophioglossum
crotalophoroides, 10:143, 16:431-432, 22:137, 24:395, 24:396
engelmanii, 15:141-142
engelmanni, 4:55, 16:431-432, 24:396
nudicaule, 24:395-396
petiolatum, 24:396
vulgatum, 24:396
Ophioglossum crotalophoroides Walt. on enchanted rock, Llano County, Texas, John Ridgway and Patricia Walne, 10:143
Ophioglossum engelmanii pranti, new to the Texas Panhandle, Tommy C. Rosson, 15:141-142
Ophioglypha bullata, 27:258
Ophiogomphus severus, 28:130
Ophiomusium
lymani, 27:258, 27:259
planum, 27:258
Ophionereis annulata, 27:255-262
Ophioplocus esmarki, 27:255-262
Ophiotaenia
critica, 28:399, 28:401, 28:403
magna, 17:198, 17:200
Ophisaurus, 15:40
attenuatus, 1:182, 6:201, 11:139, 11:299, 11:300, 29:271-275, 33:379, 35:474
ceroni, 11:299-300
compressus, 11:299, 11:300
ventralis, 1:182, 11:299, 11:300, 29:272
Ophisaurus attenuatus attenuatus (Anguidae), notes on, Albert P. Blair, 6:201
Ophisternon aenigmaticum, 32:227, 32:230
Ophiura
sarsi, 27:258, 27:259
signata, 27:258, 27:259
Ophryastes, 29:439
decipiens, 29:438
various, 32:389
varius, 32:386-388
Opiliones, 31:49-53
Opisthobranchs (Mollusca: Gastropoda) of the La Paz area, Baja California, Mexico, observations on three, Hans Bertsch and Alberic A. Smith, 18:165-176
Opisthonema libertate, 32:228
Opistocysta corderoi, 27:288
Opistocystidae, 27:287-298
Opler, P. A., see Doyen, J. T., —
Oplismenus setarius, 13:373
Oplonia, 31:170, 31:173
Oporornis
formosus, 4:77, 4:79, 4:80
tolmiei, 18:109, 18:199, 22:370, 22:371, 29:474
Opossum, Didelphis marsupialis, in Wyoming, status of, Larry N. Brown, 10:142-143
Opportunistic feeding by an ornate box turtle under the nest of a Mississippi kite, James W. Parker, 27:356
Opryastes geminatus, 28:475
Opsopeodus emiliae, 35:453
Opsopoeodus emiliae, 2:93, 2:97, 3:8, 3:10
Optioservus, 34:479, 34:480, 36:167
browni, 24:197
heteroclitus, 24:197
ovalis, 8:114
pecosensis, 24:197
phaeus, 24:197
seriatus, 25:455, 28:130, 28:131
Optuntia echinocarpa, 12:233
Opuntia, 5:195, 12:193, 12:194, 12:215, 13:162, 15:136, 17:98, 17:423, 18:198, 20:149, 20:217, 20:278, 20:508, 20:574, 21:127, 21:132, 21:139, 21:364, 21:370, 21:391-398, 22:551, 23:345, 23:670, 24:376, 24:627, 25:104-107, 25:269, 25:568, 26:204, 26:216, 26:296, 26:397, 26:437, 27:169, 27:231, 27:321, 27:326, 28:83, 28:382, 28:397, 28:430, 29:229, 29:304, 29:509, 30:290, 30:414, 30:467, 30:580, 30:613, 32:136, 32:153, 32:452, 32:453, 32:457, 33:359, 33:438, 35:28, 35:231, 35:286, 36:119, 36:242, 36:243, 36:364
acanthocarpa, 11:397, 12:185, 17:170, 17:173, 17:175, 21:252, 21:392-394, 21:396, 22:227, 23:607, 23:674, 25:182, 25:193, 28:218, 34:144, 36:305, 36:338-340
arborescens, 17:230, 17:318, 23:117, 26:205, 26:206
arbuscula, 35:71
arenaria, 34:162
atrispina, 34:160, 34:162
basilaris, 11:397, 17:178, 22:62, 26:264, 26:265, 26:283, 27:404, 28:219
bigelovi, 12:185
bigelovii, 12:120, 12:121, 12:124, 21:392-394, 21:396, 22:227, 28:211-213, 31:112, 32:21-26, 34:521, 34:523, 35:80, 35:381
biglovii, 21:252
chlorotica, 22:227, 25:104, 25:106, 25:107, 28:219, 30:389, 35:71, 36:305
clavata, 1:67
compressa, 23:129, 35:437
cymochila, 35:80, 35:81
cymochilia, 36:236
davisii, 24:434
drummondi, 35:221
echinocarpa, 29:465, 31:544
ellisiana, 34:162
engelmanni, 25:266
engelmannii, 1:56, 1:57, 1:64, 1:66, 3:108, 10:257, 10:260, 15:33, 15:153, 16:10, 17:173, 19:330, 26:205, 26:206, 31:79, 33:108, 33:109, 34:162, 36:215, 36:216
erinacea, 24:131, 25:364
ficus-indica, 30:397, 34:162
fragilis, 26:440
fulgida, 17:231, 21:393, 21:397, 22:227, 23:673-675, 25:266, 28:213, 29:213, 34:521, 34:523
grahamii, 16:6, 17:289

humifusa, 4:52, 7:170, 4:58, 12:139
imbricata, 1:55-57, 1:64, 3:30, 4:35-39, 13:160, 13:162, 13:163, 17:229-237, 19:330, 21:315, 22:341, 22:347, 23:117-133, 23:294, 23:296, 23:299, 24:131, 24:135, 25:364, 25:365, 26:206, 28:115, 28:200, 29:277, 29:280, 32:111, 32:181, 32:292
kleiniae, 26:206, 34:160, 34:162
leptocaulis, 1:64, 2:111, 2:126, 10:260, 15:300, 16:6, 18:430, 18:440, 18:441, 19:282, 19:289, 19:290, 21:315, 22:341, 22:347, 22:552, 23:10, 23:296, 23:316, 23:674, 24:103, 24:300, 24:302, 24:303, 24:435, 26:87, 26:205, 26:206, 26:303, 26:304, 28:219, 29:213, 30:316, 30:398-400, 30:536, 30:537, 30:540, 33:370, 36:215
leucotricha, 11:242
lindheimeri, 16:15, 19:282, 21:101, 22:37, 22:41, 23:10, 23:500, 24:103, 24:128, 24:298, 24:302, 24:303, 24:305, 25:317, 26:184, 26:303, 26:304, 28:388, 29:436, 30:79, 30:398-401, 33:357, 34:162, 36:77
littoralis, 28:215-220
macrocentra, 3:108, 10:260, 16:6
macrorhiza, 2:165, 22:505, 23:500, 25:315, 25:332, 26:206, 26:265, 33:357, 34:442
macrorrhiza, 13:387, 17:7
melanosperma, 30:78
microdasys, 30:78
occidentalis, 32:493
parryi, 28:215-220
phaeacantha, 21:316, 22:227, 22:340, 22:341, 22:347, 23:296, 23:299, 23:316, 23:321, 24:228, 24:131, 25:104, 25:106, 25:131, 25:364, 25:365, 26:206, 27:311, 28:120, 29:279, 29:280, 30:389, 30:536, 32:111, 32:138, 32:181, 32:389, 34:162, 34:163, 35:64, 35:71, 35:80, 35:81, 36:236
phaecantha, 1:64
pittieri, 30:78
plumbia, 26:206
polyacantha, 14:331, 17:47, 17:236, 19:430, 21:362, 23:129, 24:552, 25:438, 26:206, 26:440, 27:300, 28:336, 28:347, 29:230, 29:277, 29:280, 29:408, 29:409, 29:412, 30:336, 32:292, 34:163
polycantha, 13:249, 15:499, 15:501
prolifera, 19:215
ramosissima, 11:397
rhodantha, 7:270
rufida, 10:260, 16:6, 17:298, 23:291, 23:296, 30:536, 34:163
schottii, 22:341, 34:163
spinosior, 15:153, 16:424, 25:131, 33:431, 35:64, 35:71
stanlyi, 23:674
stanyli, 33:431
streptacantha, 18:193, 18:197
strigil, 34:160, 34:163
tortispina, 26:440
tunicata, 10:244, 34:160, 34:163
versicolor, 29:213
violaca, 21:316
violacea, 22:345, 22:347, 24:128, 26:206, 33:431, 34:163
whipplei, 22:62, 26:265
Orbatula, 35:281
Orbexilium, 10:82, 10:84
Orchestia chiliensis, 30:603
Orchestoidea, 20:481, 20:483, 36:353
Orchidaceae, 1:97, 2:160, 10:144, 14:447-448, 15:411, 16:431, 22:37, 23:507, 25:275, 28:451-456, 33:175, 35:74, 36:123
Orchipedum jolliei, 17:200
Orchis, 13:335-338
Orchopeas
howardii, 30:449
leucopus, 10:21, 16:435
sexdentatus, 10:21
Orcinus orca, 18:453, 18:457, 18:462, 32:287
Orconectes, 22:271, 22:272, 34:440
acares, 24:482
acuseyi, 21:219
causeyi, 21:219-226, 25:298
clypeatus, 15:99
difficilis, 30:189-194
hathawayi, 30:189
hobbsi, 8:140
hylas, 30:198, 30:200, 30:201
juvenalis, 24:616
lancifer, 30:192, 30:193, 33:121
leptogonopodus, 9:106, 30:196, 30:198, 30:200
limosus, 22:274
menae, 30:196, 30:198, 30:200
nais, 14:237, 14:242
nana, 1:151
neglectus, 1:151
palmeri, 9:106, 19:167, 19:168, 19:175, 30:189-194, 33:121
virilis, 24:613-619
Ordway, Leonard L., see Krausman, Paul R., —
Oreamnos, 26:276, 26:279, 26:280
americanus, 32:148
Oreocarya, 11:206
Oreochromis
aureus, 35:34, 35:35, 35:37, 35:43, 35:46, 36:203, 36:205, 36:208, 36:209
mossambica, 35:338
Oreochrysum parryi, 12:323, 20:429
Oreodaphne
obtusifolia, 16:112, 16:115
perseaformis, 16:112
pseudoguianensis, 16:112
Oreohelix
ferrissi, 16:101, 16:103, 19:61, 19:63, 19:64
hachitana, 16:103
metcalfei, 16:100-102
socorroenis, 16:100, 16:101
socorroensis, 16:102, 16:103, 22:12, 29:42
strigosa, 7:52, 7:58
swopei, 16:101
yavapai, 16:100-102, 16:105
Oreomunnea, 11:93
Oreopanax sanderianus, 13:367
Oreortyx
picta, 31:280
pictus, 31:277, 31:285, 36:248
Oreoscoptes montanus, 22:369, 22:371, 26:95, 34:492
Oreoxis alpina, 20:426
Organochlorine contamination in Arizona and New Mexico, areas of localized, W. James Fleming and Brian W. Cain, 30:269-277
Oribatula, 29:239, 35:280
Orientation by Holbrookia maculata (Lacertilia, Iguanidae) to solar and reflected heat, Ralph W. Axtell, 5:45-47
Origins and distribution of two species groups of Schizomida, (Arachnida), J. Mark Rowland, 17:153-160
Orius, 33:216
tristicolor, 36:51
Ormenis saucia, 20:340
Ormiscus eusphyroides, 27:26
Ornate box turtle, *Terrapene ornata* (Testudinae), feeding on pinecushion cactus, *Coryphantha vivipara* (Cactaceae), Joseph R. Thomasson, 25:438
Ornate box turtle, *Terrapene ornata*, some aspects of the biology of the, W. Frank Blair, 21:89-103
Ornithocheyla, 21:276, 21:278
Ornithodiplostomum ptychocheilus, 22:361, 28:399-401, 28:403
Ornithodores, 4:62
concanensis, 4:63, 21:276-278
kelleyi, 13:446
stageri, 4:64
talaje, 10:17, 10:20
turicata, 21:278
concanensis, 32:124
kelley, 20:241, 20:246
mormoops, 20:241, 20:244, 20:247, 20:252
rossi, 20:241, 20:245, 20:246, 20:249, 20:250
stageri, 20:241, 20:246, 20:247, 20:250, 20:251
Ornithogalum, 12:79
texanum, 24:123, 24:124
Ornithonyssus
bacoti, 10:17, 10:19, 10:21
sylvarium, 10:17, 10:19
sylviarum, 5:228
Orobanchaceae, 23:297, 25:334, 35:73
Orobanche
cooperi, 23:297, 35:73

fasciculata, 25:334, 29:412
ludoviciana, 25:334
multiflora, 25:314, 25:315, 35:65, 35:73
Orodho, Apollo B., M. J. Trlica, and C. D. Bonham, Long-term heavy-grazing effects on soil and vegetation in the Four Corners region, 35:9-14
Orodrassus coloradensis, 15:322
Orodus, 22:278
Orogenia linearifolia, 19:71
Orsodacne atra, 19:70
Ortalis, 10:288-301
cinereiceps, 10:299-301
deschauenseei, 10:288
garrula, 10:299
intermedia, 10:288
leucogastra, 10:288, 10:297, 10:300, 10:301
mccalli, 10:288
pallidiventris, 10:288
plumbiceps, 10:288
poliocephala, 10:288, 10:295, 10:297, 10:300, 10:301
ruficauda, 10:289, 10:299
vallicola, 10:288
vetula, 4:68, 7:256, 10:288, 10:289, 10:295, 10:298, 10:300, 10:301, 31:103
wagleri, 10:288, 10:296, 10:300, 10:301
Ortega, Joseph Charles, Coyote food habits in southeastern Arizona, 32:152-155
Ortega-Rubio, Alfredo, see Arriaga, Laura, —
Orthemis, 14:237
ferruginea, 2:6, 2:14, 6:112, 26:156, 27:458
Orthetrum, 6:133
Orthocarpus, 32:42, 36:306
luteus, 12:140
purpurascens, 35:73
Orthoclada, 11:158
Orthocladius, 1:152, 14:236, 23:140, 25:27, 25:141, 25:145, 25:381, 25:550
nivoriundus, 14:239, 14:245
Orthocyclops modestus, 4:193, 14:324
Orthodon microlepidotus, 30:244
Orthogenesis in angiosperm taxonomy, significance of, Arthur Cronquist, 1:97-99
Orthogeomys, 33:1
cavator, 32:7
cherriei, 32:5-11
heterodus, 32:8
hispidus, 32:8-10
underwoodi, 32:5-11
Orthonevra
flukei, 30:312-315
nitida, 30:312, 30:315
pulchella, 30:312, 30:315
Orthopodomyia californica, 24:197
Orthoporus
ornatus, 34:223
punctilliger, 34:223
Orthopristis
chrysoptera, 20:463, 28:465, 36:205
chrysopterus, 1:161
Orthoptera, 27:197-209
Orthotrichia, 23:139, 23:382, 23:385, 23:555
aegerfasciella, 23:383
Orthotrichum
bolanderi, 1:116, 1:118, 1:119
lyellii, 1:119, 3:122
pusillum, 30:151
strangulatum, 5:43, 5:44
Ortiz, Melchor, see Richman, David B., —
Ortmannicus, 21:443, 21:444, 33:120
Orus rubens, 12:269
Orycteroxenus mexicanus, 36:114, 36:115
Oryctolagus, 10:172, 33:395
cunniculus, 31:69
Oryx
beisa, 28:99
gazella, 28:97-99
Oryza sativa, 3:128
Oryzias latipes, 18:235, 22:538
Oryzomys, 5:196, 33:238, 33:401
alfaroi, 11:306, 12:189, 15:226, 15:228, 21:543, 28:379, 31:137, 31:410
bombycinus, 29:512, 29:514
caliginosus, 29:513, 29:514
couesi, 5:171-173, 28:379, 31:137, 31:410, 31:411, 34:414
fulvescens, 15:217, 15:220, 15:226, 15:227, 15:229, 28:379, 31:137, 31:410, 31:411
melanotis, 15:226, 28:379, 31:137, 31:410, 31:411
palustris, 5:171-173, 5:195, 5:196, 6:109, 13:373, 14:358, 15:131, 15:220, 15:226, 16:437, 21:10, 21:12, 21:13, 21:14, 26:196, 26:202, 26:203, 27:459, 31:109, 31:110, 31:401, 31:410, 34:142, 34:143, 34:414, 35:199, 35:202, 36:344-346
Oryzomys couesi only subspecifically different from the marsh rice rat, Oryzomys palustris, E. Raymond Hall, 5:171-173
Oryzopsis, 17:340, 19:115, 22:284, 26:213, 34:47
asperifolia, 4:119
bloomeri, 14:404
hymenoides, 1:54, 1:55, 1:62, 4:119, 12:140, 12:143, 13:249, 15:499, 15:501, 16:452, 17:335, 17:339, 24:551, 26:264, 26:265, 26:397, 27:301, 27:302, 27:339, 30:438, 32:191, 32:193, 33:91, 34:488, 35:9, 35:335
micrantha, 12:137, 12:139, 12:143
racemosa, 21:404
Osborn, Neal L., *Lycopodium annotinum* on Wheeler Peak, Taos County, New Mexico, 9:107
Oscaniella areolata, 18:170
Oscillatoria, 8:232, 10:188-210, 10:266, 11:198, 14:369, 18:96, 18:99, 18:100, 19:418, 22:413, 22:459, 22:460, 23:56-58, 23:60, 23:446, 24:162, 25:414, 25:416, 25:420, 25:538, 31:43, 36:370-372
agaardhii, 24:159
agardhii, 11:201, 23:441
amoena, 11:201, 23:441
amphibia, 23:441
anguina, 11:201
angusta, 23:442, 24:159
angustissima, 23:441, 24:159
annae, 23:441
chlorina, 23:441
curviceps, 23:441
formosa, 8:239, 10:231, 10:232
geminata, 11:201
granulata, 23:441
irrigua, 23:441
laete-virens, 23:441
limnetica, 23:441
limosa, 10:231, 10:232, 23:442, 24:159
lutea, 26:32
nigra, 23:442
obscura, 23:441
okeni, 23:441
princeps, 23:442
prolifica, 24:159
sancta, 10:231, 10:232, 11:201
simplicissima, 23:442
subbrevis, 23:442, 24:159
tenuis, 11:201, 23:441, 24:159
terebiformis, 23:441
Oscillatoriaceae, 11:201
Osmeridae, 27:225-226
Osmerus, 16:32
mordax, 27:225-226, 31:153, 33:469
Osmia, 2:130, 18:313, 21:53
bridwelli, 32:39-52
nemoris, 32:39-52
odorata, 9:30
Osmoporus odoratus, 19:356
Osmorhiza longistylis, 12:140
Osmotic water stress: mesophyll saturation deficit and transpiration rates of tamarisk, Arnett C. Mace, Jr., 16:117-120
Osmunda regalis, 12:348
Osorio, Ma. Teresa Castrejón, see Hernández, Cornelio Sánchez, —
Osphranticum labronectum, 17:201, 17:202
Osteichthyes, 8:43-45, 11:307-308, 17:381-387, 21:487-492, 21:493-501, 22:359-366, 23:309-313, 23:519-527, 23:539, 23:688-689, 24:200-201, 26:223-230, 35:292-297
Osteoglossum bicirrhosum, 30:475
Ostrocerca albidipennis, 35:131
Ostrya
knowltoni, 22:62
knowltonii, 26:264, 26:265, 26:284
virginiana, 21:482
Oswaldocruzia, 21:503, 21:505-508

Otitidae, 23:565, 23:566, 23:568-571, 23:575
Otobius megnini, 32:511-512
Otolithidae, 1:161
Otopappus
alternifolius, 16:373
epalaceus, 16:373
Otorhinophila intrasola, 15:447
Otospermophilus, 20:363-370
Ototylomys, 33:398
phyllotis, 36:87
Otus
asio, 4:68, 7:258, 16:19, 17:74, 17:148, 17:296, 22:276, 26:214-215, 30:271, 34:143
flammeolus, 5:173-174, 16:26, 23:700, 34:495, 36:311, 36:312
guatemalae, 4:68
kennicottii, 29:474, 34:495, 36:270, 36:277, 36:307
trichopsis, 18:195, 18:197
Oudemansiella radicata, 29:261, 29:263
Outdoor enclosure for dermestid deflesh-ing operations, an, A. L. Gennaro and Thomas J. Salb, 17:95-96
Ovary of the Juglandaceae, Léon Croizat, observations on the, 11:72-117
Overwintering of larval spotted salamanders, *Ambystoma maculatum* (Caudata) in Arkansas, Patrick H. Ireland, 17:435-437
Overwintering population dynamics of the bat fly, *Trichobius major* (Diptera: Streblidae), William Caire and Lothar Hornuff, 31:126-129
Overwintering tadpoles and breeding season variation in the *Rana pipiens* complex in Arizona, James P. Collins and Michael A. Lewis, 24:371-373
Ovibos, 22:261
Ovis, 27:409
aries, 26:68, 30:437-441
canadensis, 16:154, 20:497, 22:153, 22:540-543, 26:267, 26:279, 26:280, 26:333, 26:334, 27:122, 28:460-461, 31:289, 31:413, 31:414, 31:530-531, 32:281-283, 32:495, 33:157, 34:483-486
dalli, 31:289
Owen, D. F., and R. G. Wiegert, A southward movement of the painted lady butterfly in Wyoming, 30:158-159
Owen, James G., and James R. Dixon, An ecogeographic analysis of the herpetofauna of Texas, 34:165-180
Owen, James G., see Underwood, Harold T., —
Owen, Robert D., and Meredith J. Hamilton, Second record of *Cryptotis parva* (Soricidae: Insectivora) in New Mexico, with review of its status on the Llano Estacado, 31:403-405
Owen, Robert D., see Jones, J. Knox, Jr., —
Owen, Robert D., see Schnell, Gary D., —
Owens, D. W., see Call, C. A., —
Owens, John C., see Beavis, William D., —
Owens, John C., see Hansen, James D., —
Owings, D. H., R. Virginia, and D. Paussa, Time budgets of California ground squirrels during reproduction, 24:191-195
Owl pellets, 2:33-37
Oxacis, 28:476
Oxalidaceae, 4:57, 25:330, 35:73
Oxalis, 12:80, 12:82, 12:324, 12:348, 30:543
albicans, 35:73
alpina, 35:73
corniculata, 25:330
dichondraefolia, 30:545, 30:546, 30:548
dillenii, 4:57, 20:325, 20:327, 20:332, 20:333, 29:301, 29:304, 29:326, 29:329, 33:336, 35:436
drummondii, 23:320
stricta, 1:122, 7:169, 33:65, 33:67, 33:68, 35:73
violacea, 7:169, 32:35
Oxethira, 33:178
Oxybaphus
linearis, 1:63, 12:140, 29:412
lineris, 27:329
Oxybelis, 31:248
acuminatus, 10:136, 10:137
aeneus, 10:136-139, 16:229, 29:540, 29:451, 35:278
fulgidus, 10:137, 35:278
Oxycaryum cubense, 33:171, 33:172, 33:175
Oxyethira, 23:223, 23:555, 23:559, 27:440, 27:441, 27:443, 32:289
dualis, 31:434
pallida, 23:383
Oxygeneum pulverulentum, 33:140
Oxyopes, 11:357, 34:354
apollo, 30:4, 30:10
salticus, 11:358, 11:370, 21:43, 21:45, 30:4, 30:10, 30:121, 30:123, 30:125
scalaris, 11:358, 20:225, 20:226, 20:228, 21:43, 30:7, 34:350, 34:352
scolaris, 20:226
Oxyopidae, 7:198-201, 11:357, 11:370, 20:225, 21:43, 30:4, 30:7, 30:10, 30:121, 30:122, 34:350, 35:20
Oxypappus, 11:118
Oxypoda, 12:269
Oxyria digyna, 20:431
Oxysomatium
americana, 17:198, 17:199
americanum, 17:198
Oxytheca perfoliata, 12:233
Oxytria texana, 24:124, 24:125
Oxytripolium, 19:361-364
Oxytropis, 23:153, 25:560
lambertii, 12:140, 12:143
sericea, 24:188
Oxytropus, 29:280
Oxyura
dominica, 18:244
jamaicensis, 14:177, 25:567, 26:234, 29:493, 32:379, 34:495
Oxyurella tenuicaudis, 34:345
Oxyuridae, 17:198
Ozolaimus, 30:469
Ozyptila creola, 30:119, 30:121, 30:122

P. clarki, 36:159
Pachecoa, 7:29, 7:31
guatemalensis, 7:35, 7:36
prismatica, 7:35
Pachybrachys, 10:1
varicolor, 20:7, 20:8
Pachycereus
gaumeri, 30:78, 30:80
pecten-arboriginum, 30:324, 36:259
pringlei, 21:127, 21:128, 25:103-104, 27:315, 28:212, 29:213, 30:80, 31:544, 32:22, 32:23
Pachycheles setimanus, 11:139
Pachychondyla harpax, 31:555
Pachycladon umbrinus, 23:437
Pachycomus, 3:116, 3:117, 3:119, 3:121
Pachydesmus clarus, 34:223, 35:96
Pachydiplax, 8:135, 15:99, 15:101
longipennis, 2:7, 2:14, 4:131, 6:112, 7:191-197, 23:554, 27:458
Pachyelmis bigibbulosa, 24:197
Pachygnatha, 11:365
Pachygnathidae, 29:239, 29:241
Pachygrapsus crassipes, 36:353
Pachymedusa dacnicolor, 32:79, 32:81
Pachyramphus cinnamomeus, 4:72
Pacifastacus trowbridgii, 22:272
Pacific coast Townsend chipmunks (Rodentia: Sciuridae), analysis of, Dallas A. Sutton, 32:371-376
Pacific gizzard shad, *Dorsoma smithi* (Clupeidae), from Sonora, México, additional records for the, W. L. Minckley, Dean A. Hendrickson, and Darrell J. Siebert, 24:695-697
Packard, Robert L., Additional records of mammals from eastern Texas, 6:193-195
Packard, Robert L., and Frank W. Judd, Two noteworthy records of bats from Chihuahua, 12:330
Packard, Robert L., and J. Hoyt Bowers, Distributional notes on some foxes from western Texas and eastern New Mexico, 14:450-451
Packard, Robert L., review by, 16:221-222
Packard, Robert L., see Chapman, Brian R., —
Packard, Robert L., see Schmidly, David J., —

Packard, Robert L., see Webb, Robert G., —
Pacoeae, 18:438
Padina, 18:166-168
Paecilomyces, 24:367, 27:18
Paedogenesis and metamorphic variation in *Ambystoma tigrinum mavortium*, Garry N. Knopf, 7:75-76
Paeonia, 14:429
Page, Lawrence M., Natural darter hybrids: *Etheostoma gracile* x *Percina maculata*, *Percina caprodes* x *Percina maculata*, and *Percina phoxocephala* x *Percina maculata*, 21:161-168
Pagels, John F., and Clyde Jones, Growth and development of the free-tailed bat, *Tadarida brasiliensis cynocephala*, (Le Conte), 19:267-276
Paige, Ken N., C. Renn Tumlison, and V. Rick McDaniel, A second record of *Typhlichthys subterraneus* (Pisces: Amblyopsidae) from Arkansas, 26: 67
Painter, Charles, see Hoditschek, Barbara, —
Painting of Yarrow's spiny lizard, a, George Miksch Sutton, 6:1
Palaemonetes, 8:135
kadiakensis, 16:122, 19:168, 19:175
paludosus, 21:154
Palaemonidae, 19:168, 19:175
Palaeolycus, 18:206
Palaeoniscidae, 33:265
Palaeonisciformes, 33:263-274
Palaeopiceoxylon
thinosus, 30:525-532
thomsoni, 30:525, 30:529-531
transiens, 30:529, 30:530
Palafoxia, 15:184, 18:119
callosa, 15:178
sphacelata, 2:170, 15:178, 18:122
texana, 15:178, 23:501, 25:322, 25:336
Palauchenia magna, 19:344
Palemelloccus, 25:420
Paleoecology of amphibians and reptiles from Pratt Cave, Guadalupe Mountains National Park, Texas, Frederick R. Gehlbach and J. Alan Holman, 19:191-198
Paleoenvironmental significance of late Quaternary insect fossils from packrat middens in south-central New Mexico, Scott A. Elias, 32:383-390
Palermo, Carolyn L., see Rorabaugh, James C., —
Pallavicinia lyellii, 28:240
Pallid bat (*Antrozous*) of the Edwards Plateau, the, Walter W. Dalquest and Edward L. Roth, 15:395-396
Pallid bat in Texas, notes on the, Clyde F. Herreid, II, 6:13-20
Pallifera
fosteri, 4:143, 4:144, 13:458
hemphilli, 4:143, 4:144, 13:458
tournescalis, 13:457-458
Pallifera (*Pancalyptus*) *tournescalis* (Mollusca: Pulmonata: Philomycidae), new species from Oklahoma, Branley A. Branson, 13:457-458
Palm burning and increased spadix production, James W. Cornett and Jon M. Stewart, 31:552-553
Palmaceae, 18:434, 18:440, 18:441
Palmella, 9:168
Palmellaceae, 11:196
Palmellococcus, 9:168
Palomino, Guadalupe, and Virginia Romo, Karyotypic studies in two Mexican species of *Echeandia* Ort. (Liliaceae), 33:382-384
Palomino, Guadalupe, Raul Viveros, and Robert A. Bye, Jr., Cytology of five Mexican species of *Datura* L. (Solanaceae), 33:85-90
Palomino H., Guadalupe, Myrna Segura D., Robert Bye, and Pedro Mercado R., Cytogenetic distinction between *Teloxys* and *Chenopodium* (Chenopodiaceae), 35:351-353
Paloverdes, pocket mice, and bruchid beetles: interrelationships of seeds, dispersers, and seed predators, Joseph R. McAuliffe, 35:329-337
Palpatores, 31:49-53
Palpomyia, 14:225, 14:226, 14:238, 14: 244, 25:27, 27:40
tibialis, 23:555, 25:141, 25:143, 25:250, 25:381
Paltothemis lineatipes, 23:218, 32:289
Paludicola, 19:387-394, 24:141-148
Panaeolus
campanulatus, 29:264
papilionaceus, 8:200
solidipes, 29:264
Pancalyptus, 13:457-458
Pandanaceae, 18:434, 18:440
Pandanus, 11:81, 13:230, 18:434, 18:440
Pandinus exitialis, 15:504
Pandion haliaëtus, 7:256, 25:103-104, 32: 287
Pandorina, 10:188-210, 10:266, 17:16, 20: 48, 23:56-59, 23:452, 25:414, 25:416, 25:420
morum, 11:302, 23:434, 23:437, 23:450
Panellus stipticus, 29:261, 29:263
Paniculatae, 9:239-244
Panicum (Gramineae), a new combination in, Floyd R. Waller, 19:105
Panicum, 3:128, 11:156, 13:163, 13:224, 15:409, 19:156, 20:206, 20:332, 20: 574, 21:248, 23:625, 25:428, 26:118, 27:326, 28:462, 29:303, 29:305, 31: 37, 31:96, 33:65, 33:106, 35:85, 35: 394
adspersum, 10:211, 10:212
agrostoides, 7:170
amarulum, 22:36, 22:39, 22:40, 22:44, 28:367
amarum, 23:506, 23:509, 25:316, 36: 123, 36:124
anceps, 4:56, 7:170, 12:349
antidotale, 4:117, 4:129
arizonicum, 35:74
bulbosum, 8:187, 8:188, 12:77, 27:226, 30:389, 35:67, 35:74
capillare, 2:158, 7:169, 12:140, 13:384-386, 15:135, 26:220, 28:462, 31:34, 31:36, 35:74
coloratum, 4:117, 30:319, 33:39, 35:349
dichotimiflorum, 20:383
fasciculatum, 4:117, 12:77
filipes, 19:105
halli, 16:272, 16:273, 36:354
hallii, 12:78, 19:105, 22:551, 23:506, 25:322, 27:312, 30:389, 30:545, 30: 546, 30:548, 35:74
hillmannii, 25:326
hirticaule, 21:314, 35:74, 36:306, 36: 307
lanuginosum, 4:56, 32:35
laxiflorum, 20:323, 20:327, 20:331, 20: 333
leucothrix, 7:169
lindheimeri, 2:158
makarikariense, 4:117
makarikariensis, 10:52
malacophyllum, 7:170
maximum, 4:117, 10:52, 23:506, 25:322
miliaceum, 29:182, 29:185, 35:466
obstusum, 15:409
obtusum, 1:62, 2:158, 4:117, 13:161, 21: 180, 21:313, 21:314, 21:317, 22:506, 23:316, 27:339, 27:461, 28:255, 30: 320, 31:34, 31:36, 31:350, 31:354, 35:74
oligosanthes, 2:158, 4:56, 20:327, 20: 329, 20:383, 25:326, 32:35
pampinosum, 27:329
pedicellatum, 4:117, 4:129
plenum, 10:50, 10:52, 12:71
portoricense, 22:36, 22:39
purpurascens, 12:85
ramisetum, 22:551, 22:552
repens, 29:250
reptans, 5:8, 23:506
schiffneri, 12:79
schribnerianum, 14:342
scribnerianum, 7:169, 12:139, 12:141
sphaerocarpon, 12:349, 20:327, 20:330, 20:333
sucosum, 33:172, 33:175
texanum, 4:117, 5:8, 23:506, 25:322, 30:543
virgatum, 1:62, 4:50, 4:56, 4:117, 7: 163, 7:169, 7:172, 7:173, 9:219-231, 9:306-308, 10:52, 12:77, 12:138, 12: 140, 12:144, 12:304, 14:317, 14:342, 15:166, 17:6, 18:86, 18:88, 18:90, 18: 136, 19:379-385, 20:76, 20:379, 24: 270, 24:434, 25:69, 25:326, 26:53, 27:57, 27:429, 29:182, 29:185, 29: 324, 29:326, 29:329, 29:329, 29:330,

32:32, 32:35, 33:67, 35:386, 35:387, 35:390, 36:2
wilcoxianum, 12:139
Pantala
flavescens, 2:8, 2:14, 4:131, 6:112, 12:372, 12:384, 26:156
hymenea, 2:8, 2:14, 6:112
Panthera
atrox, 21:14
onca, 17:430-432
Pantosteus, 23:520
Pantosteus, 7:43, 7:81, 7:83, 27:437
clarki, 7:82, 11:313, 11:321, 17:103, 26:31-36, 28:399, 28:401-404, 32:351-356, 34:189, 34:407, 34:408, 36:261
delphinus, 5:175, 14:306
discobolus, 14:306, 14:309, 14:310, 33:364-365
intermedius, 9:250
phebeius, 29:355
plebeius, 10:314, 34:408, 36:189, 36:190
plebius, 7:82
Panus
crinitus, 29:261, 29:263
rudis, 29:263
siparius, 29:261, 29:264
Papaveraceae, 2:162, 3:213, 17:106-107, 18:325, 23:503, 24:188, 25:329, 31:34, 32:150-152, 35:73
Papilio, 30:75
marcellus, 21:34
rutulus, 30:73, 30:74
troilus, 20:392
Papilionaceae, 20:159-170
Papilionidae, 20:392, 21:34, 29:18, 30:73
Pappogeomys, 20:272, 32:8, 35:201
castanops, 17:302-307, 17:321, 20:142-144, 20:273, 20:274, 20:497, 20:500, 21:185-198, 21:531-538, 24:577-602, 25:568, 28:53-60, 31:280, 32:143, 32:186, 32:187, 32:190, 32:191, 32:293
merriami, 24:582
neglectus, 35:233
Pappophorum, 4:126, 30:543
bicolor, 4:119, 5:9, 10:50, 28:109
Pappothrix, 4:204
Parabuteo unicinctus, 7:256, 29:506
Parachelifer hubbardi, 32:491, 32:494
Paracladopelma, 25:141, 25:143
Paracyclops fimbriatus, 4:189, 4:193, 14:324, 23:169
Paracymus
confluens, 31:523
subcupress, 14:238
Paradiso, John L., Recent records of coyotes, *Canis latrans*, from the southeastern United States, 11:500-501
Paradiso, John, L., Recent records of red wolves from the Gulf Coast of Texas, 10:318-319
Paragnetina media, 35:132
Paragyractis, 32:412, 35:253
Paraidemona mimica, 29:438
Parajulidae, 34:223, 34:387
Paralauterborniella, 23:139, 25:141
subcincta, 32:412
Paraleptophlebia, 8:136, 25:26, 28:190, 34:480
Paraleucopis corvina, 4:154
Paraleuctra, 36:326-328
Paralichthys
albigutta, 20:463
lethostigma, 1:100-104, 36:207
Paralimnetis
mapimi, 32:67-74
rapax, 32:67-74
Paralimnetis mapimi nueva especie (Crustacea: Conchostraca), un nuevo camaron almeja del Desierto Chihuahuense en el norte de Mexico, Alejandro M. Maeda-Martinez, 32:67-74
Parametriocnemus, 34:185, 34:480
Paramostomum malerischi, 32:85, 32:87, 32:88, 32:90
Paramphistomatidae, 17:198
Paramylodon harlani, 21:14, 22:258
Paranais litoralis, 24:509, 24:516, 24:517, 24:519, 25:253, 25:254
Paranoplocephala infrequens, 21:332
Paranotolagus, 33:395
Paraonides, 20:480
Paraonis, 20:480, 20:481, 20:483
Paraphidippus, 11:348
marginatus, 11:350, 11:370
Paraphoxus, 20:481, 20:482, 20:484
Parapomala wyomingensis, 27:202, 27:203, 27:205
Paraponera clavata, 31:381-385, 31:395-396
Parapsyche, 34:480
almota, 31:429
elsis, 31:430
Parargyractis, 23:223, 33:179, 33:181
jaliscalis, 23:218, 23:221, 23:223
Parasites of desert leporids in the Picacho Mountains, Arizona, Milton P. Lipson and Paul R. Krausman, 33:487-488
Parasites of five species of bats, a survey of the, D. Kittrell Jameson, 4:61-65
Parasites of some fishes native to Arizona and New Mexico, Mbida Mpoame and John N. Rinne, 28:399-405
Parasites of the bullfrog, *Rana catesbeiana* Shaw, in central East Texas, a survey of, Patrick D. Hollis, 17:198-200
Parasites of the teiid lizard, *Cnemidophorus hyperythrus beldingi*, D. L. Bostic, 10:313
Parasitic mites of some West Texas reptiles, notes on the, John E. George, 5:105-106
Parasitism in relation to taxonomy of the sympatric sibling species of stoneroller, *Campostoma anomalum pullum* (Agassiz) and *C. oligolepis* Hubbs and Greene, in the White River, Arkansas, Donald G. Cloutman, 21:67-70
Parasitism on the turtle *Chelydra serpentina* by the leech *Placobdella multilineata*, occurrence and implications of heavy, Michael D. Stone, 20:575-576
Parasitization of the Texas spotted whiptail lizard (*Cnemidophorus gularis*) by a sarcophagid fly (*Blaesoxipha plintopyga*): a new host record, Robert J. Whitworth and James K. Wangberg, 30:163-164
Parasitoids of the immature stages of several southwestern yucca moths, Don C. Force and Michael L. Thompson, 29:45-56
Parastrigea mexicanus, 32:85, 32:87, 32:88, 32:90
Parategeticula, 29:45, 29:46, 29:48, 29:52, 29:54, 32:169
pollenifera, 29:47, 29:55
Paratendipes albimanus, 14:239, 14:245
Pateneriffia, 8:23
bipectinata, 8:30
Parathelandros, 18:103
Paratrechina
bruesi, 31:555
bruesii, 28:140
melanderi, 28:140
Paratropical angiosperm florule in the Eocene Rockdale formation of Bastrop County, Texas, a new, Robert S. Irving and Tod F. Stuessy, 16:111-116
Paratydeidae, 28:419, 29:239-241
Pardosa, 15:328, 30:122
concinna, 15:322
delicatula, 11:356, 30:7
distincta, 15:322, 21:43
falcifera, 30:7
glacialis, 15:323
groenlandica, 14:409, 15:324
insularis, 30:123
lapidicina, 20:30, 20:33, 20:34, 20:41
lugubris, 20:30
mackenziana, 15:322, 15:324
mercurialis, 11:356, 30:4, 30:10
milvina, 11:355, 21:43, 30:7, 30:119, 30:121, 30:123, 30:125
monticola, 20:30
mulaiki, 15:322
nigriceps, 20:30
orophila, 29:231
ourayensis, 15:322, 15:324, 15:327
pauxilla, 11:355, 30:4, 30:9
pullata, 20:30
ramulosa, 20:29-44
saxatilis, 11:356, 21:43, 21:45, 30:121, 30:123
sierra, 14:408, 14:409, 20:29-44
solituda, 15:322

sternalis, 11:356, 14:403-410, 15:322, 15:326
tristis, 15:322, 15:324, 15:327, 20:30, 20:42
uintana, 15:322, 15:324
utahensis, 15:322
yavapa, 15:323, 15:326
Parelephas, 1:109, 32:282
Parental relations and the behavior of juvenile kangaroo rats (*Dipodomys*) in captivity, Bernard B. Butterworth, 8:213-220
Parenti, Robert L., see Rice, Elroy L., —
Parerigone antraea, 12:260
Parfitt, Bruce D., and Charles H. Pickett, Insect pollination of prickly-pears (*Opuntia*: Cactaceae), 25:104-107
Parietaria
hespera, 36:306
pennsylvanica, 12:140, 16:273, 16:276, 25:328, 35:74
pensylvanica, 19:162
Parker, Albert J., Site preferences and community characteristics of *Cupressus arizonica* Greene (Cupressaceae) in southeastern Arizona, 25: 9-21
Parker, Henry L., Natural history of Pimephales vigilax (Cyprinidae), 8: 228-235
Parker, Jack C., Length-weight relationship and condition of *Leiostomus xanthurus* Lacepede, and *Micropogon undulatus* (Linnaeus) in Galveston Bay, Texas, 18:211-227
Parker, James W., Additional records of house sparrows nesting on raptor nests, 27:240-241
Parker, James W., Evidence for fratricide in Swainson's hawk (Accipitridae), 24:533-534
Parker, James W., Opportunistic feeding by an ornate box turtle under the nest of a Mississippi kite, 27:356
Parker, Kathleen C., Height structure and reproductive characteristics of senita, *Lophocereus schottii* (Cactaceae), in southern Arizona, 34:392-401
Parker, Kathleen C., Trunk vs. ground feeding in cactus wrens (*Campylorhynchus brunneicapillus*, Troglodytidae), 31:111-114
Parker, Laurie E., Eric G. Bolen, and Robert J. Baker, Genetic variation in a winter population of mallard ducks, 26:425-428
Parker, Matthew A., Decrease in abundance of *Vulpia octoflora* upon removal of *Gutierrezia microcephala* in a New Mexico grassland, 29:353-354
Parker, Michael S., Effect of substrate composition on detritus accumulation and macroinvertebrate distribution in a southern Nevada desert stream, 34:181-187
Parker, Owen S., see Karges, John P., —
Parker, Tim B., see Wangberg, James K., —
Parker, William S., Observations on a small, isolated population of *Bufo punctatus* in Arizona, 18:103-105
Parker, William S., see Turkowski, Frank J., —
Parkeriaceae, 34:290
Parkinsonia
aculeata, 10:18, 18:432, 18:440, 18:441, 20:114, 26:184, 29:229, 30:398, 30: 400, 30:567, 31:102, 31:103, 33:365, 35:72, 36:215, 36:216
texana, 30:398, 30:400
Parkinsonica aculeata, 17:395
Parlatoria, 16:328, 18:427
dives, 16:332
orbicularis, 16:330
pergandii, 16:330, 16:331, 18:430, 18: 436
proteus, 16:329-331, 18:436
sinensis, 16:330
theae, 16:330, 16:332, 16:333
Parmelia, 17:23, 17:25
atrata, 17:21
chlorochroa, 21:361, 21:362
cirrhata, 17:21, 17:27
duboscqii, 3:212
perreticulata, 3:212
sbarbaronis, 3:212
Parmenter, Cheryl A., see Parmenter, Robert R., —
Parmenter, Robert R., Cheryl A. Parmenter, and Carl D. Cheney, Factors influencing microhabitat partitioning among coexisting species of arid-land darkling beetles (Tenebrionidae): behavioral responses to vegetation architecture, 34:319-329
Parmley, Dennis, Middle Holocene herpetofauna of Klein Cave, Kerr County, Texas, 33:378-382
Parmley, Dennis C., and Jack D. Tyler, Gray treefrog in southwestern Oklahoma, 23:157-158
Parmley, Dennis C., see Cokendolpher, James C., —
Parnassia, 11:111
californica, 24:213
fimbriata, 24:209, 24:216-218
intermedia, 24:216, 24:217
mexicana, 24:210, 24:212, 24:219
palustris, 24:213
townsendii, 24:209-222
Parnassia townsendii (Saxifragaceae), a Mexican endemic, Robert A. Bye, Jr., and Douglas E. Soltis, 24:209-222
Paronychia, 25:364
jamesii, 2:162, 14:342, 17:6, 17:7, 17: 8
virginiana, 4:56
Parorchis, 32:85, 32:87, 32:88
Parr, Terence D., Ecology of the summer population of Cladocera, Copepoda, and Rotatoria of Fish Lake, Utah, 12:55-69
Parralintoshius parallintoshius, 4:62
Parrish, John F., III, see Kaspar, Timothy C., —
Parrish, John H., and Jerry Wilhm, Relationship between physicochemical conditions and the distribution of benthic macroinvertebrates in Arbuckle Lake, 23:135-143
Parrot, J. Edward, see Pulich, Warren M., —
Parthenice mollis, 20:284, 20:285
Parthenium, 1:128, 1:132, 8:164, 16:373, 16:376, 16:382
argentatum, 10:257, 10:260, 16:374, 27: 30
confertum, 16:374, 23:296
confertus, 16:374
hysterophorous, 16:374
hysterophorus, 16:373, 23:501, 25:322
incanum, 1:68, 10:37, 10:257, 10:260, 11:242, 14:437, 14:439, 16:10, 16: 206, 17:423, 18:431, 18:440, 21:316, 22:340, 22:341, 22:344, 23:291, 23: 296, 23:410, 26:87, 27:30, 30:536, 32:511, 33:108, 33:109, 33:428, 33: 431, 35:65, 35:70
integrifolium, 32:35
incanum, 32:452
Parthenocissus, 20:333
incerta, 35:74
incertus, 35:66
inserta, 12:139, 28:82
quinquefolia, 8:115, 12:344, 12:346, 19: 155, 19:160-162, 20:325, 20:327, 20: 333, 25:70, 25:207, 25:210-212, 25: 331, 27:311, 27:385
vitacea, 2:165, 15:153
Partitioning of flowering century plants by black-chinned and lucifer hummingbirds, the, Joseph F. Kuban, John Lawley, and Robert L. Neill, 28:143-148
Parturition in the white-throated woodrat, Vernon C. Bleich and Orlando A. Schwartz, 20:271-272
Parturition of the blue spiny lizard, Sceloporus cyanogenys Cope, J. P. Kennedy, 5:44-45
Parula
americana, 4:76, 14:363, 18:106, 18: 246
pitiayumi, 18:246
Parulidae, 4:80, 4:81
Parulids of West Texas, status of certain, Roland H. Wauer, 18:105-110
Paruroctonus

aquilonalis, 20:60, 20:61, 20:63, 20:65
mesaensis, 34:49, 34:51
utahensis, 34:46-53
Parus
atricapillus, 22:369, 32:200, 34:490
atricristatus, 7:259
atricristatus, 16:13, 21:552
bicolor, 17:149, 31:134
carolinensis, 15:359, 15:363, 17:149
gambeli, 22:369, 22:371, 25:561, 29:473, 34:490, 36:248
inornatus, 32:197-202, 34:490
rufescens, 32:200
subis, 17:149
wollweberi, 26:254, 32:197-202
Pase, C. P., Survival of *Quercus turbinella* and *Q. emoryi* seedlings in an Arizona chaparral community, 14:149-156
Pase, Herbert Allen, III, see Jennings, Daniel T., —
Pasimachus
elongatus, 30:148-150
punctulatus, 15:55-69
Paspalidium
geminatum, 15:391
paludivagum, 15:391
Paspalum, 8:191, 12:312, 12:314, 12:347, 14:379, 20:206, 23:693, 25:401-405, 25:408, 26:122, 31:34, 33:106, 35:434
bifidum, 12:349
blodgettii, 12:77
ciliatifolium, 2:158
crassum, 12:79
dilatatum, 4:117, 12:349, 35:436, 35:439
distichum, 2:158, 4:117
districhum, 24:314
floridanum, 7:169, 29:325, 29:326, 29:329
hartwegianum, 12:82
humboldtianum, 12:71
langei, 12:82, 28:462
lividum, 24:304, 24:305, 25:399
malacophyllum, 10:53
monostachyum, 5:8, 10:48, 10:50, 22:36, 22:38, 22:40, 23:274, 23:506, 25:316, 26:118, 28:368, 35:385-388, 35:390, 36:123-125
paniculatum, 12:77
plicatulum, 14:383, 14:385, 14:386, 20:379, 29:321, 29:324-326, 29:329-331, 31:369, 33:35-39, 35:387, 35:390, 35:435, 35:436
plicatum, 35:159
pubescens, 7:169
pubiflorum, 4:117, 5:8
setaceum, 20:327, 20:329, 20:332, 23:274, 23:506, 24:298, 25:315, 25:326, 29:325, 29:326, 29:329, 30:546, 30:548, 31:34-36, 35:387, 35:390, 35:436, 36:123
stramineum, 31:34
tenellum, 12:77
urvillei, 4:117
vaginatum, 23:506, 25:316
Paspalums, 24:99
Passalidae, 19:109
Passalozetes, 35:280-282
Passalurus ambiguus, 33:487
Passer
domesticus, 7:251, 10:71, 10:172, 16:20, 17:81, 17:82, 17:149, 21:240, 21:275, 22:370, 23:600, 27:240-241, 30:37, 30:453, 32:378, 34:143, 36:137
montanus, 36:137
Passerculus sandwichensis, 22:370, 22:371, 26:291, 34:143
Passerella iliaca, 14:254, 14:452
Passeriformes, 24:683-685
Passerina
amoena, 18:196, 22:370, 24:571, 26:254, 34:492
ciris, 2:28, 2:32, 4:78, 7:260, 16:20
cyanea, 4:78, 14:363, 14:452, 24:572, 34:262, 34:265
versicolor, 16:22, 18:196
Passerines from West Texas, notes on some, Michael Kent Rylander, 14:451-452
Passiflora, 10:67, 16:411, 27:429
foetida, 16:405, 23:503, 25:322
gracilis, 16:404
incarnata, 16:403-412, 20:325, 20:327, 20:333, 35:437
lutea, 12:348
quadrangularis, 16:405
Passifloraceae, 23:503
Passmore, Michael F., Blockage of mourning dove esophagus by an impacted sandbur, 25:428-429
Pasteurella multocida, 25:566, 33:186, 33:188, 33:189
Patagifer, 29:458
Patchiness on estimates of concentration and species diversity of pelagic net zooplankton, effects of, Larry G. Bowles and Jerry Wilhm, 21:463-468
Patrick, Gail R., see Reid, William H., —
Patrick, Rick E., see Witmer, Mark C., —
Patrolling and mating by males of *Callanthidium illustre* (Hymenoptera: Megachilidae), John Alcock, 22:554-557
Patron reproductivo de *Sturnira lilium parvidens* (Chiroptera: Phyllostomidae) en la costa central del Pacifico de Mexico, Cornelio Sánchez Hernández, Ma. Teresa Castrejón Osorio, y Catalina B. Chávez Tapia, 31:331-340
Patten, Duncan T., see Stromberg, Julie C., —
Pattern of nocturnal activity of male *Dipodomys ordii* (Heteromyidae), Andrew Langford, 28:341-346
Patterns of faunal succession in *Agave palmeri*, Gwendolyn L. Waring and Robert L. Smith, 32:489-497
Patterns of oviposition in two species of hylid frogs, M. J. Fouquette, Jr., and M. J. Littlejohn, 5:92-96
Patterns of social behavior of Merriam's canyon lizard (*Sceloporus m. merriami*-Iguanidae), Charles C. Carpenter, 6:138-148
Patterns of use of man-made roosts by *Tadarida brasiliensis mexicana* in Texas, Russell K. Fraze and Kenneth T. Wilkins, 35:261-267
Patterns of variation in cranial damage attributable to *Skrjabingylus* sp. (Nematoda, Metastrongyloidea) in skunks (Mammalia, Mustelidae) from Mexico, Gordon L. Kirkland, Jr., and Jesus E. Maldonado, 33:15-20
Patterson, Bruce D., Montane mammalian biogeography in New Mexico, 25:33-40
Patterson, Craig T., see Tacha, Thomas C., —
Patterson, Irving, see McDaniel, Burruss, —
Patton, David R., Thomas D. Ratcliff, and Kenneth J. Rodgers, Weight and temperature of the Abert and Kaibab squirrels, 21:236-238
Patton, James L., Chromosomes and evolutionary trends in the pocket mouse subgenus *Perognathus* (Rodentia: Heteromyidae), 12:429-438
Patton, John C., see Qumsiyeh, Mazin B., —
Patty, T. S., see McMillan, C., —
Paulissen, Mark A., and James M. Walker, Pseudocopulation in the parthenogenetic whiptail lizard *Cnemidophorus laredoensis* (Teiidae), 34:296-298
Paulissen, Mark A., Diet of adult and juvenile six-lined racerunners, *Cnemidophorus sexlineatus* (Sauria: Teiidae), 32:395-397
Paulissen, Mark A., see Walker, J. Martin, —
Paulson, Dennis R., see Smith, Hobart M., —
Paulson, Larry J., see Wilde, Gene R., —
Paurodendron, 17:405
Paurorhynchus hiodontis, 22:281
Paussa, D., see Owings, D. H., —
Paylore, Patricia, see McGinnies, W. G., —
Payne, Lloyd, see Tyler, Jack D., —
Peacock, J. Talmer, see McMillan, Calvin, —

Pearce, Timothy A., see Roth, Barry, —
Pearson, W. D., see Smith, George A., —
Pecari tajacu, 12:156, 21:454, 22:271, 24: 203, 26:432, 34:281
Peces de la Cuenca del Río de la Concepción, Sonora, México, y el estatus del charalito Sonorense, *Gila ditaenia*, una especie en amenaza de extinción, los, Dean A. Hendrickson y Lourdes Juárez Romero, 35:177-187
Peck, James H., *Trichomanes petersii* (Hymenophyllaceae) in an abandoned mine in the Ouachita Mountains of Arkansas, 30:463-464
Peck, Stewart B., New montane *Ptomaphagus* beetles from New Mexico and zoogeography of southwestern caves (Coleoptera; Leiodidae; Catopinae), 23:227-238
Peckhamia
americana, 21:199, 30:8
picata, 17:167, 30:5
Pecopterus, 31:483
Pectinophora gossypiella, 5:170
Pectis, 16:373, 18:119
angustifolia, 1:56, 15:180, 15:184, 21: 316, 23:296, 29:279, 29:280, 29:285
angustifolium, 31:36
cylindrica, 20:286-287
diffusa, 16:374
filipes, 15:180, 15:184, 35:70, 36:306, 36:307
longipes, 35:70
papposa, 1:66, 15:180, 15:184, 18:122, 21:314, 21:316, 22:342
prostrata, 20:286, 35:65, 35:70
Pectis cylindrica (Compositae) established as a member of the Texas flora and confirmed as a distinct species, David J. Keil, 20:286-287
Pectocarya
platycarpa, 20:574, 35:64, 35:65, 35:71
recurvata, 35:65, 35:71
Pedalia, 35:393, 35:398
Peden, Alex E., Differences in the external genitalia of female gambusiin fishes, 17:265-272
Peden, Alex E., see Hubbs, Clark, —
Pederson, Jordan C., Robert N. Hasenyager, and Albert W. Heggen, Use of artificial nest boxes by Abert's squirrels, 23:700-702
Pediasatrum boryanum, 11:197
Pediastrium, 8:232
Pediastrum, 10:188-210, 10:266, 12:312, 17:16, 17:245, 17:247, 18:99, 18:100, 23:56, 23:57, 23:434, 23:452, 25:420
boryanum, 20:48, 23:435, 24:156
clathratum, 23:435
duplex, 19:418, 20:176, 22:414, 23:435, 24:156
integrum, 10:230, 23:435
kawraiskyi, 23:435
ovatum, 23:435
sculptatum, 23:435
simplex, 20:176, 22:414, 23:435, 24: 156
strumii, 23:435
tetras, 23:435, 24:156
Pedicularis
bracteosa, 20:433
canadensis, 13:99, 18:322, 32:35
centrantheca, 13:99-100
grayi, 33:221
groenlandica, 20:433
lanceolata, 13:99
parryi, 20:433
Pedicularis centrantheca, a parasite of three southwestern tree species, Jerry W. Riffle, 13:99-100
Pedilanthus, 10:245, 18:194
macrocarpus, 13:236
Pediocactus papyracanthus, 26:207
Pedioecetes phasianellus, 23:595
Pediomelium pentaphyllum, 11:412
Pediomelum, 10:81-124
retorsium, 10:88
Pediosigara, 9:100
Pedomys, 16:436-439, 35:203
Peebles, Robert H., see Kearney, Thomas H., —
Pelage and skeleton of raccoon, unusual, Edwin D. Michael, 13:105
Pelecanus
erythrorhynchos, 11:312
occidentalis, 21:417-431, 25:225
Pelecypod fauna of Lake Texoma, Texas and Oklahoma, after more than 30 years impoundment, observations on the, David S. White and Susan J. White, 22:235-253
Pelecypoda, 22:280-281, 22:397-400, 23: 536
Pelia
pacifica, 11:140
tumida, 11:140
Pellaea
atropurpurea, 30:389, 35:69
intermedia, 35:69
longimucronata, 1:57, 1:62
microphylla, 10:260
mucronata, 35:64, 35:69
ternifolia, 22:138
truncata, 35:69
Pellenes, 11:348, 17:162, 29:231
arizonensis, 17:164, 20:60, 20:61, 20: 63, 20:64, 21:199-201
borealis, 30:121
brunneus, 21:199, 21:200
clypeatus, 21:199, 21:200
coecatus, 21:199, 21:200
coronatus, 11:349, 17:164
hallani, 21:200
hirsutus, 21:200
hoyi, 11:350
levii, 15:323
limatus, 11:350, 30:5, 30:11
signatus, 21:200
tarsalis, 21:199, 21:201
tranquillus, 21:199, 21:201
tuberculatus, 20:60
Pellia epiphyllia, 5:43
Pelliculaspis, 18:426
celtis, 16:334-336, 18:436, 18:437
durapyga, 16:334
pellita, 16:334
Pelobatidae, 15:239-248, 29:232-233, 30: 349-355, 30:460-461, 35:399
Pelochares ryukyuensis, 24:197
Pelocoris, 8:135
femoratus, 9:100, 23:554, 31:539
Pelomphala lilacina, 14:415
Pelopatis undulata, 11:355
Pelopatus, 11:354
Pelopia, 14:239, 14:244, 14:245
Peloquin, R. L., The identification of three-species hybrids in the Ponderosa pine complex, 29:115-122
Peloscolex multisetosus, 23:268, 26:309
Pelosoma capillotum, 32:491, 32:494
Peltanthera, 13:141
Peltigera, 12:141
Peltodytes, 23:554, 25:393, 31:523
littoralis, 14:238, 14:244
Peltophorus
adustus, 32:491, 32:495
seminiveus, 32:491, 32:494, 32:495
Pemphigus, 31:204
Penaeus, 22:324, 34:340
Pendiomelum, 10:81-124
aromatica, 10:81-124
californica, 10:81-124
canescens, 10:81-124
castorea, 10:81-124
cuspidata, 10:81-124
cyphocalyx, 10:81-124
epipsila, 10:81-124
esculenta, 10:81-124
hypogaea, 10:81-124
latestipulata, 10:81-124
megalantha, 10:81-124
mephitica, 10:81-124
pentaphylla, 10:10:81-124
reverchoni, 10:81-124
rhombifolia, 10:81-124
rydbergii, 10:81-124
subacaulis, 10:81-124
subulata, 10:81-124
trinervata, 10:81-124
Penelope purpurascens, 7:256
Penfield, Frederick B., see Jennings, Daniel T., —
Penfound, William T., see Taylor, R. John, —
Penfound, Wm. T., Phenology of spring weeds in Norman, Oklahoma, 1:121-124
Penfound, Wm. T., The composition of a post oak forest in south-central Oklahoma, 8:114-115
Penfound, Wm. T., see Rice, E. L., —

Penfound, Wm. T., see Wiedeman, V. E., —
Penicillium, 27:18, 27:19, 32:133
Peniophora
arachnoidea, 17:410
burtii, 17:417
byssoides, 17:410
cinerea, 19:352
cremea, 17:410
ludoviciana, 19:352
polygonia, 19:352
sulphurina, 19:352
terricola, 19:352
Penium, 10:266
margaritaceum, 23:439
spirostriolatum, 23:439
Pennellia micrantha, 35:71
Pennisetum
bambusiforme, 12:77
ciliare, 4:117, 10:52
crinitum, 12:73
glaucum, 18:89
karwinskyi, 12:73
villosum, 4:117, 5:8, 10:211, 10:212
Penrose, Richard L., see Hovore, Frank T., —
Penstemon, 22:555, 23:153, 24:131, 24:380, 26:265
acuminatus, 10:318
albidus, 12:140, 12:144, 14:331
albomarginatus, 18:398, 18:400
ambiguus, 1:67
angustifolium, 12:140
arenarius, 18:398, 18:400
baccharifolius, 15:142
barbatus, 7:270, 10:234-237, 27:362, 28:143, 28:146, 34:442, 35:73
buckleyi, 25:334, 28:382
cardinalis, 36:200
cobaea, 4:58
comarrhenus, 10:234-236
coriaceus, 15:142
dasyphyllus, 35:65, 35:73
eatonii, 7:270
fendleri, 2:168, 24:435
glaber, 10:234-236
gracilis, 12:140, 29:412
grandiflorus, 12:139, 12:144, 14:331
harbourii, 20:433
humilis, 34:442
linaireoides, 27:2
linarioides, 7:270, 27:7, 35:66, 35:73
maguirei, 18:400
pahutensis, 18:398, 18:400
palmeri, 22:554
parryi, 35:66, 35:73
parvus, 10:234
procerus, 20:433
rostriflorus, 34:442
schaffneri, 15:142
secundiflorus, 10:318
strictus, 7:270, 10:234-236, 24:381
superbus, 35:64, 35:73
unilateralis, 10:236, 10:318
virgatus, 10:234, 10:236, 10:318
whippleanus, 20:433
Penstemon coriaceus the correct name of Penstemon schaffneri (Scrophulariaceae), Frank S. Crosswhite, 15:142
Penstemon unilateralis and Penstemon secundiflorus, concerning, Frank S. Crosswhite, 10:318
Pentacora
ligata, 9:101
signoreti, 9:101
sphacelata, 9:101
Pentaneura, 10:272
flavifrons, 1:151
smithae, 12:375
Pentaphylloides floribunda, 23:78, 23:80
Pentatomidae, 2:127, 6:18, 20:7, 27:330, 28:377, 29:438, 29:442, 30:549, 30:550, 30:604, 32:151, 32:396, 32:417, 32:491, 32:492, 36:51
Penton, Marjory, see Czarnecki, David B., —
Peperomia pellucida, 22:139
Pepsis, 1:88, 24:605, 24:606, 24:609
formosa, 17:103, 34:513-518
Peranema, 9:168
Perca
flavescens, 1:24, 20:316, 31:163, 32:410
nebulosa, 16:66
Percian caprodes, 23:311
Percichthyidae, 32:216, 35:406
Percidae, 4:1-13, 4:167, 6:201, 8:43-45, 8:137, 9:105-107, 13:175, 14:31, 16:65-83, 17:381-387, 21:487-492, 21:493-501, 23:170-171, 23:309-313, 24:475-484, 27:215-216, 27:216-217, 29:351-353, 29:395-402, 29:496-499, 31:207-214, 31:528, 32:216, 32:439-447, 33:97-99, 34:250-259, 34:415-416, 35:135-145, 35:407, 35:453
Percina, 2:103, 30:198, 30:201
bimaculata, 16:66
burtoni, 16:66, 16:73, 35:87
caprodes, 2:93, 2:100, 4:2-5, 4:10-12, 4:167, 6:10-12, 6:188, 8:43-45, 8:142, 13:303, 15:141, 16:65-83, 19:264, 20:346, 21:161-168, 23:310-312, 29:351, 29:353, 30:201, 31:379, 32:439, 33:97-99, 35:87-88
carbonaria, 29:351
copelandi, 4:2, 4:5, 4:8-10, 4:12, 19:264, 20:346, 21:162, 34:301
cymatotaenia, 30:202, 30:203
evides, 30:202, 30:205, 30:206
jenkinsi, 35:87
macrolepida, 16:65-83, 23:309-313, 25:87, 29:351-353, 30:560, 33:97, 35:87-88, 35:350
maculata, 4:2, 4:5, 4:8, 4:10-13, 20:345, 21:161-168, 30:207, 33:97
mainitou, 16:66
nasuta, 4:2, 4:5, 4:10, 4:12, 4:13, 30:196, 30:200, 30:203
ouachitae, 27:109-112
oxyrhyncha, 30:203
pantherina, 19:257, 19:265, 20:343-354, 21:162, 21:165, 30:196, 30:197, 30:207, 34:298-301
phoxocephala, 4:2, 4:5, 4:8-12, 15:141, 21:161-168, 21:492
phoxocephalus, 20:346
rex, 16:73, 35:87
sciera, 3:10, 4:2, 4:5, 4:10, 4:11, 4:13, 19:264, 20:346, 21:165, 27:110-112, 33:97
shumardi, 4:2, 4:5, 4:8, 4:10, 18:344
squamata, 30:203
tanasi, 30:203
uranidea, 30:200, 30:203
Percina macrolepida (Pisces, Percidae, Etheostomatinea), a new percid fish of the subgenus *Percina* from Texas, Michael M. Stevenson, 16:65-83
Perdita, 2:130, 32:151
Perdix perdix, 24:80
Pereilema crinitum, 12:77, 12:81
Pereskia grandiflora, 30:78
Perez-Higareda, Gonzalo, and Hobart M. Smith, Notes on two species of *Geophis* (Serpentes) of southern Mexico, 33:388-390
Perezia, 16:374, 25:130, 25:131
microcephala, 31:180
nana, 1:56, 1:67, 21:314, 21:316, 22:342, 31:36, 36:55
nudicaulis, 16:375
pereziae, 16:375
runcinata, 15:175, 15:180, 15:184
stromatifera, 16:375
wrightii, 15:175, 15:180, 15:184, 21:316, 22:342, 23:296
Perichaena, 9:155, 9:157, 9:158
chrysosperma, 10:223, 23:690
corticalis, 9:163, 23:690
depressa, 9:160-165, 10:223, 23:691
minor, 16:143
syncarpon, 23:690
Pericoma, 25:456
Pericome
caudata, 11:191, 11:193, 11:194, 16:205, 18:335-339
glandulosa, 18:336, 18:339
macrocephala, 18:335, 18:336, 18:339
Periconia, 24:367
byssoides, 27:18
Periderm of certain members of the Cucurbitaceae, the, Howard J. Dittmer and Margaret L. Roser, 8:1-9
Peridermium, 26:376
ephedrae, 16:432-433
Peridiniaceae, 15:103
Peridiniaciae, 15:104
Peridinium, 10:188-210, 15:103, 20:50, 20:51, 23:56-58, 23:60, 24:159, 25:420
bipes, 23:87
gatunense, 23:445, 23:446
inconspicuum, 10:231, 10:232

pusillum, 22:311
willei, 23:445, 23:446
Peridium, 17:14
Periglischrus
strandtmanni, 4:62, 20:247
vargasi, 20:241, 20:244, 20:247
Perilla
frutescens, 2:44
ocymoides, 2:44
Periphyton, 22:445-467
Peripsocus, 22:28
quadrifasciatus, 22:27
Perissopalla beltrani, 15:452
Perithemis
domitia, 2:5, 2:13
tenera, 2:5, 2:13, 4:132, 6:112, 7:197, 8:61, 8:79-82
Peritoma
aurea, 3:138
breviflorum, 3:138
integrifolia, 3:139
luteum, 3:138
serrulatum, 3:139
sonorae, 3:142
Perityle, 11:118, 11:190, 11:191, 11:194, 18:335, 18:339
angustifolia, 4:204
bisetosa, 4:204, 15:178, 15:179, 15:183
castillonii, 4:204, 15:179, 15:183
cernua, 4:204, 15:179, 15:183, 15:184
congesta, 4:204
dissecta, 15:179, 15:183
fastigiata, 4:204
halimifolia, 4:204
intricata, 4:204
lindheimeri, 4:204
parryi, 11:193, 15:179, 15:183
quinqueflora, 4:205
rotundata, 4:205
rupestris, 4:205, 12:476, 15:179, 15:183
saxicola, 4:205
staurophylla, 4:205
tenella, 34:442
villosa, 4:205
vitreomontana, 12:475-476
Perityle vitreomontana B. H. Warnock (Compositae), new species, Barton H. Warnock, 12:475-476
Peritylinae, 18:335-339
Perizoma custodiata, 18:309
Perkins, Gaylene, James R. Estes, and Robbin W. Thorp, Pollination of *Cnidoscolus texanus* (Euphorbiaceae) in south-central Oklahoma, 20:391-396
Perlesta, 8:135
placida, 34:316, 35:131
Perlidae, 29:489-492, 35:132
Perlinodes aurea, 35:133
Perlodidae, 28:127, 32:443, 35:132, 35:133, 36:326
Permian fishes from Lake Kemp, Baylor County, Texas, with a synopsis of Texas palaeonisciform fishes, notes on, Walter W. Dalquest and M. John Kocurko, 33:263-274
Perognathus, 1:109, 2:37, 3:27, 5:197, 9:60, 9:252-254, 10:282-287, 12:3, 12:429-438, 13:246, 15:229, 16:448, 17:99, 20:503, 20:505-507, 22:7, 22:86, 24:243, 24:245, 27:165, 28:41, 28:43-46, 28:100-102, 30:305, 31:30, 31:280, 31:417, 32:459, 33:489, 34:85, 35:454, 36:103, 36:307, 36:309
alticola, 10:286
amplus, 9:252-254, 10:286, 12:429-438, 24:281, 24:282, 24:284-286, 35:331, 35:335, 36:101
apache, 7:78, 8:173, 9:252-254, 12:481, 12:482, 20:278, 26:398-403, 26:405
artus, 10:283, 10:284, 10:286, 30:324
baileyi, 10:71, 10:286, 12:436, 15:26, 22:231, 24:280, 24:281, 24:285-287
bombycinus, 4:16
californicus, 10:283, 10:286, 19:114, 28:49, 28:50
fallax, 22:78, 22:80, 22:81, 22:83, 22:561, 22:562, 28:429-436
fasciatus, 13:148, 13:151-153, 13:156, 17:322, 17:325, 26:331, 26:332
flavescens, 12:7, 12:481, 12:482, 13:17, 13:148, 13:151-153, 13:156, 17:324, 19:283, 26:54, 26:55, 26:328, 28:42, 30:340, 31:417, 32:293
flavus, 2:34, 2:35, 4:14, 4:16, 5:99-101, 7:78, 9:252-254, 12:7, 12:429-438, 12:481, 12:482, 13:148, 13:151-153, 13:156, 13:270, 17:315, 17:322, 17:325, 19:330, 20:497, 20:498, 20:500, 20:507, 25:123, 25:568, 26:54, 26:55, 26:276, 28:200, 30:340, 30:341, 31:417, 31:418, 32:292-295, 32:297, 35:107, 35:111-114, 35:201, 35:202, 35:366, 36:90, 36:101, 36:344-346
formosus, 10:286, 12:429-438, 17:333, 17:335-339, 17:341, 17:342, 22:78, 22:80, 22:81, 22:83, 22:84, 22:561, 22:562, 26:276, 26:297, 28:434, 28:435
goldmani, 12:191-192
hispidus, 2:35, 3:26, 5:195, 5:196, 7:240, 10:283, 10:286, 12:3, 12:7, 12:436, 13:17, 13:148, 13:151-153, 13:156, 13:362, 14:164, 14:165, 14:168, 14:251, 14:352, 15:217, 15:223-225, 15:228, 16:437, 17:325, 18:445, 18:448, 18:450, 19:285, 20:497, 20:507, 21:139, 21:140, 21:454, 21:559, 22:150, 23:707, 24:17, 24:239, 24:241, 24:242, 25:71, 25:123, 26:54, 26:55, 26:202, 26:203, 27:459, 30:340, 30:341, 31:401, 32:153
huastecensis, 15:217, 15:223-225, 15:228
inornatus, 30:466
intermedius, 2:35, 4:42, 9:252-254, 10:71, 10:283, 10:286, 19:214, 19:330, 24:17-31, 26:84, 26:267, 26:276, 32:188
longimembris, 3:112, 4:16, 9:252-254, 10:286, 11:467, 12:429-438, 13:407, 17:300-301, 17:333, 17:335-342, 18:350-351, 19:283, 22:78, 22:80, 22:81, 22:83, 22:561, 22:562, 26:297, 27:359, 28:430, 28:434, 28:435, 30:448, 31:23, 36:101
merriami, 2:35, 3:112, 3:234, 5:195, 10:283, 10:284, 10:286, 10:315, 10:316, 12:7, 12:193, 12:429-438, 12:481, 12:482, 13:17, 13:362, 15:223, 16:437, 16:438, 19:281-291, 20:507
nelsoni, 3:107-113, 10:286, 12:193, 12:195, 15:224, 15:225, 16:11, 18:196, 18:197, 20:498, 20:507, 23:155, 24:17-31, 25:123, 25:568
olivaceous, 26:331
parvis, 10:286
parvus, 12:429-438, 19:285, 24:554, 26:327, 26:329, 26:331, 26:332, 29:1, 30:448, 31:23, 31:26-29
pencillatus, 20:507
penicillatus, 2:35, 3:112, 7:78, 7:240, 9:252-254, 10:71, 10:172, 10:284, 10:286, 15:26, 15:224, 19:213-214, 20:498, 20:500, 24:17-31, 24:279-281, 24:283, 24:285-288, 25:568, 26:85, 28:42, 32:136, 32:188
pernix, 10:286, 30:324
spinatus, 10:286
Peromyscopsylla hesperomys, 16:435
Peromyscus, 1:2, 2:34, 3:51, 5:99, 5:195-197, 7:250, 10:21, 11:468, 12:28, 12:277, 12:426, 14:164, 14:165, 14:168, 16:437, 16:448, 17:81, 17:82, 20:505, 21:536, 22:11, 22:58, 22:61, 22:86, 23:193, 24:37, 24:241, 25:77, 25:79, 26:125-127, 26:167, 26:202, 26:267, 27:359, 28:41, 28:100-102, 28:109, 28:378, 31:109, 31:110, 31:281, 31:417, 32:189, 32:459, 33:104, 33:237, 33:238, 33:397, 33:401, 33:489, 34:97, 34:143, 35:149, 35:202, 36:307, 36:309
angustirostris, 21:544
attwateri, 17:113, 17:133, 18:277, 19:213, 25:71, 35:54-60, 35:163-172, 35:371-373
boylei, 3:234, 3:236, 15:26, 22:59
boylii, 4:14, 5:100, 7:240, 12:189, 12:268, 13:14, 13:18, 13:253-266, 13:267-274, 15:227, 15:228, 16:16, 16:211-213, 17:113-115, 17:316, 17:323, 17:325, 18:196, 18:277, 18:351, 19:113, 21:305, 21:308, 21:309, 22:78, 22:80, 22:81, 22:561, 22:562, 23:155, 25:36, 26:276, 26:297, 26:334, 26:398-400, 26:402-405, 28:50, 28:199-209, 29:246, 31:69, 32:291-303, 33:239-240, 33:398, 33:400, 34:14, 35:108, 35:164, 35:366
californicus, 12:197, 13:258, 22:78, 22:

80, 22:81, 22:83, 22:561, 22:562, 28:50, 29:3, 30:602, 30:604, 30:605
comanche, 3:234-236, 18:269-278
crinitus, 17:114, 17:333, 17:335-338, 17:340, 17:342, 22:59, 22:78, 22:80, 22:81, 22:83, 22:84, 22:561, 22:562, 26:276, 26:297-299, 26:334, 26:395, 26:398-403, 26:405, 31:417
difficilis, 13:253-266, 13:267-274, 16:213-214, 17:97, 17:316, 17:323, 17:325, 18:269-277, 19:213, 21:301, 21:305, 21:308, 21:309, 22:156, 23:77, 23:79-82, 28:199-209, 29:246, 32:291-303, 33:239, 35:366, 36:15
eremicus, 3:107, 7:239-241, 10:71, 10:172, 11:472, 12:192, 13:253-266, 17:85-93, 17:333, 17:335-338, 17:340-342, 18:356, 20:498, 21:128, 22:59, 22:78, 22:80, 22:81, 22:83, 22:561, 22:562, 24:279, 24:280, 24:282, 24:283, 24:285-287, 25:568, 26:84, 26:128, 26:130, 26:196, 26:276, 26:298, 26:299, 26:401, 28:430, 29:3, 30:324, 35:457, 36:90, 36:91, 36:101
eva, 21:128
evides, 11:306
floridanus, 13:254, 13:258, 18:243, 21:331, 35:58
furvus, 21:543, 21:544
goldmani, 18:354
gossypinus, 3:112, 8:107-108, 13:253-266, 13:373, 13:448, 18:275, 20:356, 20:359, 21:79-88, 24:244, 26:402, 31:69, 31:107, 35:168
latirostris, 21:544
leucopus, 3:26, 3:27, 4:41, 4:153, 8:107-108, 10:18-20, 10:315, 11:472, 12:265, 12:480, 13:14, 13:18, 13:253-266, 13:267-274, 13:362, 13:448, 15:26, 15:220, 15:226, 16:52, 16:211, 17:90, 17:323, 18:11, 18:20, 18:275, 18:351, 18:445, 18:446, 18:450, 19:441, 19:442, 20:355-362, 21:79, 21:80, 21:87, 21:454, 21:469-474, 23:82, 24:239, 24:249-258, 24:690, 24:708, 25:67, 25:71, 25:259, 25:438-441, 26:183-191, 26:402, 27:459, 28:199-209, 30:361, 31:69, 31:106, 31:107, 31:401, 31:419, 31:540, 32:291-303, 34:414, 35:54-60, 35:160, 35:168, 36:84, 36:86, 36:344, 36:345, 36:364
ludovicianus, 31:106, 31:107
maniculatus, 1:3, 2:36, 3:26, 3:234, 3:236, 5:100, 7:240, 12:8, 12:197, 13:17, 13:18, 13:148, 13:151-154, 13:156, 13:253-266, 13:267-274, 13:362, 14:261-282, 15:26, 15:209-216, 15:226, 16:435-436, 17:88, 17:99, 17:323, 17:333, 17:336, 18:445, 18:447, 18:450, 19:113, 19:293-303, 20:417, 20:498, 21:14, 21:516, 22:59, 22:78, 22:80, 22:81, 22:83, 22:84, 22:289, 22:292, 22:293, 22:295, 22:297, 22:299-302, 22:561, 22:562, 23:77, 23:79-81, 23:284, 24:239, 24:242, 24:243, 24:249-258, 24:527-530, 24:554, 24:690, 25:67, 25:71, 25:123, 25:125-126, 25:216, 25:259-260, 25:261, 26:54, 26:55, 26:129, 26:185, 26:196, 26:276, 26:297, 26:329, 26:331, 26:398-405, 27:145, 27:146, 27:459, 28:199-209, 28:344, 28:430, 28:435, 29:1, 30:340, 30:448, 31:23, 31:26-31, 31:416, 31:417, 31:419, 32:291-303, 33:239, 33:496, 34:327, 35:58, 35:86, 35:107, 35:168, 35:366, 35:457, 36:86, 36:90-92, 36:101, 36:114, 36:143, 36:246, 36:269
megalops, 11:306, 35:305, 35:308, 35:310, 35:313
melanophris, 35:314
melanophrys, 18:196, 18:197, 18:199, 18:200, 20:497, 23:155, 25:568
melanotis, 15:226, 29:246, 36:114
merriami, 10:71, 18:354-357, 36:101
nasutus, 3:26, 18:269, 18:270
nelsoni, 21:544
pectoralis, 10:172, 12:196, 13:18, 13:255, 13:256, 13:258, 13:265, 15:220, 15:226, 15:227, 16:211-213, 17:113-138, 17:301-302, 18:351, 20:498, 21:301, 21:305, 21:308, 21:309, 25:123
polionotus, 1:3, 1:4, 3:236, 13:254, 21:193, 21:194, 22:85, 25:438, 26:193, 26:196, 33:496, 35:58
progressus, 12:3, 12:7
thomasi, 21:543-545, 35:305, 35:308
truei, 3:234, 12:287, 13:253, 13:255, 13:258, 13:267-274, 15:26, 17:315, 17:316, 17:323-325, 17:333, 17:336, 18:269-277, 19:113, 20:498, 22:59, 22:78, 22:80, 22:81, 22:83, 22:561, 22:562, 23:532, 25:36, 26:276, 26:297-299, 26:335, 26:395, 26:398, 26:399, 26:401-405, 27:145, 28:47, 28:49, 28:50, 28:199-209, 28:430, 29:1-5, 29:7-13, 31:28-30, 31:417, 31:418, 32:291-303, 35:169, 35:314, 35:366, 36:114
yucatanicus, 36:87
zarhynchus, 12:189
Peromyscus boylii in the San Luis Valley, Colorado, Peggy L. Svoboda, Deanna K. Tolliver, and Jerry R. Choate, 33:239-240
Peropteryx kappleri, 31:5
Peroyscus boylii, 19:330
Persea, 6:48
americana, 14:110, 18:432, 18:438, 18:440
borbonia, 11:302, 17:395, 23:265, 34:154
Perseae carolinensis, 13:205
Persicaria, 21:478, 30:605
bicorne, 26:154
lapathifolium, 26:154
Persistent sepals in the reproductive biology of *Linum pratense* (Linacae), the role of, Gordon E. Uno, 29:429-433
Persomyscus attwateri, 35:163-172
Perularia, 13:338
Perymenium, 16:362, 16:385
asperifolium, 12:149
berlandieri, 12:149, 16:375
chihuahuense, 12:149, 16:375
croceum, 12:149
discolor, 12:149
macrocephalum, 12:149, 16:375
mendezii, 12:149, 16:375
parvifolium, 12:149, 16:375
verbesinoides, 12:149, 16:375
Peslak, John, Jr., An observation on the social interaction of Texas horned lizards (*Phrynosoma cornutum*), 31:552
Pestalotia macrotricha, 24:368, 27:18
Pesticide levels and fluctuation in soil bacteria in an irrigated field and a pond of Southwest Texas, Robert G. Taylor and Howard G. Applegate, 13:393-400
Pesudorca crassidens, 18:457
Petalonema alatum, 11:202
Petalonyx, 21:433, 21:439
Petalophyllum ralfsii, 28:241
Petalophyllum ralfsii, 28:240
Petalostemon, 14:342
candidum, 35:72
purpureus, 17:7
villosum, 25:330
Petalostemum, 10:84
candidum, 7:169, 32:35
canidum, 12:139
compactum, 24:188
multiflorum, 6:195, 6:196
purpureum, 7:170, 12:140, 32:35
scariosum, 24:188
Petaluridae, 2:2
Petasites, 12:80
Petenia splendida, 32:232
Petersen, Michael K., A comparison of small mammal populations sampled by pit-fall and live-traps in Durango, Mexico, 25:122-124
Petersen, Michael K., Female *Peromyscus pectoralis* fosters litter of *Reithrodontomys megalotis*, 17:301-302
Petersen, Michael K., Field observations on reptiles and amphibians captured in pit-fall traps in Durango, México, 25:115-117
Petersen, Michael K., Noteworthy range extensions of some mammals in Durango, México, 21:139-142
Petersen, Michael K., The Rio Nazas as a factor in mammalian distribution in Durango, Mexico, 20:495-502
Petersen, Michael K., see Baker, Rollin H., —
Peterson, Chris L., Jamie Wiggs Reed,

and Robert F. Wilkinson, Seasonal food habits of *Cryptobranchus alleganiensis* (Caudata: Cryptobranchidae), 34:438-441
Peterson, Chris L., see Ingersol, Chris A., —
Peterson, Chris L., see Taylor, Cindy L., —
Peterson, David K., and Walter G. Whitford, Foraging behavior of *Uta stansburiana* and *Cnemidophorus tigris* in two different habitats, 32:427-433
Peterson, Paul M., Lemma micromorphology in the annual *Muhlenbergia* (Poaceae), 34:61-71
Peterson, Roger S., The life cycle of *Gymnosporangium cupressi*, 13:102-103
Peterson, Roger Tory, and Edward L. Chalif, A field guide to Mexican birds and adjacent Central America (rev.), 19:225
Petiveria alliacea, 30:397, 30:400, 30:401, 36:215
Petradoria, 16:370
Petranka, James W., and Robert Holland, A quantitative analysis of bottomland communities in south-central Oklahoma, 25:207-213
Petrik, Aleta, see McGregor, Ronald L., —
Petrik-Ott, Aleta Jo, The Pteridophytes of Kansas, Nebraska, South Dakota and North Dakota (rev.), 26:444
Petrochelidon
fulva, 17:296, 22:177-186, 27:218-220, 27:222
pyrrhonota, 4:63, 4:136, 16:21, 17:296, 18:195, 21:275, 22:177, 22:181, 22:183-185, 27:463
Petrolisthes
crenulatus, 11:139
gracilis, 11:139
hirtipes, 11:139
sanfelipensis, 11:140
tiburonensis, 11:140
Petromyzontidae, 20:414-416
Petrophila, 36:161, 36:162, 36:286
Petrosaurus mearnsi, 20:113-120
Petrova arizonensis, 35:148
Pettitt, John, see McClung, G. Dan, —
Pettus, David, and Albert W. Spencer, Size and metabolic differences in Pseudacris triseriata (Anura) from different elevations, 9:20-26
Pettus, David, Fossil rabbits (Lagomorpha) of the Friesenhahn Cave deposit, Texas, 1:109-115
Pettus, David, see Post, Douglas D., —
Peucedramus taeniatus, 18:107
Peucetia
abboti, 21:43
abbotti, 11:358
viridans, 7:198-201, 11:357, 11:370, 20:30, 30:4, 30:10
Peyritschia koelerioides, 12:80
Pezold, Frank L., and Robert J. Edwards, Additions to the Texas marine ichthyofauna, with notes on the Rio Grande estuary, 28:102-105
Pezold, Frank L., and Robert J. Edwards, Further observations on the Rio Grande estuary, 28:104-105
Pfaffenberger, Gary S., Floyd W. Weckerly, and Troy L. Best, Male pseudohermaphroditism in a population of kangaroo rats, *Dipodomys ordii*, 31:124-126
Pfaffenberger, Gary S., see Best, Troy L., —
Pfeifer, Sharon, Age-specific weight change of female *Spermophilus elegans* (Rodentia: Sciuridae), 30:357-362
Pfiester, Lois A., and Jack R. Holt, A freshwater "red tide" in Texas, 23:103-110
Pfiester, Lois A., and Steven Terry, Additions to the algae of Oklahoma, 23:85-94
Pfiester, Lois A., Robert Lynch, and Terry L. Wright, Species composition and diversity of periphyton in the Grand River Dam area, Mayes County, Oklahoma, 24:149-164
Pfiester, Lois A., see Wright, Terry L., —
Pflieger, William L., see Burr, Brooks M., —
Phacelia, 17:335, 17:339, 23:299, 24:131, 24:380, 24:431, 25:365, 31:182, 36:307
affinis, 35:65, 35:72
arizonica, 35:64, 35:72
bombycina, 35:64, 35:72
brachyloba, 31:181
cephalotes, 24:188
cicutaria, 31:181
coerulea, 21:316, 35:65, 35:72
congesta, 36:341
corrugata, 1:65
crenulata, 1:65, 12:185, 26:266
denticulata, 18:241, 18:242
distans, 23:607, 23:609, 23:611, 35:72
heterophylla, 34:442
integrifolia, 24:435
linearis, 29:411
parryi, 31:180-182
sericea, 20:430
Phacotus lenticularis, 20:47, 20:48, 24:157
Phacus, 8:232, 10:188-210, 10:229, 17:15, 17:17, 19:418, 23:57, 23:60, 25:420, 27:84
acuminatus, 20:50, 20:51, 23:445
curvicauda, 24:159
longicauda, 23:445, 24:159
segretii, 11:200
Phaenospectra, 34:480
Phaeolus
alboluteus, 19:356
schweinitzii, 19:356
Phaethornis
longuemareus, 4:69
superciliosus, 4:68, 4:80
Phaff, Herman J., see Starmer, William T., —
Phagocata
crenophila, 19:387, 19:388, 19:390-392
gracilis, 24:141, 24:143, 24:145-147
morgani, 24:146
velata, 26:207-208
Phagocata velata (Tricladida), an additional planarian from Arkansas, Julian T. Darlington and Clay M. Chandler, 26:207-208
Phainopepla nitens, 16:23, 26:254, 29:473, 30:453
Phakopsora crotonis, 8:182
Phalacridae, 28:476
Phalacrocorax
aristotelis, 24:260
auritus, 21:557, 22:322, 24:260, 34:342
carbo, 22:322
olivaceous, 36:260, 36:261
olivaceus, 21:556-557, 22:321-326, 23:681-683, 24:259-266, 34:338-343
pelagicus, 22:323, 24:261
Phalacrus penicillatus, 28:476
Phalaenoptilus
nuttalli, 7:263
nuttallii, 10:172, 16:11, 26:254, 29:474, 34:495
Phalangidae, 23:566, 23:570, 23:571, 23:575
Phalangiidae, 12:261
Phalangium croceum, 24:123
Phalaris, 15:409, 35:316
arundinacea, 4:117
caroliniana, 4:117, 15:409, 23:319, 35:436
tuberosa, 4:117
tuberosus, 10:52
Phalaropus
fulicarius, 36:108
tricolor, 36:362
Phallichthys, 32:233
fairweatheri, 32:230
Phanaeus carnifex, 28:101
Phanerochaete
arizonica, 19:352
burtii, 17:417, 17:418
carnosa, 17:417, 19:352
chrysorhizon, 17:417
cremea, 19:352
sanguinea, 19:352
sulphurina, 17:417
velutina, 19:352
Phanocerus
clavicornis, 8:112, 24:197, 25:383
congener, 24:197
Phaonia, 12:267
Pharotis, 12:485
Pharyndgon warneri, 35:216

Pharyngodon, 10:313, 30:468, 30:469, 30:471, 30:472
ozkutzcabiensis, 30:469, 30:471
Phascum
cuspidatum, 30:151, 31:398
hyalinotrichum, 31:398
Phaseolus, 14:142, 31:34-36
acutifolius, 35:72
angustissimus, 24:188
anisotrichus, 12:153
atropurpureus, 12:153
coccinea, 12:153
coccineus, 14:146
disophyllus, 12:153
metcalfii, 12:153
obvallatus, 12:153
retusus, 12:153
ritensis, 35:72
vulgaris, 2:125, 12:153, 14:146
Phasianus colchicus, 22:369, 24:199, 25:236, 26:302, 34:27-34
Phasmidae, 16:124, 18:285, 29:438
Phaulothamnus spinescens, 30:400, 30:401, 36:215, 36:216
Pheidole, 21:1, 21:5, 21:8, 25:185, 25:193, 29:442, 30:611, 31:555-557, 32:386, 33:276, 33:282
ceres, 28:139
clydei, 28:139
cockerelli, 28:139
crassicornis, 26:5-8, 26:11, 28:138
dentata, 26:5-7, 26:11, 35:416-421
desertorum, 21:3, 28:139
grallipes, 25:181, 25:185, 25:187, 25:189, 25:190, 25:192
hyatti, 28:139
lamia, 28:139
megacephala, 27:137
micula, 28:139
militicida, 21:3
pilifera, 17:53
porcula, 28:139
rugulosa, 21:3, 28:139
sciophila, 28:139
titanis, 28:139
vallicola, 28:139
xerophila, 21:3, 28:139
yaqui, 25:192
Pheidoli, 26:430
Phellinus
ferruginosus, 19:354
gilvus, 14:125
pini, 19:354
robustus, 19:354
texanus, 19:354
viticola, 19:354
weirianus, 19:354
Phenacaspis, 15:280, 16:336, 18:427
heterophyllae, 16:333, 16:337, 18:434
nyssae, 16:337, 16:338, 18:431
pinifoliae, 16:337-339, 18:434
platani, 16:337, 16:339, 16:340, 18:434
spinicola, 16:339, 16:340, 18:432
Phenacobius
mirabilis, 2:93, 2:95, 3:14, 4:162, 25:58, 29:497, 30:560, 31:157, 35:406, 35:407
scopifer, 31:157
Phenacomys intermedius, 17:325, 20:139, 20:417, 22:289, 22:292, 22:293, 22:297, 22:299, 22:300, 23:284, 25:36, 26:333, 26:334, 29:137, 31:264, 32:242
Phenological and climatic patterns in three tallgrass prairies, Karen K. Kebart and Roger C. Anderson, 32:29-37
Phenological development of lotebush, *Ziziphus obtusifolia* (Rhamnaceae), in North Texas, M. A. Foster, C. J. Scifres, and P. W. Jacoby, Jr., 29:516-518
Phenology and ecology of *Cienfuegosia intermedia* Fryxell (Malvaceae) and evaluation as a host plant of the boll weevil, *Anthonomus grandis* Boheman, Robert W. Jones, James R. Cate, and Paul A. Fryxell, 36:75-83
Phenology, carbohydrate reserves and nutrient content of heath aster, M. M. Kothmann and Muhammad S. Kallah, 23:347-361
Phenology of spring weeds in Norman, Oklahoma, Wm. T. Penfound, 1:121-124
Pheucticus
chrysopeplus, 18:199
melanocephalus, 2:32, 16:14, 22:370, 29:474, 34:491
Phialophora, 32:133
Phiddipus cardinalis, 29:231
Phidiana, 18:166
Phidippus, 11:348, 15:324, 17:165, 34:350, 34:353, 34:354
apacheanus, 17:162, 17:163, 21:199, 21:201, 30:5
ardens, 11:352, 27:192-194
audax, 11:350, 11:370, 15:325, 17:163, 21:44, 30:5, 30:11
cardinalis, 10:132, 10:133, 11:352, 11:370, 21:201, 30:5
carolinensis, 11:351, 17:162, 30:8
clarus, 30:5
coccineus, 21:199, 21:201
femoratus, 27:187-195
formosus, 10:133, 15:325, 17:162
insolens, 10:133
johnsoni, 27:187-189, 27:193, 27:194
mystaceus, 17:162, 30:8
pius, 11:352, 17:162, 30:5
podagrosus, 11:370
purpuratus, 15:325
putnami, 27:191
rimator, 11:351, 11:370
texanus, 11:351, 17:162, 30:5
variegatus, 11:351, 11:370, 17:163, 17:167
workmani, 21:199, 21:201
workmanii, 10:133
Philactis, 16:373, 16:375
Philadelphus, 24:210
hitchcockianus, 25:362
microphylla, 15:159
microphyllus, 20:437, 20:439, 20:441, 20:443, 28:83
microphylus, 15:151
Philander, 28:379
andersoni, 33:232
mcilhenni, 33:232
opossum, 28:378, 29:512, 29:514, 33:232
Philarctus quaeris, 31:446
Philbostroma quadrimaculatum, 27:200, 27:203, 27:205
Philinthoccelium suaveolens, 24:607
Philippi, Thomas E., see Kuehl, M. Cathleen, —
Phillips, Arthur M., III, see Mead, Jim I., —
Phillips, Arthur M., III, see Van Devender, Thomas R., —
Phillips, Charles E., see McAda, Charles W., —
Phillips, Donald L., and James A. MacMahon, Gradient analysis of a Sonoran Desert bajada, 23:669-679
Phillips, Kathy, see Hays, H. A., —
Phillips, Sherman A., Jr., C. Mark Brown, and Charles L. Cole, Weeping lovegrass, *Eragrostis curvula* (Schrader) Nees von Esenbeck, as a harborage of arthropods on the Texas High Plains, 36:49-53
Phillips, Sherman A., Jr., see Claborn, David M., —
Phillips, Sherman A., Jr., see Cokendolpher, James C., —
Phillips, Sherman A., Jr., see Jones, Stanley, R., —
Philodendron bipinnatifidum, 35:358
Philodina, 17:244, 22:417, 23:636
Philodromidae, 29:231, 30:1, 30:5, 30:8, 30:10, 34:350
Philodromus, 16:206, 30:11, 34:354
alascensis, 30:8
aureolus, 15:503
cespitum, 30:8
inquisitor, 11:347
keyserlingi, 30:5
marginellus, 30:8
minutus, 30:5
pernix, 11:347, 11:370, 34:350, 34:353
pratariae, 11:347, 30:5
rufus, 34:350, 34:352
vulgaris, 11:345, 11:347, 11:370, 30:8
washita, 11:347
Philometra, 16:293
cylindracea, 22:530
nodulosa, 16:293, 16:294, 22:529, 22:530, 27:224
Philomycidae, 4:143, 13:457-458
Philomycus carolinianus, 4:143, 4:144
Philonotis marchica, 28:241

Philonthus, 12:269
Philopotamidae, 23:383, 25:252, 28:100, 28:353, 28:414, 31:447, 32:289
Philorus, 25:27
Philothris, 28:475, 28:478
Philoxerus vermicularis, 22:37, 22:43, 23:499, 25:316, 36:122
Philygria debilis, 19:69, 19:70
Phlaeothripidae, 36:52
Phlebia
albida, 19:352
gigantea, 19:352
lilacea, 17:409, 17:419
livida, 19:352
phlebioides, 19:352
subserialis, 19:352
Phlegra, 17:166
fasciata, 17:165, 30:8
Phleoedes, 18:310
Phleum, 23:280
alpinum, 20:434
pratense, 12:140, 17:47, 30:574
pratensis, 4:116
Phloeoceastes guatemalensis, 4:70
Phlogothraupis sanguinolenta, 4:77, 4:80
Phlox, 12:348
andicola, 12:139
austromontana, 34:442
bifida, 6:50-51
caespitosa, 18:322
drummondii, 24:536-537, 24:651, 28:378
hoodii, 29:411
kelseyi, 18:322
pilosa, 32:35
pulvinata, 18:322, 20:431
sibirica, 18:317, 18:322
stansburyi, 1:65
subulata, 6:50, 6:51
variabilis, 18:322
Phlox bifida var. induta (Polemoniaceae), a new endemic in north central Texas, Lloyd H. Shinners, 6:50-51
Phlox drummondii (Polemoniaceae) and its predator *Disonycha alabamae* (Chrysomelidae), the relationship between, Wesley J. Leverich, 24:536-537
Phoca, 10:149, 10:150, 11:81
Phodaga alticeps, 21:51
Phoebanthus, 23:374
Phoebe saya, 16:8
Phoenicoccinae, 18:417-442
Phoenicoccus marlatti, 18:423
Phoenicococcus marlatti, 18:434
Phoenicodrilus taste, 15:267
Phoenix
canariensis, 30:397, 30:401, 36:216
dactylifera, 13:212, 13:230, 18:423, 18:434, 18:439, 18:440, 29:73, 30:397, 30:401, 36:216
Phoetaliotes nebrascensis, 27:200-203, 27:205
Pholcidae, 11:341, 12:259, 20:59, 20:61, 20:62, 20:66, 29:231, 30:3, 30:5
Pholcus phalangioides, 11:341, 12:259, 12:260
Pholeomyia
comans, 29:356
texensis, 29:356-357
alnicola, 8:201
lubrica, 8:201
squarrosa, 8:201
Pholeomyia texensis Sabrosky (Diptera: Milichiidae): laboratory notes on larval biology, D. A. Waller, 29:356-357
Phoma, 24:368, 27:18, 32:133
Phoradendron, 8:204-209, 12:154, 15:309, 15:315, 15:317, 18:74, 18:433, 18:440, 24:131, 25:364, 29:304, 29:507, 33:21-25
bolleanum, 1:63, 33:21-24
californicum, 8:204-209, 30:427, 35:72
coryae, 2:46, 8:204-207, 15:311
densum, 8:205, 8:208
flavescens, 2:45-47, 8:204, 15:311
flavum, 2:47
juniperinum, 8:205, 8:206, 8:209, 20:418, 24:625-635, 35:72, 36:305
leucocarpum, 2:45
macrophyllum, 8:204-208
macrotomum, 2:47
pauciflorum, 8:205, 8:208
serotinum, 2:45-47, 8:204, 8:208, 15:311, 15:313, 15:316
tomentosum, 2:47, 8:204, 28:83, 29:435-444, 30:400, 35:72, 36:215
villosum, 10:260, 20:418, 22:505, 33:21-24, 35:72
Phoradendron serotinum for P. flavescens (Loranthaceae): nomenclatural corrections, Marshall C. Johnston, 2:45-47
Phoridae, 12:267, 19:70
Phormia regina, 19:70
Phormidium, 10:266, 17:14, 17:17
autumnale, 11:201
uncinatum, 11:201
Phorodendron californicum, 29:464
Phortica, 5:90
Photinia, 14:433, 14:434, 18:435, 18:438, 18:440
Photoperiod ecotypes in *Acer negundo* L. (Aceraceae), further evidence of, E. K. Demos, T. W. Wrenn, and G. J. Williams, III, 19:395-402
Photoperiodic responses of violets (*Viola*), studies in the, Norman H. Russell, 5:177-186
Phototaxis and activity patterns of *Siren intermedia*, Adam Asquith and Ronald Alitg, 32:146-148
Phoxinus
eos, 31:157, 34:225-231
erythrogaster, 16:444, 20:415, 30:24-26, 30:631, 31:151, 31:377, 32:435-438, 33:137-140, 33:142, 33:143, 33:145, 34:227
neogaeus, 31:157, 34:226, 34:227
Phragmites, 3:30, 8:92, 24:564, 25:243, 25:319, 25:379
australis, 23:506, 25:317, 33:175
communia, 15:120
communis, 1:67, 2:158, 4:119, 5:149, 12:163, 13:105, 15:121, 23:216, 23:681, 24:259
Phrurolithus, 11:344, 15:322
formica, 11:344
Phrurotimpus
alarius, 30:8
borealis, 30:4
emertoni, 30:8
Phryganea cinerea, 27:39, 31:448
Phryganeidae, 31:448
Phrygilanthus sonorae, 12:154
Phrynohyas venulosa, 32:78, 32:81
Phrynosoma, 1:187, 5:123, 10:25-30, 11:411, 12:27, 22:10, 31:280, 32:415, 32:459, 32:512-515
asio, 35:278
braccnnieri, 36:365-368
cornutum, 1:182-184, 2:35, 3:33, 3:40, 4:106, 6:106, 10:25, 10:27-29, 11:406, 14:204, 14:207, 14:210, 14:211, 16:437, 20:505, 21:520, 22:146, 25:364, 26:204, 28:101, 28:102, 28:376, 30:265, 30:470, 30:616-617, 31:552, 32:513, 32:514, 33:379, 35:369, 35:377-379, 36:366, 36:367
coronatum, 10:25, 10:27-29, 32:513, 36:366
ditmarsi, 20:265-270
douglassi, 7:78-79, 11:133, 13:106, 14:207, 19:191, 19:193, 19:195, 20:265, 20:268, 20:269, 21:519-521, 26:111, 31:417, 31:418, 32:513, 32:514, 33:379, 36:310, 36:366
douglassii, 10:25, 10:27-29
m'calli, 32:513, 32:514, 36:366
mcalli, 34:522, 34:523
mcallii, 32:103-109, 34:524, 34:525
modestum, 2:35, 3:31, 3:33, 3:40, 4:92, 4:94, 4:98, 4:106, 8:51, 10:25, 10:27-29, 14:207, 16:7, 19:330, 25:364, 26:204, 32:420, 32:423, 32:513, 33:379, 35:377-383, 36:310
*oblicular*e, 16:228
orbiculare, 11:406
platyrhinos, 10:25, 10:27-29, 15:138, 26:101, 26:103, 26:111, 30:470, 32:104-106, 32:513, 34:522-524, 36:98, 36:302, 36:308, 36:310, 36:366
regale, 30:470
solare, 10:25, 10:27-29, 26:111, 30:468-470, 32:513, 34:144, 34:522, 36:98, 36:310, 36:366, 36:367
taurus, 36:365-368
Phurotimpus, 11:343
borealis, 11:344
Phyciodes tharos, 21:34

Phycological notes I. *Oocytis polymorpha* sp. nov., Robert D. Groover and Harold C. Bold, 13:129-135
Phycomycetes, 12:311-320
Phyla, 8:230, 8:232
anatina, 5:145, 5:157
cuneifolia, 15:415
forsheyi, 5:158
incisa, 2:130, 6:47, 6:48, 17:104, 20:382, 23:504, 24:304, 24:305, 25:322, 25:333, 25:401, 33:333, 33:336, 33:337
lanceolata, 2:167, 6:47, 6:48, 15:415, 25:401
nodiflora, 6:48, 23:504, 25:322, 33:333, 33:336, 33:365, 36:124
strigulosa, 6:47, 6:48
virgata, 9:103
Phyletic interpretations from fossil (ca 16,000 B.P.) remains of *Sophora* in the southwestern United States, David K. Northington, Elsie D. Morey, and Thomas R. Van Devender, 22:495-504
Phyllanthus, 10:243, 31:36
abnormis, 8:15, 8:16, 8:20, 31:34
Phyllanthus and Reverchonia (Euphorbiaceae) in far western Texas, Marshall C. Johnston and Barton H. Warnock, 8:15-22
Phyllanthus
ericoides, 8:15-17, 9:310
lathyroides, 8:21
niruri, 8:21
polygonoides, 4:52, 4:57, 8:15, 8:16, 8:18, 21:248, 30:546, 30:548
Phyllobaenus pubescens, 8:54
Phyllobranchillus viridis, 18:165, 18:166, 18:168, 18:169
Phyllobranchus, 18:168
Phyllocactus, 11:81
Phyllocnistis populiella, 31:203
Phyllodactylus, 5:37-42, 7:211-226, 9:203-205
abrupteseriatus, 5:37, 5:40
darwini, 5:37
delcampi, 5:37, 5:40, 5:42
duellmani, 5:37, 5:40, 14:255
eduardofischeri, 5:37
homolepidurus, 5:37, 5:42
julieni, 7:211, 7:212, 7:214, 7:217, 7:223, 7:224, 9:204
lanei, 5:37, 5:42, 14:255
magnus, 5:37, 5:42
martini, 7:211, 7:214, 7:215, 7:217, 7:223, 7:224, 9:204
mulleri, 7:221-223
muralis, 5:37
paucituberculatus, 5:37, 5:40, 5:42, 14:255
pulcher, 7:211, 7:214, 7:217, 7:223, 7:224, 9:205
reissi, 7:217
rutteni, 7:211, 7:217, 7:223, 7:224, 9:203
spatulatus, 5:37, 7:214, 7:217
tuberculosus, 5:42, 7:212, 7:217, 7:222, 14:132, 35:274, 35:278
unctus, 5:40, 14:255-256
underwoodi, 7:211, 7:218, 7:220, 7:223, 7:224, 9:204
ventralis, 5:37, 7:211, 7:218, 7:220-224, 9:205
wirshingi, 5:37, 7:211, 7:214, 7:215, 7:222-224, 9:204
Phylloderma septentrionalis, 11:491
Phyllodistomum, 22:361, 22:363, 22:365
caudatum, 16:288, 16:291
iohrenzi, 29:379
lacustri, 16:288, 16:291, 22:281
lohrenzi, 16:288, 16:291
pearsei, 16:288, 16:291, 27:224
Phyllognathopus viguieri, 4:193
Phylloicus, 28:353, 28:413, 32:289
aeneus, 28:355, 28:414
Phyllomedusa moreleti, 11:2, 11:3
Phyllophaga
crassissima, 5:222
longitarsa, 5:222
submucida, 5:222
Phyllopods of some southern High Plains saline playas, Francis R. Horne, 18:475-479
Phyllorhynchus
browni, 34:522
decuratus, 34:522, 34:524
decurtatus, 9:48
Phyllospadix, 29:60
Phyllostachys, 4:119
Phyllostomatidae, 17:287-292, 20:243, 32:169
Phyllostomidae, 12:407-428, 28:374, 30:371-375, 31:331-340, 32:363-370, 34:417-418
Phyllostomus, 7:64, 12:407, 12:418, 12:422, 12:423, 12:426, 34:417
discolor, 7:68, 7:69, 12:410, 12:411, 12:420, 12:427, 15:3, 15:6, 15:8
hastatus, 21:324, 30:371-375
verrucosus, 7:68
Phyllotopsis nidulans, 29:260, 29:264
Phyllozetes hypoquercus, 28:463-464
Phylo, 20:480
Phylogenetic relationships of *Nyctomys* and *Xenomys* to other cricetine genera based on data from G-banded chromosomes, Michael W. Haiduk, Cornelio Sanchez-Hernandez, and Robert J. Baker, 33:397-403
Phymatidae, 32:417
Physa, 14:225, 14:226, 18:413, 21:154, 23:140, 23:554, 23:558, 23:560, 25:236, 25:391, 25:393, 25:394, 28:130, 30:420, 36:165-167
anatina, 14:239, 14:246, 16:307, 16:309, 27:239
forsheyi, 16:309
grovenorii, 16:309
gyrina, 16:309, 27:239, 27:240, 27:349, 27:350
halei, 12:335, 16:293, 16:309
humerosa, 16:309
integra, 27:350
marci, 16:309
osculans, 16:309
parva, 16:309
rhomboidea, 16:309
skinneri, 27:239, 27:240
smithsoniana, 16:309
tenuissima, 16:309
virgata, 12:202, 14:371, 14:372, 16:307, 16:309, 16:315, 16:316, 16:319, 23:216, 23:222, 24:688, 25:143, 25:253, 25:382, 27:243, 27:244
warreniana, 16:309
Physacypria globula, 18:412
Physalaemus pustulosus, 23:685, 29:481, 32:79, 32:82
Physalaptera, 30:469, 30:470
Physalia, 26:433
Physalis, 12:348, 22:347, 23:298, 23:299, 24:131, 25:364, 25:365, 26:122, 26:265, 36:306
hederaefolia, 35:74
heterophylla, 12:140, 12:142, 25:334
lanceolata, 13:387
lobata, 23:316, 23:321, 24:189
longifolia, 2:168, 12:140, 12:142
neomexicana, 1:65
pendula, 2:168
pumila, 7:170
viscosa, 22:38, 23:275, 23:504, 24:301, 24:303, 25:316, 33:336, 35:390, 36:124, 36:354
Physaloptera, 10:313, 23:401, 23:403, 23:405, 26:75, 29:458, 36:367
obtusissima, 30:368
Physaraceae, 10:224, 16:146, 23:690, 23:691
Physarella oblonga, 10:226, 16:148
Physarium
leucophaeum, 23:691
serpula, 23:690
Physarum
aeneum, 10:225
auriscalpium, 10:225, 23:691
bilgramii, 16:147
bogoriense, 10:225
cinereum, 9:155, 10:225
compressum, 9:155, 10:226, 16:147
crateriforme, 10:225
decipiens, 23:690
dictyosporum, 9:155, 23:689, 23:691
didermoides, 10:225
flavicomum, 10:225, 16:148
globuliferum, 10:225, 16:147
gyrosum, 10:226, 16:148
lateritium, 10:225
leucopus, 23:691
melleum, 10:225
nucleatum, 10:225

nutans, 10:225
polycephalum, 10:225
pulcherrimum, 16:148, 16:149
pulcherripes, 16:148
pusillum, 9:155, 10:225
rigidum, 16:143, 16:148
roseum, 16:143, 16:148, 16:149
tenerum, 10:225
vernum, 23:690
viride, 10:225
Physcomitrium
kellermani, 6:186
pyriforme, 28:241, 30:151
Physella, 31:542
Physeter catodon, 18:453-455, 18:461, 30:101-104
Physical habitat use by loach minnow, *Tiaroga cobitis* (Pisces: Cyprinidae), in southwestern desert streams, John N. Rinne, 34:109-117
Physicochemical conditions and diversity of macrobenthos of Village Creek, Texas, Steven P. Lewis and Richard C. Harrel, 23:263-272
Physicochemical conditions and the distribution of benthic macroinvertebrates in Arbuckle Lake, relationship between, John H. Parrish and Jerry Wilhm, 23:135-143
Physidae, 5:157, 9:103, 12:202, 23:554, 24:688, 25:253, 27:350, 31:252
Physiographic associations in Texas for *Phyllozetes hypoquercus*, new distribution records and, E. G. Bolen, B. McDaniel, and Roger Bohls, 28:463-464
Physiological and behavioral adjustments to water stress in three species of kangaroo rats, a comparison of, Victoria Sork, 23:95-101
Physiological effects of transplantation on the desiccation-tolerant pteridophyte *Selaginella lepidophylla* (Selaginellaceae) in Big Bend National Park, William G. Eickmeier, 33:287-294
Physocarpus monogynus, 25:197, 28:83
Physocyclus, 11:341
enaulus, 12:259
Physocylus enaulus, 11:342
Physopella
cameliae, 12:71
compressa, 12:71
lenticularis, 12:71
mexicana, 12:70-72, 16:374
pallescens, 12:71
zeae, 12:71
Physostegia
digitalis, 12:348
intermedia, 29:326
virginiana, 32:35
Phytocoris breviusculus, 29:442
Phytodecta, 32:489
Phytogeography of South Padre Island, Texas, Robert I. Lonard and Frank W. Judd, 25:313-322
Phytolacca americana, 2:162
Phytolaccaceae, 2:162, 27:63-72, 35:73
Phytoplankton, 27:79-86
Phytoplankton ecology of Lynx Lake, Arizona, Nancy L. Crane and Milton R. Sommerfeld, 22:305-320
Phytoplankton of Canyon Lake, Arizona, the, Milton R. Sommerfeld, Rose Mary Cisneros, and Richard D. Olsen, 20:45-53
Phytosociology of second-growth forests in Bowie County, Texas, Forrest L. Johnson, 29:81-87
Phytotendipes, 12:384
Piabuna brevispina, 20:59
Piaya cayana, 4:68
Pica pica, 19:432, 22:369, 32:138-139, 32:283, 34:492
Picea, 13:268, 15:324, 18:241, 18:314, 18:434, 18:440, 18:441, 20:165, 20:425, 22:293, 22:294, 23:231, 23:236, 24:219, 24:710, 28:63, 30:529, 32:335, 34:352, 35:354
abies, 9:182
chihuahuana, 24:210, 24:213
engelmanni, 12:321, 12:322, 12:325, 12:327, 17:411, 22:269, 22:291, 23:280, 35:464
engelmannii, 9:107, 12:474, 17:318, 17:321, 18:470, 19:334, 19:335, 20:428, 21:511, 25:11, 27:464, 32:184, 32:340, 32:507, 36:37, 36:39-44
englemanni, 26:92
mariana, 34:354
pungens, 12:324, 19:334-335, 22:269, 28:83, 32:184, 32:283, 32:389, 34:41
Picea pungens (Pinaceae) near Flagstaff, Arizona, occurrence of, John R. Jones and Willis J. Rietveld, 19:334-335
Piceoxylon
antiquius, 30:529, 30:530
thomsoni, 30:525, 30:529
transiens, 30:529
Pichia
amethionina, 33:362, 33:363
cactophila, 33:362, 33:363
deserticola, 33:363
heedii, 33:362, 33:363
thermotolerans, 33:362, 33:363
Picidae, 4:81
Pickens, Homer C., see Eberhardt, Lester E., —
Pickerel frog in northeastern Oklahoma, the, James N. Thompson, Jr., and Everett M. Grigsby, 16:219-220
Pickerel frog, *Rana palustris palustris*, in Oklahoma with indications of an extension of the Austroriparian Life Province, a range extension of the, Arthur N. Bragg, Norman Taylor, and R. John Taylor, 13:372-374
Pickett, Charles H., see Parfitt, Bruce D., —
Pico anormal en *Toxostoma curvirostre*, Armando J. Contreras-Balderas y Juan A. Garcia-Salas, 36:137-140
Picobia, 22:169, 22:174
Picoides
assimilis, 28:113
nuttallii, 30:453
pubescens, 24:572, 31:134
scalaris, 28:113, 29:473
villosus, 25:561, 34:490, 36:248
Picradeniopsis
oppositifolia, 11:456-466
woodhousei, 11:456-466
Picradeniopsis oppositifolia and *P. woodhousei* (Compositae) in northeastern New Mexico and the Oklahoma Panhandle, a comparative study of, William L. Ellison, 11:456-466
Piculus rubiginosus, 4:69
Pieper, Rex D., Don D. Dwyer, and Roger E. Banner, Primary shoot production of blue grama grassland in south-central New Mexico under two soil nitrogen levels, 20:293-302
Pieper, Rex D., see Fatehi, Mohammad, —
Pieper, Rex D., see Fraser, Joseph G., —
Pieper, Rex D., see Hague, Zahoorul, —
Pieper, Rex D., see Schott, M. R., —
Pierce, Jack R., Distribution of two mating call types of the plains spadefoot, *Scaphiopus bombifrons*, in southwestern United States, 20:578-582
Pieridae, 21:34, 29:18
Pieris, 29:430
Pietruszka, Robert D., An evaluation of stomach flushing for desert lizard diet analysis, 26:101-105
Pigg, Jimmie, see Hill, Loren G., —
Pileolaria patzcuarensis, 10:35
Pileoma
carbonaria, 16:65, 16:66, 16:78, 16:79, 16:83
semifasciatum, 16:66
zebra, 16:66
Pilielmis
apama, 24:197
clita, 24:197
halia, 24:197
sara, 24:197
Pilinophytum
capitatum, 3:192
capitatus, 3:192
lindheimer, 3:191
lindheimeri, 3:191, 3:192
Pilodistus olivarus, 1:167
Pilsbryna tridens, 5:143, 5:149, 5:152
Pilularia
americana, 13:117-127, 22:137

globulifera, 13:118, 13:123
novae-hollandiae, 13:118
Pilularia americana in Texas, factors influencing the narrow restriction of, C. McMillan, C. E. Jens, W. R. Adler, R. V. Blystone, W. H. Gillespie, J. R. Irwin, R. A. Janowsky, D. O. Kolle, T. R. McGlathery, R. R. Martin, R. W. Morey, C. R. Mynard, and T. S. Patty, 13:117-127
Pilumnus
depressus, 11:140
limosus, 11:140
spinohirsutus, 11:140
Pima albiplagiatella, 28:466
Pimelodidae, 32:226, 32:229
Pimental, Richard, Ross V. Bulkley, and Harold M. Tyus, Choking of Colorado squawfish, *Ptychocheilus lucius* (Cyprinidae), on channel catfish, *Ictalurus punctatus* (Ictaluridae), as a cause of mortality, 30:154-158
Pimephales, 7:102, 19:109, 35:213, 35:453
notatus, 9:106, 15:140, 19:261, 24:482, 27:109-112, 33:139
promales, 33:469
promalus, 19:110
promelas, 2:97, 2:99, 4:163, 5:175, 8:233, 14:242, 14:306, 14:307, 14:310, 15:140, 17:377, 17:378, 19:407, 19:408, 19:411, 21:69, 22:143, 25:41, 25:43, 25:45, 25:497, 26:34, 26:324, 26:389, 26:391, 28:170, 29:497, 29:498, 30:25, 30:26, 30:560, 31:157, 31:527-529, 32:215, 32:216, 32:409, 32:410, 34:229, 34:408, 35:406, 35:407, 36:190, 36:287
tenellus, 30:200
umbratilis, 24:482
vigilax, 2:100, 2:102, 3:10, 4:163, 8:228-235, 14:370, 19:261, 25:58, 27:109-112, 32:410, 35:211, 35:406, 36:203, 36:204, 36:208, 36:209, 36:228
tenellus, 19:261
Pinaceae, 1:62, 12:474-475, 18:434, 18:437-441, 19:334-335, 20:428, 24:710, 35:70, 36:114
Pinacola enucleator, 34:493
Pinaropappus roseus, 15:181
Pine from Baja California and the hybrid origin of *Pinus quadrifolia*, a new, Ronald M. Lanner, 19:75-95
Pine marten, *Martes americana*, (Carnivora: Mustelidae) in Colorado alpine areas, occurrence of, Robert G. Streeter and Clait E. Braun, 13:449-451
Pine, Ronald H., *Baeodon meyeri* (Chiroptera: Vespertilionidae) a new species of bat from Veracruz, 11:308-310
Pine, Ronald H., *Baeodon meyeri* Pine (Chiroptera: Vespertilionidae) referred to the genus *Antrozous* H. Allen, 12:484-485
Pine, Ronald H., see Carter, Dilford C., —
Pinkowski, Ben, High density of avian cavity-nesters in aspen, 25:560-562
Pinna tissue, a source of allozymic information, Jean Dubach, 31:419-420
Pinnaspis, 18:427
aspidistrae, 17:389, 17:390, 18:435
Pinnularia , 25:420, 28:244
abaujenis, 28:246
abaujensis, 20:405, 24:155
accuminata, 24:155
acrosphaeria, 24:155, 28:246, 35:209
biceps, 24:155, 28:246
borealis, 23:90, 23:93, 24:155, 26:315, 28:246
braunii, 22:459, 28:246
brebissonii, 26:315
brevicostata, 28:246
formica, 24:155
gibba, 23:87, 23:90, 24:155
hilseana, 24:155
intermedia, 26:312, 26:315
major, 10:40, 24:155
mesogongyla, 24:155
microstauron, 23:87, 23:91, 23:93
molaris, 23:87, 23:91
mormonorum, 24:155, 26:315
obscura, 24:155, 28:246
subcapitata, 28:246
substomatophora, 24:155
termitina, 28:246
viridis, 26:315, 28:246, 30:464
Pinus, 11:106, 13:164, 13:269, 17:105, 18:314, 20:165, 20:218, 21:58, 21:148, 22:293, 22:294, 23:533, 28:61, 28:64, 28:375, 29:332, 30:449, 30:529, 33:288
albicaulis, 24:383
aristata, 12:474-475, 32:507
arizonica, 17:424, 21:55, 21:60, 21:305, 29:115, 30:91, 35:232
attenuata, 23:29-39
ayacahuite, 24:214, 24:455, 24:458
banksiana, 14:327, 14:328, 19:65, 23:29, 34:352
cembroides, 3:30, 4:42, 10:35, 11:242, 14:252, 14:427, 15:136, 16:14, 16:339, 16:340, 17:290, 17:424, 18:434, 18:440, 19:75, 19:76, 19:215, 21:309, 23:289, 23:295, 24:136, 24:389, 25:19, 25:261, 25:479, 27:87-98, 28:461, 28:462, 30:388-393, 32:197, 33:84, 33:212, 35:76, 35:233, 36:361
chihuahuana, 5:226
clausa, 26:345-350
contorta, 9:21, 15:324, 18:470, 19:65, 21:511, 21:512, 22:291, 23:29, 23:30, 23:35, 23:279, 23:280, 25:432-434, 26:332, 27:212, 32:204, 32:342, 34:292, 34:349, 36:19, 36:247
coulteri, 12:176, 13:101, 32:264
culminicola, 19:79, 19:80
discolor, 34:40, 35:67, 35:70
echinata, 3:91, 10:42-47, 12:346, 16:417, 16:431, 18:434, 18:440, 18:441, 21:405, 22:137, 23:71, 28:105, 28:239, 29:83, 31:192, 34:73, 34:101, 34:154, 34:352, 36:172
edulis, 5:108, 5:226, 12:209, 13:102, 13:160, 13:161, 13:163, 15:152, 15:154-156, 15:264, 15:395, 16:105, 16:451, 17:231, 17:318, 18:374, 18:375, 19:75, 19:76, 19:93, 19:115, 19:347, 21:514, 22:12, 22:269, 22:348, 23:289, 23:292, 23:294, 23:295, 23:299, 24:131, 24:133, 24:136, 24:137, 24:383-386, 24:625, 25:365, 25:366, 25:368, 26:296, 26:317, 26:332, 26:366, 26:396, 26:397, 27:2, 27:143-147, 27:169, 27:176, 27:326, 28:53, 28:83, 28:85, 28:126, 28:200, 29:205, 29:338, 30:305, 31:320, 31:355, 31:416, 32:181, 32:183, 32:292, 32:400, 33:104, 33:205, 33:212, 33:213, 33:239, 34:40, 34:41, 34:43, 34:442, 34:453, 34:488, 35:146-150, 35:279, 35:322-328, 36:19, 36:200, 36:255, 36:282
edulus, 14:404, 35:105
elliottii, 26:347
engelmannii, 25:19, 29:115, 29:116, 30:390
flexibilis, 35:232
flexilis, 12:324, 12:474, 15:152, 15:154-156, 15:202, 18:375, 18:376, 18:379, 19:69, 21:60, 21:61, 21:511-517, 22:269, 22:270, 26:92, 30:305, 34:41, 34:349, 36:19
hartwegii, 32:335-345
heterophylla, 16:337
jefferyi, 36:315
jeffreyi, 13:101, 13:102, 19:112, 25:462, 28:295, 31:289, 36:247
juarezensis, 19:75, 19:77, 19:79-81, 19:88, 19:93
lambertiana, 11:103, 13:101, 19:112
latifolia, 20:364, 21:60, 33:376
lawsonii, 27:362
leiophylla, 20:418, 21:60, 25:19, 27:362
longaeva, 22:269
maximartinezii, 19:80
moctezumae, 27:362
monophyla, 29:1, 29:10
monophylla, 10:310, 13:102, 16:342, 19:66, 19:75, 19:76, 19:80, 19:88, 19:93, 22:154, 25:175, 26:76, 26:296, 29:463, 29:465, 33:205-214, 34:38, 34:40, 34:43, 34:442, 35:322, 35:326, 36:95, 36:96, 36:302, 36:304, 36:305, 36:310
montezumae, 36:362
mugo, 27:212
muricata, 23:29-39
nigra, 12:312, 24:81
oocarpa, 27:362
palustria, 16:337

palustris, 10:143, 11:445, 18:434, 18:440, 28:105, 29:260, 31:192, 35:221
patula, 27:362, 36:362
ponderosa, 5:108, 8:196, 10:310, 11:299, 12:134, 12:136, 12:143, 12:209, 12:324, 12:325, 13:99, 13:100, 13:268, 14:93, 14:327-336, 14:427, 15:152, 15:154-156, 15:162, 15:202, 15:395, 16:16, 16:105, 16:125, 16:419, 16:458, 17:46, 17:290, 17:318, 17:412, 17:416, 17:421, 18:323, 18:374-377, 18:379, 18:434, 18:440, 18:470, 19:112, 19:334, 19:347, 20:1, 20:225, 20:364, 21:209, 21:211, 21:309, 21:514, 22:11, 22:12, 22:155, 22:348, 23:700, 24:49, 24:544, 24:545, 25:11, 25:114, 25:261, 25:362, 25:366, 25:560, 26:332, 26:366, 26:375-378, 26:439, 27:143, 27:211-213, 28:83-85, 28:95, 28:336, 29:115-122, 29:136, 29:337, 30:305, 30:390, 30:612, 30:613, 31:415, 32:138, 32:288, 32:388, 32:399, 32:507, 34:36, 34:40-42, 34:349, 34:353, 34:453, 34:488, 35:279, 35:354, 35:367, 35:465, 36:19, 36:43, 36:200, 36:246
pseudostrobus, 27:362, 28:462, 35:366
quadrifolia, 13:101, 19:75-95, 33:205, 33:212, 33:213
radiata, 23:29-34, 23:36, 23:37, 23:39
reflexa, 17:424, 21:305
remota, 29:205, 32:183
sabiniana, 14:427
strobiformis, 19:334, 24:455-461, 25:362, 27:94, 28:83, 28:85, 28:462, 30:390, 32:184, 36:37, 36:39
strobus, 34:352
sylvestris, 10:55, 24:385
taeda, 10:311, 12:346, 16:144, 16:146, 16:196, 16:220, 16:417, 16:431, 21:482, 22:137, 23:71, 23:265, 26:199, 28:239, 29:83, 29:84, 29:189, 29:258, 31:192, 34:154, 34:352, 35:221, 35:472
teocote, 16:227, 28:462, 35:232, 35:366, 36:362
Pinus aristata (Pinaceae) in Boulder County, Colorado: northward extension of its known Colorado range, Erik K. Bonde, 12:474-475
Pinuxylon, 30:529
Pinyon records for northern Mexico, new, D. K. Bailey and Tom Wendt, 24:389-390
Piona, 23:554
Pionidae, 23:554
Pionus senilis, 4:68
Piophilidae, 23:566, 23:570, 23:571, 23:575
Piperaceae, 22:139
Piperia, 13:338
Pipidae, 15:356, 25:272-275, 32:75, 34:499-505
Pipilo
aberti, 29:509, 30:427-432
chlorurus, 29:474, 34:491
erythrophthalamus, 22:370
erythrophthalmus, 16:24, 20:505, 26:254, 29:474, 30:453, 34:491, 36:363
fuscus, 16:11, 18:196, 20:507, 30:453, 36:363
Pipistrellus, 7:64, 11:143, 24:450
hesperus, 3:105, 4:134, 4:138, 4:141, 7:73, 8:175, 9:43, 9:44, 9:205, 10:172, 11:310, 11:311, 12:163-171, 12:195, 15:13, 15:17, 15:135, 15:264, 15:396-397, 16:262-264, 17:97, 17:299, 17:357-360, 18:196, 19:115, 20:147, 20:245, 20:249, 20:252, 20:499, 21:216, 22:427-433, 23:155, 24:448-452, 26:215, 26:328, 33:494, 35:232, 35:354
subflavus, 1:137, 4:134, 4:138, 4:140-142, 5:228, 11:496, 13:15, 17:104, 24:71-78, 24:376, 28:100, 30:306-307, 31:534, 35:341
Pipistrellus hesperus (Chiroptera) eating spiders, Joe N. Fries, 26:215
Pipistrellus hesperus (Chiroptera) versus ant, Arthur H. Harris, 15:396-397
Pipistrellus subflavus (Chiroptera: Vespertilionidae) on Padre Island, Texas, first record of, Warren Zehner, 30:306-307
Pipra mentalis, 4:72, 4:80
Pipridae, 4:81
Pipromorpha oleaginea, 4:74, 4:80
Piptochaetium, 8:184
fimbriatum, 8:181, 8:184, 8:188, 12:70, 12:75, 16:14, 26:366, 27:87, 27:88, 27:97, 30:389, 30:391, 30:392, 35:74, 35:75
Piqueria, 9:27
serrata, 9:29
Piranga
flava, 16:23, 34:495
leucoptera, 4:77
ludoviciana, 18:196, 18:199, 22:370, 22:371, 24:572, 29:474, 34:491, 36:248
rubra, 2:32, 4:77, 16:20, 17:293, 18:196, 20:420-421, 24:571
Pirata, 11:355, 30:123
alachuus, 30:121
insularis, 11:357, 21:43, 21:45
sedentarius, 11:357, 30:7, 30:121
seminola, 30:7, 30:121
suwaneus, 30:121
wacodana, 11:357
Pirate, 30:603
Piratuba mitchelli, 35:458-460
Pisauridae, 11:354, 15:325, 21:42-44, 30:4, 30:7, 30:9, 30:121, 30:122
Pisaurina, 11:354, 11:355
mira, 11:355, 21:43, 30:4, 30:9
Pisces, 16:65-83, 20:445-459, 24:87-91, 24:181-185, 24:381-383, 24:475-484, 24:501-507, 26:67, 27:225-226, 28:261-269, 28:374-375, 29:133-135, 29:395-402, 31:399-401, 31:527-529, 32:439-447, 33:97-99, 33:364-365, 34:109-117, 34:232-244, 35:211-215, 35:338-340, 35:346-348, 36:7-13, 36:348-353
Pisciamphistoma reynoldsi, 12:333, 16:288, 16:292, 22:527, 22:528
Piscivorous habits of a new chub shiner, *Notropis potteri* (Cyprinidae), James D. Felley, 29:495-496
Pisidium, 14:225, 14:226, 18:32, 18:35
casertanum, 16:309, 22:239, 27:239, 27:240, 27:350
compressum, 22:239, 27:239, 27:240, 27:350
fallax, 27:350
nitidum, 27:239, 27:240, 28:129, 28:130
variabile, 27:39, 27:349, 27:350
Pisionidens
indica, 20:480, 20:482, 20:484
indicans, 20:484
Pisonia aculeata, 31:260
Pistia, 24:411
stratiotes, 34:290
Pitangus sulphuratus, 4:73, 7:259
Pitedia ligata, 32:151
Pithcellobium flexicaule, 24:305, 24:306
Pithecellobium, 27:24, 27:25
arboreum, 32:363
confine, 21:127
dulce, 32:363
ebano, 35:371, 36:215, 36:216
flexicaule, 9:81, 10:18, 20:371, 24:687, 26:184, 26:303, 26:304, 27:23, 29:229, 30:398, 30:400, 30:401, 30:567, 31:260, 31:387
pallens, 30:400, 36:213, 36:215
Pithecollobium dulce, 18:194
Pithecolobium, 17:402
dulce, 18:198
flexicaule, 13:207, 18:432, 18:440
Pithomyces chartarium, 24:368
Pithophora, 16:440, 25:420
oedogonia, 23:440
Pitts, Richard M., and Herschel W. Garner, An observation of allomaternal nursing among captive *Baiomys taylori*, 33:496-497
Pituophis, 3:31, 7:240, 7:270, 33:379
catenifer, 1:182, 1:183, 2:19, 2:20, 3:48, 5:227, 8:53, 11:133, 11:411, 11:412
deppei, 8:221, 16:229, 24:694
lineaticollis, 35:275
melanoleucas, 23:18
melanoleucus, 3:17, 3:25, 3:26, 3:32, 3:33, 4:107, 10:170, 12:186, 15:496-497, 16:454, 22:55, 22:61, 22:276, 22:523, 27:163, 27:229, 28:101, 28:102, 31:61, 33:380, 34:522-524, 35:221-222, 36:308
Pituophis melanoleucus lodingi from the western part of its range, J. Larry

Crain and J. William Cliburn, 15: 496-497
Pitymys, 19:115, 35:203
pinetorum, 13:448, 29:199
Pityohyphantes
costatus, 34:353
navajo, 34:350, 34:353
Pityophthorus, 32:386, 32:388
Pityoxylon, 30:529
Pizzimenti, John J., and Charles F. Nadler, Chromosomes and serum proteins of the Utah prairie dog, *Cynomys parvidens* (Sciuridae), 17:279-286
Pizzimenti, John J., Increasing sexual dimorphism in prairie dogs: evidence for changes during the past century, 26:43-47
Placobdella, 14:237
multilineata, 20:575-576
ornata, 15:270, 15:271, 20:575
parasitica, 15:271, 20:575
pediculata, 6:53
Placostemus difficilis, 27:23
Plagiobothrys
acanthocarpus, 36:304, 36:307, 36:312
arizonicus, 33:428, 35:65, 35:71, 36:306
pringlei, 35:64, 35:71
Plagiochloa uniolae, 11:391
Plagiola lineolata, 27:350
Plagiolophus, 16:373
millspaughii, 16:375
Plagioporus, 28:399, 28:400, 28:401, 28:403
sinitsini, 22:361, 22:363, 29:379
Plagiorchiidae, 17:198
Plagiorchis, 4:62
micracanthos, 17:104-105
Plagiorchis (*Plagiorchis*) *micracanthos* Macy, 1931 (Trematoda: Digenea), from *Myotis lucifugus occultus* in Northeast New Mexico, George D. Cain and Eugene H. Studier, 17: 104-105
Plagiostira albonotata, 29:484
Plagiothecium turfaceum, 5:44
Plagiotropis
arizonica, 26:315
lepidoptera, 26:312, 26:315
Plagopterus argentissimus, 23:520, 23:525, 28:169, 36:159
Plague (*Yersinia pestis*) in a bobcat from the Trans-Pecos area of Texas, the occurrence of, Stephen P. Tabor and Rex E. Thomas, 31:135-136
Plains killifish, *Fundulus zebrinus* (Cyprinodontidae), in the Colorado River Basin of western North America, the, Robert M. Hughes, 26:321-324
Planarians (Tricladida: Paludicola) of Arkansas, a survey of the, Julian T. Darlington and Clay M. Chandler, 24:141-148
Planariidae, 19:387, 19:388, 24:141-148, 25:252, 25:273, 36:167
Planera aquatica, 6:175, 6:178, 6:202, 9: 42, 13:373, 21:475, 21:478, 21:480, 21:482, 34:73
Planktonic diatom fluctuations in a northern Arizona mountain lake, Kenneth S. Button and Dean W. Blinn, 20:397-408
Planktosphaeria, 9:168, 17:245
Planorbella, 12:202
trivolvis, 24:688, 27:243, 27:244, 29: 233
Planorbidae, 5:155, 9:103, 12:202, 12:372, 23:554, 24:688, 27:350, 31:252
Planorbiidae, 34:253
Planorbina, 5:155
gracilentus, 5:147, 5:156
obstructus, 5:147, 5:156, 9:103
orbiculus, 5:148, 5:156
Planorbis, 8:232
arizonensis, 9:103
circumlineatus, 9:103
decipiens, 9:103
filocinctus, 9:103
santacruzensis, 9:103
Planorbula
circumstriata, 27:239
kansaensis, 27:239, 27:240
parva, 27:239
Plant and animal foods of bobwhite and scaled quail in Southwest Texas, Linda Campbell-Kissock, Lytle H. Blankenship, and J. W. Stewart, 30: 543-553
Plant associations of *Misumenops coloradensis* Gertsch (Araneae: Thomisidae) in central New Mexico, Daniel T. Jennings, 16:201-207
Plant chromosome numbers, notes on some, Donald G. DeLisle, 10:211-213
Plant communities and vegetation pattern as affected by various treatments in shortgrass prairies of northeastern Colorado, W. H. Moir and M. J. Trlica, 21:359-371
Plant communities of a large arroyo at Punta Cirio, Sonora, Lawrence A. Leitner, 32:21-28
Plant communities of the South Platte and Arkansas river drainages in eastern Colorado, a comparison of the, Ivo E. Lindauer, 28:249-259
Plant development and sequence in artificial ponds with or without phosphorus-enriched sediments, W. W. Troeger and A. Olness, 25:411-423
Plant distribution and extension records for Texas and the United States, new, Stephen L. Hatch and Carolyn A. Clark, 22:139-140
Plant distribution and occurrence records for South Dakota, new and clarified, Joseph R. Thomasson, 27:124
Plant records for Kansas, new and interesting, Ralph E. Brooks and Gerald Seiler, 21:411-412
Plant records for Nebraska, new and noteworthy, Steven P. Churchill, Robert B. Kaul, and David M. Sutherland, 21:403-405
Plant records for New Mexico, new, Ronald L. Hartman, 18:241-242
Plant records for Wyoming, new, Ronald L. Hartman, 17:197-198
Plant species heterogeneity to soil variation in buffalo wallows, the relationship of, H. Wayne Polley and Linda L. Wallace, 31:493-501
Plant specificity in striped skunk diggings, James N. Thompson, Jr., and Richard L. Gilstrap, 15:135
Plant succession of old fields in the Dust Bowl, B. Ira Judd, 19:227-239
Plantaginaceae, 2:168, 4:58, 20:574, 22: 38, 22:343, 23:503, 25:334, 35:19, 35:73
Plantago, 9:114, 9:115, 19:282, 20:332, 20:381, 25:365, 29:301, 29:304, 33: 335, 33:336
aristata, 4:58, 31:369, 35:436
elongata, 25:69, 31:495, 31:497
insularis, 17:339, 20:574, 27:404, 36: 307
lanceolata, 7:170, 35:19
major, 12:140, 28:255
pagagonica, 33:428
patagonica, 21:314, 21:316, 22:343, 25: 334, 27:312, 29:279, 29:280, 30:336, 35:73
purshii, 2:168, 4:59, 7:170, 12:140, 12: 142, 21:362, 21:366, 21:369, 29:409, 29:411, 29:415, 29:417
rhodosperma, 4:59, 16:273, 16:274, 19: 289, 22:38, 23:321, 23:503, 25:322, 25:334, 30:546, 30:548, 33:67, 33: 68
rugelii, 7:170
virginiana, 31:495
virginica, 1:122, 20:325, 20:327, 27:312, 31:369, 35:66, 35:73
Plantanus, 15:132
occidentalis, 18:434, 32:273
wrightii, 13:449, 28:86
Plants used as food by mule deer in Oklahoma in relation to habitat, Tim W. Clark, 13:159-166
Plasmodium, 25:559
chiracahuae, 34:436
chiricahuae, 32:347-350, 34:437
mexicanum, 32:347-349, 34:436
Plastic materials for simplified tent and funnel traps, James E. Sublette and J. S. Dendy, 3:220-223
Plastosteryx bronni, 12:449
Platanaceae, 18:434, 18:440, 35:73

Platania, Steven P., Fishes of the Rio Chama and upper Rio Grande, New Mexico, with preliminary comments on their longitudinal distribution, 36:186-193
Platania, Steven P., Kevin R. Bestgen, Miles A. Moretti, David L. Propst, and James E. Brooks, Status of Colorado squawfish and razorback sucker in the San Juan River, Colorado, New Mexico, and Utah, 36: 147-150
Platania, Steven P., Reports and verified occurrence of logperches (*Percina caprodes* and *Percina macrolepida*) in Colorado, 35:87-88
Platania, Steven P., Timothy R. Cummings, and Kenneth J. Kehmeier, First verified record of the stonecat, *Noturus flavus* (Ictaluridae), in the South Platte River system, Colorado, with notes on an albinistic specimen, 31:553-555
Platania, Steven P., see Bestgen, Kevin R., —
Platanillo, 4:68
Platanthera, 13:340
bifolia, 13:338
ciliaris, 25:275
clavellata, 25:275
integra, 28:451
Platanus, 8:175, 11:316, 14:99, 14:100, 18:441, 32:136, 35:232
mexicanus, 36:361, 36:362
occidentalis, 16:340, 18:440, 21:242, 21: 482, 24:165, 24:168, 24:170-172, 25: 283, 25:379, 27:385, 33:178
racemosa, 14:123, 28:48, 30:452
wrighti, 21:118
wrightii, 14:123, 19:355, 25:19, 26:253, 26:439, 28:33, 30:390, 33:494, 35: 73, 35:116
Plathemis
lydia, 2:6, 2:7, 4:131, 6:112, 6:116, 6: 122, 6:124, 6:130, 6:133, 7:192, 7: 197, 8:61, 8:82, 26:156, 27:457-458
nymphula, 6:115-117
subornata, 2:7, 2:14
tenera, 6:124, 6:133
trimaculata, 4:131
Platybelone argalus, 28:103, 36:206, 36: 208
Platycarya, 11:91, 11:110
Platycheirus, 19:70
Platycholeus, 28:476
Platycnemis
dealbata, 6:131
pennipes, 6:131, 8:67-69, 8:74
Platycordulia, 2:4
Platydorina, 10:188-210, 17:14-16
Platygobio, 24:501
gracilis, 24:502, 24:503
Platygonus, 12:4
bicalcaratus, 12:12
compressus, 21:14, 34:279
cumberlandensis, 22:259
Platygyrium repens, 28:241
Platyias, 22:417, 23:169, 30:242
patulus, 21:465
quadricornis, 23:636
Platynereis bicanaliculata, 36:353
Platypsaris aglaiae, 4:72
Platypygus, 34:527
Platyrinchus mystaceus, 4:73, 4:80
Platyschkuhria, 18:119
integrifolia, 18:123
Platysomidae, 33:265
Platysomus palmaris, 31:485, 31:489, 31: 491, 33:265
Platythemis hydra, 12:372
Playa lakes related to summer waterfowl use, characteristics of, Mark J. Rhodes and John D. Garcia, 26:231-235
Plea
harnedi, 9:100
striola, 9:100, 23:554, 23:557
Plebeius acmon, 28:466, 28:467
Plecoptera, 20:517-521, 29:489-492, 31: 503-510, 36:323-331
Plecotus, 7:64, 14:249-251, 34:417
mexicanus, 7:73, 16:449
phyllotis, 11:497, 12:477-480, 14:250, 14:251, 15:13, 15:19, 15:132-134, 16: 262-264, 18:113, 19:114-115
rafinesqui, 5:228
rafinesquii, 14:250, 14:251, 20:144-145
townsendi, 6:93, 6:200, 20:147, 35:354
townsendii, 7:73, 13:15, 13:445, 13:447, 14:249-251, 14:360, 15:13, 15:18, 15: 135, 16:262-264, 17:287, 17:288, 17: 292, 17:357, 17:359, 17:362, 17:424-428, 19:272, 19:452, 20:242, 20:246, 20:248, 20:250, 20:500, 26:335, 32: 136, 32:149, 33:494, 35:232
Plectomerus dombeyanus, 27:350
Plectonema notatum, 24:159
Plectrohyla
avia, 35:91-94
dasypus, 35:93
glandulosa, 35:93
guatemalensis, 35:93, 35:275
hartwegi, 32:77, 35:91
ixil, 32:76, 35:93
lacertosa, 35:91
matudae, 35:275
matudai, 32:76, 35:91, 35:93
pokomchi, 35:93
pycnochila, 35:91
quatemalensis, 32:77
quecchi, 35:93
sagorum, 32:76, 35:93
tecunumani, 35:93
Plegadis chihi, 6:105, 25:225-239
Plegmolepis, 33:266
Pleidae, 9:100, 23:554
Pleistocene avifauna of Klein Cave, Kerr County, Texas, the, Alan Feduccia, 17:295-296
Pleistocene fossil tortoise, genus *Gopherus*, from Aguascalientes, Aguascalientes, Mexico, a new species of, O. Mooser, 17:61-65
Pleistocene lizards from Burnet and Dark Canyon caves, Guadalupe Mountains, New Mexico, Eric A. Rickart, 21:519-522
Pleistoscene amphibians and reptiles from Friesenhahn Cave, Texas, some, John S. Mecham, 3:17-27
Pleochaetis, 35:310
Pleochetoides bullisi, 35:310
Pleodorina, 10:266, 17:13, 17:14, 17:16, 17:18, 17:245, 17:247
californica, 11:196, 11:303, 23:437
Pleospora pelvetiae, 24:367
Plesiothrips ayarsi, 36:52
Plesipus, 12:22
Plestiodon belli, 5:18
Plethodon
caddoensis, 1:179, 1:181, 1:184, 30:196, 30:200, 30:318-319, 35:468-470
cinereus, 1:180, 1:181, 1:184, 28:267
fourchensis, 30:196, 30:200, 35:468-470
glutinosus, 1:179, 1:181, 6:28, 6:202, 16:439, 30:200, 30:203, 30:319
joudani, 30:200
larselli, 35:471
neomexicanus, 35:471
ouachita, 1:179
ouachitae, 1:179, 1:181, 1:184, 1:185, 30:196, 30:200, 35:468-470
serratus, 35:468-471
vehiculum, 35:471
websteri, 35:471
wehrlei, 1:179
yonahlossee, 1:179, 30:200
Plethodontidae, 6:27-32, 25:111-113, 28: 100, 30:318-319, 33:124-126, 33: 234-236
Pleuraphis mutica, 4:119, 4:127
Pleurobema cordatum, 27:350
Pleurobranchus
areolatus, 18:165, 18:166, 18:169-174
atlanticus, 18:170
crossei, 18:170
digueti, 18:165, 18:169-173
Pleurocapsa minor, 11:201
Pleurocapsaceae, 11:201
Pleurocera
acuta, 27:350
canaliculatum, 27:350
Pleuroceridae, 27:350
Pleurococcus, 10:266
Pleurolepis
pellucida, 4:177
pellucidus, 4:177
Pleuroloma flavipes, 35:96
Pleuropompha costata, 8:54
Pleurosigma, 31:43

delicatulum, 19:418, 22:413, 22:459, 26:315
Pleurospasta mirabilis, 21:51, 28:476
Pleurotaenium, 25:420
trabecula, 23:439, 24:158
truncatum, 24:158
Pleurotus, 21:230
nidulans, 8:201
ostreatus, 8:201, 29:260, 29:264
Pleuroxis, 15:103, 15:104
denticulatus, 26:244
procurvus, 12:59, 12:62
Pleuroxus, 8:232
denticulata, 36:239
denticulatus, 4:188, 4:192, 14:324, 36:237-240
hamulatus, 4:188, 4:192
striatus, 4:188, 4:192
Plicatura aurea, 19:352
Plinthocoelium sauveolens, 24:609
Pliocene horses of the Ocote local fauna, central plateau of Mexico, O. Mooser, 18:257-268
Pliocercus
elapoides, 5:217-220, 8:221
laticollaris, 5:217
Ploskey, Gene R., and John A. Sealander, Lipid deposition and withdrawal before and during hibernation in *Pipistrellus subflavus* (Chiroptera: Vespertilionidae), 24:71-78
Plot size by use of mean distance between salt desert shrubs, determination of adequate, Neil E. West and Mustafa M. Baasher, 13:61-74
Pluchea, 21:131, 24:564
camphorata, 2:170
purpurascens, 16:375, 18:121, 23:501, 25:322
sericea, 11:396, 15:118, 24:447
Plumage aberrancies in band-tailed pigeons, Clait E. Braun, F. John Ward, J. Allen White, and Roger J. Boyd, 24:391-393
Plumage anomaly in the verdin, Walter Kingsley Taylor, 17:100-101
Plumages of the young lesser prairie chicken, on, George Miksch Sutton, 9:1-5
Plumatella, 23:365
emarginata, 15:344
repens, 15:331, 15:333, 15:344, 26:201, 31:557
Plumatellidae, 23:554
Plumbaginaceae, 1:64, 1:66, 9:233, 22:37, 23:503, 36:123
Plumbeous short-tailed shrew, third specimen of the, Arthur F. Halloran, 11:302
Plumeria, 18:194
rubra, 18:194
Plummer, Michael V., Predation by black rat snakes in bank swallow colonies, 22:147-148
Plummer, Michael V., see Dove, Laura B., —
Plummera
ambigens, 24:291-293
floribunda, 24:293
Plusiocampa, 12:253, 12:264, 12:270
Pluteaceae, 29:257, 29:264
Pluteus cervinus, 29:264
Pluvialis
dominica, 36:110
squatarola, 36:108
Plymale, Harry H., Crawford G. Jackson, Jr., and Gerald Collier, Kyphosis in *Chrysemys scripta yaquia* (Testudines: Emydidae) and other turtles, 23:457-461
Pnigodes
belfragei, 8:162, 8:163, 8:169, 8:171, 8:172
buchanani, 8:163, 8:171
setosus, 8:163, 8:171, 8:172
tuberosus, 8:171
Poa, 12:214, 17:1, 24:544, 27:339, 31:61
alpina, 20:434
annua, 4:116, 10:49, 12:73
arachnifera, 4:116, 10:52, 25:326, 27:312
bigelovii, 35:64, 35:75, 36:306
biglovii, 34:488
canbyi, 20:434
compressa, 12:140, 26:220
epilis, 20:434
fendleriana, 7:270, 12:137, 12:139, 12:143, 20:434, 34:35-45, 34:442, 34:488, 35:65, 35:75
glauca, 15:142, 20:434
interior, 28:290, 36:43
involuta, 8:186, 27:87, 27:88, 27:97
nemoralis, 20:434
nevadensis, 31:24
occidentalis, 25:279
pattersonii, 20:434
pratensis, 12:134, 12:138, 12:141, 12:144, 12:209, 12:321-324, 12:326, 12:327, 17:5, 17:6, 17:47, 20:434, 23:78, 23:280, 33:65-69
protensis, 22:214
reflexa, 20:434
sandbergii, 20:434, 29:412, 31:56, 35:323
sessiliflora, 11:426
unioloides, 11:391
virgata, 11:382, 11:384, 11:388
Poaceae, 9:233, 18:434, 18:437, 18:439-441, 22:139, 22:389-391, 24:435, 25:278-280, 25:325, 25:336, 25:557-558, 27:29-31, 29:250, 33:35-39, 34:61-71, 34:290, 35:19, 35:64, 35:74
Poblicia fuliginosa, 24:608, 24:612
Poche, Richard M., see Ruffner, George A., —
Pocket gopher mounds on plant production in shortgrass prairie ecosystems, effects of, W. E. Grant, N. R. French, and L. J. Folse, Jr., 25:215-224
Pocket gophers, tanks, and plant community composition, Wesley J. Leverich, 28:378
Podiceps
caspicus, 31:285
dominicus, 8:45-46
nigricollis, 31:280
Podilymbus podiceps, 8:45, 11:136, 31:280, 31:285, 32:379, 36:260
Podisus acutissimus, 29:441, 29:442
Podmosta
delicatula, 35:131
obscura, 35:131
Podocarpus, 28:67
guatemalense, 13:367
Podochela latimanus, 11:140
Podosordaria leporina, 23:529
Podostemma, 6:47
leoninum, 9:179
Podostemon, 10:244
Poduridae, 28:425
Poecilia, 22:325
butleri, 32:229, 32:233, 35:34, 35:40, 35:41, 35:46
chica, 35:34, 35:37, 35:41, 35:46
formosa, 15:257, 28:104, 36:203, 36:205, 36:208
latipinna, 22:324, 24:539, 25:496, 28:221, 28:222, 29:377, 30:475, 30:478-483, 30:517, 31:96, 32:409, 32:410, 34:340, 34:341, 36:203, 36:205, 36:208
latipunctata, 15:257
mexicana, 11:307-308, 12:32, 12:33, 15:257, 25:487, 25:496, 25:497, 28:221-223, 32:229, 32:233
petenensis, 32:229, 32:233
reticulata, 20:450, 22:538, 25:487, 25:491, 28:221, 28:223, 30:507
sphenops, 32:227, 32:229, 32:233, 35:41
sulphuraria, 32:229, 32:233
Poecilia mexicana (Osteichthyes: Poeciliidae) into Colorado, an introduction of, Donald E. Hahn, 11:307-308
Poecilichthys
exilis, 31:162
squamiceps, 22:435
Poecilid fish (genus *Gambusia*) from the Rio Grande drainage of Coahuila, Mexico, a new, W. L. Minckley, 8:154-161
Poeciliidae, 4:165, 8:137, 9:6-19, 11:307-308, 14:368, 15:249-259, 19:47-52, 22:359-366, 24:87-91, 24:311-322, 24:555-556, 26:415-423, 31:459-468, 31:528, 32:216, 32:226, 32:227, 32:229, 35:34, 35:35, 35:40-42, 35:45, 35:406, 36:189
Poeciliopsis, 17:265, 35:179, 35:185

baenschi, 35:34, 35:35, 35:37, 35:41, 35:42, 35:46
butleri, 32:227
fasciata, 32:229, 32:233, 35:41
gracilis, 32:229, 32:230, 32:233
hnilickai, 32:227, 32:229, 32:230, 32:233
infans, 35:45
latidens, 35:41
mexicana, 32:227
monacha, 35:180
occidentalis, 11:322, 11:323, 12:203, 14:368, 19:47-52, 24:555-556, 26:415-423, 27:226, 27:245-246, 28:399, 28:401, 28:402, 29:500-503, 30:173-187, 30:465-466, 34:408, 35:180, 35:181, 36:12, 36:156
petenensis, 32:227
sphenops, 32:227
turneri, 35:34, 35:37, 35:42, 35:46
turribarensis, 35:45
turrubarensis, 32:230, 32:233

Poff, Mark J., Grady E. Williams, III, and James T. McBee, A case of cold kill of the nereid polychaete *Neanthes succinea* (Frey & Leuckart), 19:333-334

Pogonatum brachphyllum, 28:241
Pogonias cromis, 20:462, 20:463, 24:557-561, 28:328, 28:465, 34:340, 36:207
Pogonichthys ciscoides, 25:389
Pogonis chromis, 16:438
Pogonistes planatus, 28:474
Pogonomyrex imbericulus, 21:1
Pogonomyrmex, 13:286, 13:287, 20:268, 21:3, 21:5, 28:138, 30:470, 30:471, 32:105, 32:107
anzensis, 25:154
apache, 21:6, 28:139
badius, 34:216, 35:477
barbatus, 26:8, 26:11, 28:139, 28:464, 31:395, 31:555, 34:216, 35:477, 35:478, 36:367
bicolor, 31:395
brevispinousus, 25:154
californicus, 21:6, 21:7, 28:139, 31:274, 31:395, 32:108, 34:214, 34:216, 36:141
desertorum, 21:6, 21:7, 28:139, 31:395
imberbiculus, 28:139
imbericulus, 21:6
magnacanthus, 32:108
maricopa, 28:139, 31:395, 31:396
montanus, 25:151-156, 30:307-309, 34:213-218, 36:140
occidentalis, 25:221, 25:154, 25:155, 27:245-246, 31:273, 31:274-276, 31:395-396, 33:480-482, 34:216, 36:141
owyheei, 25:155, 34:216
rugosus, 21:7, 28:139, 33:482-485, 34:213-218, 36:140
salinus, 25:155, 31:274, 36:141
subdentatus, 25:154
subnitidus, 25:154, 25:155, 31:395, 34:213-218, 36:140
tenuispina, 25:192
wheeleri, 31:395

Pogonomyrmex occidentalis, an addition to the ant fauna of Mexico, with notes on other species of harvester ants from Mexico (Hymenoptera: Formicidae), Justin O. Schmidt, Patricia J. Schmidt, and Roy R. Snelling, 31:395-396

Pogonus chromis, 16:437
Poinsettia
dentata, 35:72
heterophylla, 35:72
radians, 35:72

Poirrier, Michael A., Additional records of Texas fresh-water sponges (Spongillidae) with the first record of *Radiospongilla cerebellata* (Bowerbank, 1863) from the Western Hemisphere, 16:434-435

Poirrier, Michael A., and Guy J. Denoux, Notes on the distribution, ecology and morphology of the colonial hydroid *Cordylophora caspia* (Pallas) in southern Louisiana, 18:253-255

Pokropus, Edward J., see Armstrong, David M., —

Polaco, Oscar J., First record of *Noctilio albiventris* (Chiroptera: Noctilionidae) in Mexico, 32:508-509

Polanisia, 3:134
dodecandra, 3:133, 3:135-137, 3:140, 14:115, 14:121, 22:341, 35:66, 35:71
graveolens 14:115
jamesii, 3:133, 3:135, 3:136, 25:329
trachysperma, 3:136, 21:316
uniglandulosa, 1:56, 1:64, 3:136, 14:115, 14:117

Polechla, Paul J., see Best, Troy L., —

Polemiotus submetallicus, 24:607, 24:610

Polemoniaceae, 1:65, 2:167, 4:58, 6:50-51, 18:435, 18:439, 20:431, 22:343, 23:153-154, 23:297, 24:536-537, 25:333, 28:290, 35:64, 35:73

Polemonium
delicatum, 20:431
foliosissimum, 32:525-527
viscosum, 20:431

Polianthes virginica, 22:137
Poliomintha, 28:233
incana, 1:53, 1:54, 1:65, 32:193
Polioptila
albiloris, 4:75
caerulea, 4:75, 7:259, 9:133, 11:136, 16:16, 18:199, 21:552, 22:369, 24:572, 29:473, 34:495
melanura, 18:196, 18:199

Polioptillo melanura, 16:6

Polistes, 2:130, 2:131, 23:303, 32:491, 32:493, 32:494
canadensis, 24:605, 24:606, 24:611
flavus, 24:608, 24:611
thermistocles, 21:34

Pollen morphology of the *Dalea mollis-D. neomexicana* complex (Leguminosae) in the United States, William F. Mahler, 15:187-191

Pollen release mechanism in the flower of the Mexican hackberry tree, *Celtis laevigata*, description of a, Hector S. Cuellar, 12:471-474

Polley, H. Wayne, and Linda L. Wallace, The relationship of plant species heterogeneity to soil variation in buffalo wallows, 31:493-501

Pollination and banner markings in *Lupinus texensis* (Leguminosae), Barbara A. Schaal and Wesley J. Leverich, 25:280-282

Pollination ecology and floral biology of four weedy genera in southern Oklahoma, James W. Hardin, George Doerksen, Dale Herdon, Melinda Hobson, and Freeman Thomas, 16:403-412

Pollination ecology of *Aquilegia micrantha* (Ranunculaceae) in Colorado, the, Russell B. Miller and Cynthia L. Willard, 28:157-164

Pollination ecology of *Streptanthus bracteatus* (Brassicaceae): a rare central Texas endemic, Gregg Dieringer, 36:341-343

Pollination of *Apocynum sibiricum* (Apocynaceae) by Lepidoptera, Keith D. Waddington, 21:31-35

Pollination of *Cnidoscolus texanus* (Euphorbiaceae) in south-central Oklahoma, Gaylene Perkins, James R. Estes, and Robbin W. Thorp, 20:391-396

Pollination studies of *Arceuthobium americanum* in Utah and Colorado, Susan Gregor, Delbert Wiens, Robert E. Stevens, and Frank G. Hawksworth, 19:65-73

Polunin, Nicholas, Circumpolar Arctic flora (rev.), 4:210

Polyartemiella, 20:91
hazeni, 20:94, 20:101
judayi, 20:95, 20:101

Polyartha euryptera, 23:636
Polyarthra, 1:6, 1:9, 1:15, 10:266, 10:270, 15:104, 17:244, 21:254, 22:417, 23:169, 30:242, 33:466-470, 35:393, 35:398
vulgaris, 21:465-467

Polybranchia, 18:168
Polycelis, 25:469, 25:470, 25:474
coronata, 19:387, 19:388, 19:390-393, 25:27, 25:470, 25:472, 25:473, 28:129-131
sierrensis, 25:470

Polycentropodidae, 23:383, 31:448

Polycentropus, 1:152, 23:139, 34:185
cinereus, 31:448
gertschi, 31:449
halidus, 31:449
interruptus, 31:449
nascotius, 23:383
variegatus, 31:449
Polychaetes of Bolivar Flats and Big Reef, Galveston, Texas, a survey of the, Norman E. Sears and Allan J. Mueller, 34:150-154
Polyctenidae, 20:241
Polydactylus octonemus, 1:158, 1:162, 36:207
Polydesmida, 34:219-224, 35:96-97
Polydesmidae, 12:263
Polyedriopsis, 10:188-210
spinulosa, 23:87
Polyergus
breviceps, 30:259-267, 30:289-295
lucidus, 30:259, 30:265, 30:289, 30:293
rufescens, 30:259, 30:289
samurai, 30:259, 30:289
Polygala, 20:217
alba, 14:342, 17:7, 22:37, 23:297, 23:503, 23:508, 24:435, 25:315, 28:382, 30:536, 33:109, 35:73, 36:123
barbeyana, 35:73
hemipterocarpa, 23:297
incarnata, 7:170, 36:123
longa, 23:297
macrodencia, 32:452
obscura, 35:73
tweedy, 23:297
Polygalaceae, 22:37, 23:297, 23:503, 35:73, 36:123
Polygonaceae, 1:63, 1:66, 2:161, 4:56, 12:154, 13:357-359, 13:359-361, 14:257, 14:258, 15:411, 18:325, 18:326, 19:329, 20:431, 22:343, 23:503, 24:189, 25:328, 27:247-253, 29:182, 33:71-80, 33:175, 35:19, 35:73
Polygonal breeding territories in a natural population (Pisces: Cyprinodontidae: *Cyprinodon*), Anthony A. Echelle, Alice F. Echelle, and D. Allen Rutherford, 35:338-340
Polygonatum commutatum, 12:140
Polygonum, 4:4, 4:186, 12:202, 12:293, 14:34, 14:36, 14:173, 14:180, 14:183, 15:411, 23:424, 24:374, 24:375, 25:391, 27:461, 35:434, 35:436, 35:437
aviculare, 15:411, 29:411, 28:255
bicorne, 14:179, 14:181, 14:182, 15:411, 30:605
buxiforme, 15:411
coccineum, 2:161, 15:411, 30:336, 30:339
convolvulus, 29:411
douglasii, 20:431, 29:411
hydropiper, 7:170, 30:607
hydropiperoides, 2:161, 15:411, 32:522, 33:175
incarnatum, 15:411
lapathifolium, 2:161, 4:159, 8:188, 14:179, 15:411, 19:155, 19:160, 19:162, 26:232, 30:605, 33:173, 33:175
lapthifolium, 24:434
lepathifolium, 33:374
longistylum, 15:411
monspeliensis, 33:173, 33:175
neglectum, 15:411
pennsylvanicum, 15:411, 28:255
persicaria, 30:607
prolificum, 15:411
punctatum, 33:175
ramosissimum, 15:411, 25:402
sawatachense, 8:173
sawatchense, 29:411
striatulum, 14:257
tenue, 7:170, 18:326
texense, 14:257-258
triandrus, 18:326
Polygonum *texense* M. C. Johnston (Polygonaceae), new species from South Plains and Edwards Plateau, Marshall C. Johnston, 14:257-258
Polygyra
anilis, 9:103
auriformis, 5:148, 5:150
cereolus, 24:196
dorfeuilliana, 16:311, 16:318
jacksoni, 4:146
mooreana, 5:148, 5:150
peregrina, 30:598
scintilla, 5:151
texasiana, 4:146, 5:150, 16:311, 24:688
triodontoides, 5:148, 5:150, 5:151
Polygyridae, 5:150, 7:53, 9:103, 9:104, 24:196, 24:688
Polymnia maculata, 9:28, 9:31, 9:35, 12:149, 16:376
Polymorphic *Eumeces multivirgatus* from the Texas High Plains, John S. Mecham, 12:104-105
Polymorphus, 29:458
contortus, 32:90
Polynemidae, 1:158
Polyochera, 14:136
Polyodon spathula, 2:96, 4:159, 19:260, 27:112
Polyodontidae, 4:159
Polypedilum, 23:139, 25:141, 25:251, 25:381, 25:550, 34:480
digitifer, 12:375, 25:251, 25:254, 32:412
halterale, 14:239, 14:245
illinoense, 14:239, 14:245
obtusum, 1:152
parascalaenum, 14:239, 14:245
Polyphylla
decemlineata, 26:215, 26:216
diffracta, 26:215-216
lanceolata, 26:215, 26:216
Polypodiaceae, 1:62, 18:435, 18:439, 20:427, 22:343, 23:297, 24:294
Polypodium hesperium, 34:442
Polypogon, 19:115
monspeliensis, 2:158, 4:116, 23:506, 25:315, 27:226, 29:249, 29:250, 35:75
Polyporaceae, 19:355
Polyporus
anceps, 19:355
arcularius, 19:356
circinatus, 14:125
munzii, 14:125
obtusus, 19:356
osseus, 19:356
salmonicolor, 17:419
ulmarius, 17:412
varius, 19:356
Polypremum procumbens, 22:38, 23:502, 25:315
Polypsocidae, 21:342
Polypsocus corruptus, 22:28
Polypterus, 7:119
enlicheri, 20:450
Polysiphonia, 21:459
Polysphondylium
pallidum, 31:268
violaceum, 31:268
Polystictus patouillardii, 17:413
Polytaenia
nuttallii, 4:52, 4:58
texana, 16:273
Polytomella, 25:420
Pomadasys
bayanus, 32:231, 35:45
leuciscus, 32:231
macracanthus, 32:231
panamensis, 32:231
crocro, 28:104, 36:206
branicki, 32:231
Pomatiopsis lapidaria, 3:225
Pomatomidae, 1:161
Pomatomus saltatrix, 1:161
Pomoxis, 2:92, 22:531, 35:346, 35:408
annularis, 3:8, 4:166, 4:167, 12:333-335, 15:141, 16:283, 16:288, 16:293, 19:263, 20:315-322, 22:250, 22:525, 22:528, 22:529, 23:111-115, 24:2, 25:58, 27:110-112, 30:517, 32:215, 32:216, 32:410, 32:524, 35:347, 35:406, 36:190, 36:203, 36:205, 36:230
nigromaculatus, 3:8, 4:167, 12:335, 14:213, 15:141, 19:263, 27:110-112, 28:170, 31:162, 32:409, 32:410, 32:522, 32:524, 35:87, 35:347, 35:406
sparoides, 31:162
Pompholyx, 22:417
Pomphorhynchus bulbocolli, 29:381, 29:383
Pompilidae, 2:130, 17:103-104, 20:8, 24:605, 26:430, 26:431, 32:419, 34:513-518
Ponderosa, 16:323, 18:434, 18:440
Ponderosa pine seedling produces pollen, one-year, R. L. DeVelice and J. T. Fisher, 27:211-213
Pondonomus, 23:219
Ponera pennsylvanica, 28:139
Ponerochis, 13:337

Ponerorchis rotundifolia, 13:335, 13:337
Pontederiaceae, 15:410, 33:175, 34:290
Pooecetes gramineus, 22:370, 22:371
Pooectes gramineus, 34:491
Population age structure and its relationship to the maintenance of a semi-desert grassland undergoing invasion by mesquite, R. Gerald Wright and George M. Van Dyne, 26:13-22
Population changes in a Mediterranean scrub rodent assembly during drought, Teryl A. Spevak, 28:47-52
Population density, movements, and habitat use of bobcats in Arkansas, Richard A. Rucker, Michael L. Kennedy, Gary A. Heidt, and Michael J. Harvey, 34:101-108
Population dynamics in the carabid beetle: *Pasimachus punctulatus*, David H. Nelson, 15:55-69
Population dynamics of a playa community in the Chihuahuan Desert, William P. MacKay, Steven J. Loring, Thomas M. Frost, and Walter G. Whitford, 35:393-402
Population dynamics of white-tailed deer (*Odocoileus virginianus*) on the Welder Wildlife Refuge, Texas, John G. Kie and Marshall White, 30:105-118
Population ecology of a highly productive aquatic salamander (*Siren intermedia*), Frederick R. Gehlbach and Stephen E. Kennedy, 23:423-429
Population ecology of *Perognathus fallax* (Rodentia: Heteromyidae) in southern California, notes on the, Leroy R. McClenaghan, Jr., 28:429-436
Population ecology of roadrunners (*Geococcyx californianus*) in South Texas, Leon J. Folse, Jr., and Keith A. Arnold, 23:1-27
Population fluctuation in the amphibian fauna of Cleveland County, Oklahoma during the past twenty-five years, Arthur N. Bragg, 5:165-169
Population genetics of Mexican *Drosophila*. VII. Inversion polymorphism in populations of *Drosophila pseudoobscura* from southern Mexico, O. Olvera, M. E. De La Rosa, V. M. Salceda, M. I. Gaso, and J. Guzman, 27:361-364
Population movements of the Harris' sparrow and tree sparrow in eastern Kansas, Walter D. Graul, 12:303-310
Population of larval *Ambystoma tigrinum* (Ambystomatidae) from Cimarron County, Oklahoma, notes on a, Jack D. Tyler and Henry N. Buscher, 25:391-395
Population of Sceloporus undulatus consobrinus in south-central Oklahoma, a, Charles C. Carpenter, 4:110-111
Population status of the Mexican leaf-cutting ant, *Atta mexicana* (Formicidae), in the Sonoran Desert of Arizona, Alex C. Mintzer and Carole L. Mintzer, 33:250-251
Population structure, density and movements of the Texas tortoise *Gopherus berlandieri*, Frank W. Judd and Francis L. Rose, 28:387-398
Population structure, growth and reproduction of the Arkansas darter, *Etheostoma cragini* (Percidae), Charles A. Taber, Barbara A. Taber, and Milton S. Topping, 31:207-214
Population structure of *Cnemidophorus tigris* (Reptilia: Teiidae) east of the Continental Divide, Fred S. Hendricks and James R. Dixon, 29:137-140
Population structure of the Piute ground squirrel (*Spermophilus mollis*), Eric A. Rickart, 33:91-96
Population study of the funnel-eared bat (*Natalus stramineus*) in Sonora, G. Clay Mitchell, 12:172-175
Population study of the isopod, *Armadillidium vulgare*, in northeastern Texas, a, E. M. B. Sorensen and Ray D. Burkett, 22:375-387
Populations of small mammals in north-central Oklahoma, Gary D. Schnell, Robert D. Owen, Ronald K. Chesser, and Paul G. Risser, 25:67-80
Populations of the desert grassland scorpion *Paruroctonus utahensis* (Vaejovidae), limited by food abundance?, are, Richard A. Bradley, 34:46-53
Populations of two Sonoran Desert plants, and deductions as to factors limiting their northward extension, W. Glen Bradley, 11:395-401
Populu tremuloides, 19:334
Populus, 2:155, 8:175, 9:182, 11:316, 13:269, 14:111, 14:125, 14:163, 15:132, 17:74, 17:89, 17:99, 18:193, 19:164, 19:432, 20:333, 22:293, 22:294, 23:230, 24:337, 24:338, 24:340, 24:342, 24:344, 24:345, 26:76, 27:119, 28:462, 29:76, 29:337, 30:75, 31:345, 31:553, 32:335, 34:251
acuminata, 16:5, 28:82-84, 31:347-355
alba, 27:428, 27:432
angustifolia, 12:209, 15:150, 15:153-155, 15:157, 19:357, 28:82-84, 29:234, 31:347-353, 31:356
deltoides, 2:160, 14:329, 15:135, 18:436, 18:438, 18:440, 19:155, 19:157-161, 19:163, 20:323, 20:325, 20:328, 20:334, 21:480, 24:169, 24:171, 24:434, 25:207, 25:210, 25:327, 27:56-59, 27:117, 27:425, 27:428, 27:429, 29:265-269, 31:356, 33:324, 34:73, 35:437, 36:282
euphratica, 24:339
fremonti, 15:264, 21:119
fremontii, 8:206, 11:127, 13:449, 14:405, 15:152, 15:155, 15:394, 16:87, 17:86, 17:413, 21:132, 22:429, 24:191, 24:279, 24:331, 24:333, 24:339, 24:341, 24:343, 24:564, 26:253, 26:418, 27:226, 28:33, 28:82-84, 28:200, 29:73, 29:74, 30:613, 31:348, 31:353, 31:354, 31:356, 34:267, 35:73, 35:116, 35:217, 35:218, 36:119, 36:159, 36:218-224, 36:268
sargenti, 13:85, 13:86
sargentii, 1:145, 12:137, 14:134-136, 24:339, 26:53, 28:249, 28:251, 28:252, 28:254, 28:256-258, 29:234, 30:336, 30:339, 33:361, 33:495, 36:222
texana, 2:160
tremula, 29:265
tremuloides, 8:196, 8:197, 12:143, 12:321, 12:324, 12:325, 12:327, 15:152, 15:154-156, 17:318, 19:147-154, 19:347, 20:165, 20:432, 21:60, 21:61, 22:214, 22:291, 23:280, 25:560, 27:464, 28:83, 28:85, 28:200, 28:289, 29:265, 30:386, 31:320, 32:204, 34:41, 35:354, 35:464, 36:19, 36:39, 36:41, 36:246, 36:247
wislizeni, 1:53, 1:54, 1:57, 1:63
wislizenii, 25:362
Porcellanidae, 11:139
Porcellio
davisi, 29:315
gertschi, 29:315
dilatatus, 29:309, 29:310, 29:314, 29:318
laevis, 29:309, 29:310, 29:312-314, 29:318
spinicornis, 29:314
Porcellionidae, 29:310
Porcellionides pruinosus, 29:309, 29:310, 29:312, 29:314, 29:318, 31:254, 31:255
Porcupine (*Erethizon dorsatum*) in Texas, notes on the, William W. Milstead and Donald W. Tinkle, 3:236-237
Porcupine, *Erethizon dorsatum* Linnaeus, (Rodentia), in Texas, the, Timothy C. Kaspar and John F. Parrish, III, 19:214-215
Porcupine pellet pH, color, and composition, Mark K. Johnson and Andrew B. Carey, 24:544-545
Porella
navicularis, 1:118
pinnata, 28:240
platyphylla, 28:240
platyphylloidea, 28:240
Porgne
carolinensis, 17:149

subis, 17:149
Poria
bombycina, 19:356
carbonica, 19:356
cinerascens, 19:356
crassa, 19:356
ferox, 19:356
latitans, 19:356
lenis, 19:356
monticola, 19:356
nigrescens, 19:356
odora, 19:356
pannocincta, 19:356
purpurea, 19:357
rancida, 19:357
reticulata, 19:357
rhodella, 19:357
salmonicolor, 17:419-421
sanguinolenta, 19:357
sinuosa, 19:357
sitchenis, 19:357
subacida, 19:357
subincarnata, 19:357
subvermispora, 19:357
tarda, 19:357
tenuis, 19:357
xantha, 19:357
Porichthys porosissimus, 20:463
Porifera and Ectoprocta in Mexico: architecture and environment of *Carterius latitentus* (Spongillidae) and *Fredericella australiensis* (Fredericellidae), John H. Bushnell, 15:331-346
Porlieria, 17:398
angustifolia, 13:207, 14:103, 14:109, 17:395, 18:440, 22:349, 23:10, 24:302, 31:102, 33:108
angustifolio, 16:6
augustifolia, 18:437
Poronia, 23:529-532
leporina, 23:529-531
oedipus, 23:529-531
punctata, 23:529, 23:532
Poronia (Ascomycetes) in Texas, new localities for the genus, Robert D. Koehn, 23:529-532
Poronotus triacanthus, 16:32
Porophyllum, 16:370
gracile, 12:109, 16:376, 27:404, 35:70
gracilis, 15:277
greggi, 15:175, 15:180, 15:184
holwayanum, 16:376
macrocephalum, 12:109, 15:180, 15:184, 16:376
nelsonii, 16:376
nutans, 16:376
pringlei, 16:376
ruderale, 35:66, 35:70
scoparioides, 22:342
scoparium, 12:109, 15:180, 15:184, 16:376, 21:316, 23:296
tagetoides, 16:376
viridiflorum, 16:376
Porophyllum macrocephalum (Compositae: Helenieae) new to New Mexico, R. Roy Johnson, 12:109
Porotheleum fimbriatum, 19:353
Porphyrula martinica, 20:212
Porrhomma, 11:366, 11:367
Portable carbon dioxide anesthetizer for spiders, a, F. Christopher Baptista, 34:288-289
Porter, Calvin A., Pamela Thompson, Hal L. Black, and Clive D. Jorgensen, Genetic variability in a population of *Paraponera clavata* (Hymenoptera: Formicidae), 31:381-385
Porter, David K., Mark A. Strong, J. Brent Giezentanner, and Ronald A. Ryder, Nest ecology, productivity, and growth of the loggerhead shrike on the shortgrass prairie, 19:429-436
Porter, Kenneth R., *Bufo cycladen* (Bufonidae): a case of *nomen dubium*, 12:200-201
Porter, Sanford D., see Hook, Allan W., —
Ports, Mark, see Caire, William, —
Ports, Mark A., and J. Kent McAdoo, *Sorex merriami* (Insectivora: Soricidae) in eastern Nevada, 31:415-416
Ports, Mark A., see Caire, William, —
Portulaca, 2:126, 23:132, 24:131, 25:364, 25:365
mundula, 21:314, 21:316, 23:503, 24:304, 24:305, 25:322, 25:329
oleracea, 21:314, 23:129, 23:131, 23:503, 25:322, 27:176, 29:280, 29:285, 33:365, 36:54, 36:56
oleraceae, 25:329
parvula, 1:63, 35:73
pilosa, 2:162, 30:546
retusa, 35:73
suffrutescens, 35:66, 35:73
umbraticola, 1:63, 23:503, 25:322, 35:66, 35:73
Portulacaceae, 1:63, 2:162, 3:130, 19:71, 23:503, 24:295, 25:329, 28:290, 31:34, 35:19, 35:73
Portulaceae, 20:431
Portunidae, 20:481
Porzana carolina, 33:251
Post, Douglas D., and David Pettus, Variation in *Rana pipiens* (Anura: Ranidae) of eastern Colorado, 11:476-482
Post oak forest in south-central Oklahoma, the composition of a, Wm. T. Penfound, 8:114-115
Post-hibernation behavior in *Terrapene carolina triunguis* (Emydidae), John L. Carr and Timothy W. Houseal, 26:199-200
Post-settlement history of mammals in western Kansas, Jerry R. Choate, 32:157-168
Postfire recovery of chaparral along an elevational gradient in southern California, Jon E. Keeley and Thomas J. Soderstrom, 31:177-184
Posthodiplostomum minimum, 12:334-335, 16:281, 16:285, 16:288, 16:290, 16:293, 18:406, 18:408-413, 22:361-363, 22:525, 22:527, 22:528, 27:224, 27:244, 29:379, 29:382, 29:383
Posthodiplostomum minimum (Trematoda: Diplostomidae) in fishes of Madison County, eastern Texas, Thomas G. Meade and C. A. Bedinger, Jr., 12:334-335
Postlarval gar (*Lepisosteus spatula* Lacépède, Lepisosteidae), with a list of associated species from the Red River, Choctaw County, Oklahoma, a description of, George A. Moore, Milton B. Trautman, and Milton R. Curd, 18:343-344
Postmortem field preparation of bird and mammal chromosomes: an evaluation involving the pocket gopher, *Thomomys bottae*, John C. Hafner and Darren R. Sandquist, 34:330-337
Postnatal growth and development in a subtropical population of *Peromyscus leucopus texanus*, David D. Guetzow and Frank W. Judd, 26:183-191
Potamarius nelsoni, 32:227, 32:229
Potamilus, 22:236
laevissimus, 22:240-242, 22:244, 22:246-249, 22:250
purpuratus, 34:564
Potamocoris beckeri, 31:539
Potamodytes spangleri, 24:197
Potamogetan, 25:379
Potamogeton, 4:4, 4:186, 11:80-82, 12:56, 12:202, 13:250, 14:36, 15:408, 19:262, 19:267, 19:373, 22:119, 23:52, 24:131, 25:411, 25:414, 25:418, 25:419, 25:421, 26:62, 26:64, 27:34, 27:44, 29:399, 33:170
crispus, 4:154, 4:155, 4:159, 21:403, 34:290
foliosus, 15:408
illinoensis, 2:156, 33:169, 33:173, 33:175, 34:290
natans, 15:408, 21:411, 24:691, 26:232
nodosus, 4:159, 14:33, 14:35, 14:38, 20:217, 34:290
pectinatus, 4:159, 15:408, 24:314, 24:374, 24:668, 24:691, 26:60, 26:232, 33:169, 33:173, 33:175, 34:290
Potamogetonaceae, 2:156, 4:154, 33:175, 34:290
Potamonidae, 11:413
Potamyia flava, 23:383
Potentilla, 15:413, 22:293, 22:294, 24:544, 24:545
arguta, 12:140, 14:331, 32:35
diversifolia, 18:326

fruticosa, 25:560
gracilis, 18:326, 18:327, 20:432
hippiana, 12:323
nivea, 20:432
pulcherrima, 12:323, 20:432
recta, 18:326, 18:327
rivalis, 15:413
simplex, 32:35
Potmatomus saltatrix, 13:182
Potomageton, 35:354
Potomegton, 36:9
Potomogeton, 14:228
Potomothrix, 23:139
Potos flavus, 28:379, 35:233
Potter, Loren D., see Barr, Mary L., —
Pottia
arizonica, 3:117
fosbergii, 1:118
texana, 3:117
Pottiaceae, 30:151-152
Potts, Lindsey R., see Francke, Oscar F., —
Poultenella alboimmaculata, 17:165
Powell, A. Michael, A new species of Argemone (Papaveraceae) from Mexico, 17:106-107
Powell, A. Michael, An emended description of the monotypic genus *Bartlettia* A. Gray (Senecioneae) with distributional notes, 8:117-120
Powell, A. Michael, and Hing Shya Tsang, Preliminary chromatographic studies of Laphamia and related genera of Compositae, 11:190-195
Powell, A. Michael, and S. Sikes, Chromosome numbers of some Chihuahuan Desert Compositae, 15:175-186
Powell, A. Michael, Novelties in *Tridax* (Compositae), 8:177-179
Powell, A. Michael, review by, 17:437
Powell, A. Michael, Shirley A. Powell, and A. Spencer Tomb, Cytotypes in *Cevallia sinuata* (Loasaceae), 21:433-441
Powell, A. Michael, Taxonomy of Pericome (Compositae-Peritylinae), 18: 335-339
Powell, A. Michael, see Weedin, James F., —
Powell, Jeff, Thadis W. Box, and Charles V. Baker, Growth rate of sprouts after top removal of huisache (*Acacia farnesiana* (L.) Willd.) (*Leguminosae*) in South Texas, 17:191-195
Powell, Shirley A., see Powell, A. Michael, —
Powerline corridor, 27:1-9
Prairie vole, *Microtus ochrogaster* (Rodentia), in Arkansas, distribution of the, Dwight W. Moore and Gary A. Heidt, 26:208-210
Prairie vole, noteworthy southwestern records of the, Michael P. Reed and Jerry K. Choate, 33:495-496
Prasiola, 31:452
Praticolella
berlanderiana, 5:151
berlandieriana, 5:148, 9:104, 24:688
griseola, 9:104
Pratilepus, 24:275, 24:276, 24:278, 33:394, 33:395
kansasensis, 24:277
Pratt, Gene A., see Brown, Walter V., —
Pratt, W. L., *Humboldtiana agavophila*, a new helminthoglyptid land snail from the Chisos Mountains, Big Bend National Park, Texas, 15:429-435
Pre-dispersal seed feeding insects of a desert legume, *Astragalus nutallianus*, Harold G. Fowler and Walter G. Whitford, 28:466-469
Precis lavinia, 21:34
Predacion de aves en reptiles, notas sobre, Armando J. Contreras-B. y Carlos H. Treviño-S., 32:505-506
Predation and species replacement in American southwestern fishes: a case study, Gary K. Meffe, 30:173-187
Predation by badger of yellow-bellied marmot in Colorado, D. C. Andersen and D. W. Johns, 22:283-284
Predation by black rat snakes in bank swallow colonies, Michael V. Plummer, 22:147-148
Predation by great horned owl (Bubo virginianus) on young Mexican freetailed bats (Tadarida brasiliensis mexicana) in Major County, Oklahoma, Rollin H. Baker, 9:205
Predation by ictalurid catfishes as a deterrent to re-establishment of hatchery-reared razorback suckers, Paul C. Marsh and James E. Brooks, 34: 188-195
Predation on frogs in breeding choruses, Bruce Douglas Woodward and Sandra Mitchell, 35:449-450
Predation on horned lark by loggerhead shrike, apparent, Marsha Reeves Conley, 27:367
Predation on lark sparrow eggs by a massasauga rattlesnake, Samuel W. Brush and Gary W. Ferguson, 31: 260-261
Predation on lizards by *Callisoma* (Coleoptera), Charles C. Carpenter and Julia K. Yoshida, 11:413-414
Predation on Sonoran spotted whiptails, *Cnemidophorus sonorae* (Teiidae), by the great-tailed grackle, *Quiscalus mexicanus* (Icteridae), Mark R. Jennings, 29:514
Predation on yellow-eyed junco nestlings by twin-spotted rattlesnakes, Thomas C. Gumbart and Kimberly A. Sullivan, 35:367-368
Predator control and deer productivity in northern Arizona, a history of, Clay Y. McCulloch, 31:215-220
Predator response postures of crayfish. I. The genus *Procambarus* (Decapoda, Cambaridae), William A. Hayes, II, 21:443-449
Predator-prey size relations in three species of lizards from Sonora, Mexico, Garnett R. Brooks and Joseph C. Mitchell, 34:541-546
Predicting topgrowth yield of gulf cordgrass from basal diameter and volume measurements, Jerry W. McAtee, Robert D. Oefinger, and C. J. Scifres, 23:197-204
Predominant autogamy in *Youngia japonica* (Asteraceae), evidence for, Donald P. Hauber, Rita J. Kuhnell, and Matthew K. Miller, 34:557-559
Preference behavior of the Red River pupfish, *Cyprinodon rubrofluviatilis* (Cyprinodontidae), to acclimation-salinities, Loren G. Hill and John P. Holland, 16:55-63
Preisler, H. K., see Smith, R. H., —
Prenanthes
aspera, 32:35
racemosa, 18:342
Prenatal growth of the cottontail rabbit in South Texas, J. du P. Bothma and James G. Teer, 17:345-348
Prenolepis imparis, 28:29, 28:140, 33:217
Preptoceras, 22:261
Preslia, 18:482
Preston, Charles R., Charles S. Harger, and Harold E. Harger, Habitat use and nest-site selection by red-shouldered hawks in Arkansas, 34:72-78
Prete, Phillip J., Thomas L. Beitinger, and Jack A. Stanford, Behavioral avoidance of acidic lakewater by bluegill, *Lepomis macrochirus* (Centrarchidae), 26:433-436
Prey impaling by black-billed magpie, Leroy H. Banicki, 32:283
Prey on the feeding behavior of *Trimorphodon biscutatus lambda* (Colubridae), influence of, K. Bruce Jones, 33:488-490
Prey records of the web-building spiders *Dictyna segregata* (Dictynidae), *Theridion australe* (Theridiidae), *Tidarren haemorrhoidale* (Theridiidae), and *Frontinella pyramitela* (Linyphiidae) in a cotton agroecosystem, M. Nyffeler, D. A. Dean, and W. L. Sterling, 33:215-218
Prey remains from bald eagle nests in Sonora, Mexico, Bryan T. Brown, William C. Leibfried, Thomas R.

Huels, and Jesus Arenas Olivera, 36:259-262
Priapella, 32:233
compressa, 32:229
intermedia, 32:227
Price, Alan D., see Tumlison, Renn, —
Price, Andrew H., Observations on maternal behavior and neonate aggregation in the western diamondback rattlesnake, *Crotalus atrox* (Crotalidae), 33:370-373
Price, Peter W., Wild buckwheat, *Eriogonum inflatum* (Polygonaceae): an enigmatic plant, 27:247-253
Price, Phyllis K., see Kennedy, Michael L., —
Price, W. Wayne, A new locality record for *Metamysidopsis swifti* Bacescu, 1969 (Crustacea: Mysidacea) from the Gulf Coast of Mexico, 20:138
Pridgeon, Bryan H., see Propst, David L., —
Priepella compressa, 32:227
Prietella, 6:57, 6:63, 6:64
phreatophila, 6:55
Primary production potential of blue-green algal mats on southern Texas tidal flats, Warren Pulich, Jr., and Steven Rabalais, 31:39-47
Primary shoot production of blue grama grassland in south-central New Mexico under two soil nitrogen levels, Rex D. Pieper, Don D. Dwyer, and Roger E. Banner, 20:293-302
Primicimex cavernis, 4:64
Primula, 18:435, 18:441
augustifolia, 20:431
parryi, 20:431
Primulaceae, 2:166, 18:435, 18:441, 20:431, 22:37, 23:503, 28:303-314, 35:73, 36:123
Prionocera, 23:555
Prionoglaridae, 29:169-179
Prionoglaris, 29:169, 29:178, 29:179
stygia, 29:177
Prononyx fervens, 24:608, 24:611
Prionopsis ciliata, 2:130, 2:170, 26:154
Prionosoma
podopioides, 32:491
podopoides, 32:492
Prionurus microlepidotus, 28:262, 28:267
Prionus, 5:100
californicus, 28:474
Prior, Paul V., Bryophytic flora of a West Texas canyon, 6:186-188
Prior, Paul V., *Fossombronia longiseta* (Aust.) in Texas, 13:100-101
Prior, Paul V., Notes on the Bryophytes of Garner State Park, Texas, 5:43-44
Prior trap experience might bias coyote responses to scent stations, William F. Andelt, Charles E. Harris, and Frederick F. Knowlton, 30:317-318
Pristella phreatophila, 6:61
Pristina, 23:554, 23:558-560
aequiseta, 18:158, 18:163, 24:509, 24:520, 24:522, 27:296
americana, 24:509, 24:511, 24:512, 24:514
breviseta, 14:231, 14:237, 14:240
elegans, 23:542
evelinae, 27:296
foreli, 27:296
idrensis, 18:159
jenkinae, 27:295, 27:296
leidyi, 24:509, 24:520, 24:522, 24:523, 27:295
longidentata, 14:231, 14:237, 14:240, 18:159, 18:163
longiseta, 14:231, 14:237, 14:240, 18:159-161, 18:163, 27:295
macrochaeta, 18:163
menoni, 18:163, 27:287, 27:297, 27:298
minuta, 18:159, 18:160, 18:163
osborni, 18:160, 27:296
peruviana, 24:512, 24:514
plumaseta, 24:512, 24:514
proboscidea, 18:163
synclites, 24:509, 24:518, 25:140
unidentata, 18:151, 18:161-163, 23:541-544
Proboscidea
diversifolia, 30:150
fragrans, 28:445-449
gracillima, 30:150
louisianica, 28:445-449
parviflora, 21:314, 21:316, 27:228, 30:150, 30:151, 30:343-348, 35:73
sabulosa, 27:228
sinaloensis, 30:151
triloba, 30:150
Proboscidea (Martyniaceae), nomenclatural changes in, P. K. Bretting, 30:150-151
Proboscidea sabulosa Correll (Martyniaceae), a sand dune endemic, range extension for, P. K. Bretting, 27:228
Probythinella
binneyana, 27:350
lacustris, 3:225
Procambarus, 21:443-449, 36:175
acutus, 18:98, 18:183-185, 19:168, 19:170-172, 21:443, 21:445-448, 26:37-39, 30:191, 30:193, 33:120, 36:132
blandingii, 30:207
clarki, 19:168, 19:171, 19:172, 25:236, 34:121
clarkii, 18:183-185, 22:271-275, 29:363, 29:364, 30:193, 30:475, 33:120, 36:132
curdi, 26:38, 26:39, 36:129, 36:132
dupratzi, 22:272, 30:193
gracilis, 21:443-448
hagenianus, 36:135
hinei, 18:183-185
incilis, 18:183-185, 19:167, 19:171, 19:172, 19:175
liberorum, 30:200, 30:201
natchitochae, 30:191, 30:192
ouachitae, 30:196, 30:207, 30:209
parasimulans, 30:196, 30:207
planirostris, 33:120
pygmaeus, 36:133
reimeri, 30:196, 30:200
simulans, 14:224, 14:226, 14:237, 14:242, 18:184, 18:185, 19:168, 19:171, 19:172, 21:443, 21:445, 21:446, 21:448, 26:37, 26:39, 30:193, 30:207
spiculifer, 30:207, 30:209
tenuis, 30:196, 30:207
tulanei, 9:106
vioscai, 33:121
Procellio dilatatus, 29:309, 29:310, 29:314, 29:318
Procladius, 23:139, 23:142, 25:27
bellus, 12:375, 14:239, 14:245
denticulatus, 12:372, 12:375, 12:383
sublettei, 32:412
Procotyla fluviatilis, 24:141, 24:146
Proctophyllodes, 21:277, 21:278
Proctophyllodidae, 21:278
Procyon lotor, 4:31, 6:23, 7:240, 10:140, 12:267, 13:20, 13:105, 16:437, 18:196, 19:453, 20:377, 20:499, 22:277, 23:18, 24:534, 26:279, 26:335, 28:318, 29:145, 29:457, 30:225, 30:226, 30:340, 30:341, 30:450, 30:462, 32:158, 32:162, 33:295-314
Procyonidae, 20:499, 26:23, 26:279, 26:327
Procyrnea, 29:458
Prodoxus, 29:51, 29:54, 29:55
aenescens, 29:47, 29:53
cinereus, 29:47, 29:53
coloradensis, 29:46, 29:47
marginatus, 29:47-50, 29:52, 29:53
ochrocarus, 29:47
sordidus, 29:47, 29:48
y-inversus, 29:47, 29:48
Production and nutritional attributes of tobosagrass following burning, Carlton M. Britton and Allen A. Steuter, 28:347-352
Production, density and height of flower stalks of three grasses in annually burned and unburned eastern Kansas tallgrass prairie: a four year record, Alan K. Knapp and Lloyd C. Holbert, 31:235-241
Production of white crappie in Lake Nasworthy, Texas, Chi Fu Yeh, 23:111-115
Proechimys semispinosus, 29:513, 29:514
Profundulus
candalarius, 32:229, 32:233
hildebrandi, 32:229
hildebrandi, 32:227, 32:233
labialis, 32:227, 32:229, 32:233
punctatus, 32:229, 32:233
Progne subis, 21:557-558, 23:597-603, 24:683-685, 25:553, 33:251

Progomphus, 8:134, 8:135, 25:550
obscurus, 2:2, 2:13, 4:131
Progyrolepis tricessimalaris, 33:265
Prolinyphia marginata, 30:3
Prolonged wet storage on the hatchability of eggs of *Streptocephalus seali* Ryder (Brachiopoda: Anostraca), the effect of, Walter G. Moore, 24:201-203
Promenetus, 9:103, 23:554, 23:560
Prometopion helopoides, 28:477
Promops centralis, 32:136, 35:151-153, 35:156, 35:157
Promyrmekiaphila, 30:6
Pronuba yuccasella, 29:45
Prophet, Carl, see Kring, Lynn, —
Prophet, Carl W., and Belinda A. Carrillo, Gross primary productivity in a small Kansas lake, based on continuous in-situ recordings, 24 March-31 June 1977, 24:667-675
Prophet, Carl W., and John D. Ransom, Summer stream metabolism values for Cedar Creek, Kansas, 19:305-308
Prophet, Carl W., and Stephen W. Waite, Summer filtering rates of three species of *Cladocera* (Crustacea), 23:164-165
Prophet, Carl W., Calanoid population structure in a Kansas lake after introduction of threadfin shad, 30:162-163
Prophet, Carl W., Changes in seasonal population structures of two species of *Diaptomus* (Calanoida, Copepoda) subsequent to introductions of threadfin and gizzard shad, 33:41-53
Prophet, Carl W., Egg production by laboratory-cultured Anostraca, 8:32-37
Prophet, Carl W., Limnological features of Lyon County Lake after drainage and reflooding, 14:317-325
Prophet, Carl W., Observations of Leptodora kindtii (Focke) (Crustacea: Cladocera) and associated zooplankters in southeastern Kansas lakes, 23:168-170
Prophet, Carl W., Observed anomalies in Streptocephalus anostraca, 6:101-102
Prophet, Carl W., Ted F. Andrews, and Clyde E. Goulden, Annotated check list of the Cladocera and Copepoda of Lyon County, Kansas, 4:185-194
Propst, David L., and Clarence A. Carlson, Life history notes and distribution of the johnny darter, *Etheostoma nigrum* (Percidae), in Colorado, 34:250-259
Propst, David L., and Clarence A. Carlson, The distribution and status of warmwater fishes in the Platte River drainage, Colorado, 31:149-167
Propst, David L., Gerald L. Burton, and Bryan H. Pridgeon, Fishes of the Rio Grande between Elephant Butte and Caballo reservoirs, New Mexico, 32:408-411
Propst, David L., see Bestgen, Kevin R., —
Propst, David L., see Platania, Steven P., —
Proptera
capax, 27:360, 27:361
laevissima, 27:350, 27:360, 27:361, 29:233
purpurata, 27:350, 27:360, 27:361
Proscirtothrips zeae, 36:52
Proserpinaca, 10:244
Proserpinidae, 33:117
Prosimulium, 25:27
Prosobranch, 33:117-119
Prosopis, 2:33, 3:30, 6:48, 8:89, 8:174, 8:175, 8:206, 11:136, 11:314, 14:412, 14:420, 16:210, 16:230, 17:86, 18:193, 18:440, 20:278, 21:131, 21:139, 22:550, 23:198, 23:675, 24:98, 24:118, 24:128, 24:564, 25:133, 25:134, 25:398, 25:402, 25:405, 25:408, 25:568, 26:437, 27:241, 29:76, 29:301, 30:290, 30:316, 30:543, 32:136, 32:389, 32:457, 33:58, 33:276, 34:59, 34:523, 35:394, 36:361
chilensis, 17:402, 17:403, 18:432, 18:441
glandulosa, 5:187-193, 8:192, 9:81, 9:181-188, 10:18, 10:179, 10:307, 12:160, 12:194, 13:160, 13:454, 16:5, 17:192, 17:289, 17:434, 18:244, 18:423, 18:441, 19:282, 19:289, 19:330, 20:217, 20:303-314, 20:372, 21:1, 21:3, 21:178, 21:313, 21:314, 21:316, 22:45, 22:280, 22:340, 22:343, 22:344, 22:347, 22:506, 22:552, 23:6, 23:145, 23:291, 23:297, 23:315-337, 23:502, 24:97, 24:131, 24:168, 24:171, 24:176, 24:224, 24:298, 24:433, 24:434, 25:322, 25:364-366, 25:404, 26:204, 26:291, 26:303, 26:304, 26:432, 26:440, 27:30, 27:162, 27:305, 27:321, 27:385, 27:404, 28:82, 28:83, 28:89-94, 28:97, 28:99, 28:347, 28:376, 29:224, 29:229, 29:241, 29:332, 29:358, 29:435-444, 29:507, 30:319, 30:321, 30:398-400, 30:427, 30:462, 30:475, 30:536, 30:546, 30:567, 30:580, 30:613, 31:33, 31:36, 31:273, 31:277, 31:369, 31:387, 32:183, 32:193, 32:427-433, 32:469-473, 33:55, 33:56, 33:109, 33:333, 33:365, 33:368, 33:369, 34:461, 34:57, 34:261, 34:428, 35:229, 35:235-237, 35:316, 35:356, 35:371, 35:378, 35:380, 35:381, 35:385, 35:399, 35:411-415, 35:435, 35:437, 36:54-59, 36:215, 36:216, 36:259, 36:354, 36:364
juliflora, 1:55, 1:56, 1:64, 1:66, 1:190, 2:111, 2:122, 2:125, 8:49, 9:181-188, 11:396, 12:185, 13:28, 14:155, 15:118, 15:135, 16:87, 16:218, 16:268, 17:207, 18:326, 18:423, 19:111, 21:128, 21:132, 21:248, 21:252, 21:261, 21:282, 21:545, 22:196, 22:226, 22:227, 22:347, 23:673, 23:674, 24:447, 24:610, 24:703, 25:11, 25:130, 25:358, 26:13-22, 26:184, 26:237, 26:417, 27:44, 27:220, 29:509, 30:608, 30:617, 31:469, 31:472, 31:473, 31:529-530, 32:153, 33:157, 33:281, 33:284, 33:425, 33:427, 33:428, 33:430, 33:434, 34:144, 34:521, 34:541, 35:80, 35:81, 35:335, 36:89, 36:119
laevigata, 9:184, 9:185
odorata, 2:125
pubescens, 2:122, 11:127, 13:28, 16:5, 17:289, 30:475
reptans, 23:502, 25:317, 25:319, 28:388, 30:400, 31:387, 31:388, 36:215
velutina, 18:423, 24:279, 26:84, 26:134, 28:469, 29:74, 35:66, 35:72, 35:116, 36:95, 36:303
Prosopium williamsoni, 14:306, 19:407, 19:408, 26:389
Prosopsis glandulosa, 18:432
Prospodium lippiae, 8:183
Prostigmata, 8:23-31
Prostoia
besametsa, 25:453, 25:455, 25:457, 28:130, 31:503, 31:505-507, 31:510, 35:130-134
completa, 35:131
hallasi, 35:131
similis, 35:131
Prostoma rubrum, 14:231, 14:236, 14:237, 14:240
Prostomis mandibularis, 20:25
Protaminobacter, 15:422
Protective behavior by male pronghorn, *Antilocapra americana* (Artiodactyla), Ken R. Marion and Owen J. Sexton, 24:709-710
Protein and water levels in *Asphondylia atriplicis* (Diptera: Cecidomyiidae) galls, Bradford A. Hawkins and Thomas R. Unruh, 33:114-117
Proteocephalidae, 17:198, 29:380
Proteocephalus, 16:288, 16:294, 28:399, 28:401, 28:403
ambloplitis, 12:333, 18:403, 18:405, 18:406, 18:408, 18:411, 18:412, 22:530, 27:224, 29:380, 29:382
ambloplitus, 22:528
Proterometra macrostoma, 29:377, 29:379, 29:382
Proteus, 36:370, 36:371
Protococcus viridis, 23:437
Protoderma viride, 23:441, 23:446
Protodiaspis, 17:390
emoryi, 17:391, 18:431
lobata, 17:391, 17:392, 18:431
tridentata, 18:422

varus, 17:391, 17:392, 18:431
Protohippus muelleri, 18:257, 18:258
Protonotaria citrea, 17:149, 18:105
Protopiceoxylon resiniferous, 30:530
Protopinaceae, 30:525-532
Protopterus, 11:305
Protoptila, 25:143, 25:149, 25:252, 25:383, 28:353
coloma, 31:427
erotica, 28:353, 28:355, 31:427
Protosiphon, 9:168
Protozoa, 25:125-126
Protracta woodi, 8:41
Protrichoniscus heroldi, 29:310
Proximate ecology and mechanics of "intergeneric" swallow hybridization (*Hirundo rustica* x *Petrochelidon fulva*), Robert F. Martin, 27:218-220
Prunis virginiana, 15:159
Prunus, 6:48, 14:106, 16:272, 18:440, 26:347, 29:304, 30:75, 32:153, 35:19
americana, 12:136, 12:137, 12:139, 18:435, 18:441, 18:442, 26:68, 30:580
angustifolia, 2:155, 2:163, 5:117, 6:99, 23:623, 24:434, 25:325, 27:57, 27:58
angustifolium, 25:330
bessyi, 17:7
caroliniana, 18:435, 18:441
demissa, 20:164
emarginata, 15:159
emarginatus, 15:153
fasciculata, 22:62, 36:338
fasciculatum, 29:465
fremontii, 28:430
gracilis, 25:330
havardi, 10:258, 10:260
integrifolia, 21:128
lyonii, 34:146
mexicana, 12:346, 20:76, 20:323, 20:328, 20:331, 20:334, 21:482, 27:310, 27:311, 29:83
persica, 26:68, 28:63
pumila, 14:331
serotina, 12:346, 24:131, 24:135, 24:137, 24:138, 24:210, 25:19, 27:425, 27:428, 27:429, 28:63, 29:83, 31:347-353, 31:356
umbellata, 12:344, 12:346, 31:192
virens, 15:153, 26:253
virginiana, 12:134, 12:136, 12:138, 14:331, 15:152, 15:159, 15:160, 21:132, 22:367, 34:488, 35:80, 35:81
Psaltriparus
minimum, 7:264
minimus, 16:4, 16:16, 26:254, 29:473, 34:490
Psathrotes scaposa, 15:180, 15:184
Psectrocladius, 12:375, 14:239, 14:245, 23:140, 32:289
Psectrotanypus, 25:251
Psephenidae, 24:197, 25:250, 32:443
Psephenivorus mexicanus, 24:197
Psephenops
grouvellei, 24:197
smithi, 24:197
Psephenus
arizonensis, 24:197
falli, 24:197
herricki, 1:152, 24:197
minckleyi, 24:197
montanus, 24:197
murvoshi, 24:197
oresbius, 24:197
texanus, 24:197, 25:141, 25:147, 25:250
Pseudabutilon lozanii, 19:323
Pseudacris, 3:77
branchyphona, 3:87
clarki, 3:71, 5:67-69, 5:167, 5:168, 12:199, 14:204, 14:205, 14:210, 14:211, 20:471, 21:235, 32:79, 34:556, 34:557
crucifer, 35:449
nigrita, 1:181, 3:83, 3:87, 3:89, 7:79, 10:312
ornata, 3:87, 3:89, 34:556, 34:557
streckeri, 1:181, 1:183, 1:184, 3:74, 3:87, 3:89, 5:92-96, 5:165, 5:167, 5:168, 6:106, 7:79, 7:80, 8:142-149, 34:556-557
triseriata, 5:66-69, 5:92, 5:95, 5:167, 9:20-26, 11:137, 13:105, 19:191, 34:532, 34:556, 34:557
Pseudaletia unipuncta, 29:237
Pseudanonidia paeoniae, 14:429
Pseudaonidia, 18:424
duplex, 14:427-429, 18:434
paeoniae, 14:427, 14:429, 18:436
rhododendri, 14:427
Pseudaonidiella paeoniae, 14:429
Pseudaptinus, 28:474
Pseudatomoscelis seriatus, 33:215, 36:51
Pseudaulacaspis
pentagona, 17:393, 18:433-435, 18:437
toumeyi, 15:303
Pseudechiniscus
cornutus, 17:21-23, 17:28
victor, 35:303
Pseudelephantopus, 16:373
melampodii, 16:376
spicatus, 16:376
Pseudemys, 36:180
concinna, 19:21, 19:23, 19:36, 19:37
floridana, 1:182, 3:230-231, 23:459
scripta, 1:85, 1:182, 3:230, 3:32, 3:33, 3:38, 16:179, 19:21, 19:23, 19:35-40, 19:44, 19:45, 19:109, 19:110, 23:459, 24:2, 31:299-305, 31:557, 32:517-519, 35:206
Pseudeurostus, 13:193
Pseudevernia intensa, 17:21
Pseudhipparion, 25:505
Pseudhyperodes, 8:169
Pseudicius
monticola, 34:350, 34:351
piraticus, 17:166
siticulosus, 21:199, 21:201
Pseudoaulacaspis, 18:427
Pseudobiotus augusti, 35:302
Pseudobohlinia americana, 23:437
Pseudobombax ellipticum, 32:176, 32:363
Pseudocaeciliidae, 21:339
Pseudochironomus, 23:140, 25:141, 25:249, 25:251, 25:253, 25:254, 25:381, 25:538, 25:550
fulviventris, 14:245
fulviventris, 14:239
richardsoni, 32:289
Pseudochydorus globosus, 34:345
Pseudocloeon, 1:151, 25:142
Pseudococcidae, 29:437, 32:396
Pseudocopulation in the parthenogenetic whiptail lizard *Cnemidophorus laredoensis* (Teiidae), Mark A. Paulissen and James M. Walker, 34:296-298
Pseudocymopterus montanus, 18:369, 20:433
Pseudocympoteris montanus, 12:323
Pseudodiamesa, 25:27
Pseudodiaspis, 18:429
condaliae, 17:397
magna, 17:394, 17:395, 18:436
parkinsoniae, 17:398
yuccae, 17:398
Pseudodiphryllum, 13:338
Pseudoeurycea
belli, 16:228
cephalica, 16:225, 16:228, 16:230, 16:231
Pseudoficimia frontalis, 18:195, 18:196
Pseudoilyocypris tuberculatum, 12:384
Pseudoleria parvitarsus, 12:267
Pseudoleskeella arizonae, 31:398
Pseudolimnophila, 23:555
Pseudolytocestus differtus, 24:686
Pseudomarsdenia lanata, 21:406, 21:408
Pseudomasaris vespoides, 24:380-381
Pseudomonas, 13:399, 15:106, 28:178, 36:370, 36:371
nactus, 35:20
Pseudomorpha behrensi, 28:474
Pseudomyrex pallidus, 27:364
Pseudomyrmex, 32:500, 33:112
ejectus, 33:113
mexicanus, 29:442
pallida, 29:442
pallidus, 27:365, 28:139, 33:113, 33:114
Pseudomyrmex sp. (Hymenoptera: Formicidae) nesting in mimosa (*Albizia julibrissin* Dur.), Robert S. Baldridge and Joseph DeGraffenreid, 33:112-114
Pseudomys, 8:91, 21:10
scripta, 4:107, 8:90
Pseudoparlatoria, 18:427
parlatorioides, 17:394-396, 18:432, 18:435, 18:437
pusilla, 17:395
Pseudophallus
starksi, 32:230

starski, 35:45
Pseudophryne, 35:361
Pseudorca crassidens, 18:453, 18:462
Pseudorchis, 13:338
Pseudorthocladius, 25:383
Pseudoschoengastia
audyi, 10:17, 10:18
farneri, 10:17-19
pedregalensis, 36:114, 36:115
Pseudoscorpionida, 20:13-27, 20:231-239, 25:89-93
Pseudosinella sexoculata, 12:264
Pseudosmittia, 14:239, 14:245
Pseudosmodingium perniciosum, 24:542
Pseudosporobolus, 34:61
Pseudostenophylax edwardsi, 31:422
Pseudostermyle, 29:438
Pseudostuga menziesii, 25:11, 25:362, 29:136, 29:337
Pseudosuccinea columella, 27:243, 27:244
Pseudothelphusa, 11:412-413
Pseudothelphusidae, 11:413
Pseudotomentella tristis, 19:358
Pseudotriton, 1:178
Pseudotseuga menziesii, 18:470
Pseudotsuga, 13:268, 21:58, 22:293, 22:294, 23:231, 26:376, 28:462, 30:529
meinziesii, 34:488
mensiezii, 36:19
menzessii, 33:377
menziesii, 9:182, 12:324, 12:325, 15:152, 15:154-156, 16:16, 16:105, 17:290, 17:318, 17:321, 18:314, 18:375, 18:376, 18:379, 19:334, 19:347, 20:418, 21:55, 21:58-61, 21:64, 22:12, 22:155, 22:269, 22:291, 22:348, 26:92, 26:332, 26:366, 26:439, 27:87, 27:88, 27:143, 28:83, 28:85, 30:305, 30:390, 31:320, 31:415, 32:184, 32:342, 32:388, 32:507, 34:36, 34:40, 34:41, 34:353, 34:442, 36:37, 36:39-41, 36:44
taxifolia, 14:427, 16:339, 17:424, 18:434, 18:441, 21:305
Psidium
guajava, 32:363
sartorianum, 18:194
Psilochasmus longicirratus, 29:458
Psilochorus, 11:341
imitatus, 20:55, 20:59, 20:61, 20:62, 20:65-67, 29:230, 29:231
pullulus, 11:342
redemptus, 30:3, 30:5
Psilocybe
baeocystis, 21:232
cubensis, 21:227-233, 29:261, 29:264
Psilocybe cubensis (Agaricales): a comparison of Mexican and Texas types, Robert E. Jackson and Constantine J. Alexopoulos, 21:227-233
Psilorhinus morio, 4:74, 7:259
Psilostrophe, 16:370
bakeri, 18:119, 18:123
cooperi, 18:398, 18:401, 35:70
sparsiflora, 16:203, 16:204
tagetina, 1:56, 1:66, 15:179, 15:184
tagetinae, 33:368
villosa, 15:184, 24:435
Psilotrophe, 32:452
Psittacanthus, 18:74
auriculatus, 6:48, 6:49
calyculatus, 6:48, 6:49
cuneifolius, 6:48
Psittacidae, 4:81
Psocatropidae, 29:178
Psocidae, 12:265, 30:13-22
Psocidus coquilletti, 30:14
Psocoptera, 21:335-346, 22:21-29, 29:169-179, 30:13-22
Psocus coquilletti, 30:13-22
Psoloessa texana, 27:200, 27:202, 27:203, 27:205
Psoralea, 10:81-124, 12:144, 13:156
argophylla, 10:81-124, 13:387, 29:412
bituminosa, 10:81-124
californica, 10:81-124
cinerea, 10:81-124
corylifolia, 10:81-124
cyphocalyx, 10:81-124
digitata, 4:57, 10:81-124, 12:139, 25:330
esculenta, 10:81-124, 12:139, 17:7
glandulosa, 10:81-124
graveolens, 10:81-124
hypogaea, 10:81-124, 12:140
lanceolata, 10:81-124, 12:139, 12:141, 25:330, 25:337
latestipulata, 10:81-124
linearifolia, 2:163, 4:50
macrostachya, 10:81-124
palmeri, 11:412
patens, 10:81-124
physodes, 10:81-124
psoraloides, 10:81-124
rhombifolia, 10:81-124, 23:502, 25:322
subulata, 10:81-124
tenuiflora, 10:81-124, 12:139, 13:387, 14:342, 16:205, 17:6, 17:7, 17:8, 29:280, 35:72
Psoralea subgenus Pediomelum (Leguminosae), a taxonomic study of, David J. Ockendon, 10:81-124
Psoralea palmeri Ockendon sp. nov., David Ockendon, 11:412
Psoralia lanceolata, 13:146
Psoralidium, 10:82
Psorophora
ciliata, 12:375
columbiae, 32:1
confinnis, 12:375
signipennis, 12:375, 14:238, 14:244
Psychoda cinerea, 12:266
Psychodidae, 8:229, 8:230, 8:232, 12:266, 25:141, 25:143
Psychoglypha
ormiae, 31:446
subborealis, 31:447
Psychomyia flavida, 31:449
Psychomyiidae, 23:383, 25:252, 31:449
Psychoronia, 25:27
costalis, 31:423, 31:447
Psyllipsocidae, 29:178, 29:179
Psyllipsocus, 29:178
ramburi, 12:265
Ptelea, 18:374
angustifolia, 16:87, 19:59, 24:135, 27:326
augustifolia, 24:131
tomentoso, 13:239, 13:240, 18:436, 18:441
trifoliata, 22:340, 22:343, 24:168, 24:171, 27:385, 35:73
Pteleon brevicorne, 32:151
Ptelia angustifolia, 15:152, 15:160
Ptenopsila delicatella, 21:344
Pteridium, 35:367
aquilinum, 8:197, 12:323, 12:348, 12:350, 31:192
Pternohyla, 32:75
dentata, 32:82
fodiens, 32:82
Pterocarpus acapulcense, 32:363
Pterocarya, 11:95
Pteroglossus torquatus, 4:69
Pteromalidae, 24:197, 29:53
Pteromonas
aculeata, 23:437
angulosa, 20:48
Pteronarcidae, 34:440
Pteronarcyidae, 36:326
Pteronarcys californica, 36:326, 36:328
Pteronidea, 19:70
Pteronotus, 12:407, 12:419, 12:421, 12:423, 14:359
davyi, 12:408, 12:420, 12:426, 13:361, 16:449, 20:247, 22:401-403, 35:152, 35:232
parnelli, 24:541
parnellii, 11:311, 12:408, 12:409, 12:420, 12:426, 16:449, 16:450, 22:401-403, 34:413, 35:152
personatus, 22:401-403
psilotus, 11:310, 11:311, 12:408, 12:420, 12:426
rubiginosa, 11:310, 11:311
suapurensis, 11:142-143
Pterostichus
diplophryus, 28:474
lecontellus, 15:323
Pterostichus surgens, 15:323
Ptilagrostis, 18:321
Ptilimnium
capillaceum, 8:171
nuttallii, 7:170
Ptilogonys cinereus, 18:196, 18:197
Ptilonyssus echinatus, 21:278, 21:279
Ptilostomis semifasciata, 31:448
Ptinidae, 13:193-200, 28:476, 32:383, 32:386, 32:388
Ptinus, 32:386
Ptomahagus lincolnensis, 23:227
Ptomaphagus, 23:227-238

brevior, 23:227
cocytus, 23:232
fisus, 23:232
lincolnensis, 23:227, 23:228, 23:231, 23:232
manzano, 23:227, 23:228, 23:231, 23:232
shapardi, 23:231, 23:232
Ptychobranchus occidentalis, 27:350, 34:564
Ptychocheilus, 28:181
grandis, 29:297, 35:249-260
lucius, 5:174-175, 6:2, 11:300, 11:323, 14:306, 14:309, 14:310, 19:403, 19:408, 24:686-687, 25:41, 25:43, 25:45, 26:389, 26:391, 27:223, 28:119-120, 28:123, 28:165, 28:170, 28:399, 28:401-403, 29:289-299, 30:95-100, 30:129, 30:154-158, 30:185, 30:253-257, 32:354, 33:193-197, 34:193, 34:432-436, 35:196, 36:147-150, 36:251
oregonensis, 29:297, 35:257
Ptychocheilus lucius (Cyprinidae) in the San Juan River, New Mexico, William J. Koster, 5:174-175
Ptychocheilus lucius from Salt River, Arizona, Branley A. Branson, Morgan E. Sisk, and C. J. McCoy, Jr., 11:300
Ptychochielus
lucius, 29:21-33
oregonensis, 29:30
Ptychohyla
euthysanota, 32:77, 35:275
ignicolor, 32:76
leonardschultzei, 32:77, 32:81
schmidtorum, 32:76, 35:275
Ptycta
acraeus, 30:21
cristatus, 30:21
dentatus, 30:21
expansus, 30:21
Puccinia
abnormis, 12:71
abrupta, 8:183, 8:184, 10:36, 16:374, 16:382
absinthii, 16:361
affinis, 16:380
andropogonis, 8:183, 12:72
archibaccaridis, 16:357, 16:358, 16:360
aristidae, 8:183, 8:190, 12:72
arthurella, 16:372
arthuri, 12:73
asiatica, 10:36
asteris, 10:36, 16:361, 16:365
atra, 12:77, 12:78
axiniphylli, 16:361
baccharidis, 8:183, 16:361
baccharidis-hirtellae, 16:361
baccharidis-multiflorae, 16:362
bartholomaei, 8:187
belizensis, 12:73
biocellata, 16:375
biporula, 8:183
bottomleyae, 8:191
boutelouae, 12:73
brachypodii, 12:73
brachypodii-phoenicoidis, 12:73
caborcensis, 16:369
cacabata, 8:183, 12:73
calanticariae, 16:382
calcitrapae, 16:365
calea, 16:364
caleae, 8:183, 8:184, 16:358, 16:364
canaliculata, 10:35, 10:36
carthami, 16:365
cenchri, 12:73
cesatii, 8:184
chaetochloae, 12:73
chichenensis, 12:78
chihuahuana, 12:70, 12:75
chisosensis, 8:181, 8:184-186, 12:70, 12:72, 12:75
chloracae, 16:383
chloridis, 8:186, 8:187, 12:76
circii, 16:365
cnici-oleracei, 16:365
cognata, 16:380
concinna, 16:366, 16:368
conoclinii, 16:358, 16:366
coronata, 8:186, 12:76
cryptandri, 8:186, 12:76
cynodontis, 8:187, 12:76
desmanthodi, 16:366
dietelii, 12:76
diplachnicola, 8:190
diplachnis, 8:187, 12:76
dochmia, 8:187, 12:77
dolosa, 12:77
duranii, 16:357, 16:360, 16:367
eatoniae, 10:36
echinulata, 16:366
egregia, 16:381
egressa, 16:362
electrae, 8:187, 16:365
electriae, 16:384
ellisiana, 12:77
emaculata, 12:77
emeliae, 16:365
enceliae, 10:35, 10:36, 16:377, 16:379, 16:383
erratica, 16:381
esclavensis, 8:187, 12:77, 12:78
espinosarum, 16:368
eupatorii, 16:368
evadens, 16:362
exasperans, 12:78
exornata, 16:362
ferox, 16:380
flaveriae, 16:365
franseriae, 16:369
fumosa, 18:77
ghiesbreghtii, 16:384
globulifera, 16:373
gnaphalii, 16:369
gnaphaliicola, 16:369
graminella, 8:184
grarpinis, 8:188, 12:78
grindeliae, 8:188, 16:366, 16:369-373, 16:376
guaranitica, 12:78
guardiolae, 16:370
guatemalensis, 16:384
gymnolomiae, 16:371
helianthi, 8:188, 16:370
heucherae, 10:36
hieracii, 16:371
hilariae, 12:70, 12:75, 12:78
hodgsoniana, 16:368
holcina, 12:78
hordei, 12:79
impolita, 16:359
inanipes, 16:368
inaudita, 16:384
infuscans, 8:184, 12:79
interveniens, 12:79
investita, 10:36, 16:369
iostephanes, 16:371, 16:383
irregularis, 16:380
jaliscana, 16:376
kuhniae, 16:362, 16:363, 16:371
leptochloae, 12:75, 12:79
leptospora, 12:79
levis, 12:79
mcvaughii, 16:357, 16:359, 16:360
melampodii, 16:365, 16:372-375, 16:379, 16:381, 16:385
menthae, 10:37
mexicensis, 12:79
millefolii, 8:188, 10:37, 16:359
mirifica, 16:363
montanensis, 8:188, 8:189
neocoronata, 8:184, 12:79
noccae, 16:372
nocoronata, 8:188
notha, 16:381
oaxacana, 16:359, 16:362
obesiseptata, 16:368
obliqua, 8:188
otopappi, 16:373
parthenii, 16:374
partheniicola, 10:37
paupercula, 16:376
piptochaetii, 8:184, 8:186
poarum, 12:80
polygoni-amphibii, 8:188
polysora, 8:188, 12:80
porophylli, 16:376
posadensis, 12:80
potosina, 16:368
praemorsa, 16:363
praetermissa, 16:372
proba, 16:384
punctoidea, 16:383
purpurea, 8:188, 12:80
pygmaea, 8:181, 8:185, 8:189, 12:73, 12:80
rata, 16:381
recondita, 8:189, 12:80
saltensis, 12:84
sarcobati, 8:190

schedonnardi, 8:189, 10:37, 12:77, 12:80
scleropogonis, 8:181, 8:185, 8:190, 10:35, 10:37, 12:78, 12:81
semiinsculpta, 16:381
senecionicola, 16:377
senesionicola, 16:364
setariae, 12:81
sherardiana, 8:190
sierrensis, 12:70, 12:75, 12:81
sinaloana, 16:368
solidipes, 16:369
sonorae, 16:369
sonorica, 12:81
sorghi, 12:81
sphenica, 16:362
spilanthidis, 16:373
splendens, 8:190, 16:371
stipae, 12:82
striiformis, 12:82
stromatifera, 16:374
subglobosa, 16:377
substriata, 8:190, 10:37, 12:82
subtilipes, 12:82
tageticola, 16:379
tanaceti, 8:191, 10:37, 16:361
tripsaci, 12:82
turgidipes, 16:383
unica, 8:191, 12:82
vaga, 16:381
vernoniae, 16:382
versicolor, 8:191, 10:35, 10:38, 12:82
vexans, 8:192, 12:83
vilfae, 12:70, 12:75, 12:83
virgata, 12:83
xanthii, 8:192, 16:358, 16:383
ximenesiae, 16:381
zaluzaniae, 16:384
zexmemiae, 16:384, 8:187
zinniae, 16:385
Puccinioisira brickelliae, 16:363, 16:373
Puccninia
aegopogonis, 12:72
interjecta, 16:362
Puctum minutissimum, 16:317, 16:318
Pulchea, 21:200, 21:201
Pulex, 31:135
irritans, 5:103, 5:104
simulans, 5:103-104
Pulex simulans Baker in Louisiana, occurrence of, Allen H. Benton and Herbert E. Shadowen, 5:103-104
Pulich, Warren, Jr., and Steven Rabalais, Primary production potential of blue-green algal mats on southern Texas tidal flats, 31:39-47
Pulich, Warren M., A Thayer's gull specimen from Texas: a problem in identification, 25:257-258
Pulich, Warren M., and J. Edward Parrot, The occurrence of the gray vireo east of the Pecos River, Texas, 21:551-552
Pulmonata, 2:74-82, 7:268-269, 13:457-458, 21:241-242, 22:353-357, 26:341-344, 32:261-265, 33:81-84
Pulmonate, 33:117-119
Pulmonates, 27:239
Pulsatilla patens, 20:431
Puma (*Felis concolor*) in Arkansas, a recent record of the, Robert E. Noble, 16:209
Punctum
minutissimum, 16:316
virteum, 5:148, 5:153
Punzo, Fred, and Brian Garman, Effects of encounter experience on the hunting behavior of the spider wasp, *Pepsis formosa* (Say) (Hymenoptera: Pompilidae), 34:513-518
Pupa torticollis, 2:78
Pupation site and pupal mortality of the predaceous diving beetle *Dytiscus dauricus*, Joseph R. Holomuzki, 33:485-486
Pupilla
blandi, 7:56-58, 7:60, 16:98, 16:99, 16:105, 22:12, 22:15
blandii, 29:42
hebes, 7:57
muscorum, 16:315
sonorana, 7:56, 16:98, 16:99, 16:104, 22:12, 29:36, 29:40, 29:41
Pupillary responses in certain snakes (Colubridae), Randall H. Stovall and J. P. Kennedy, 24:701-703
Pupillidae, 5:153, 7:56, 9:104, 21:410, 24:688, 26:344
Pupoides
albilabris, 5:145, 5:154, 9:104, 16:90, 16:91, 16:104, 16:310, 16:315, 16:317, 26:343, 27:239
hordaceus, 16:103, 22:15, 29:42
inornatus, 16:307, 16:315, 16:319
Purdue, James R., Adaptations of the snowy plover on the Great Salt Plains, Oklahoma, 21:347-357
Purple martins feeding on cicadas, Charles R. Brown, 25:553
Purpus coronata, 12:79
Purshia, 32:388
tridentata, 7:270, 15:202, 20:437, 20:439, 20:443, 24:544, 24:553, 26:76, 31:319-329, 31:415, 34:320
Puya, 10:257
Pyburn, William F., Breeding activity, larvae and relationship of the treefrog *Hyla phaeota cyanosticta*, 11:1-18
Pyburn, William F., Inheritance of the green vertebral stripe in *Acris crepitans*, 6:164-167
Pycnanthemum
albescens, 12:348
tenuifolium, 7:170
virginianum, 32:35
Pycnoporus cinnabarinus, 19:357
Pycnopsyche
divergens, 31:423
subfasciata, 31:447
Pyemotes, 25:264-266
tritici, 25:264
Pyemotidae, 28:419, 28:425, 29:239-240
Pygmephoridae, 36:115
Pygmephorus, 36:115
Pygmy mouse, *Baiomys taylori*, in north-central Texas, distribution of the, Billy J. Hart, 17:213-214
Pygmy shrew, *Microsorex hoyi*, in Gunnison County, Colorado, Sara L. DeMott and Gaye P. Lindsey, 20:417-418
Pyle, Richard A., and William Caire, Second record of *Tadarida macrotis* (Gray) (Chiroptera: Molossidae) in Oklahoma, 24:389
Pylodictis, 6:57, 6:63, 6:64
olivaris, 4:164, 6:59, 19:262, 28:182, 30:560, 32:353, 32:409, 32:410, 34:188-195, 34:408, 34:409, 35:406
olivarus, 32:215, 32:216
Pyracantha, 28:63, 28:64
koidzumii, 35:73
Pyralidae, 18:308, 26:216, 26:375, 26:376, 26:440, 27:249, 28:466, 29:437, 32:443
Pyralididae, 23:555, 25:251
Pyrgophorous spinosus, 5:145, 5:150
Pyrobotrys, 10:188-210
Pyrocephalus rubinus, 4:73, 14:451, 18:195
Pyroglyphidae, 21:278
Pyrola
minor, 18:242
secunda, 36:38
Pyrrhopappus, 1:88
carolinianus, 1:122, 20:325
geiseri, 2:130, 18:343
grandiflorus, 2:170
multicaulis, 18:343, 23:501, 25:322, 31:369
rothrockii, 2:170, 20:139
Pyrrhopappus (Compositae: Cichorieae), a new combination in, David K. Northington, 18:343
Pyrrhopappus rothrockii Gray (Compositae-Cichorieae) in Texas, the distribution of, Wm. F. Mahler, 20:139
Pyrrhophyta, 17:18
Pyrrhosoma nymphula, 8:60, 8:61
Pyrrhuloxia sinuata, 11:137, 16:6, 17:293, 18:196, 21:454
Pyrropappus grandiflorus, 25:336
Pyrus
communis, 15:285, 28:63, 28:83
mallus, 28:63
Pythiogeton utriforme, 12:314
Pythium, 12:315, 12:316, 12:318, 23:58
aphanidermatum, 12:314
elongatum, 12:314
monospermum, 12:314
papillatum, 12:314

proliferum, 12:314

Q. imbricata, 33:108
Quadraceps
semifissus, 32:85, 32:87
zephyra, 32:85, 32:87
Quadraspidiotus, 18:425
forbesi, 14:429-431, 18:435, 18:437
howardi, 14:105
juglans-regiae, 14:429, 14:431, 14:432, 18:430-437
perniciosus, 14:429, 14:433, 14:435, 18:433, 18:435, 18:437
socialis, 14:429, 14:431, 14:434, 14:436, 18:431
taxodii, 14:429, 14:437, 18:434
Quadripaludis luistoddi, 26:409-413
Quadrula
cylindrica, 27:350
metanevra, 27:350
nodulata, 27:350
pustulosa, 22:241, 22:248-250, 27:350, 27:360, 27:361
quadrula, 22:241, 22:242, 22:244, 22:248-250, 27:350, 27:360, 27:361, 29:233
reflexa, 27:361
Qualitative and quantitative variation of net plankton of Craighead Lake, Jimmy H. Nelson and George L. Harp, 17:239-248
Quay, W. B., Variation and taxonomic significance in the sebaceous caudal glands of pocket mice (Rodentia: Heteromyidae), 10:282-287
Quercus, 4:14, 4:19, 4:42, 6:48, 8:175, 10:5, 10:14, 10:222, 11:67, 11:73, 11:92, 11:316, 13:164, 13:448, 13:449, 14:434, 15:311, 16:87, 16:90, 17:98, 17:105, 18:198, 18:377, 18:440, 19:59, 19:349, 19:355, 20:218, 21:58, 21:148, 21:305, 21:337, 22:340, 23:71, 23:265, 23:298, 23:424, 23:533, 23:587, 24:463-473, 24:710, 25:11, 25:269, 25:365, 25:479, 27:321, 27:425, 27:431, 28:48, 28:64, 28:375, 28:376, 29:82, 29:332, 29:435, 29:507, 30:449, 30:462, 32:135, 32:153, 32:288, 33:22, 33:108, 33:109, 33:244-247, 33:288, 34:146, 35:250, 35:472, 36:362, 36:363
acatenangensis, 27:362
agrifolia, 29:149, 30:145, 30:452, 31:289, 33:325
ajoensis, 7:269-270, 36:95, 36:96
alba, 12:342, 12:345, 14:98, 21:404, 21:482, 29:83, 30:145, 31:192, 34:73, 34:154
annulata, 20:333
arizonica, 17:414, 19:354, 24:131, 24:134, 24:136, 24:138, 26:253, 28:83, 30:305, 30:388, 30:389, 30:391, 30:392, 32:183, 32:197, 33:84, 35:66, 35:72
borealis, 24:388
breviloba, 29:301, 29:304
bushii, 24:464
castanea, 35:232
chrysolepis, 26:253, 27:236, 30:391, 32:264
crassipiers, 27:362
devia, 35:76
douglasii, 24:191, 30:145
dumosa, 12:176, 14:150, 21:384, 26:253, 31:178
durandii, 16:268, 16:272, 16:274, 20:333
ellipsoidalis, 18:431, 18:439, 18:441
emorii, 32:197
emorvi, 31:202
emoryi, 5:226, 14:149-156, 15:153, 16:12, 17:289, 17:391, 17:419, 18:431, 18:441, 19:215, 20:364, 21:59, 21:309, 25:444, 28:83, 31:202, 33:84, 35:66, 35:72
emoryii, 26:253
emroyi, 31:202
endlichiana, 20:267
falcata, 12:342, 12:346, 15:360, 16:431, 17:351, 21:475, 21:480, 21:481-483, 22:137, 29:83, 29:84, 34:73, 34:102, 34:154
fusiformis, 9:161, 16:145, 24:165, 24:168, 24:170-172, 24:225, 26:237, 27:309-311, 27:385, 27:389, 30:141-146
gambeli, 12:209, 23:700
gambelii, 7:270, 8:197, 10:310, 11:402, 12:324, 13:160, 13:161, 13:270, 15:152, 15:154-156, 15:162, 16:105, 16:205, 16:452, 17:391, 17:411, 18:372, 18:374-376, 18:379, 19:347, 20:437, 20:439, 20:443, 21:55, 21:59-61, 21:64, 22:12, 22:269, 22:367, 24:627, 25:114, 26:366, 26:439, 27:143-147, 28:83, 28:84, 29:230, 31:349, 32:399, 34:41, 34:399, 34:442, 36:39
gambelli, 20:164
gambellii, 17:318, 30:391, 33:239, 34:488, 35:323, 36:19
garryana, 18:314
gravesei, 16:12, 17:289
gravesii, 17:424, 21:309, 27:87, 27:88
griesa, 22:22
grisea, 5:226, 12:110, 12:209, 22:22, 27:87, 27:88, 28:83, 28:84, 31:348, 31:349
grisei, 16:14, 17:290
gusei, 21:309
harvardii, 24:434, 31:273
havardi, 5:117, 5:119, 5:120, 13:86
havardii, 2:160, 16:268, 24:118, 24:706, 25:125, 28:381, 28:383-384, 28:463, 29:241, 31:33, 31:36, 32:463-468
hinckleyi, 5:6, 23:292-294, 23:299
hypoleuca, 17:391, 18:431, 18:441
hypoleucoides, 15:153, 15:159, 15:162, 19:351, 21:55, 21:60, 25:19, 30:388, 30:389, 30:391, 35:67, 35:72
incana, 12:346, 17:350, 17:351
intricata, 10:258, 10:260, 16:15
kelloggi, 11:299
kelloggii, 19:112, 31:289
laceyi, 16:272
laurifolia, 17:391, 21:482
lobata, 17:396, 29:149
lyrata, 6:181, 17:350, 17:351, 21:478, 21:480, 21:482, 34:73
macrocarpa, 1:146, 11:402-405, 14:329, 17:350, 17:351, 19:161, 21:404, 24:224, 25:208, 25:211, 27:428, 29:357, 33:244-246
margaretta, 5:117, 5:119, 5:120
marilandica, 3:91, 5:120, 6:21, 8:115, 10:43-45, 12:346, 17:351, 20:76, 20:328, 20:330, 20:334, 22:137, 24:463-471, 25:70, 25:283-295, 27:56, 27:310, 27:311, 29:83-85, 29:301, 31:192, 32:273, 34:102, 35:221, 36:172
marylandica, 16:272
mexicana, 35:232
michauxii, 17:350, 17:351
miniata, 36:121
mohriana, 5:117, 5:119, 5:120, 24:225
muehlenbergii, 24:176, 24:388
muhlenbergii, 10:43, 33:244-246
nigra, 4:206-207, 6:181, 9:42, 10:311, 11:445, 12:345, 13:373, 14:98, 15:360, 17:350, 17:351, 18:431, 18:441, 18:442, 21:475, 21:480, 21:481-483, 26:199, 29:83, 29:258, 29:260, 29:263, 31:75, 33:325, 34:154, 35:437, 36:172
nuttalli, 34:73
oblongifolia, 9:153, 17:414, 25:444, 26:253, 33:84, 35:72
omissa, 24:214
palmeri, 21:59
phellos, 4:206, 4:207, 9:42, 10:311, 13:373, 14:418, 17:350, 17:351, 21:475, 21:478, 21:480, 29:83-85, 29:258, 34:154
prinus, 21:482, 21:483, 23:548
pungens, 10:258, 10:260, 22:349, 23:292-294, 23:299, 24:131, 24:134, 24:137, 24:138, 25:362-364, 30:393, 30:394, 32:181, 32:183, 35:65, 35:72
reticulata, 15:153, 15:159, 25:444
rubra, 34:102
rugosa, 25:19, 27:362, 30:391, 35:232
rysophylla, 35:366
shumardii, 16:272, 16:274, 17:351, 20:328, 20:330, 20:334, 25:211, 25:283, 33:324, 33:327
shummardii, 24:464
sinuata, 20:333, 27:310, 27:311
stellata, 3:91, 5:117, 5:119, 5:120, 8:115, 10:43-45, 10:179, 10:180, 12:344, 12:346, 15:360, 16:272, 16:431, 17:350, 17:351, 18:351, 18:431, 18:440, 18:441, 20:76, 20:323, 20:328, 20:330, 20:334, 22:137, 22:139, 24:464, 25:208, 25:284, 27:56-59, 27:

310, 27:311, 28:239, 29:83, 29:85, 29:301, 31:73, 31:192, 32:273, 32:402, 34:73, 34:102, 35:435, 35:437, 36:172
texana, 14:415, 16:146, 17:391, 18:451, 18:441, 24:169, 24:171, 26:5, 27:310, 27:311, 27:389, 29:301, 30:141-146, 35:199
toumeyi, 24:131, 24:133, 24:134, 24:137, 28:83
tuberculata, 35:76
turbinella, 7:269, 7:270, 14:149-156, 15:152, 15:159, 17:170, 17:173, 22:349, 26:251, 27:2, 27:169, 27:176, 27:329, 27:457, 29:464, 29:465, 31:202, 34:40, 34:182, 34:183, 35:18, 36:303-305
undulata, 5:108, 14:98, 15:29, 16:267, 16:452, 16:457, 17:231, 18:431, 18:441, 26:366, 28:200, 32:111
vaseyana, 5:117
velutian, 27:428
velutina, 10:44, 20:76, 24:463-473, 25:283-295, 27:59, 29:83
viminea, 20:267
virginia, 17:351, 35:199
virginiana, 6:21, 9:81, 11:302, 12:198, 14:98, 14:418, 16:268, 16:272, 16:274, 17:350, 18:244, 18:431, 18:440, 18:441, 20:372, 21:552, 22:45, 22:275, 22:404, 25:379, 26:291, 26:303, 26:304, 26:345-350, 29:301, 29:304, 35:385, 36:121
wislizenii, 12:176, 31:289
Quercus ajoensis in Colorado, James Erdman, William A. Weber, and John M. Tucker, 7:269-270
Quernaspis, 18:427
kuercus, 17:397
quercus, 17:396, 18:431
Quickella vermeta, 5:147, 5:153
Quinaria group of Drosophila (Diptera, Drosophilidae), new species of the, Marshall R. Wheeler, 5:160-164
Quinn, Hugh R., and Greg Mengden, Reproduction and growth of *Bufo houstonensis* (Bufonidae), 29:189-195
Quinton, Dee A., and Alan Kent Montei, Preliminary study of the diet of Rio Grande turkeys in north-central Texas, 22:550-553
Quinton, Dee A., and Ronald G. Horejsi, Diets of white-tailed deer on the Rolling Plains of Texas, 22:505-509
Quiscalus
major, 24:265
mexicanus, 29:514, 34:262
quiscula, 21:240, 25:553
Qumsiyeh, Mazin B., Cornelio Sanchez-Hernandez, Scott K. Davis, John C. Patton, and Robert J. Baker, Chromosomal evolution in *Geomys* as revealed by G- and C-band analysis, 33:1-13
Rabalais, Steven, see Pulich, Warren, Jr., —
Rabdotus, 29:36, 31:280, 31:286
alternatus, 30:459
dealbatus, 29:37, 30:459
schiedeanus, 30:459
Rabito, F. G., Jr., see Heins, D. C., —
Raccoon removal, nesting success, and hatchling emergence in Iowa turtles with special reference to *Kinosternon flavescens* (Kinosternidae), J. L. Christiansen and B. J. Gallaway, 29:343-348
Rachidosperum mexicanum, 18:421
Rachodrassus exlineae, 30:8
Rachycentron canadum, 36:206
Radiation levels in the barrel cactus, *Ferocactus wislizeni*, and their relation to some aspects of cacti ecology, Richard K. Koehn and Barbara B. Knowles, 12:119-126
Radiocentrum, 16:103, 16:105, 19:63
Radiofilum conjunctivum, 24:157
Radiometric age assignment for Papago Springs cave deposits, southeastern Arizona, Nicholas J. Czaplewski, Jim I. Mead, Teh-Lung Ku, and Larry D. Agenbroad, 34:278-281
Radiosphaeria, 9:168
Radiospongilla
cerebellata, 16:434-435
crateriformis, 16:434
Radovsky, Frank J., The Macronyssidae and Laelapidae (Acarina: Mesostigmata) parasitic on bats (rev.), 13:374-376
Radula australis, 28:240
Rael, Chester D., see Wheeler, John R., —
Rafinesquia neomexicana, 22:342, 35:70, 35:71, 36:306
Rafinesquiellus pottsii, 29:396
Raillietina, 21:327, 21:328, 21:331, 21:332, 31:410, 31:411
bakeri, 23:401, 23:403, 23:405
retractilis, 21:333
Rainbow smelt, *Osmerus mordax* (Pisces: Osmeridae), in the Mississippi River of Arkansas and Tennessee, Thomas M. Buchanan, Allen Carter, Sam Henry, and Ken Shirley, 27:225-226
Rainwater, Fred, see Seifert, Wayne, —
Raitt, Ralph J., and Robert D. Ohmart, Sex and age ratios in Gambel quail of the Rio Grande Valley, southern New Mexico, 13:27-34
Raitt, Ralph J., see Marr, Thomas G., —
Ralin, Dennis B., Ecological and reproductive differentiation in the cryptic species of the *Hyla versicolor* complex (Hylidae), 13:283-300
Rallidae, 31:285
Rallinyssus caudistigmus, 5:108
Ralston, Gene L., and William H. Clark, Occurrence of *Mustela frenata* in northern Baja California, Mexico, 16:209
Ramey, Craig A., and Donald J. Nash, Abert's squirrel in Colorado, 16:125-126
Ramey, Craig A., and Donald J. Nash, Coat color polymorphism of Abert's squirrel, *Sciurus aberti*, in Colorado, 21:209-217
Ramey, Craig A., and Donald J. Nash, Geographic variation in Abert's squirrel (*Sciurus aberti*), 21:135-139
Ramiellona
irpex, 15:267
mexicana, 15:267
Ramirez-Pulido, Jose, and Miguel A. Armella, Activity patterns of Neotropical bats (Chiroptera: Phyllostomidae) in Guerrero, Mexico, 32:363-370
Ramírez-Pulido, José, and William López-Forment, Additional records of some Mexican bats, 24:541-544
Ramírez-Pulido, José, Gerardo Ceballos, and Stephen L. Williams, A noteworthy record of the long-legged myotis (*Myotis volans*) from central México, 25:124
Ramírez-Pulido, José, y Ticul Alvarez, Notas sobre los murcielagos del genero *Leptonycteris* en Mexico, con la designacion del lectotipo de *L. yerbabuenae* Martinez y Villa, 1940, 16:249-259
Ramphastidae, 4:81
Ramphastos sulfuratus, 4:69
Ramphocorixa acuminata, 9:99, 12:403, 26:156
Ramsey, Charles W., and Melvin J. Anderegg, Food habits of an aoudad sheep *Ammotragus lervia* (Bovidae), in the Edwards Plateau of Texas, 16:267-280
Ramsey, Paul R., and Curtis J. Carley, Additions to the known range and ecology of three species of *Dipodomys*, 14:351-353
Ramsey, Paul R., see Wiener, James G., —
Rana, 8:143, 11:197, 24:694, 28:470, 36:175
areolata, 1:181, 1:184, 3:24, 6:106, 10:312, 15:266-267, 16:220, 24:371
aurora, 30:601-605, 30:614-616, 32:82
berlandieri, 16:122, 16:123, 20:560, 22:443, 32:78, 34:531, 34:532, 34:534, 34:535, 34:569, 35:272
blairi, 20:559, 20:560, 20:570, 22:443-453, 24:37, 24:371, 24:373, 28:105, 32:82, 34:531-535
boylei, 32:82

cascadae, 24:371, 30:615
catesbeiana, 1:181, 3:17, 3:24, 3:25, 5:26, 5:165, 9:25, 10:141-142, 11:131, 11:132, 11:311, 11:412, 12:106, 12:201-202, 12:224, 12:227, 12:335-336, 17:198-200, 19:107-111, 19:335-336, 24:2, 24:33-38, 24:371, 25:274, 27:218, 30:367, 30:475, 30:602, 30:616, 32:13-19, 32:79, 32:82, 32:94, 32:276, 34:531-535
catesbiena, 21:10
chiricahuensis, 29:245, 34:531-536
clamitans, 1:181, 3:24, 9:24, 9:42, 13:373, 16:186, 16:220, 24:371, 27:218, 30:602, 30:616, 35:474
dunni, 32:82
fisheri, 13:42, 34:531
forreri, 35:272, 35:277
grylio, 3:24, 19:108, 20:420
heckscheri, 3:24, 24:371
johni, 32:78
maculata, 32:78, 35:275
megapoda, 32:82
montezumae, 16:228, 32:78, 32:82, 34:369
mucosa, 30:602
muscosa, 24:371
onca, 13:42, 22:448, 34:531, 34:532
palmipes, 32:78, 32:82
palustris, 1:181, 1:184, 3:24, 6:202, 10:143, 10:311, 13:372-374, 16:219
pipiens, 1:181, 3:17, 3:24, 3:26, 3:32, 3:37, 3:74, 4:92, 4:94, 4:97, 5:79, 5:83, 5:165, 7:79, 7:80, 8:142, 9:25, 11:131, 11:132, 11:476-482, 12:51, 12:106, 12:224, 12:227, 12:335-336, 13:35-44, 14:130, 14:132, 14:204, 14:205, 14:210, 14:211, 16:219, 16:228, 17:81, 17:199, 18:93, 18:99-101, 18:195, 18:199, 18:247, 19:192, 20:420, 20:559-571, 21:131, 22:443, 24:371-373, 26:418, 27:218, 27:244, 28:101, 28:261, 28:268, 29:191, 29:245, 30:616, 32:13-19, 32:82, 33:240, 34:19, 34:295, 34:369-373, 34:531-538, 34:569, 35:271, 35:272
pretiosa, 17:81, 17:82, 24:371, 30:605, 30:614-616
pueblae, 32:78
pustulosa, 32:82
septentrionalis, 3:24, 24:371
sierramadrensis, 32:82
sphenocephala, 17:199, 20:559, 20:560, 20:570, 22:443, 30:367, 35:474
sylvatica, 1:181, 1:183, 1:184, 9:25, 34:145
tarahumarae, 5:26, 24:371, 29:245, 32:82, 34:531, 34:536, 34:537
temporaria, 28:267
utricularia, 20:570, 24:371, 35:450
vaillanti, 35:277
virescens, 21:131
virgatipes, 24:371
yavapaiensis, 34:531-536, 35:116-118, 35:120
Rana areolata in southern Oklahoma-northern Texas, Howard McCarley, 15:266-267
Rana grylio in the coastal prairie of Texas, Howard McCarley, 20:420
Rana pipiens (Ranidae) in the Grand Canyon of the Colorado River, Arizona, Dennis S. Tomko, 21:131
Rananculus aquatilis, 30:485
Ranatra, 8:134, 8:135, 23:554, 23:620
australis, 9:100
buenoi, 9:100
fusca, 9:100
kirkaldyi, 9:100
nigra, 9:100
Rand, Matt S., see Cross, John K., —
Randia rhagocarpa, 30:400, 31:260, 35:371, 36:215, 36:216
Randolph, James C., see Carroll, John H., —
Randolph, James C., see Eley, Rex L., —
Range and ecology of three species of *Dipodomys*, additions to the known, Paul R. Ramsey and Curtis J. Carley, 14:351-353
Range and natural history of the ringed salamander, Ambystoma annulatum Cope (Ambystomidae), Myra May Trapp, 1:78-82
Rangia cuneata, 5:149
Rangifer tarandus, 22:279, 30:299, 30:301, 31:411, 35:4
Ranidae, 11:311, 11:476-482, 18:99-101, 21:131, 22:443-453, 30:601-605, 30:614-616, 34:531-538
Ransom, Dean, Jr., see Glazener, W. C., —
Ransom, John D., *Cordylophora lacustris* (Coelenterata: Hydrozoa) comparatively abundant in Keystone Reservoir, Oklahoma, 13:107
Ransom, John D., see Prophet, Carl W., —
Ranunculaceae, 1:63, 5:170, 12:80, 15:273, 15:412, 18:322, 19:131-138, 20:431, 23:503, 24:189, 24:292, 25:329, 28:157-164, 28:290, 30:69-76, 33:175, 33:221, 35:73
Ranunculus, 4:4, 15:413, 21:383
adoneus, 20:431
aquatilis, 26:229
cymbalaria, 15:413
dichotomus, 33:169, 33:175
inamoenus, 15:273, 20:432
sceleratus, 15:413
trilobus, 5:170
Ranunculus inamoenus Greene (Ranunculaceae) in Nebraska, first record of, Alv Dan Youngberg, 15:273
Ranunculus trilobus (Ranunculaceae) in southern Louisiana: new to the United States, Lloyd H. Shinners, 5:170
Rapateaceae, 6:99
Raphignathidae, 28:419
Rapid sporulation of some Myxomycetes in moist chamber culture, the, Constantine J. Alexopoulos, 9:155-159
Rapistrum, 36:194-197
rugosum, 36:194-196
Raptor population dynamics in Utah's Uinta Basin: the importance of food resource, C. Val Grant, Benjamin B. Steele, and Robert L. Bayn, Jr., 36:265-280
Rasmussen, James A., and Frank A. Einhellig, Allelochemic effects of leaf extracts of *Ambrosia trifida* (Compositae), 24:637-643
Ratcliff, Thomas D., see Patton, David R., —
Rate of larval development and metamorphosis of the spadefoot toad, *Scaphiopus bombifrons*, William J. Voss, 6:168-174
Ratibida
columnaris, 2:170, 4:59, 16:204, 16:205, 23:501, 25:322, 25:404, 29:301, 29:304, 29:326, 29:329, 35:390
columnifera, 7:170, 12:140, 14:331, 17:7
peduncularis, 22:38, 23:501, 25:317
pinnata, 32:33, 32:35
tagetes, 16:203-205
Rattle string in *Crotalus atrox* (Serpentes: Crotalidae), an unusually long, Howard Campbell, 3:233
Rattlesnake from Cerro Tancítaro, Michoacán, México, a confusing specimen of, Jonathan A. Campbell, 27:353
Rattlesnake *nomina nuda*, some overlooked, Hobart M. Smith and Kenneth R. Larsen, 20:285-286
Rattlesnake *Sistrurus catenatus* (Crotalidae) in Colorado, the status of the, T. Paul Maslin, 10:31-34
Rattulus, 10:266
Rattus, 10:172, 13:403, 20:505, 27:11, 28:69, 35:202
alexandrinus, 21:100, 21:101
edwardsi, 21:333
norvegicus, 13:19, 13:402-405, 23:405, 26:196, 26:203, 30:340, 30:342, 36:346
rattus, 13:19, 27:459, 31:401, 34:142, 34:143, 34:414, 35:58, 36:346
Ratus sabanus, 21:333
Raun, Gerald G., A mass die-off of the Mexican brown bat, *Myotis velifer*, in Texas, 5:104-105
Raun, Gerald G., and Fredrick R. Gehlbach, Amphibians and reptiles in Texas: taxonomic synopsis, bibli-

ography and county distribution maps (rev.), 17:218-219
Raun, Gerald G., and Harold E. Laughlin, Sub-recent vertebrate remains from a site in southern Texas with comments on *Microtus* (*Pedomys*) *ludovicianus*, 16:436-439
Raun, Gerald G., and James K. Baker, Some observations of Texas cave bats, 3:102-106
Raun, Gerald G., Barn owl pellets and small mammal populations near Mathis, Texas, in 1956 and 1959, 5:194-200
Raun, Gerald G., *Cryptotis parva* from Coahuila, Mexico and comments on the taxonomy of least shrews in Texas, 10:214-218
Raun, Gerald G., Rectal body temperatures of the woodrat (*Neotoma micropus*) in southern Texas, 11:467-475
Raun, Gerald G., see McCuller, Ronald E., —
Rautenstrauch, Kurt R., see Krausman, Paul R., —
Ravenelia
arizonica, 8:192
mesillana, 8:192
papillifera, 8:192
roemeriana, 8:192
thornberiana, 8:192
versatilis, 8:193
Raymond, Larry R., and Laurence M. Hardy, Taxonomic status of the corn snake, *Elaphe guttata* (Linnaeus) (Colubridae), in Louisiana and eastern Texas, 28:105-107
Raymond, Larry R., Seasonal activity of *Siren intermedia* in northwestern Louisiana (Amphibia: Sirenidae), 36: 144-147
Raymond, Larry R., see Thomas, R. Dale, —
Razorback sucker, *Xyrauchen texanus* (Abbott), in the lower Colorado River Basin, status of the, W. L. Minckley, 28:165-187
Rea, Amadeo M., see Van Devender, Thomas R., —
Reat, Vickie L., see McCullough, Jack D., —
Reboulia hemisphaerica, 28:240
Recovery of a benthic macroinvertebrate community following a toxic chemical discharge in a sandy plains stream, David L. Smith and Donald A. Distler, 25:547-551
Recovery of a stream invertebrate community from a flash flood in Tesuque Creek, New Mexico, Manuel C. Molles, Jr., 30:279-287
Rectal body temperatures of the woodrat (*Neotoma micropus*) in southern Texas, Gerald G. Raun, 11:467-475
Recurrence of the freshwater jellyfish, *Craspedacusta sowerbii* (Cnidaria: Hydrozoa), in the Little River system, southeastern Oklahoma, Bruce L. Kimmel, Martha M. White, Steven R. McComas, and Brian B. Looney, 25:426-428
Recurvirostra americana, 14:362, 29:143-147, 32:85-91, 34:495, 36:110
Red bat in Baja California, Mexico, the, J. Knox Jones, Jr., 14:361
Red bat in Big Bend National Park, Texas?, the, David A. Easterla, 20:418-420
Red fox, (*Vulpes vulpes*) in Oklahoma, status and distribution of the, Bryan P. Glass and Arthur H. Halloran, 5:71-74
Red fox (*Vulpes vulpes*) in West Texas, new records of the, Danny A. Swepston, 25:565
Red foxes (Canidae) in Oklahoma, distribution and status of, Richard T. Hatcher, 27:183-186
Red imported fire ant (*Solenopsis invicta*) predation on cliff swallow (*Hirundo pyrrhonota*) nestlings in east-central Texas, Patricia J. Sikes and Keith A. Arnold, 31:105-106
Red imported fire ant, *Solenopsis invicta* (Hymenoptera: Formicidae), in Texas, rate of spread of the, James C. Cokendolpher and Sherman A. Phillips, Jr., 34:443-449
Red snow in Arizona, Donald R. Markey, 17:312
Red wolves from the Gulf Coast of Texas, recent records of, John L. Paradiso, 10:318-319
Reddell, James R., see Barr, Thomas C., Jr., —
Redescription and illustration of *Cyprinodon latifasciatus*, an extinct cyprinodontid fish from Coahuila, Mexico, Robert Rush Miller, 9:62-67
Redescription, variation, and zoogeography of the Mexican darter *Etheostoma pottsi* (Pisces: Percidae), Michael L. Smith, Jiakun Song, and Robert Rush Miller, 29:395-402
Redfielda flexuosa, 25:326
Redheads breeding in the Texas Panhandle, Mark J. Rhodes, 24:691-692
Rediscovery, distribution, and populational status of *Cyprinodon eximius* (Cyprinodontidae) in Devil's River, Texas, Jack R. Davis, 25:81-88
Rediscovery of a relict southern population of lake chub, *Couesius plumbeus*, in Colorado, Kevin R. Bestgen, Kurt D. Fausch, and Steve C. Riley, 36: 125-127
Rediscovery of *Festuca dasyclada* and range extensions of *Astragalus lutosus* and *Ceanothus martinii* in Colorado, James R. Irvine, Neil E. West, and Arthur H. Holmgren, 23:156-157
Rediscovery of the water snake, *Natrix harteri*, in western Texas, with description of a new subspecies, the, Donald W. Tinkle and Roger Conant, 6:33-44
Redside shiner, *Richardsonius balteatus* (Richardson), in the upper Colorado River drainage, range extension for the, Charles M. Haynes, Robert T. Muth, and Larry C. Wycoff, 27:223
Reduviidae, 8:38-42, 23:566, 23:570, 23: 571, 25:565-566, 28:377, 32:396, 32: 417, 32:420, 36:51
Reed, Dale F., see Beck, Thomas D. I., —
Reed, Jamie Wiggs, see Peterson, Chris L., —
Reed, Michael L., see McCarthy, Timothy J., —
Reed, Michael P., and Jerry R. Choate, Noteworthy southwestern records of the prairie vole, 33:495-496
Reed, Michael P., see Choate, Jerry R., —
Reeder, Richard L., and Walter B. Miller, A new *Helminthoglypta* (*Rothelix*) (Gastropoda: Pulmonata: Helminthoglyptidae) from southern California with comments on its probable evolutionary relationships, 32:261-265
Reeder, Richard L., see Christensen, Carl C., —
Reese, Robert W., see Smith, Hobart M., —
Reestablishment of *Cyprinodon eximius* (Cyprinodontidae) and status of *Dionda diaboli* (Cyprinidae) in the vicinity of Dolan Creek, Val Verde Co., Texas, Clark Hubbs and Gary P. Garrett, 35:446-448
Reevaluation of Oklahoma records of the southern cavefish, *Typhlichthys subterraneus* Girard (Amblyopsidae), Richard L. Mayden and Frank B. Cross, 28:471-473
Reeves, C. C., Jr., review by, 14:373-374
Reeves, Randall R., and Stephen Leatherwood, Autumn sightings of marine turtles (Cheloniidae) off South Texas, 28:281-288
Regenerated tail frequencies in populations of *Cnemidophorus marmoratus* (Reptilia: Teiidae), Fred S. Hendricks and James R. Dixon, 33:121-124
Regina
grahami, 24:701-703, 25:107, 25:109
rigida, 36:172, 36:175

Regulus
calendula, 4:75, 11:136, 18:196, 22:369, 22:371, 29:473, 34:492
satrapa, 14:253
Rehnia spinosa, 29:442
Reichhardt, Karen L., Succession of abandoned fields on the shortgrass prairie, northeastern Colorado, 27: 299-304
Reichhardt, Karen L., see Nabhan, Gary Paul, —
Reichling, Steven B., Reproductive traits of the Louisiana pine snake *Pituophis melanoleucus ruthveni* (Serpentes: Colubridae), 35:221-222
Reichman, O. J., Relationships between dimensions, weights, volumes, and calories of some Sonoran Desert seeds, 20:573-575
Reichman, O. J., see Judd, F. W., —
Reichman, O. J., see Seastedt, T. R., —
Reid, George K., Anthony Inglis, and Hinton D. Hoese, Summer foods of some fish species in East Bay, Texas, 1:100-104
Reid, George K., Observations on the eulittoral ichthyofauna of the Texas Gulf Coast, 1:157-165
Reid, W. H., and H. J. Fulbright, Impaled prey of the loggerhead shrike in the northern Chihuahuan Desert, 26:204-205
Reid, William, and Ralph Krappa, Southwestern cacti growing as epiphytes, 28:120
Reid, William, Rogelio Lozano, and Ross Odom, Non-equilibrium population structure in three Chihuahuan Desert cacti, 28:115-117
Reid, William H., and Gail R. Patrick, Gemsbok (*Oryx gazella*) in White Sands National Monument, 28:97-99
Reid, William H., C. Edward Freeman, and James E. Becvar, Nectar sugar variability in two species of *Agave* (Agavaceae), 30:443-445
Reid, William H., C. Edward Freeman, and R. Douglas Echlin, Soil and plant relationships in a Chihuahuan Desert *Larrea-Agave* community, 26: 85-88
Reid, William H., Gail R. Patrick, and Rogelio Lozano, Additions to the cactus flora of White Sands National Monument, New Mexico, 26:205-207
Reid, William H., see Freeman, C. E., —
Reid, William H., see Freeman, C. Edward, —
Reimer, Rollin D., and William J. Clark, Decapod crustaceans of the Navasota River system in central Texas, 19:167-178
Reiner, Richard J., see Cohen, Will E., —
Reithrodontomys, 2:34, 2:35, 5:101, 7:239, 14:164, 14:165, 14:168, 15:229, 16: 448, 20:505, 22:14, 24:245, 26:68, 28:41, 28:100-102, 28:372-374, 31: 69, 32:459, 34:97, 35:86, 35:310, 35: 313, 35:314
fluvescens, 16:11
fulvescens, 2:36, 4:17, 4:153, 5:195, 5: 196, 12:3, 12:7, 13:17, 13:362, 14: 358, 15:220, 15:226, 16:437, 20:498, 22:149, 25:123, 26:201, 27:459, 28: 109, 28:379, 31:401, 31:540, 33:106, 34:143, 35:160, 35:202, 36:344-346
gracilis, 4:153
humulis, 4:153-154, 6:194, 22:148-149, 33:105-106
humilus, 36:346
megalotis, 2:36, 4:16, 4:41, 5:100, 12: 194, 13:148, 13:151-153, 13:156, 13: 270, 13:272, 15:26, 15:209-216, 15: 226, 17:301-302, 17:322, 18:445, 18: 448, 20:498, 21:559, 24:239, 24:242, 24:243, 24:554, 24:689, 24:708, 25: 123, 26:54, 26:55, 26:201, 26:335, 28:49-52, 28:200, 28:345, 30:340, 30: 448, 31:23, 31:26-30, 31:280, 31:416-418, 32:153, 32:291, 32:292, 32:294, 32:295, 32:299, 35:366-367, 36:90, 36:91
mexicanus, 4:153, 28:372
microdon, 12:189
montanus, 2:36, 4:14, 4:16, 4:17, 12:7, 13:17, 13:148, 13:151-153, 13:156, 13:362, 17:325, 18:445, 18:448, 18: 450, 20:497, 24:708, 25:71, 26:54, 26:55, 26:201-202, 27:459, 31:280, 35:202
spectabilis, 34:414
sumichrasti, 11:306, 12:189, 21:543, 21: 544
tenuirostris, 28:372
Reithrodontomys megalotis megalotis and recent record of *R. m. saturatus* (Rodentia) in Nuevo Leon, Mexico, new record of, David Mercado-Morales, 35:366-367
Relative abundance of desert shrews (*Notiosorex crawfordi*) within the San Pedro Riparian National Conservation Area, Arizona, Douglas K. Duncan and Troy E. Corman, 36: 119-121
Relative effects of known plant inhibitors on species from first two stages of old-field succession, Charles E. Olmsted, III, and Elroy L. Rice, 15: 165-173
Release and establishment of white-tailed ptarmigan in Utah, Clait E. Braun, Darrell H. Nish, and Kenneth M. Giesen, 23:661-667
Relict occurrences of white-tailed deer within the Sonoran Desert in Arizona, on, David E. Brown and Robert S. Henry, 26:147-152
Relict species of the Chihuahuan desert, William W. Milstead, 5:75-88
Relictivomer pearsei, 11:130
Relistrodes, 8:169
Remington, Richard, see Krausman, Paul R., —
Remnant grassland vegetation and ecological affinities of the upper coastal prairie of Texas, David D. Diamond and Fred E. Smeins, 29:321-334
Remora, 35:206
Remotaspidiotus dearnessi, 14:437
Renfro, J. Larry, and Loren G. Hill, Cytological adaptation in the gills of the Red River pupfish, *Cyprinodon rubrofluviatilis*, 17:205-207
Renfro, J. Larry, and Loren G. Hill, Factors influencing the aerial breathing and metabolism of gars (*Lepisosteus*), 15:45-54
Renfro, J. Larry, see Hill, Loren G., —
Reniferidae, 27:244
Reno, Harley W., The lateral-line system of the silverjaw minnow, *Ericymba buccata* Cope, 15:347-358
Reno, Harley W., see Davis, Bill J., —
Reno, Harley W., see Ingram, J. Katherine, —
Repetobasidium mirificum, 19:352
Replacement of Sonoran topminnow by Pecos *Gambusia* under hatchery conditions, W. L. Minckley and Buddy Lee Jensen, 30:465-466
Repoblacion natural por trucha arcoiris (*Salmo gairdneri nelsoni*) en un transecto del Arroyo San Rafael, noroeste de la Sierra San Pedro Martir, Baja California, Mexico, Gorgonio Ruiz-Campos, 34:552-556
Reproduction and embryonic development in *Syrrhophus cystignathoides campi* (Anura: Leptodactylidae), observations on, Louise A. Hayes-Odum, 35:358-361
Reproduction and growth of *Bufo houstonensis* (Bufonidae), Hugh R. Quinn and Greg Mengden, 29:189-195
Reproduction and population densities in the Apache cicada (*Diceroprocta apache*), factors of, Richard L. Glinski and Robert D. Ohmart, 29:73-79
Reproduction and population structure in the turtle, *Kinosternon sonoriense*, Arthur C. Hulse, 27:447-456
Reproduction and survival in female mule

deer, Guadalupe Mountains, New Mexico, indices of, Allen E. Anderson, Walter A. Snyder, and George W. Brown, 15:29-36
Reproduction in a population of pocket gophers, *Thomomys bottae*, from Nevada, observations on, Douglas M. Lay, 23:375-380
Reproduction in a Southwest New Mexican population of *Urosaurus ornatus*, Larry Michel, 21:281-299
Reproduction in an Arizona elk, unusual, Mark C. Wallace, Joseph Jojolla, and Paul R. Krausman, 33:249
Reproduction in an upper elevation population of *Cnemidophorus inornatus* (Reptilia, Teiidae), Timothy P. Stevens, 28:9-20
Reproduction in *Polemonium*: intra- and inter-plant variability in seed weights, Michael Zimmerman, 32: 525-527
Reproduction in *Sorex pacificus*, records of, Leslie N. Carraway, 33:479-480
Reproduction in *Spermophilus tridecemlineatus*, differential, Howard McCarley, 14:293-296
Reproduction in the Arizona alligator lizard, *Gerrhonotus kingi*, Stephen R. Goldberg, 20:412-413
Reproduction in the black-tailed jackrabbit in southwestern Texas, Calvin W. Hanselka, Jack M. Inglis, and Howard G. Applegate, 16:214-217
Reproduction in the checkered garter snake, *Thamnophis marcianus*, from southern Texas and northeastern Mexico: seasonality and evidence for multiple clutches, Neil B. Ford and John P. Karges, 32:93-101
Reproduction in the Mexican vole, *Microtus mexicanus*, additional notes on, Jerry R. Choate and J. Knox Jones, Jr., 14:356-358
Reproduction in the night snake (*Hypsiglena torquata*), notes on, Donald R. Clark, Jr., and Carl S. Lieb, 18: 248-252
Reproduction in the white-footed mouse at the northern limits of its geographic range, Charles A. Long, 18: 11-20
Reproduction of *Kinosternon flavescens* (Kinosternidae) in Iowa, James L. Christiansen, James A. Cooper, and John W. Bickham, 29:349-351
Reproduction of *Kinosternon subrubrum* (Testudines: Kinosternidae) in East Texas, notes on the, Timothy W. Houseal and John L. Carr, 28:237-239
Reproduction of *Lepisosteus spatula* (Lepisosteidae) in Lake Texoma, Howard McCarley and Loren G. Hill, 24:694-695
Reproduction of the cave swallow: a Texas cave population, Robert F. Martin, George O. Miller, Michael R. Lewis, Sarah R. Martin, and Walter R. Davis, II, 22:177-186
Reproduction of the coast horned lizard, *Phrynosoma coronatum*, in southern California, Stephen R. Goldberg, 28: 478-479
Reproduction of the silvery legless lizard, *Anniella pulchra pulchra* (Anniellidae), in southern California, Stephen R. Goldberg and Charles M. Miller, 30:617-619
Reproduction, population structure, and effects of congeneric competition on the crevice spiny lizard, *Sceloporus poinsetti* (Iguanidae), in southwestern New Mexico, Royce E. Ballinger, 23:641-649
Reproduction, seasonal changes in body weight, fat deposition, spleen and adrenal gland weight of the golden-mantled ground squirrel, *Spermophilus lateralis lateralis*, (Sciuridae) in the Laramie Mountains, Wyoming, David D. Skryja and Tim W. Clark, 15:201-208
Reproductive activity in an old-age coyote in southeastern Colorado, Eric M. Gese, 35:101-102
Reproductive activity of male *Crotalus atrox* and *C. scutulatus* (Reptilia: Viperidae) in northeastern Chihuahua, Mexico, James S. Jacob, Stephen R. Williams, and Robert P. Reynolds, 32:273-276
Reproductive and vegetative growth patterns in *Yucca elata* Engelm. (Liliaceae), Stanley D. Smith and John A. Ludwig, 21:177-184
Reproductive biology of Agavaceae: I. Pollen and nectar production in four Arizona agaves, the, William M. Schaffer and M. Valentine Schaffer, 22:157-167
Reproductive characteristics of the Cerralvo Island whiptail lizard, *Cnemidophorus ceralbensis* (Teiidae), Harry L. Taylor and J. Martin Walker, 32:392-395
Reproductive characteristics of the Colima giant whiptail, *Cnemidophorus communis communis* Cope, J. Martin Walker, 27:241-243
Reproductive cycle of the giant spotted whiptail, *Cnemidophorus burti stictogrammus*, in Arizona, Stephen R. Goldberg, 32:510-511
Reproductive cycle of the plains minnow, *Hybognathus placitus* (Cyprinidae), in the Cimarron River, Oklahoma, Steven F. Lehtinen and James B. Layzer, 33:27-33
Reproductive ecology of *Manfreda brachystachya*, an iteroparous species of Agavaceae, Luis Eguiarte and Alberto Búrquez, 32:169-178
Reproductive effort in *Poeciliopsis occidentalis* (Poeciliidae), George D. Constantz, 19:47-52
Reproductive habits of captive, *Etheostoma cragini* Gilbert, observations on the, Donald A. Distler, 16:439-441
Reproductive isolation between two populations of the frog, *Rana pipiens*, in Arizona, evidence of, John S. Mecham, 13:35-44
Reproductive notes on the eggs and offspring of *Tantilla gracilis* (Serpentes: Colubridae), with evidence of communal nesting, Vincent A. Cobb, 35:222-224
Reproductive patterns of five plethodontid salamanders from the Ouachita Mountains, Cindy L. Taylor, Robert F. Wilkinson, Jr., and Chris L. Peterson, 35:468-472
Reproductive season of the weed shiner, *Notropis texanus* (Pisces: Cyprinidae), in southeastern Mississippi, the, David C. Heins and Drew Davis, 29:133-135
Reproductive success of the northern mockingbird in South Texas, factors affecting the, David H. Fisher, 26: 289-293
Reproductive traits in populations of the weed shiner, *Notropis texanus*, from the Gulf coastal plain, D. C. Heins and F. G. Rabito, Jr., 33:147-156
Reproductive traits of male nilgai antelope in Texas, Robert L. Lochmiller and William J. Sheffield, 34:276-278
Reproductive traits of the blacktail shiner, *Notropis venustus* (Girard), in southeastern Mississippi, David C. Heins and Debora R. Dorsett, 31: 185-189
Reproductive traits of the Louisiana pine snake *Pituophis melanoleucus ruthveni* (Serpentes: Colubridae), Steven B. Reichling, 35:221-222
Reptiles and amphibians captured in pitfall traps in Durango, México, field observations on, Michael K. Petersen, 25:115-117
Reptiles and amphibians from northeastern Texas, distributional notes on, Ben E. Dial, 10:143-144
Reptiles and amphibians from southern Guerrero and Oaxaca, Mexico, notes on, Ernest A. Liner and Harold A. Dundee, 14:129-134
Reptiles and amphibians in northeastern

Texas, notes on the distribution of some, Ronald E. McCuller and Gerald G. Raun, 16:220
Reptiles from Chihuahua, Mexico, with comments on sympatry between two species of Cnemidophorus, new records for, Ralph W. Axtell and Robert G. Webb, 8:50-51
Reptilia, 5:37-42, 6:79-85, 6:197-198, 10: 167-178, 17:365-370, 19:215-217, 20:147-148, 22:275, 23:41-50, 27: 232-234, 28:9-20, 29:137-140, 29: 271-275, 31:111, 32:273-276, 33: 121-124, 34:436-438
Reseda lutea, 21:404
Resedaceae, 23:297
Resh, Vincent H., David S. White, and Susan J. White, Lake Texoma caddisflies (Insecta: Trichoptera): 1. Species present and faunal changes since impoundment, 23:381-388
Resin and rubber content in *Chrysothamnus*, Dale Hegerhorst, Darrell W. Weber, and E. Durant McArthur, 32:475-482
Resinicium chiricahuaensis, 19:352
Resource collecting abilities of *Solenopsis invicta* (Hymenoptera: Formicidae) compared with those of three sympatric Texas ants, Stanley R. Jones and Sherman A. Phillips, Jr., 35: 416-422
Respess, Richard O., Carl E. Wood, Jack M. Inglis, and William J. Clark, Seasonal variations in selected physicochemical conditions of a small lake in Brazos County, Texas, 17:249-263
Response of a central Oklahoma grassland to burning, the, Dwight E. Adams and Roger C. Anderson, 23:623-631
Response of lotic periphyton to sediment release from a reservoir, Lawrence J. Gray and James V. Ward, 28: 239
Resupinatus silvanus, 29:264
Reticularia
jurana, 10:221, 10:222
lycoperdon, 10:222
splendens, 10:222
Reticulariaceae, 10:222
Reticulated gecko, *Coleonyx reticulatus* Davis & Dixon, significant range extensions with field and lab notes for the, Wayne Seifert, Fred Rainwater, and Tim Kasper, 18:101-103
Reticulitermes flavipes, 35:287
Reticulotermes
flavipes, 22:513-515
hesperus, 30:604
Retinella
cryptomphala, 16:317, 16:319
electrina, 27:239
indentata, 5:149, 5:152, 16:93, 16:94, 16:99, 16:104, 16:310, 19:61, 19:64, 21:410, 21:411, 27:239, 29:37, 29: 39-42
wheatleyi, 27:239
Reuse of other species nests by lark sparrows, Douglas B. Mcnair, 29:506-509
Reveal, James L., and Eloise S. Styer, Miscellaneous chromosome counts of western American plants-I, 18: 397-402
Reveal, James L., *Eriogonum umbellatum* Torr. var. *cognatum* (Greene) Reveal (Polygonaceae), comb. nov., 13:357-359
Reveal, James L., On the status of Eriogonum jonesii S. Wats. (Polygonaceae), 13:359-361
Reverchonia arenaria, 8:15, 8:16, 25:331, 25:337
Reyna, J. Valdés, see Fryxell, P. A., —
Reynolds, Hudson G., see Turkowski, Frank J., —
Reynolds, Randy, see Hill, Loren G., —
Reynolds, Robert E., see Goodwin, H. Thomas, —
Reynolds, Robert P., Elevational record for *Euderma maculatum* (Chiroptera: Vespertilionidae), 26:91-92
Reynolds, Robert P., Seasonal incidence of snakes in northeastern Chihuahua, Mexico, 27:161-166
Reynolds, Robert P., see Jacob, James S., —
Rhabdias, 21:503, 21:505-508
ranae, 11:302, 12:335-336, 17:198, 17: 199
Rhabdias ranae from Bufo valliceps, Charles Hoffpauir and E. O. Morrison, 11:302
Rhabdias ranae infections in three species of Oklahoma Anura, E. O. Morrison, 12:335-336
Rhabdiasidae, 17:198, 17:199
Rhabdochona, 22:361, 29:380, 29:382, 29: 384
cascadilla, 21:68, 21:69
decaturensis, 22:528, 22:530, 28:399, 28:400, 28:401, 28:403
Rhabdotus alternatus, 24:687, 24:688
Rhacodesmidae, 34:385
Rhadinaea, 35:221
crassa, 16:229
cuneata, 26:436, 26:437
flavilata, 18:345, 20:541
gaigeae, 26:436
godmani, 35:275
hesperia, 26:436
quinquelineata, 26:436
Rhadine, 12:268, 23:233
longiceps, 12:271
longicollis, 12:268, 12:270, 12:271
myrmecodes, 28:474, 28:477
subterranea, 14:81
Rhadinichthyidae, 33:265
Rhagovelia, 28:34
choreutes, 9:101
distincta, 32:288, 32:289
knighti, 9:101
rivale, 9:101
Rhamdia, 6:64
guatemalensis, 32:227, 32:229, 32:233
laticauda, 32:227
parryi, 32:227, 32:229, 32:233
reddelli, 32:227
Rhamnaceae, 1:66, 4:57, 11:125-126, 11: 301-302, 14:257, 18:435, 18:438, 18: 440, 18:442, 22:343, 23:297, 29:516-518, 35:73
Rhamnus, 27:237
betulaefolia, 15:159, 16:16, 17:290
californica, 32:264, 35:67, 35:73
caroliniana, 12:345
crocea, 17:173, 28:215
serrata, 12:76
Rhamphocorixa acuminata, 12:384, 12:387
Rhechostica echina, 34:513, 34:514
Rheotanytarsus, 23:140, 25:27, 25:141, 25: 251, 25:383, 34:185
Rheumatobates
hungerfordi, 9:101
rileyi, 9:101
trulliger, 9:101
Rheumobates, 8:136
Rhincodon typus, 30:103
Rhinichths osculus, 27:437
Rhinichthys, 11:322, 20:187, 20:193, 20: 194, 24:501, 24:505, 25:488, 35:453
atratulus, 24:502, 24:503, 24:506, 29: 355
cataractae, 2:93, 17:379, 24:502, 24:503, 24:506, 26:78-81, 29:355, 30:560, 31: 158, 32:409, 32:410, 36:187, 36:189, 36:190, 36:287
dulcis, 31:158
osculus, 5:175, 9:250, 11:313, 11:319, 12:296, 14:306, 14:309, 14:310, 15: 460, 19:406-408, 20:186, 20:188-192, 23:511-517, 23:520, 25:41, 25: 43, 25:45, 25:490, 25:495-497, 26: 389, 26:391, 27:439-442, 27:444, 28: 170, 28:221, 28:222, 28:399, 28:401, 28:402, 29:354-356, 30:475-484, 30: 505, 30:506, 30:513, 30:520, 31:545, 33:364, 34:131-133, 34:408, 35:195, 35:250, 35:452, 36:158-170, 36:253
Rhinocheilus, 19:195
antoni, 2:19
lecontei, 3:33, 3:48, 4:95, 4:103, 8:53, 8:225, 9:45-46, 9:47, 11:411, 19:194, 14:204, 14:209-211, 20:411, 22:55, 22:61, 26:267, 26:271, 26:283, 27: 163, 34:522, 36:99, 36:103, 36:308
Rhinochilus, 20:285
Rhinoclemmys rubida, 35:278
Rhinoclemys punctularia, 23:163
Rhinonyssidae, 5:107, 21:278

Rhinonyssus
coniventris, 6:103
himantopus, 32:85, 32:86
rhinolethrum, 5:107-108
Rhinophrynus dorsalis, 11:128, 23:685, 26:362, 32:75, 34:171, 35:277
Rhinotermididae, 30:604
Rhinotermitidae, 20:6, 35:285-291
Rhipidocotyle
lepisostei, 16:281
papillosa, 22:361
septapapillata, 29:379
septipapillata, 16:288, 16:291
Rhipidomys, 33:397
Rhipiphoridae, 28:476
Rhithrogena, 25:455
robusta, 25:26, 25:27
Rhizaspidiotus, 18:426
dearnessi, 14:437, 14:438, 18:430, 18:431, 18:435
helianthi, 14:437
Rhizobium, 10:248, 10:249, 12:98, 27:369, 34:547
lupini, 27:375
Rhizoclonium, 8:232, 11:201, 22:112, 25:420, 25:538
crassipellitum, 23:440
fontanum, 11:197, 23:440
hieroglyphicum, 23:440, 23:446, 24:157
Rhizophora mangle, 35:237
Rhizophydium
pollinis-pini, 12:314
sphaerotheca, 12:314
Rhizopus, 32:133
Rhizosolenia minima, 26:312, 26:313
Rhizosoleniceae, 26:313
Rhodacaridae, 29:239
Rhodes, Mark J., and John D. Garcia, Characteristics of playa lakes related to summer waterfowl use, 26:231-235
Rhodes, Mark J., Redheads breeding in the Texas Panhandle, 24:691-692
Rhodes, William L., see Mitchell, Robert W., —
Rhodobryum roseum, 31:398
Rhododendron
occidentale, 32:264
serrulatum, 12:345
Rhododipsa masoni, 26:88
Rhodophyllaceae, 29:261
Rhodotorula, 36:239
glutinis, 23:165
Rhogeesa
parvula, 11:310
tumida, 35:152
Rhogeëssa, 11:309, 32:508
parvula, 10:75-76
tumida, 10:75-76, 32:135, 32:136, 33:100
Rhoicosphenia curvata, 22:459, 24:155, 26:313
Rhopalodia, 25:416, 25:420
gibba, 10:40, 22:311, 22:459, 22:460, 23:89, 23:91, 24:155, 26:315, 28:247
gibberula, 22:413, 22:459, 24:155, 26:315, 30:464, 35:209
Rhophalosiphum, 27:466
Rhus, 8:93, 11:67, 15:264, 17:318, 19:247, 19:329, 27:432, 28:143, 30:290, 30:388
aromatica, 2:155, 2:164, 5:120, 6:99, 9:114, 9:116, 11:308, 13:85, 16:87, 22:340, 22:345, 22:347, 22:348, 22:349, 22:506, 22:551, 22:552, 24:131, 24:135, 24:169, 24:171, 24:434, 24:710, 25:325, 25:331, 25:364, 25:365, 27:311, 30:580, 30:597
choriophylla, 16:87, 16:90, 22:340, 22:341, 22:347, 23:294, 24:710, 30:390-393, 35:70
copalina, 29:304
copallina, 7:170, 10:44, 12:346, 15:171, 16:272, 16:274, 16:276, 20:328, 20:330, 21:405, 21:552, 26:345-350, 27:57, 27:58, 27:425, 27:428, 27:429, 28:63, 29:83, 31:192
diversiloba, 28:48
glabra, 2:164, 10:44, 12:346, 15:152, 17:7, 17:47, 20:329, 25:331, 27:57-59, 27:428, 27:429, 28:83, 28:85, 29:83, 33:67, 33:68, 35:70
lanceolata, 24:132-134, 24:137, 25:363-365, 27:310, 27:311
laurina, 28:47, 28:48, 31:182, 31:183
microphylla, 1:64, 10:35, 10:38, 15:152, 16:12, 16:87, 19:246, 19:330, 21:316, 22:341, 22:345, 22:347, 22:506, 23:291, 23:296, 24:132, 25:364-366, 28:83, 30:394, 30:564, 33:108
oromatica, 36:305
ovata, 26:253
radicans, 12:139-141, 12:344, 12:345, 14:331, 15:152, 15:159, 15:160, 17:47, 19:155, 19:160-162, 25:207, 25:210, 25:211, 27:57, 27:58, 27:429, 28:83, 28:254
toxicodendron, 16:12, 20:323, 20:327, 20:330, 20:333, 25:331, 27:311, 27:385, 35:437
trilobata, 1:53, 1:54, 1:56, 1:57, 1:64, 4:148, 5:117, 10:35, 12:138, 12:140, 12:141, 12:143, 13:160, 13:161, 13:164, 14:331, 15:152, 15:160, 16:12, 16:452, 17:7, 17:289, 18:374, 20:437, 20:439, 20:443, 21:59, 21:309, 22:347, 24:295, 24:544, 24:545, 24:550, 25:444, 26:264, 26:265, 26:284, 26:366, 26:397, 27:169, 27:176, 27:339, 28:82, 28:83, 28:200, 28:336, 28:423, 28:463, 30:389, 31:349, 31:352, 32:138, 32:150, 32:292, 33:84, 35:65, 35:70, 36:255
trivialis, 20:330
ursinus, 28:48
virens, 8:193, 10:258, 10:260, 16:12, 17:289, 23:293, 23:294, 23:296, 23:299, 24:132, 24:135, 24:137, 25:362, 25:364, 25:365, 30:536, 33:109, 35:65, 35:70
Rhyacionia
buoliana, 33:216
neomexicana, 20:1, 20:3, 20:7, 20:9, 20:10, 20:226-228, 28:95-97
Rhyacophila, 25:23, 25:28, 28:190, 28:193, 28:194
acropedes, 25:26, 31:451
alberta, 31:449
angelita, 25:26, 31:450
arcopedes, 31:450
atrata, 31:422
bifila, 31:422
brunnea, 31:450, 31:451
coloradensis, 25:26, 31:450
harmstoni, 31:450
hyalinata, 25:26, 31:450, 31:452
nevadensis, 31:451
oreta, 31:423, 31:451
pellisa, 31:451
rotunda, 31:451
tucula, 25:26, 31:423
valuma, 31:451
vao, 31:451
verrula, 25:26, 31:452
vocala, 31:452
vofixa, 31:452
Rhyacophilidae, 25:252, 28:353, 28:414, 31:449
Rhynchelitrum repens, 36:77
Rhynchelytrum roseum, 12:79
Rhynchocyclus brevirostris, 4:74
Rhynchonycteris naso, 11:488, 28:374, 29:513, 31:532
Rhynchopsitta pachyrhyncha, 29:244
Rhynchopsyllus pullex, 20:241, 20:247, 20:251
Rhynchosia, 12:348
americana, 22:37, 23:502, 24:303, 25:317, 33:335, 33:336, 35:388, 35:390, 36:123
latifolia, 12:348
minima, 22:37, 22:40, 22:42, 23:502, 25:316, 28:367, 28:368, 35:388-390
senna, 35:72
texana, 8:193, 12:152, 29:304
Rhynchosida physocalyx, 35:72
Rhynchospora, 29:326, 35:388, 35:390
gracilenta, 10:78
plumosa, 10:78
Rhynchospora (Cyperaceae) in Kansas, the genus, Lawrence K. Magrath and Kermit L. Johnson, 15:389
Rhynchospora plumosa Elliott in Texas, precise localities for, Marshall C. Johnston, 10:78
Rhynchostegium serrulatum, 30:151
Rhyncophoridae, 19:109
Rhyncosia minima, 25:404
Rhyncospora harveyl, 11:414
Rhynochostegium serrulatum, 28:241
Rhysodesmus

chisosi, 34:219-224, 34:383, 35:96
murallensis, 34:219, 34:223
texicolens, 34:219, 34:223, 34:387, 35:96
Rhysodesmus chisosi new species, a biogeographically significant milliped from the Chisos Mountains, Texas (Polydesmida: Xystodesmidae), Rowland M. Shelley, 34:219-224
Rhysodromus alascensis, 15:323
Rhysolepis, 9:32, 9:37
palmeri, 16:377
Rhyssomatus
fissilis, 6:65, 6:68, 6:71, 6:72
nigerrimus, 6:65, 6:72
ovalis, 6:72
Rhytidomene, 10:82
Rhytipterna holerythra, 4:72
Ribble, David O., and Fred B. Samson, Macrohabitat associations of small mammals in southeastern Colorado, with special emphasis on *Peromyscus* (Rodentia), 32:291-303
Ribes, 18:368, 18:374, 19:112, 21:523-530, 22:293, 24:137, 25:462, 33:239, 34:488
americanum, 21:523-526, 21:529
aureum, 12:139, 21:523-525, 21:527-529, 28:83,
cereum, 12:139, 17:47, 21:523-525, 21:527-529, 23:78, 23:80, 24:544, 24:545, 25:560, 31:349, 31:416
coloradense, 12:327
inebrians, 21:523-525, 21:527, 36:246
inerme, 21:523-525, 21:528, 21:529
inermis, 12:209
leptanthum, 21:523-525, 21:527-529, 28:83
mescalerium, 21:523-525, 21:527, 21:529
missouriense, 19:162
montigenum, 20:430, 21:523, 21:524, 21:527, 21:529, 22:49, 22:62, 22:64, 24:132-134, 26:264, 26:265, 26:284
odoratum, 2:163, 4:148, 21:523-525, 21:527, 25:330
pinetorum, 12:324, 15:152, 21:523-525, 21:528, 21:529, 24:134, 26:133-145, 28:83, 36:42, 36:43
wolfi, 15:152, 15:159
wolfii, 21:523-525, 21:527, 21:529
Ribic, Christine A., Summer foods of coyotes at Rocky Flats, Colorado, 23:152-153
Ribick, Michael A., see White, Donald H., —
Riccardia latifrons, 28:240
Riccia, 13:119
fluitans, 13:122, 34:290
mauryana, 1:118
sorocarpa, 1:118
trichocarpa, 1:118
violacea, 3:115, 3:122
Ricciaceae, 34:290
Rice, E. L., and Wm. T. Penfound, Composition of a green ash forest near Norman, Oklahoma, 1:145-147
Rice, Elroy L., and Robert L. Parenti, Inhibition of nitrogen-fixing and nitrifying bacteria by seed plants. V. Inhibitors produced by *Bromus japonicus* Thunb., 12:97-103
Rice, Elroy L., Inhibition of nitrogen-fixing and nitrifying bacteria by seed plants IV. The inhibitors produced by Ambrosia elatior and A. psilostachya, 10:248-255
Rice, Elroy L., see Kapustka, Lawrence A., —
Rice, Elroy L., see Olmsted, Charles E., III, —
Rich, Georgia K., see Schneider, Edward L., —
Richardia brasiliensis, 23:504, 25:322
Richards, Carl, and David L. Soltz, Feeding of rainbow trout (*Salmo gairdneri*) and arroyo chubs (*Gila orcutti*) in a California mountain stream, 31:250-253
Richards, Richard E., see Willey, Robert B., —
Richards, Tony, see Johnson, Randy, —
Richardson, Larry W., see Garner, Herschel W., —
Richardson, P. M., see Seigler, D., —
Richardsonius balteatus, 14:306, 14:307, 14:310, 19:406, 19:408, 23:520, 27:223
Richerson, Jim V., and Richard D. Jones, An ant-aphid association on thread-leaf groundsel in the Davis Mountains area of West Texas, 27:466-467
Richman, David B., and Vincent D. Roth, A revised list of the jumping spiders (Araneae: Salticidae) of Yuma County, Arizona, 21:199-202
Richman, David B., Ellis W. Huddleston, and Melchor Ortiz, Seasonal activity of tenebrionid beetles in New Mexico mesquite dunes, 27:305-308
Richman, David B., Jumping spiders (Salticidae) from Yuma County, Arizona, with a description of a new species and distributional records, 10:132-135
Richmondena cardinalis, 7:260, 11:136, 16:20
Ricinoides
afzelii, 14:137
feae, 14:137
sjostedti, 14:137
westermanni, 14:136
Ricinulei, 14:136-138
Ricinus communis, 18:194, 18:431, 18:438, 18:441
Rickart, Eric A., Pleistocene lizards from Burnet and Dark Canyon caves, Guadalupe Mountains, New Mexico, 21:519-522
Rickart, Eric A., Population structure of the Piute ground squirrel (*Spermophilus mollis*), 33:91-96
Rickenella fibula, 29:264
Rickett, John D., see Karlin, Alvan A., —
Ridgway, John, and Patricia Walne, Ophioglossum crotalophoroides Walt. on enchanted rock, Llano County, Texas, 10:143
Ridlehuber, Kenneth T., and Nova J. Silvy, Texas rat snake feeds on Mexican freetail bat and wood duck eggs, 26:70-71
Ridlehuber, Kenneth T., Fire ant predation on wood duck ducklings and pipped eggs, 27:222
Riella americana, 6:186
Rietveld, Willis J., see Jones, John R., —
Riffle, Jerry W., Pedicularis centranthera, a parasite of three southwestern tree species, 13:99-100
Riggs, Carl D., and Edward W. Bonn, An annotated list of the fishes of Lake Texoma, Oklahoma and Texas, 4:157-168
Riley, Steve C., see Bestgen, Kevin R., —
Ring-tailed cat in southern Nevada, observations on the distribution of the, W. Glen Bradley and Charles G. Hansen, 10:310-311
Ringtail cat into Arkansas, range extension of, John A. Sealander and Philip S. Gipson, 16:458-459
Rinne, John N., Changes in minnow populations in a small desert stream resulting from naturally and artificially induced factors, 20:185-195
Rinne, John N., Habitat use by spikedace, *Meda fulgida* (Pisces: Cyprinidae) in southwestern streams with reference to probable habitat competition by red shiner, *Notropis lutrensis* (Pisces: Cyprinidae), 36:7-13
Rinne, John N., Physical habitat use by loach minnow, *Tiaroga cobitis* (Pisces: Cyprinidae), in southwestern desert streams, 34:109-117
Rinne, John N., see Loudenslager, Eric J., —
Rinne, John N., see Meffe, Gary K., —
Rinne, John N., see Mpoame, Mbida, —
Rinne, William E., see Marsh, Paul C., —
Rio Grande estuary, further observations on the, Frank L. Pezold and Robert J. Edwards, 28:104-105
Rio Nazas as a factor in mammalian distribution in Durango, Mexico, the, Michael K. Petersen, 20:495-502

Riodinidae, 18:308
Ríos, Rubén, see Carvacho, Alberto, —
Riparia riparia, 22:147-148, 24:683
Riparian plant communities of the Fort Bayard watershed in southwestern New Mexico, Alvin L. Medina, 31: 345-359
Riparian tree species distribution and succession along the lower Escalante River, Utah, James R. Irvine and Neil E. West, 24:331-346
Riskind, David H., and Peggy A. Amerson, A second collection of *Monotropa hypopithys* L. for Texas and a new county record, 22:136-137
Riskind, David H., see Van Devender, Thomas R., —
Risser, Paul G., and Forrest L. Johnson, Carbon dioxide exchange characteristics of some prairie grass seedlings, 18:85-91
Risser, Paul G., see Johnson, Forrest L., —
Risser, Paul G., see Schnell, Gary D., —
Risser, Paul G., see Sheedy, Joyce D., —
Risser, Paul G., see Sherwood, Ross T. Bowlin, —
Ritke, Mark E., and Michael L. Kennedy, Intraspecific morphologic variation in the raccoon (*Procyon lotor*) and its relationship to selected environmental variables, 33:295-314
River carpsucker, *Carpiodes carpio* (Osteichthyes: Catostomidae) with an accessory paired fin, a, Richard H. Stasiak, 24:200-201
River crab, *Pseudothelphusa* (Decapoda), in western Mexico, northernmost limit of the, James S. Findley, 11: 412-413
Rivera, Romelia L., and C. E. Freeman, The effects of some alternating temperatures on germination of creosotebush (*Larrea tridentata* [D. C.] Cov.: Zygophyllaceae), 24:711-714
Rivina
humilis, 31:101, 31:102, 33:366, 35:73, 36:214, 36:215
humilus, 22:552, 30:400
humulis, 24:101
Rivulariaceae, 11:202
Rivulus, 32:233
hendrichsi, 32:227
marmoratus, 18:236
tenuis, 32:227, 32:229
Robbins, Lynn W., Sex chromosome polymorphisms in *Reithrodontomys montanus* (Rodentia: Cricetidae), 26: 201-202
Robbins, Lynn W., see Schnake-Greene, Janice E., —
Robel, Robert J., and William E. Klopfenstein, Major fatty acids of wild bobwhites during fall and winter, 30: 33-39
Robel, Robert J., see Klinger, Scott R., —
Robel, Robert J., see Shuman, Theresa W., —
Robertson, Andrew, Calanoid copepods: new records from Oklahoma, 17:201-203
Robinia, 18:377, 18:440, 32:42
neo-mexicana, 30:74
neomexicana, 15:152, 15:159, 15:160, 15:162, 18:372, 18:374-376, 18:379, 18:470, 21:60, 28:83, 28:85, 35:72
pseudo-acacia, 2:163, 18:432, 18:438, 18:441, 28:63
pseudoacaccia, 32:41
pseudoacacia, 19:161, 28:83, 28:336
Robinson, J. V., see Frye, B. L., —
Robinson, James V., see Dickerson, Jaime E., Jr., —
Robison, Henry W., An extension of the known range for *Noturus eleutherus* Jordan (Ictaluridae), 14:256-257
Robison, Henry W., and Neil H. Douglas, First records of Eumeces obsoletus in Arkansas, 23:538-539
Robison, Henry W., and Rudolph J. Miller, A new intergeneric cyprinid hybrid (*Notropis pilsbryi* x *Chrosomus erythrogaster*) from Oklahoma, 16:442-444
Robison, Henry W., and Stephen Winters, Occurrence of the slender madtom, *Noturus exilis* Nelson (Osteichthyes: Ictaluridae), in the Little River system, Arkansas, 23:688-689
Robison, Henry W., Distribution, habitat, variation, and status of the goldstripe darter, *Etheostoma parvipinne* Gilbert and Swain, in Arkansas, 22: 435-442
Robison, Henry W., First record of the ictalurid catfish, *Noturus phaeus*, from Arkansas, 18:475
Robison, Henry W., *Fundulus blairae* Wiley and Hall (Cyprinodontidae) in Arkansas, 22:544
Robison, Henry W., New distributional records of some Arkansas fishes with addition of three species to the state ichthyofauna, 19:220-223
Robison, Henry W., Variation in the caudal skeleton of two etheostomatine fishes, 23:165-167
Robison, Henry W., see Hambrick, Patrick S., —
Robison, Henry W., see Matthews, William J., —
Roccus
chrysops, 4:165, 13:49, 14:213, 14:220
mississippiensis, 11:311
saxatilis, 1:16-26, 14:218
Rochette, Richard A., A multivariate morphometric analysis between *Hydroporus veronicae* and *H. terminalis* (Coleoptera: Dytiscidae), 30:445-448
Rochette, Richard A., *Hydroporus williami*, a new dytiscid of the *vilis* group from the western United States (Coleoptera: Dytiscidae), 31:341-344
Rocinela, 36:353
Rock bass population in Blue Spring, New Mexico, with comments on the introduction of rock bass in the western United States, the status of the, Robert C. Cashner and Royal D. Suttkus, 23:463-472
Rock, Charles O., and Ronald H. Segal, Observations on the ligule of *Selaginella fraiponti*, 17:405-408
Rock mouse, *Peromyscus difficilis*, in western Texas, the, Victor E. Diersing and Donald F. Hoffmeister, 19: 213
Rock outcrop microhabitat to germination, water relations, and phenology of *Erythrina flabelliformis* (Fabaceae) in southern Arizona, the relationship of the, J. S. Conn and E. K. Snyder-Conn, 25:443-451
Rock pocket mouse, *Chaetodipus intermedius*, from New Mexico, description of a new, Floyd W. Weckerly, Antonio L. Gennaro, and Troy L. Best, 33:100-102
Rockwell, R. F., see Gaso, M. I., —
Rodent populations to pinyon-juniper reduction on the Kaibab Plateau, Arizona, response of some, Frank J. Turkowski and Hudson G. Reynolds, 15:23-27
Rodentia, 8:150-153, 10:156-166, 10:282, 10:287, 11:325-337, 12:275-290, 12: 429-438, 14:374-375, 19:214-215, 21:105-115, 23:696-699, 26:201-202, 26:208-210, 27:358-359, 28:375-376, 28:429-436, 29:1-5, 29:403-406, 30: 357-362, 30:449-450, 31:410-411, 32:291-303, 32:371-376, 34:85-100, 35:366-367, 35:371-373, 35:454-455
Rodents from Baylor County, two noteworthy records of, John T. Baccus, 13:362
Rodents of a creosote bush community in southern Nevada, W. Glen Bradley and Roger A. Mauer, 17:333-344
Rodents of desert shrub and riparian woodland habitats in the Sonoran Desert, Nancy E. Stamp and Robert D. Ohmart, 24:279-289
Rodgers, Kenneth J., see Patton, David R., —
Rodriquez-Estrella, Ricardo, see Arriaga, Laura, —
Roeboides, 32:233
guatemalensis, 32:228
Rogers, C. E., W. E. Clark, and H. R.

Burke, Bionomics of *Sibinia sulcatula* (Coleptera: Curculionidae) on mesquite in Texas, 20:303-314
Rogers, Charlie E., see Seiler, Gerald J., —
Rogers, Duke S., and David J. Schmidly, Geographic variation in the white-throated woodrat (*Neotoma albigula*) from New Mexico, Texas, and northern Mexico, 26:167-181
Rogers, Duke S., E. J. Heske, and D. A. Good, Karyotypes and a range extension of *Reithrodontomys* (Cricetidae: subgenus *Aporodon*) from Mexico, 28:372-374
Rogers, Duke S., Evolutionary implications of chromosomal variation among spiny pocket mice, genus *Heteromys* (order Rodentia), 34:85-100
Rogers, Garry F., see Schmid, Mary K., —
Rogers, George C., Aberrant coloration in *Myotis velifer incautus*, 10:311
Rogers, Robert L., and Jay V. Huner, Observations on the crayfish fauna on the Southern University campus, Baton Rouge, Louisiana, 33:120-121
Rollins, Dale, see Waid, Douglas D., —
Rollo, Joe D., and Eric G. Bolen, Ecological relationships of blue and green-winged teal on the High Plains of Texas in early fall, 14:171-188
Romero, Lourdes Juárez, see Hendrickson, Dean A., —
Romero-Almaraz, Ma. de Lourdes, see Sánchez-Hernández, Cornelio, —
Romo, Virginia, see Palomino, Guadalupe, —
Romo-Vázquez, Esther, see León-Paniagua, Livia, —
Roncus pacificus, 20:21
Rongstad, Orrin J., see Glazener, W. C., —
Rookstool, Dala Joy, see Kennedy, Michael L., —
Root, Terry L., Mark A. Holmgren, and Robert W. Andrews, Winter abundance patterns of some songbirds near the 100th meridian in the southern United States, 26:95-100
Roppe, Jerry A., and Dale Hein, Effects of fire on wildlife in a lodgepole pine forest, 23:279-287
Roppe, Jerry R., see Honeycutt, Rodney L., —
Ropski, Steven J., see Gustafson-Ropski, Melanie, —
Rorabaugh, James C., Carolyn L. Palermo, and Steven C. Dunn, Distribution and relative abundance of the flat-tailed horned lizard (*Phrynosoma mcallii*) in Arizona, 32:103-109
Rorabaugh, James C., see Clarkson, Robert W., —
Roripa nasturtium-aquaticum, 12:209
Rorippa, 15:413, 27:439
islandica, 2:162, 12:139
nasturtium, 28:129
nasturtium-aquaticum, 34:478
sinuata, 15:413
Rorripa
acuaticum, 35:181
nasturtium, 36:159
Rosa, 15:277, 16:328, 17:1, 18:441, 28:63, 28:64, 34:478
acicularis, 3:145, 3:154, 12:138
arizonica, 28:83
arkansana, 2:163, 3:157, 14:331, 25:560
blanda, 3:148, 3:157
bracteata, 35:229
carolina, 3:150, 3:154, 3:157, 3:161, 3:171, 7:169, 32:35
cherokeensis, 3:164, 3:165
cursor, 3:154, 3:171
fendlera, 28:83
fendleri, 15:152, 15:159, 15:160, 18:374-376, 18:379, 36:246
fenestrata, 3:171
floridana, 3:146
foliolosa, 3:145-153, 3:157, 4:56
foliosa, 3:150
humilis, 3:150
humuilis, 3:151
ignota, 3:146, 3:150, 3:152
kentukensis, 3:154, 3:171
laevigata, 3:172
mutabilis, 3:171
nitida, 3:157
oreophila, 18:368
palustris, 3:146, 3:152, 3:154, 3:157
pratincola, 17:5, 17:7
rubeae, 3:171, 3:172
rubifolia, 3:154, 3:155, 3:162-164, 3:171
setigera, 3:150, 3:154-174, 3:214, 25:404
stellata, 15:152, 15:160, 32:389
suffulta, 14:331
trifoliata, 3:154, 3:171
underwoodii, 18:368
virginiana, 3:150, 3:157
woodsii, 3:148, 3:150, 3:152, 3:157, 3:164, 23:280
Rosa setigera F. alba a form of var. tomentosa, Walter H. Lewis, 3:214
Rosaceae, 1:64, 1:87, 2:163, 4:56, 9:151-154, 13:383, 15:413, 17:197, 18:326, 18:327, 18:368, 18:435, 18:438-441, 20:432, 20:439, 22:343, 24:189, 25:330, 32:526, 35:19, 35:73, 36:114
Rose, Francis L., and Robert W. Mitchell, Comparative lipid values of epigean and cave-adapted *Astyanax*, 27:357-358
Rose, Francis L., Carapace regeneration in *Terrapene* (Chelonia: Testudinidae), 31:131-134
Rose, Francis L., Desiccation rates and temperature relationships of *Terrapene ornata* following scute removal, 14:67-72
Rose, Francis L., M. E. T. Scioli, and Michael P. Moulton, Thermal preferentia of Berlandier's tortoise (*Gopherus berlandieri*) and the ornate box turtle (*Terrapene ornata*), 33:357-361
Rose, Francis L., see Judd, Frank W., —
Roseberg, Ralph B., and Tom Moen, New record of *Leptodora kindtii* (Focke) (Crustacea: Cladocera) in Arkansas, 26:74-75
Rosenfeld, Mark J., and Jeffery A. Wilkinson, Biochemical genetics of the Colorado River *Gila* complex (Pisces: Cyprinidae), 34:232-244
Rosensteiniidae, 20:241, 20:244-246
Rosenthal, Montiel, see Ferner, John W., —
Roser, Margaret L., see Dittmer, Howard J., —
Ross-Craig, Stella, Drawings of British plants. Part XIII (Umbelliferae II, Araliaceae, Cornaceae) (rev.), 5:48
Rosson, Tommy C., *Ophioglossum engelmanii pranti*, new to the Texas Panhandle, 15:141-142
Rotala, 1:18
ramosior, 9:106
Rotaria, 22:417
Rotatoria, 12:55-69
Roth, Barry, and Timothy A. Pearce, "*Micrarionta*" *dallasi*, a helicinid (Prosobranch), not a helminthoglyptid (Pulmonate), land snail: paleoclimatic implications, 33:117-119
Roth, Edward, see Dalquest, Walter W., —
Roth, Edward L., Silver-haired bat at Wichita Falls, Texas, 14:449-450
Roth, Edward L., see Dalquest, Walter W., —
Roth, Vincent D., see Richman, David B., —
Rothelix, 32:261-265
Rotifer population in a Southeast Texas oxbow lake with emphasis on cyclomorphosis of *Keratella cochlearis*, Clois E. Marsh, J. Leon McGraw, Jr., and Richard C. Harrel, 23:633-640
Rough earth snake (*Virginia striatula*): ecology of a Texas population, the, Donald R. Clark, Jr., and Robert R. Fleet, 20:467-478
Roundy, Bruce A., and Gilbert L. Jordan, Vegetation changes in relation to livestock exclusion and rootplow-

ing in southeastern Arizona, 33:425-436
Rowe, Bernard E., see Jackson, Jerome A., —
Rowell, Chester M., Jr., reviews by, 9:49, 14:373
Rowell, Chester M., Jr., Vascular plants of the playa lakes of the Texas Panhandle and South Plains, 15:407-417
Rowell, Chester M., review by, 6:54
Rowell, Chester M., Summer flora of the Gene Howe Wildlife Management Area, Hemphill County, Texas, 2:155-171
Rowland, J. Mark, Origins and distribution of two species groups of Schizomida, (Arachnida), 17:153-160
Rowland, Richard H., and Frederick B. Turner, Correlation of the local distributions of *Dipodomys microps* and *D. merriami* and of the annual grass *Bromus rubens*, 9:56-61
Roy, G. P., and F. W. Gould, Biosystematic investigations of *Bouteloua hirsuta* and *B. pectinata*. I. Gross morphology, 15:377-387
Royce, Christopher L., and G. L. Cunningham, The ecology of *Abronia angustifolia* Greene (Nyctaginaceae) I. Phenology and perennation, 27:413-423
Rubec, Louise A., see Dronen, Norman O., Jr., —
Rubiaceae, 2:168, 3:204-207, 3:208-211, 4:59, 12:155, 18:45-72, 18:435, 18:438, 22:38, 23:297, 23:504, 25:334, 28:290, 35:73, 36:123
Rubus, 7:169, 12:344, 12:345, 21:405, 21:523, 25:210, 27:429, 28:64, 34:102, 36:43
laciniatus, 18:327
leucodermis, 34:442
neomexicans, 15:153
occidentalis, 12:138, 12:139
strigosus, 18:375, 23:280
trivialis, 6:194, 20:327, 21:38, 24:64, 27:311, 30:400, 35:437, 36:215
Rucker, Richard A., Michael L. Kennedy, Gary A. Heidt, and Michael J. Harvey, Population density, movements, and habitat use of bobcats in Arkansas, 34:101-108
Rudbecki amplexicaulis, 20:381
Rudbeckia, 18:119, 26:88
hirta, 12:348, 18:122, 22:137, 32:35
serotina, 4:59, 7:169, 10:36, 35:436
Rudolph, D. Craig, and James G. Dickson, Streamside zone width and amphibian and reptile abundance, 35:472-476
Ruella humilis, 4:50, 4:52, 4:58
Ruellia, 12:148, 22:137, 31:173, 33:336, 33:337
californica, 21:128
caroliniensis, 12:348
humilis, 7:169, 32:35
nudiflora, 25:404, 29:326, 29:329, 33:333
parryi, 23:296, 25:364, 25:365, 33:109
strepens, 25:211
Ruffer, David G., Grooming in the northern grasshopper mouse, 12:196-197
Ruffner, George A., and Steven W. Carothers, Age structure, condition and reproduction of two *Equus asinus* (Equidae) populations from Grand Canyon National Park, Arizona, 27:403-411
Ruffner, George A., George W. Bain, and Harold S. Colton, A modification of live traps to prevent the escape of small mammals, 22:151-153
Ruffner, George A., Richard M. Poche, Marcie Meierkord, and James A. Neal, Winter bat activity over a desert wash in southwestern Utah, 24:447-453
Ruffner, George A., see Carothers, Steven W., —
Ruiter, David E., see Herrmann, Scott J., —
Ruiz, Ronald G., *Mimon crenulatum keenani* (Chiroptera: Phyllostomidae) from Belize, 28:374
Ruiz-Campos, Gorgonio, and M. Gregory Hammann, Feeding of the woolly sculpin, *Clinocottus analis* (Pisces: Cottidae), in Todos Santos Bay, Baja California, Mexico, 36:348-353
Ruiz-Campos, Gorgonio, Repoblacion natural por trucha arcoiris (*Salmo gairdneri nelsoni*) en un transecto del Arroyo San Rafael, noroeste de la Sierra San Pedro Martir, Baja California, Mexico, 34:552-556
Rumex, 14:173, 15:412, 24:132, 25:391, 35:434
acetosella, 35:436
altissimum, 15:412
altissimus, 1:122, 2:161, 14:342, 19:162
angiocarpus, 35:19
chrysocarpus, 23:503, 25:322, 25:399
crispus, 1:122, 2:161, 7:170, 7:172, 12:140, 14:179, 15:412, 24:637, 27:461, 28:255, 30:606, 35:73
hastatulus, 20:327, 20:332
hymenosepalus, 18:306
mexicanus, 1:63
venosus, 19:329
Rumex venosus (Polygonaceae) new to Texas, Larry C. Higgins, 19:329
Rumina decollata, 2:74-82, 4:146, 9:104, 20:287, 21:135
Ruppia, 13:429, 25:319
maritima, 15:122, 20:217, 23:507, 24:314, 24:519, 25:243, 25:255, 25:317, 25:535
Ruppiaceae, 23:507
Rushing, Ann E., see Neumann, Alan J., —
Russell, James E., see Tafanelli, Robert, —
Russell, Norman H., An introduction to the plant kingdom (rev.), 3:240-243
Russell, Norman H., Keys to Louisiana violets (Viola-Violaceae), 6:184-186
Russell, Norman H., Studies in the photoperiodic responses of violets (*Viola*), 5:177-186
Russula, 29:261
delica, 8:201
emetica, 8:202
foetans, 8:202
laurocerasi, 8:201, 8:202
nigricans, 8:202
veternosa, 8:202
Russulaceae, 29:257, 29:262
Rust fungi (Uredinales) on Compositae in Mexico, the, Joe F. Hennen, Hector M. Leon-Gallegos, and George B. Cummins, 16:357-386
Rust, R. W., see Bechtel, R. C., —
Rutaceae, 18:435, 18:437-439, 18:441, 18:442, 22:343, 31:259-260, 35:64, 35:73, 36:216
Rutherford, D. Allen, A. A. Echelle, and O. E. Maughan, An addition to the fish fauna of Oklahoma: *Erimyzon sucetta* (Catostomidae), 30:305-306
Rutherford, D. Allen, see Echelle, Anthony A., —
Rutulis, 36:160
Ryder, Ronald A., see Gorenzel, Warner P., —
Ryder, Ronald A., see Olson, Thomas E., —
Ryder, Ronald A., see Porter, David K., —
Rygchium, 2:130, 2:131
Rykiel, Edward J., Jr., and Terry L. Cook, Hardwood-redcedar clusters in the post oak savanna of Texas, 31:73-78
Rylander, M. K., see Bolen, Eric G., —
Rylander, M. Kent, see Bolen, Eric G., —
Rylander, Michael K., Eric G. Bolen, and Richard E. McCamant, Evidence of incubation patches in whistling ducks, 25:126-128
Rylander, Michael Kent, Notes on some passerines from West Texas, 14:451-452
Rynchops niger, 34:342

Sabal, 18:434, 18:440, 18:441
minor, 21:242, 21:483, 28:63
texana, 9:161, 29:229, 30:398-401, 36:215, 36:216
Sabatia, 27:379-382
arenicola, 23:502, 25:316

campestris, 29:326, 31:369
grenicola, 22:38
palmeri, 27:379
purpusii, 27:379
stellaris, 27:379, 27:380
tuberculata, 27:379–381, 28:313
Sabatia (Gentianaceae) from the Chihuahuan Desert, a new species of, John E. Williams, 27:379–382
Sabazia, 10:238
Sabina
monosperma, 24:325
pinchotii, 24:325
sabinoides, 6:70
Sabine's gull on South Texas coast, Clarence Cottam, Eric G. Bolen, and Robert Zink, 20:134–135
Saccopteryx
bilineata, 31:532, 34:417
leptura, 11:489
Saccostrea commercialis, 27:260
Sacramento Mountain salamander in New Mexico, a new station for the, James S. Findley, 4:155–156
Sada, Donald W., see Courtenay, Walter R., Jr., —
Sada, Donald W., see Williams, Jack E., —
Saetheria, 25:142
Sagdidae, 7:54, 9:103
Sageretia wrightii, 35:66, 35:73
Sagidae, 5:151
Sagittaria, 4:186, 14:173, 14:186, 15:409
graminea, 22:353–355
latifolia, 2:157, 25:399, 33:170, 33:172, 33:175
longiloba, 15:409, 26:154
macrophylla, 33:170, 33:172, 33:175
platyphylla, 32:132, 33:170, 33:172, 33:175, 34:290
Saguaro, 30:467
Saguaros and nurse trees: a new hypothesis to account for population fluctuations, John Vandermeer, 25:357–360
Salazar, Mario, see Walkowiak, Alain M., —
Salb, T. J., see Gennaro, A. L., —
Salb, Thomas J., see Gennaro, A. L., —
Salceda, V. M., see Espinoza-Velazquez, J., —
Salceda, V. M., see Olvera, O., —
Salda buenoi, 36:357
Saldidae, 9:101, 26:157, 36:357
Saldula
confluenta, 9:101
interstitialis, 26:157
lugubris, 9:101
pallipes, 9:101
severini, 36:357
Salicaceae, 1:63, 1:66, 2:160, 15:411, 18:368, 18:436, 18:440, 18:441, 20:432, 25:327, 27:118, 33:175, 35:73
Salicaeae, 29:265–269
Salicornia, 31:388
bigelovii, 23:500, 25:316, 36:122, 36:125
pacifica, 29:213, 29:215
rubra, 20:583
virginica, 22:37, 22:43, 22:44, 23:500, 25:316, 25:318, 29:250, 30:400, 36:122
Salient aspects of huisache seed germination, C. J. Scifres, 18:383–392
Salientia, 1:105–108, 9:206, 15:239–248
Salinas-Lopez, Narcisco, see Iruegas-Buentello, Francisco, —
Salis nigra, 14:423
Salix, 6:112, 10:310, 11:316, 12:312, 13:269, 14:125, 14:431, 14:433, 15:132, 15:411, 16:205, 16:268, 17:74, 17:98, 17:401, 18:442, 19:115, 19:164, 19:432, 20:217, 20:333, 20:373, 20:425, 21:131, 22:293, 22:294, 22:300, 24:338–340, 24:342, 24:344, 24:345, 24:564, 25:24, 25:43, 25:362, 25:379, 25:548, 26:439, 27:117, 27:404, 28:83, 28:200, 28:289, 29:76, 29:234–237, 29:507, 30:339, 30:391, 30:613, 31:345, 32:136, 33:67, 33:68, 34:182, 34:251, 35:250, 36:119, 36:218
amygdaloides, 2:160, 19:155, 19:157–161, 28:249, 28:251–254, 29:265–269, 34:478, 36:219
anglorum, 20:432
arctica, 20:432
bebbiana, 29:235
bonplandiana, 31:347, 31:349–354, 31:356, 31:357, 33:172, 33:175
brachycarpa, 20:432
caudata, 29:235, 29:236
cinerea, 29:265
exigua, 15:153, 15:159, 24:331, 24:333, 24:341, 24:343, 26:417, 28:83, 28:249, 29:235, 31:347, 31:349–354, 31:357, 34:261, 34:263, 35:73, 36:219, 36:282
franxinus, 14:415
geyeriana, 29:235, 29:236
gooddingi, 21:132
gooddingii, 8:182, 16:5, 26:417, 28:82–84, 29:73, 29:74, 30:427, 30:601, 31:347–351, 31:353, 31:354, 34:261, 35:64, 35:73, 35:116, 36:219
goodingii, 26:253, 27:226
interior, 2:160, 15:135, 16:435, 19:155, 19:157–161, 23:216, 25:207, 25:210, 25:328, 28:249, 28:251–253
irrorata, 15:153, 28:83, 28:85
laevigata, 26:253
lasiandra, 15:153
lasiolepis, 21:128
lutea, 14:405
monticola, 29:235, 29:236
niger, 4:159
nigra, 1:66, 1:146, 6:181, 8:58, 8:182, 9:42, 9:81, 10:142, 14:111, 15:291, 15:411, 16:435, 18:436, 18:438, 18:441, 20:323. 325, 20:328, 20:334, 21:478, 21:480, 21:482, 23:216, 24:225, 24:434, 25:207, 25:210, 25:328, 26:154, 27:56–59, 27:385, 27:425, 27:428, 27:429, 28:63, 32:273, 32:306, 33:324, 35:437, 36:121
nivalis, 20:432
pachnophora, 18:368
pentandra, 29:265
petrophilia, 15:142
planifolia, 20:432, 22:291, 29:235, 29:236
pseudocordata, 29:235
scouleriana, 36:39
wolfii, 29:235
Salmo, 11:81
apache, 28:399, 28:401, 28:402, 29:505–506, 31:221–234
aquabonita, 31:227
chrysogaster, 31:221, 31:227
clarki, 2:100, 19:407, 19:408, 23:520, 28:170, 31:149, 31:221–234, 32:409, 32:410
fario, 31:154
gairdneri, 1:22, 2:100, 14:297, 14:306, 14:307, 15:272, 15:273, 19:407, 19:408, 22:537, 23:520, 25:298, 28:123, 28:170, 30:154, 30:509, 30:560, 31:153, 31:221–234, 31:250–253, 31:527, 31:528, 32:215, 32:216, 32:228, 32:410, 33:465, 34:118, 34:405, 34:408, 34:440, 34:552–556
gairdnerii, 17:277
gilae, 28:399, 28:401, 28:402, 29:505–506, 31:221–234, 34:408
irideus, 31:153
salar, 20:316
trutta, 1:16, 1:17, 1:22, 14:306, 14:307, 19:407, 19:408, 26:389, 28:328, 29:505–506, 31:154, 31:222, 32:410, 34:408, 34:409, 34:553, 36:126, 36:189
Salmonidae, 31:528, 32:216, 32:226, 32:228, 36:189
Salonum triquetrum, 33:366
Salpinctes
obsolettus, 16:20
obsoletus, 11:136, 18:195, 26:254, 29:473, 32:505, 34:490, 36:100
Salsbury, Glen, see Hays, H. A., —
Salsola, 11:67, 13:156, 15:412, 25:134, 29:410, 29:412
australis, 33:426, 33:434
collina, 29:407–409, 29:411, 29:419
iberica, 21:314, 23:127, 23:129, 27:305, 29:280
kali, 1:66, 1:68, 1:190, 2:122, 2:125, 13:146, 15:412, 16:452, 21:282, 21:314, 21:362, 25:328, 27:176, 27:299, 27:329, 28:99, 29:407–409, 29:411, 29:414–419, 30:336, 30:339, 30:438, 30:439, 35:71
kalki, 13:162
paulsenii, 21:314
pestifer, 2:161, 13:386, 13:387, 28:255

Salt cedars (Tamarix, Tamaricaceae) of the Soviet Union by S. G. Gorschkova, translation and commentary by Lloyd H. Shinners, Lloyd H. Shinners, 2:48–73
Salt concentration on desert soil microarthropod density and diversity, the effects of high, Ned Z. Elkins and Walter G. Whitford, 29:239–241
Salt gland anatomy in Tamarix pentandra (Tamaricaceae), C. J. Campbell and J. E. Strong, 9:232–238
Saltator
atriceps, 4:78
coerulescens, 4:78
maximus, 4:78, 4:80
Salticidae, 10:132–135, 11:348, 11:370, 15:323, 15:325, 15:326, 15:328, 17:161–168, 20:6, 20:9, 20:60, 20:61, 20:63, 20:64, 21:42, 21:44, 21:199–202, 27:187–195, 29:231, 30:1, 30:5, 30:8, 30:11, 30:121, 30:122, 32:396, 32:491, 32:492, 34:350
Salticus, 11:349
austinensis, 17:165
palpalis, 21:199, 21:202
Salvadora
bairdi, 2:19, 2:21, 16:229
deserticola, 16:8, 27:163
grahamiae, 3:33, 3:47, 4:92, 4:95, 4:103, 16:16, 26:270, 26:293
hexalepis, 3:33, 3:47, 4:95, 4:103, 5:33, 11:133, 26:267, 26:270, 34:522
intermedia, 2:19, 2:22
lemniscata, 35:278
lineata, 2:19, 16:229
Salvelinus fontinalis, 20:318, 22:515, 23:520, 28:170, 31:154, 31:222, 34:229, 34:408, 34:553, 36:126
Salvia, 17:1, 24:431, 28:47, 32:42
apiana, 31:182
azurea, 2:167, 4:58, 7:169
cardinalis, 36:114
carduacea, 18:306
columbariae, 23:609, 23:611, 35:64, 35:72
divinorum, 28:233
dorrii, 26:264, 26:265
farinacea, 16:273, 16:276
henryi, 1:65
lycioides, 8:183
mellifera, 31:179, 31:182, 32:41
pinguifolia, 24:132, 24:135
pitcheri, 17:7, 33:68
regla, 16:12, 17:289
subincisa, 35:72
texana, 30:546, 30:548
vinacea, 1:65
Salvina natans, 21:259
Salviniaceae, 34:290
Salzburg, Mark A., see Lee, Julian C., —
Samaipaticereus
corroanus, 30:78
peruvianus, 30:78
Sambucus
canadensis, 24:259
canadensis, 24:169, 24:171, 27:385
glauca, 28:86
melanocarpa, 28:83
mexicana, 28:83, 35:71
mexicanus, 35:65
neomexicana, 15:160
Samolus
alyssoides, 28:303–305, 28:308, 28:309
cuneatus, 2:166, 28:303, 28:305, 28:308, 28:311
ebracteatus, 20:218, 22:37, 22:42, 23:503, 25:316, 28:303–314, 36:123
scaposus, 28:311
Samolus ebracteatus (sensu lato) (*Primulaceae*), a revision of, James Henrickson, 28:303–314
Sample size on Shannon's formula, effect of, Jerry L. Wilhm, 14:441–445
Samson, Fred B., see Ribble, David O., —
San Joaquin pocket mouse *Perognathus inornatus*, from Lake County, California, a record of the, OV Daniel Slayden, 30:466
Sanango, 13:141
Sanchez, Luz Isela Valdez, see MacKay, William P., —
Sánchez-Hernández, Cornelio, Ma. de Lourdes Romero-Almaraz, y Marcela Aguilar-Morales, Anatomía e histológia de la cápsula del murciélago blanco *Diclidurus albus virgo* Thomas, 35:241–244
Sanchez-Hernandez, Cornelio, see Haiduk, Michael W., —
Sanchez-Hernandez, Cornelio, see Qumsiyeh, Mazin B., —
Sánchez-Herrera, Oscar, see Medellín, Rodrigo A., —
Sánchez-Herrera, Oscar, see Urbano-Vidales, Guillermina, —
Sanderson, Stewart C., see McArthur, E. Durant, —
Sandquist, Darren R., see Hafner, John C., —
Sandy-beach fauna of Mexico, the, Deborah M. Dexter, 20:479–485
Sanicula
canadensis, 12:348, 19:162, 20:327, 20:331, 20:333, 25:207, 25:211
marilandica, 12:140
Santalaceae, 1:63, 35:73
Santos, Perseu F., and Walter G. Whitford, Seasonal and spatial variation in the soil microarthropod fauna of the White Sands National Monument, 28:417–421
Santos, Perseu F., and Walter G. Whitford, The influence of soil biota on decomposition of plant material in a gypsum sand dune habitat, 28:423–427
Sanvitalia abertii, 35:67, 35:71
Sapindaceae, 2:165, 7:185, 16:112, 18:436, 18:441, 25:331, 35:73
Sapindus, 30:290
drummondi, 16:87, 18:436, 18:441, 18:442
drummondii, 2:155, 2:165, 17:103, 24:434, 25:207, 25:211, 27:385, 30:399, 30:400, 36:215, 36:216
linearifolius, 16:112
saponaria, 22:506, 24:169–171, 25:331, 25:366, 28:83, 28:84, 31:347–351, 31:353, 31:354, 31:357, 35:73
Sapium, 8:100
annuum, 8:104
biloculare, 36:94
glandulosum, 24:259
macrocarpum, 12:150
sebiferum, 21:38, 21:480
sylvaticum, 8:102
Sapotaceae, 18:436, 18:438, 25:332
Saprinus
discoidalis, 26:431, 28:475
lugens, 28:475
Saprolegnia, 7:79–80
Saprolegnia on tadpoles again in Oklahoma, Arthur N. Bragg, 7:79–80
Sarasinula plebeia, 35:94, 35:95
Sarcandra, 11:105, 11:107
Sarcobatus, 9:89, 9:92, 22:284
vermiculatus, 15:499, 17:39, 17:40, 17:197, 20:583, 23:674, 23:675, 28:126, 30:448, 31:24, 31:56, 31:61, 33:91, 33:417, 36:266
Sarcophagidae, 23:565, 23:566, 23:569–571, 23:575, 25:393, 26:430, 26:431, 30:163
Sarcophygid fly infestations of *Sceloporus undulatus* (Sauria: Iguanidae) egg clutches in Arkansas, additional observations on, Stanley E. Trauth and Gary R. Mullen, 35:97–98
Sarcoptidae, 20:241, 20:244
Sarcoramphus papa, 4:68
Sarcostemma
crispum, 35:70
cynanchoides, 23:296
cynanchoides, 21:314, 35:70
Sargassum, 1:163
Sargent, Bradley J., Richard W. Baumann, and Boris C. Kondratieff, Zoogeographic affinities of the Nearctic stonefly (Plecoptera) fauna of Mexico, 36:323–331
Sarinda cutleri, 21:199
Sarocobatus vermiculatus, 14:404
Sarotherodon
aureus, 30:456–459
mossambicus, 28:374, 28:375
Sarracenia alata, 28:455
Sartwellia flaveriae, 1:56
Saskiaspis pentagona, 17:393

Sassacus, 11:348, 29:231
papenhoei, 10:133, 11:353, 17:164, 21:199, 21:201, 30:5, 30:11
Sassafras albidum, 1:138, 12:345, 21:482, 27:428, 27:429, 31:192
Satan eurystomus, 2:101, 6:55–64
Satureja macrostema, 36:114
Saturniidae, 6:18, 27:335–343, 28:383–384, 29:237–239, 35:463–464
Satyridae, 21:34
Saugey, David A., Gary A. Heidt, and Darrell R. Heath, Summer use of abandoned mines by the Caddo Mountain salamander, *Plethodon caddoensis* (Plethodontidae), in Arkansas, 30:318–319
Saugey, David A., Gary A. Heidt, Darrell R. Heath, and V. Rick McDaniel, Hibernating Indiana bats (*Myotis sodalis*) from the Ouachita Mountains of southeastern Oklahoma, 35:341–342
Saunders, James F., III, see Byron, Earl R., —
Saupe, S. G., see Seigler, D., —
Saurauia, 13:367
Sauria, 2:105–121, 4:42, 5:37–42, 10:179–187, 11:275–289, 17:67–72, 20:147–148, 20:523–536, 21:252–254, 24:347–363, 24:393–395, 27:358–359, 30:41–51, 30:83–88, 30:309–310, 30:363–370, 31:9–14, 32:279–281, 32:321–333, 32:395–397, 32:511–512, 32:512–515, 34:560–561, 35:97–98, 35:215–217
Sauromalus
obesus, 15:470, 21:128, 22:49, 22:52, 22:60, 22:61, 22:339, 26:111, 26:267–269, 26:282, 26:283, 30:469, 30:470, 30:472, 34:523, 36:98, 36:103
oebsus, 12:186
Saururus, 23:424
cernuus, 23:548
Savia, 5:1–6, 8:15, 9:210
arida, 5:1, 5:3, 5:6, 7:80, 10:243
phyllanthoides, 5:1
volubilis, 9:216
Savia (Euphorbiaceae) in extreme western Texas, the genus, Barton H. Warnock and Marshall C. Johnston, 5:1–6
Savia arida in Coahuila, Mexico, Marshall C. Johnston, 7:80
Sawyer, Paul E., see Griffing, James P., —
Saxifraga
bronchialis, 20:432
odontoloma, 20:432
rhomboidea, 20:432
Saxifragaceae, 2:163, 20:432, 20:439, 24:209–222, 25:330, 35:73
Saxon, James G., Sexual behavior of a male checkered whiptail lizard, *Cnemidophorus tesselatus* (Say), 13:454–455
Sayornis
nigricans, 18:195, 18:199, 19:1, 19:4, 26:95, 36:363
phoebe, 4:73, 17:149, 26:95
saya, 26:95, 29:473, 34:490
Scaled antpitta, *Grallaria guatimalensis*, in Mexico, the, Robert W. Dickerman, 35:460–463
Scaled quail (Callipepla squamata) in Oklahoma, past and present distribution of, Sanford D. Schemnitz, 4:148–152
Scalet, Charles G., Stream movements and population density of the orangebelly darter, *Etheostoma radiosum cyanorum* (Osteichthyes: Percidae), 17:381–387
Scalet, Charles G., Summer food habits of sympatric stream populations of spotted bass, *Micropterus punctulatus*, and largemouth bass, *M. salmoides*, (Osteichthyes: Centrarchidae), 21:493–501
Scalopus, 6:23, 29:199
aquaticus, 10:315, 13:15, 16:437, 16:438, 31:401, 36:344, 36:345
Scambus aplopappi, 29:53
Scapania nemorosa, 28:240
Scapanus latimanus, 19:114
Scapheloberis mucronata, 12:62
Scaphiella hespera, 20:58
Scaphinotus punctatus, 30:603
Scaphiodontophis annulatus, 35:278
Scaphiopus, 2:35, 3:26, 12:384, 12:388, 12:390, 12:397, 12:398, 12:403, 15:105, 18:101, 27:165, 35:394, 35:400, 35:401, 36:303, 36:304, 36:312
bombifrons, 1:105–108, 3:55–69, 3:71, 3:227–229, 5:103, 5:106, 5:165, 5:169, 5:201–207, 6:168–174, 7:79, 11:296, 11:297, 15:239–248, 18:99, 18:100, 20:578–582, 27:120, 27:121, 28:101, 29:232, 29:233, 30:349–355, 32:13–19, 32:78, 32:127–131, 36:310, 36:311
couchi, 1:108, 3:17, 3:18, 3:32, 3:34, 3:36, 3:38, 3:70, 3:71, 3:228, 3:229, 4:92–94, 4:96, 5:201, 8:147, 9:47, 16:8, 16:228, 27:120, 27:121, 28:101, 28:469–471, 29:232, 29:233, 30:349–355, 30:460–461, 32:13–19, 32:78, 32:127–131, 34:523, 34:525, 36:310, 36:311
couchii, 15:239, 15:245
hammondi, 1:105–107, 3:32, 3:36, 3:61, 3:227–229, 4:92, 4:94, 4:96, 6:168, 11:296, 11:297, 15:239–248, 16:228, 20:579, 32:78, 33:241, 35:399, 36:302, 36:308, 36:310, 36:311
holbrooki, 1:181, 1:183, 1:184, 2:173, 3:74, 5:103, 5:165, 5:201–204, 6:168, 6:169
holbrookii, 15:239, 15:240, 15:242, 15:245–247, 18:100
hurteri, 3:17, 3:18, 6:170
hurterii, 18:99
intermontanus, 13:106, 31:62, 36:310, 36:311
multiplicatus, 11:297, 15:244, 24:694, 27:120, 27:121, 28:470, 28:471, 29:232, 29:233, 30:349–355, 30:460, 32:13–19, 32:78, 32:127–131, 34:533, 35:393, 35:399, 35:449, 36:311
Scaphirhynchus platorynchus, 4:160, 6:7
Scapholeberis, 13:47, 15:103, 15:105
aurita, 4:192, 4:193
kingi, 13:48
mucronata, 4:187, 4:192, 13:48
Scaphorhynchus platyrhynchus, 32:408–410
Scapulicambarus, 33:120
Scarabaeidae, 2:127, 2:173, 5:223, 6:18, 12:253, 12:269, 14:166, 19:108, 20:7, 20:9, 20:148, 23:565, 23:566, 23:569, 23:571, 23:575, 24:607, 24:609, 24:610, 26:163, 26:215–216, 28:100, 28:101, 28:476, 28:478, 29:455, 30:603, 32:151, 32:386, 32:396, 32:418, 32:422, 32:491, 32:493, 32:508
Scarabeidae, 13:286
Scarabidae, 29:510, 35:156
Scarbrough, David L., and Paul R. Krausman, Sexual segregation by desert mule deer, 33:157–165
Scarcity of wild bees and wasps (Hymenoptera Aculeata) in north central Texas in 1957, Lloyd H. Shinners, 2:129–131
Scardafella inca, 18:195, 18:199
Scardinius erythrophthalmus, 36:244–245
Scatophaga stercoraria, 19:70
Scatophila
becker, 6:86
iowana, 6:86
ordinaria, 6:86
Sceleporus olivaceus, 5:79
Scelerobunus, 15:323
Sceliphron
caementarium, 31:134
cementarium, 11:338–371
Scelolyperus, 32:386
Sceloporous undulatus, 12:199
Sceloporus, 5:123, 11:411, 16:230, 19:15, 20:507, 21:520, 25:269, 28:275, 35:274, 35:367, 36:94, 36:98, 36:102, 36:103, 36:303, 36:307, 36:308
aeneus, 16:228, 20:523, 20:524, 20:526–534
cautus, 11:406, 24:393, 24:395
carinatus, 35:274, 35:278
clarki, 7:240, 14:129, 18:195, 18:196, 36:99
clarkii, 22:52, 22:53, 26:269, 34:522, 34:541–546
consobrinus, 6:79, 6:84, 30:367

cyanogenys, 3:90, 5:44, 11:406, 14:206, 20:413
elongatus, 20:2
exsul, 24:393–395
goldmani, 20:523–527, 20:529–533, 20:535
graciosus, 6:138, 10:182, 11:280, 14:206, 15:469, 20:2, 22:53, 26:269, 27:222, 30:367, 31:417, 31:418, 32:511, 36:141, 36:366
grammicus, 11:406, 14:206, 14:363, 14:366, 16:228, 29:245, 30:41–51, 34:17
horridus, 14:206
jalapae, 20:523–525
jarrovi, 5:44, 6:1, 11:406–408, 14:206, 14:365, 15:465–471, 16:225, 16:228, 16:231, 16:232, 20:269, 20:413, 23:641, 23:645–648, 24:347–363, 25:554–557, 25:569, 26:113, 30:83–88, 30:265, 30:266, 30:598, 31:13, 32:328, 32:347–350, 32:515, 33:347–356, 34:436–438
jarrovii, 29:244, 29:245
maculosus, 25:569
magister, 3:32, 3:40, 3:41, 4:92, 4:94, 4:100, 7:240, 10:183, 12:186, 14:206, 15:138, 18:307, 20:2, 22:52, 22:53, 22:61, 26:101, 26:110–113, 26:267, 26:269, 26:283, 30:468–470, 34:460, 34:523, 34:524, 35:377–383, 36:99, 36:366
melanorhinus, 35:278
merriami, 3:32, 3:33, 3:41, 3:42, 4:93, 4:94, 4:99, 5:87, 6:138–148, 10:172, 16:7
nelsoni, 11:413, 18:195, 18:199
nelsonii, 34:541–546
occidental, 22:49
occidentalis, 14:206, 20:2, 22:53, 22:60, 24:393, 24:395, 26:269, 30:367, 31:13, 34:158–160, 34:436, 35:15, 35:20, 35:21, 36:366
ochoterenae, 20:523–525
olivaceous, 5:106, 21:24
olivaceus, 5:105, 6:106, 10:184, 11:406, 14:206, 14:207, 20:2, 20:8, 21:89, 26:75, 32:506, 33:121
orcutti, 11:276, 14:206
parvus, 11:406, 16:228
poinsetti, 3:33, 3:41, 4:93, 4:94, 4:100, 5:44, 14:206, 16:16, 20:413, 23:641–649, 25:569, 32:459
scalaris, 6:138, 16:228, 20:523–536, 24:694, 25:115
siniferus, 14:130, 14:132, 35:278
spinosus, 11:408, 14:206, 16:229, 36:366
torquatus, 11:408, 16:229, 20:147–148, 25:116
undulatus, 1:134, 1:182, 3:33, 3:41, 3:42, 3:90–93, 4:94, 4:100, 4:110, 5:25–27, 5:105, 5:106, 6:79–85, 6:193, 7:78, 8:51, 8:79, 10:179–187, 13:106, 14:204, 14:206, 14:210, 14:211, 16:11, 17:67–72, 18:249, 19:193, 19:216, 20:1–11, 20:537, 20:538, 20:544, 20:552–554, 21:23, 22:49, 22:53, 22:60, 22:61, 24:393–395, 25:116, 26:111, 26:204, 26:267, 26:269, 26:283, 30:367, 30:470, 30:599, 30:608, 32:281, 35:97–98, 35:377–379, 35:474, 36:99, 36:366
variabilis, 5:219, 10:136, 14:206, 16:229, 35:278
virgatus, 22:53, 24:393, 24:395, 30:265
woodi, 6:138, 10:183, 14:206, 24:393, 24:395
Sceloporus scalaris group (Sauria: Iguanidae), a re-evaluation of the, Robert A. Thomas and James R. Dixon, 20:523–536
Scendesmus
abundans, 20:48
armatus, 20:48
dimorphus, 20:48
quadricauda, 20:48
serratus, 20:48
Scenedesmaceae, 11:198
Scenedesmus, 10:188–210, 10:266, 12:312, 17:13, 17:16, 17:18, 17:245, 20:51, 23:56–58, 25:414, 25:416, 27:82, 27:84
abundans, 23:435, 24:156
armatus, 24:157
bernardii, 11:198
bijuga, 22:310, 22:414, 23:435, 24:157
brasiliensis, 23:435, 24:157
denticulatis, 24:157
dimorphus, 24:157
incrassatulus, 23:435, 24:157
longus, 24:157
opoliensis, 24:157
quadrangulata, 19:418
quadricauda, 22:414, 23:435, 24:157
serratus, 24:157
Schaal, Barbara A., and Wesley J. Leverich, Pollination and banner markings in *Lupinus texensis* (Leguminosae), 25:280–282
Schaefer, Douglas, see Whitford, Walter G., —
Schaefer, Kurt F., and William A. Drew, Check list of aquatic and semiaquatic Hemiptera (Insecta) of Oklahoma, 9:99–101
Schaefer, Kurt F., and William A. Drew, Hebridae (Hemiptera) of Oklahoma, 12:487
Schaefer, Kurt F., and William A. Drew, Hydrometridae and Mesoveliidae (Hemiptera) of Oklahoma, 12:486–487
Schaefer, Kurt F., and William A. Drew, Omophronidae of Oklahoma (Coleoptera), 9:314–315
Schaefer, Kurt, see Wyman, Richard L., —
Schaefferia cuneifolia, 26:303, 26:304, 30:400, 30:536, 30:543, 30:547, 30:548, 31:102, 36:215
Schaefferichthyes leudersensis, 31:485, 31:489, 31:491, 33:265
Schaffer, Valentine, see Schaffer, William M., —
Schaffer, William M., and M. Valentine Schaffer, The reproductive biology of Agavaceae: I. Pollen and nectar production in four Arizona agaves, 22:157–167
Schall, Jos. J., see Ayala, Stephen C., —
Schardien, Bette J., see Jackson, Jerome A., —
Scharpf, Robert F., see Hawksworth, Frank G., —
Schedonardus paniculatus, 27:301
Schedonnardus
paniculatus, 4:118, 5:9, 16:272, 24:551, 29:412
peniculatus, 29:280
Scheelea zonensis, 35:336
Scheibe, John S., Sexual differences in the home ranges of *Peromyscus truei* and *Dipodomys panamintinus* (Rodentia), 29:7–13
Scheibe, John S., The effects of weather, sex and season on the nocturnal activity of *Peromyscus truei* (Rodentia), 29:1–5
Schemnitz, Sanford D., Past and present distribution of scaled quail (Callipepla squamata) in Oklahoma, 4:148–152
Schemnitz, Sanford D., see Mubanga, George, —
Schenck, John R., and B. G. Whiteside, Food habits and feeding behavior of the fountain darter, *Etheostoma fonticola* (Osteichthyes: Percidae), 21:487–492
Schene, M. Anthony, Jr., and Loren G. Hill, Effect of dissolved oxygen concentration on temperature selection in the Mississippi silversides, *Menidia audens* (Antherinidae), 25:120–122
Scherardiana, 19:101
Schilbeodes
eleutherus, 14:256
gyrinus, 2:98, 3:10
mollis, 8:136
nocturnus, 2:96
Schinia
aurantiaca, 18:308, 18:309, 18:310
masoni, 26:88–90
pulchripennis, 18:309
Schinus terebinthifolius, 23:499, 25:322
Schismus barbatus, 33:428, 33:434
Schistocarpha, 9:39
oppositifolia, 9:34
Schistocerca lineata, 32:464, 32:466
Schistophragma intermedia, 35:66, 35:73

Schitoskey, Frank, Jr., Bacular variation in nutria from southern Louisiana, 16:454–457
Schitoskey, Frank, Jr., Notes on morphological variation in the dark kangaroo mouse, 13:243–248
Schizachne purpurascens, 12:140
Schizachrium scoparium, 35:435
Schizachyrium
cirratum, 25:279, 35:75
hirtiflorum, 25:279, 35:75
sanquineum, 25:279
scoparium, 4:118, 5:8, 20:333, 20:379, 22:31, 22:39–44, 22:46, 23:348, 23:506, 23:623, 24:64, 24:240, 24:267–272, 24:433, 25:315, 25:318, 25:325, 25:326, 25:557, 26:118, 27:57, 27:59, 27:339, 28:365, 28:367, 28:381, 29:242, 29:321, 29:324–326, 29:329, 29:330, 30:336, 30:597, 31:116–118, 31:235–241, 32:32, 32:267, 33:65–68, 33:333, 33:337, 35:159, 35:385, 35:387, 35:388, 35:390, 35:413, 35:436, 36:123–125
semiberbe, 25:279
Schizillus laticeps, 18:308, 18:311
Schizocosa, 11:355
avida, 30:4, 30:10
bilineata, 30:7
crassipes, 11:357
gracilis, 11:357
mccooki, 29:231
ocreata, 30:7, 30:11
saltatrix, 30:7, 30:11
Schizomida, 17:153–160
Schizomus, 14:84
Schizopetalidae, 34:381–391
Schizophyllum, 21:230
commune, 8:202, 29:264
Schizothrix, 36:371
calcicola, 26:32
Schkuhria wislizenii, 35:65, 35:71
Schleropogon brevifolius, 27:339
Schlitter, Duane A., *Notiosorex crawfordi evotis* from Nayarit, 17:423
Schmid, Mary K., and Garry F. Rogers, Trends in fire occurrence in the Arizona upland subdivision of the Sonoran Desert, 1955 to 1983, 33:437–444
Schmidly, David J., and Betty A. Melcher, Annotated checklist and key to the cetaceans of Texas waters, 18:453–464
Schmidly, David J., and Robert L. Packard, Swimming ability in pocket mice, 12:480–482
Schmidly, David J., and Wennona A. Brown, Systematics of short-tailed shrews (genus *Blarina*) in Texas, 24:39–48
Schmidly, David J., Chester O. Martin, and George F. Collins, First occurrence of a black right whale (*Balaena glacialis*) along the Texas coast, 17:214–215
Schmidly, David J., Geographic variation in the white-ankled mouse, *Peromyscus pectoralis*, 17:113–138
Schmidly, David J., The mammals of Trans-Pecos Texas (rev.), 24:207–208
Schmidly, David J., The systematic status of *Peromyscus comanche*, 18:269–278
Schmidly, David J., see Baumgardner, George D., —
Schmidly, David J., see Krausman, Paul R., —
Schmidly, David J., see León-Paniagua, Livia, —
Schmidly, David J., see Rogers, Duke S., —
Schmidly, David J., see Shane, Susan H., —
Schmidly, David J., see Smith, Tracy S., —
Schmidly, David J., see Wilkins, Kenneth T., —
Schmidt, Cheryl A., see Engstrom, Mark D., —
Schmidt, Justin O., Patricia J. Schmidt, and Roy R. Snelling, *Pogonomyrmex occidentalis*, an addition to the ant fauna of Mexico, with notes on other species of harvester ants from Mexico (Hymenoptera: Formicidae), 31:395–396
Schmidt, Patricia J., see Schmidt, Justin O., —
Schmidtophis, 25:429
Schmitt, C. Gregory, see Hatch, Michael D., —
Schmitt, John A., Jr., Some observations on aquatic phycomycetes from Lake Texoma and adjacent parts of Oklahoma, 12:311–319
Schmnitz, Sanford D., see Meneely, Scott C., —
Schmoller, Ronald R., Habitats and zoogeography of alpine tundra Arachnida and Carabidae (Coleoptera) in Colorado, 15:319–329
Schnake-Greene, Janice E., Lynn W. Robbins, and Deanna K. Tolliver, A comparison of genetic differentiation among populations of two species of mice (*Peromyscus*), 35:54–60
Schneider, Edward L., and Tim Chaney, The floral biology of *Nymphaea odorata* (Nymphaeaceae), 26:159–165
Schneider, Edward L., Georgia K. Rich, Rosario Barrientos, and Joseph R. Koke, Contributions to the floral ecology of Texas and Chihuahuan *Argemone* (Papaveraceae), 32:150–152
Schneider, Edward L., see Lemke, David E., —
Schneider, Stanley S., The simultaneous use of a nesting site by the digger bees, *Anthophora abrupta* Say and *A. occidentalis* Cresson (Hymenoptera: Anthophoridae), 27:467–468
Schneidervin, Roger W., and Wayne A. Hubert, Zooplankton density in Flaming Gorge Reservoir, 1965 to 1966 and 1983 to 1984, 33:465–472
Schnell, Gary D., Joseph A. Grzybowski, Daniel J. Hough, and Thomas M. McKenna, Evaluation of spatial patterning in Oklahoma furbearer populations, 30:225–238
Schnell, Gary D., Robert D. Owen, Ronald K. Chesser, and Paul G. Risser, Populations of small mammals in north-central Oklahoma, 25:67–80
Schnell, Gary D., see Hill, Loren G., —
Schoenly, Kenneth, Additions to the arthropod carrion fauna for the northern Chihuahuan Desert, 26:430–431
Schoenolirion
albiflorum, 24:123
croceum, 24:123, 24:125
michauxii, 24:123–125
texanum, 24:123–126
wrightii, 24:123, 24:125
Schoenolirion texanum (Scheele) Gray (Liliaceae), evidence of misapplication of the name, Harry L. Sherman, 24:123–126
Schoenus nigricans, 20:217
Schott, M. R., and Rex D. Pieper, Succession in tree pits following cabling in pinyon-juniper communities, 32:399–402
Schram, Mark D., A new record of *Caecidotea steevesi* (Isopoda: Asellidae) from Arkansas, 28:100
Schrankia
latidens, 22:37, 23:502, 25:317, 36:123
nuttallii, 2:164, 7:169
occidentalis, 1:64
roemeriana, 27:312
uncinata, 12:345, 17:7, 29:326, 29:329
Schreiber, A. Alan, see Kofron, Christopher P., —
Schreiber, Henry A., see Haase, Edward F., —
Schroederia, 25:420
judayi, 23:437
setigera, 24:157
Schrophulariaceae, 15:415
Schultz, George A., *Brackenridgia sphinxensis* n. sp. from a cave with notes on other species from Arizona and California (Isopoda, Oniscoidea), 29:309–319
Schultz, Jeffrey G., Charles D. Fisher, and Steven Hightower, Recent records of the eastern big-eared bat

(*Plecotus rafinesquii*) in eastern Texas, 20:144–145
Schultz, R. D., see Heitschmidt, R. K., —
Schultz, T. D., Habitat preferences and seasonal abundances of eight sympatric species of tiger beetle, genus *Cicindela* (Coleoptera: Cicindelidae), in Bastrop State Park, Texas, 34:468–477
Schumacher, Aileen, and Walter G. Whitford, Spatial and temporal variation in Chihuahuan Desert ant faunas, 21:1–8
Schuster, Joseph L., The relation of understory vegetation to cutting treatments and habitat factors in an East Texas pine-hardwood type, 12:339–364
Schuster, Joseph L., see Ellis, Dalton, —
Schwartz, Charles W., and Schwartz, Elizabeth R., The wild mammals of Missouri (rev.), 26:443
Schwartz, Elizabeth R., see Schwartz, Charles W., —
Schwartz, Gregory G., see Kuban, Joseph F., —
Schwartz, Orlando A., see Bleich, Vernon C., —
Sciadiocara, 17:200
Sciaena caprodes, 16:66
Sciaendae, 35:406
Sciaenidae, 1:101–103, 4:167, 22:526, 32:226, 32:231
Sciaenops
ocellata, 1:100–104, 20:462, 20:463
ocellatus, 28:464, 36:206
Sciara, 12:266
Sciaridae, 12:266, 19:69
Scifres, C. J., J. W. McAtee, and D. L. Drawe, Botanical, edaphic, and water relationships of gulf cordgrass (*Spartina spartinae* Hitchc.) and associated communities, 25:397–410
Scifres, C. J., Salient aspects of huisache seed germination, 18:383–392
Scifres, C. J., see Foster, M. A., —
Scifres, C. J., see Mayeux, H. S., Jr., —
Scifres, C. J., see McAtee, Jerry W., —
Scifres, Charles J., Thomas W. Oldham, Pete D. Teel, and D. Lynn Drawe, Gulf Coast tick (*Amblyomma maculatum*) populations and responses to burning of coastal prairie habitats, 33:55–64
Scincella
caudequinae, 16:229
gemmingeri, 11:408
laterale, 11:137
lateralis, 30:599, 35:473, 35:474
silvicolum, 11:408
Scincidae, 4:42, 20:505, 30:368, 30:612
Scindapsus aureus, 35:359
Scioli, M. E. T., see Rose, Francis L., —
Scirous robustus, 15:120
Scirpus, 12:209, 12:214, 14:173, 14:179, 14:180, 15:410, 19:115, 21:131, 23:489, 23:490, 25:379, 27:381, 27:462, 33:169, 35:250, 35:354
acutus, 15:410, 24:691, 26:59
americanus, 1:57, 1:67, 2:159, 22:36, 22:41, 23:505, 24:434, 25:315, 25:327, 26:59, 26:60, 27:226
californicus, 20:206, 33:170, 33:175
cernuus, 9:311, 9:312
inundatus, 9:311
koilolepis, 9:310, 9:311
molestus, 9:310–312
nevadensis, 31:24
olneyi, 15:120, 15:121, 15:125, 20:217, 26:415, 26:417, 26:418
pallidus, 12:140
paludosus, 1:66, 2:159, 15:126
pseudosetaceus, 9:311, 9:312
pungens, 36:122
robustus, 15:121, 15:126
setaceus, 9:311
supinus, 15:410
validus, 2:159, 15:410, 25:327, 26:59, 33:170, 33:175
Scirpus molestus M. C. Johnston (Cyperaceae), sp. nov. from Arkansas, Louisiana, and Texas, Marshall C. Johnston, 9:310–312
Scirtes, 23:555
Scissor-tailed flycatcher (*Muscivora forficata*) in Baja California, Mexico, Troy L. Best, Harold A. Smith, and Steven Erkenbeck, 19:439–440
Scissor-tailed flycatchers and Swainson's hawks nesting in the same tree, James P. Griffing, 19:111–112
Sciuridae, 1:97, 15:201–208, 17:279–286, 17:307–308, 20:151–158, 20:363–370, 20:497, 20:498, 20:505, 22:59, 22:547–550, 24:79–85, 26:237–242, 26:275, 26:327, 28:375–376, 30:357–362, 30:449–450, 31:280, 32:186, 32:371–376, 34:424–427, 34:506–512, 35:201
Sciurus, 23:29, 26:317, 28:69, 35:472, 36:101
aberti, 16:125–126, 17:325, 18:470–473, 21:135–139, 21:209–217, 21:236–238, 23:700–702, 24:49–61, 25:36, 29:135–137, 29:246, 32:507, 33:490–492, 36:246
arizonensis, 25:36
aureogaster, 28:379
carolinensis, 12:109, 17:349–355, 21:210, 23:700, 27:459, 28:316, 28:318, 28:320, 28:321, 35:201
deppei, 28:379, 35:233
griseus, 19:114, 23:36, 23:39
kaibabensis, 18:472
nayaritensis, 29:264
niger, 13:16, 13:148, 13:155, 17:349–355, 26:91, 28:318, 28:321, 30:340, 30:341, 32:158, 32:160, 32:161, 35:201
quadrivittatus, 24:663
variegatoides, 29:511, 29:513, 29:514
vulgaris, 21:215
Sciurus aberti and *Microtus montanus* on foothills of the Culebra Range in southern Colorado, Ron S. Mellott and Jerry R. Choate, 29:135–137
Scleria
ciliata, 11:414, 29:326, 29:329
triglomerata, 12:349
Sclerocarpus, 9:37
divaricatus, 9:32
Scleropoa rigida, 4:116
Scleropodium touretii, 1:118
Scleropogon
breviflorus, 22:342, 35:75
brevifolius, 4:118, 8:181, 8:190, 10:37, 10:260, 12:81, 20:257, 21:261, 21:316, 26:20
Sclerurus guatemalensis, 4:71
Scobinaspis dentata, 17:401
Scogin, Ron, Floral UV-absorption patterns and anthochlor pigments in the Asteraceae, 23:371–374
Scogin, Ron, Nectar constituents of the Cactaceae, 30:77–82
Scogin, Ron, see Zona, Scott, —
Scolelepis agilis, 20:479–484
Scolia, 32:357–362
bicincta, 32:360, 32:361
consore, 32:361
consors, 32:360
dubia, 32:360, 32:361
guttata, 32:360, 32:361
mexicana, 32:360, 32:361
nobilitata, 32:360, 32:361
Scolieneura, 31:204
Scoliid wasps of the southwestern United States (Hymenoptera: Scoliidae), the, William P. MacKay, 32:357–362
Scoliidae, 6:18, 32:357–362
Scolinoneura betuleti, 31:202
Scolioneura betuleti, 31:203
Scoliopleura peisonis, 26:315
Scolopacidae, 35:237–240
Scolopax major, 17:201
Scolopendra, 16:124
heros, 20:411
Scoloplos foliosus, 34:150
Scolytidae, 20:225, 26:375, 26:376, 32:386, 32:388
Scomber, 16:32
Scomberomorus cavalla, 28:261–269
Scombridae, 28:261–269
Scopularopsis, 32:133
Scopulonema concharum, 24:159
Scorpaenichthys marmoratus, 25:515
Scorpiones, 25:517–523, 29:387–393, 35:47–53
Scorpionidae, 25:517, 28:377
Scotiella oocystiformis, 13:134
Scotinella formica, 30:8

Scotinomys, 35:310, 35:314
Scott, Nancy L., Seasonal variation of critical thermal maximum in the redbelly dace, *Phoxinus erythrogaster* (Cyprinidae), 32:435–438
Scott, Norman J., Jr., and David M. Hillis, Correction of the name of the host of the trematode *Lageronia jimenezi* Iruegas-Buentello and Salinas-Lopez 1989, 34:569
Screech owl caught in nylon Lichtenstein's oriole nest, Jerome A. Jackson, 26:214–215
Scribner, K. T., J. H. Dowell, and R. J. Warren, Spatial genetic variability among introduced populations of the ring-necked pheasant, 34:27–34
Scribner, Kim T., and Leslie J. Krysl, Summer foods of the Audubon's cottontail (*Sylvilagus audubonii*: Leporidae) on Texas Panhandle playa basins, 27:460–463
Scribner, Kim T., and Robert J. Warren, Electrophoretic and morphologic comparisons of *Sylvilagus floridanus* and *S. audubonii* in Texas, 31:65–71
Scribner, Kim T., see Smith, Michael H., —
Scripus, 19:373
  acutus, 22:353–355
  pendulus, 21:404
Scrivner, Jerry H., The rate of weight loss and decomposition of coyote carcasses, 30:461–463
Scrophularia lanceolata, 12:140
Scrophulariaceae, 1:65, 1:67, 2:168, 3:217–219, 3:214, 4:58, 4:208–209, 10:234–237, 13:383, 15:142, 18:324, 18:369, 18:436, 18:437, 18:440, 18:442, 20:432, 22:31, 22:35, 22:38, 23:297, 23:504, 24:189, 24:292, 24:380, 25:334, 33:175, 33:221, 34:290, 35:19, 35:64, 35:73, 36:124
Scudday, James F., and James R. Dixon, Diet and feeding behavior of teiid lizards from Trans-Pecos, Texas, 18:279–289
Scudday, James F., Another Lampropeltis alterna in Brewster County, Texas, 10:77–78
Scudday, James, F., Eleutherodactylus latrans in Terrell County, Trans-Pecos Texas, 10:78
Scudday, James F., see Gallucci, Tony, —
Scudday, James F., see Knight, R. Alec, —
Scudday, James F., see Wauer, Roland H., —
Scudday, James F., see Young, David B., —
Scutacaridae, 28:419, 31:114, 31:115
Scutellaria, 28:71–79
  australis, 28:71,
  brittonii, 28:71–74, 28:78
  cardiophylla, 12:348
  drummondii, 23:321, 24:435, 28:71–73, 28:76, 28:77, 30:320
  galericulata, 2:168, 28:71–73, 28:75, 28:78
  lateriflora, 2:155, 2:156, 2:168, 28:71, 28:73, 28:75, 28:77
  leonardi, 28:71
  muriculata, 35:390
  parvula, 28:71–74, 28:78, 32:35
  resinosa, 2:168, 14:342, 17:6, 17:7, 17:8, 28:71–73, 28:76–78
  wrightii, 28:71, 28:72, 28:77, 28:78
Scutelleridae, 32:417, 32:420, 32:422
Scydmaenidae, 32:494
Scydmaenus, 32:494
Scyllinops, 11:116
Scymaenidae, 32:491
Scymaenus, 32:491
Scymnus, 33:216, 33:217
  collaris, 8:54
Scyphophorus acupunctatus, 32:491–495
Scyphostegia, 11:81
Scythridae, 18:308
Scythris sponsella, 18:308
Scytinostroma galactinum, 19:354
Scytodes, 30:6, 30:11
Scytodidae, 11:339, 30:6
Scytonema alatum, 11:202
Scytonemataceae, 11:202
Sealander, J. A., and C. E. Hoffman, A modified Berlese funnel for collecting mammalian and avian ectoparasites, 1:134–136
Sealander, John A., Albino least shrews (*Cryptotis parva*) and a new locality record for the southeastern shrew (*Sorex longirostris*) from Arkansas, 26:70
Sealander, John A., and Philip S. Gipson, Range extension of ringtail cat into Arkansas, 16:458–459
Sealander, John A., Jr., and Billy Joe Forsyth, Occurrence of the badger in Arkansas, 11:134
Sealander, John A., New marginal records for the eastern harvest mouse and southeastern shrew in Arkansas, 22:148–149
Sealander, John A., see Ploskey, Gene R., —
Search time on food preference in *Peromyscus leucopus* (Cricetidae), effect of, David J. Moriarty, 21:469–474
Sears, Norman E., and Allan J. Mueller, A survey of the polychaetes of Bolivar Flats and Big Reef, Galveston, Texas, 34:150–154
Seasonal abundance, distribution, food habitats and condition of the southern brook lamprey, *Ichthyomyzon gagei* Hubbs & Trautman, in an East Texas watershed, A. K. Mohammad Moshin and Benny J. Gallaway, 22:107–114
Seasonal activity of *Siren intermedia* in northwestern Louisiana (Amphibia: Sirenidae), Larry R. Raymond, 36:144–147
Seasonal activity of tenebrionid beetles in New Mexico mesquite dunes, David B. Richman, Ellis W. Huddleston, and Melchor Ortiz, 27:305–308
Seasonal analysis of aquatic invertebrates and detritus in a small mountain stream in Arizona, Betty Dehoney and William S. Gaud, 28:189–198
Seasonal analysis of bird communities in southern Nevada, a, John G. Blake, 29:463–474
Seasonal and spatial variation in the soil microarthropod fauna of the White Sands National Monument, Perseu F. Santos and Walter G. Whitford, 28:417–421
Seasonal changes in body weights, fat depositions, adrenal glands and temperatures of *Citellus tereticaudus* and *Citellus harrisii* (Rodentia), Bobby J. Neal, 10:156–166
Seasonal changes in bottom fauna of an Ozark headwater stream (Clear Creek, Washington County, Arkansas), James E. Sublette, 1:148–156
Seasonal changes in home range size of tassel-eared squirrels (*Sciurus aberti*), R. C. Farentinos, 24:49–61
Seasonal changes in the fish fauna of Tornillo Creek, Brewster County, Texas, Clark Hubbs and Roland Wauer, 17:375–379
Seasonal deer diets in central Texas and their response to brush control, Douglas D. Waid, Robert J. Warren, and Dale Rollins, 29:301–307
Seasonal distribution of bats in Arizona: a case for improving mammalian range maps, the, Donald F. Hoffmeister, 15:11–22
Seasonal fluctuations in the population density of *Alloglossidium corti* (Digenea: Macroderoididae) in channel catfish from the Little Brazos River, Texas, Norman O. Dronen, Jr., Harold T. Underwood, and Louise A. Rubec, 27:73–78
Seasonal food habits of blacktailed jackrabbits (*Lepus californicus*) in southern New Mexico, Mohammad Fatehi, Rex D. Pieper, and Reldon F. Beck, 33:367–370
Seasonal food habits of *Cryptobranchus alleganiensis* (Caudata: Cryptobranchidae), Chris L. Peterson, Jamie Wiggs Reed, and Robert F. Wilkinson, 34:438–441

Seasonal incidence and reproduction in the western slender grass lizard, *Ophisaurus attenuatus attenuatus* (Reptilia, Anguidae), in Arkansas, Stanley E. Trauth, 29:271–275
Seasonal incidence of snakes in northeastern Chihuahua, Mexico, Robert P. Reynolds, 27:161–166
Seasonal movements of Mexican freetail bats *Tadarida brasiliensis mexicana* banded in the Great Plains, Bryan P. Glass, 27:127–133
Seasonal occurrence and abundance of bats (Chiroptera) in northwestern Texas, William W. Milstead and Donald W. Tinkle, 4:134–142
Seasonal occurrence and habitat utilization by lizards in southwestern New Mexico, William H. Baltosser and Troy L. Best, 35:377–384
Seasonal ovarian cycle of the tidewater goby, *Eucyclogobius newberryi* (Gobiidae), Stephen R. Goldberg, 22: 557–559
Seasonal population changes in the cactus mouse, *Peromyscus eremicus*, Anthony W. Lewis, 17:85–93
Seasonal population dynamics of some helminth parasites of centrarchid fishes, James S. McDaniel and Horace H. Bailey, 18:403–416
Seasonal variation in leaf nitrogen in creosotebush (*Larrea tridentata* [DC.] Cov.: Zygophyllaceae), C. E. Freeman, 27:354–356
Seasonal variation in plankton populations in the Arkansas River near the confluence of Red Rock Creek, Jerry Wilhm, Troy Dorris, James R. Seyfer, and Nancy McClintock, 22: 411–420
Seasonal variation of critical thermal maximum in the redbelly dace, *Phoxinus erythrogaster* (Cyprinidae), Nancy L. Scott, 32:435–438
Seasonal variations in selected physicochemical conditions of a small lake in Brazos County, Texas, Richard O. Respess, Carl E. Wood, Jack M. Inglis, and William J. Clark, 17: 249–263
Seasonal variations in water chemistry and diversity of the phytophilic macroinvertebrates of three swamp communities in southeastern Louisiana, Stephen W. Ziser, 23:545–562
Seasonality of pheromone trailing behavior in two species of garter snake, *Thamnophis* (Colubridae), Neil B. Ford, 26:385–388
Seasonality on helminthic infection in largemouth bass, *Micropterus salmoides* (Lacepede) (Centrarchidae), some effects of, Russell E. Ingham and Norman O. Dronen, Jr., 27:223–225
Seastedt, T. R., O. J. Reichman, and T. C. Todd, Microarthropods and nematodes in kangaroo rat burrows, 31:114–116
Seastedt, Tim R., see Gilliam, Frank S., —
Sebastiana treculiana, 8:104
Sebastis marinus, 23:247
Secale cereale, 12:78, 29:182, 29:185
Secondary sexual characters in the crawfish *Procambarus clarkii* (Girard) (Decapoda: Cambaridae), aberrant, Jay V. Huner and Joe B. Black, 22: 271–275
Secor, Jack B., and Dalikeh O. Farhadnejad, The seed germination ecology of three species of *Gaillardia* that occur in the gypsumland areas of eastern New Mexico, 23:181–186
Secor, Stephen M., The golden topminnow, *Fundulus chrysotus* (Cyrpinodontidae), an addition to the fish fauna of Oklahoma, 32:522–525
Secoy, D. M., and Wesley M. Brown, New county records in the herpetofauna of Colorado, 13:105–106
Sedum, 13:122, 24:214
griffithsii, 35:64, 35:71
lanceolatum, 20:430
nuttallianum, 4:56
rhodanthum, 20:430
rosea, 20:430
stenopetalum, 24:381
Seed and parent-plant populations, comparison of the distribution of, Stephen H. Bullock, 21:383–389
Seed dispersal by ants in the Rocky Mountains, Christina L. Turnbill, Andrew J. Beattie, and Frances M. Hanzawa, 28:289–293
Seed fecundity of monoecious and female plants of a *Croton* species (Euphorbiaceae), Cesar A. Dominguez Perez Tejada and Stephen H. Bullock, 33:233–234
Seed germination ecology of three species of *Gaillardia* that occur in the gypsumland areas of eastern New Mexico, the, Jack B. Secor and Dalikeh O. Farhadnejad, 23:181–186
Seed production and morphology of two smartweeds associated with playas in Texas, R. J. Whyte and E. G. Bolen, 30:605–607
Seed properties and water balance in desert granivores, D. P. Christian and P. E. Lederle, 29:181–188
Seedling survival and growth of a Sonoran Desert shrub, jojoba (*Simmondsia chinensis*), during the first 10 years, Wade C. Sherbrooke, 34:421–424
Segal, Ronald, Taxonomic study of the fossil species of the genus Cryptantha (Boraginaceae), 11:205–210
Segal, Ronald H., A review of some Tertiary endocarps of Celtis (Ulmaceae), 11:211–216
Segal, Ronald H., see Rock, Charles O., —
Segestriidae, 11:368
Segura D., Myrna, see Palomino H., Guadalupe, —
Seifert, Wayne, Fred Rainwater, and Tim Kasper, Significant range extensions with field and lab notes for the reticulated gecko, *Coleonyx reticulatus* Davis & Dixon, 18:101–103
Seigler, D., S. G. Saupe, D. A. Young, P. M. Richardson, B. B. Simpson, and J. L. Neff, *Acacia rigidula*–a new ant-acacia, 27:364–365
Seigler, David S., and John E. Ebinger, Cyanogenic glycosides in ant-acacias of Mexico and Central America, 32:499–503
Seigler, David S., Confirmation of several cheilanthoid fern records from the Edwards Plateau, Texas, 22:137–139
Seigler, David S., see Ebinger, John E., —
Seiler, Gerald J., Luka Cuk, and Charlie E. Rogers, New and interesting distribution records for *Helianthus paradoxus* Heiser (Asteraceae), 26:431–432
Seiler, Gerald, see Brooks, Ralph E., —
Seiurus
aurocapillus, 4:76, 4:79, 4:80, 14:451, 18:109
motacilla, 4:76
notacilla, 18:109
noveboracenis, 14:363, 18:109
Sejus
cascadensis, 28:225
floridianus, 28:225
greeneae, 28:225
jamaicensis, 28:225
laelaptoides, 28:225
tennesseensis, 28:225
unguiculatus, 28:225
viduus, 28:225
Selaginella, 34:442
arizonica, 22:227
cuspidata, 18:194
densa, 20:427
fraiponti, 17:405–408
lepidophylla, 10:257, 10:260, 33:287–294
lepidophyllum, 23:291, 23:298
pilifera, 30:536–538, 30:540
rupincola, 35:69
selaginoides, 17:406
underwoodii, 23:298

Selaginellaceae, 20:427, 23:298, 33:287–294, 35:69
Selaginellites crassicinctus, 17:405
Selander, Robert K., review by, 1:92–93
Selasphorus
platycercus, 22:369, 28:162, 34:492
platycereus, 16:16, 16:24
playcercus, 29:474
rufus, 25:461, 28:162
sasins, 22:285
Selcer, Kyle W., and Roy A. Bloom, *Cyrtodactylus scaber* (Gekkonidae): a new gecko to the fauna of the United States, 29:499–500
Selcer, Kyle W., Relationship between clutch development and variation in fatbody mass and liver mass of female keeled earless lizards, *Holbrookia propinqua* (Sauria: Iguanidae), 31:9–14
Selcer, Kyle W., see Bloom, Roy A., —
Selenastrum minutum, 20:47, 20:48, 22:310
Selene
brevoorti, 32:230
vomer, 36:203, 36:206, 36:208
Selenicereus spinulosus, 30:78
Seleropogon brevifolia, 33:482
Selinocarpus, 14:352, 17:181
angustifolius, 23:297
chenopodioides, 1:55, 1:63
Sell, Darwin L., Fall foods of teal on the Texas High Plains, 24:373–375
Sematophyllum adnatum, 5:44, 28:241
Seminole bat, *Lasiurus seminolus* (Chiroptera: Vespertilionidae), from central Oklahoma, the, William Caire and Monte L. Thies, 32:273
Semotilus, 12:466
astromaculatus, 19:261
atromaculatus, 2:92, 2:96, 9:106, 12:463, 12:464, 14:306, 14:307, 15:140, 16:442, 16:444, 20:415, 22:438, 24:482, 27:110–112, 30:25, 30:560, 31:158, 31:377, 33:137, 33:139, 33:142–145, 34:229, 36:126
Sena, Anthony P., Temperature relations and the critical thermal maximum of *Holbrookia maculata maculata* (Reptilia: Iguanidae), 23:41–50
Senagalia, 20:277
Senecio, 9:39, 10:257, 16:364, 18:320, 27:176, 36:114
amplectens, 18:321, 18:322
ampullaceus, 10:36
anguilifolius, 16:377
angulifolius, 9:34
argutus, 16:377
aschenbornianus, 16:377
atratus, 20:429
bigelovii, 12:323, 18:321
cinerarioides, 16:377
cordobensis, 16:377
crassulus, 20:429
dimorphophyllus, 20:429
douglasii, 27:467, 28:83, 35:64, 35:71
douglassii, 22:342
fremontii, 20:429
guadalajarensis, 12:149, 16:377
holmii, 18:321
imparapinnatus, 18:123
imparipinnatus, 33:336
integerrimus, 12:140
interregemus, 28:290
longilobus, 1:56, 1:66, 16:203–205, 21:314, 21:316, 23:296, 33:281
mikanioides, 28:48
monorndid, 16:204, 16:205
multicapitatus, 18:369, 31:36
multidentatus, 16:377
multilobatus, 13:109–114, 34:442
multivenius, 9:34
mutabilis, 13:109–115
neomexicanus, 13:109–114, 35:65, 35:71
pauperculus, 13:115
platensis, 14:331
plattensis, 4:59, 13:115, 17:7
praecox, 16:377
pseudaureus, 12:140
pudicus, 18:321
quaerens, 1:57, 1:66
riddellii, 25:325, 25:336, 36:122
roldana, 12:149, 16:377
saliginus, 16:377
sanguisorboides, 12:327
sinuatus, 16:377
soldanella, 18:321, 18:322
spartioides, 1:66
taraxacoides, 18:321, 18:322
triangularis, 20:429
tridenticulatus, 13:109–114, 21:362
vulgaris, 35:18
werneriaefolius, 20:429
Senecioneae, 8:117–120
Senna
bauhinioides, 35:72
hirsuta, 35:72
Senner, S. E., and E. F. Martinez, A review of western sandpiper migration in interior North America, 27:149–159
Senotainia rufiventris, 20:339
Senticolis triaspis, 35:278
Sequoia sempervirens, 22:155
Sergiolus, 11:342
lowelli, 30:4
tennesseensis, 30:8
variegatus, 11:343
Serica, 28:476, 28:477
Serpentes, 3:232, 6:197–198, 16:123–124, 17:208–209, 22:517–524, 23:538, 23:692, 25:118–120, 26:436–437, 33:388–390, 33:473–477, 35:115–122, 35:221–222, 35:222–224
Serpula
himantioides, 19:349
pinastri, 19:349
Serranidae, 4:165, 32:226, 32:230
Serratia, 36:370, 36:371
Sesbanea, 26:319
Sesbania, 26:346, 34:208, 34:211
cannabina, 13:210, 18:432, 18:441
drummondii, 21:478, 21:480, 24:99, 26:351, 34:196, 34:200, 34:202
macrocarpa, 23:502, 25:322, 34:196, 34:197, 34:199, 34:200, 34:202, 34:203, 34:210
punicea, 34:197
versicaria, 34:196, 34:199–202
Sesiidae, 29:437
Sesuvium, 20:218
erectum, 23:499, 25:322
portulacastrum, 22:37–39, 22:41, 22:42, 22:44, 22:46, 23:499, 25:316, 25:319, 28:365–367
portulacestrum, 36:122
Setaria, 2:126, 18:445, 18:446, 24:298, 30:543, 30:546, 30:548, 33:55, 33:56, 33:365
adhaerans, 25:322
adhaerens, 23:506
faberii, 24:637
geniculata, 2:158, 4:117, 7:169, 12:78, 12:81, 12:349, 25:327, 25:402, 29:250
grisebachii, 12:71, 12:77, 22:342, 35:75
holstii, 4:117
italica, 31:37
leucopila, 5:8, 14:352, 21:316, 23:506, 25:322, 32:191, 36:306
macro-stachya, 23:316
macrostachya, 1:62, 4:117, 10:50, 10:53, 12:71, 12:82, 13:86, 28:109, 35:75
pallidefusca, 10:50
scheelei, 10:50, 10:51, 12:77
sphacelata, 10:50
tenax, 12:85
texana, 24:101
viridis, 2:158, 25:327
viridus, 18:444
Setophaga
picta, 18:109, 18:196, 18:199
ruticilla, 4:77, 14:363, 18:109
Severe freeze on native woody plants in the lower Rio Grande Valley, Texas, effects of a, Robert I. Lonard and Frank W. Judd, 30:397–403
Sex and age ratios in Gambel quail of the Rio Grande Valley, southern New Mexico, Ralph J. Raitt and Robert D. Ohmart, 13:27–34
Sex chromosome polymorphisms in *Reithrodontomys montanus* (Rodentia: Cricetidae), Lynn W. Robbins, 26:201–202
Sex ratios in winter and spring-taken pocket mice (Perognathus) in the Southwest, unusual, Donald F. Hoffmeister, 9:252–254
Sex ratios of *Populus deltoides* and *Salix*

amygdaloides (Salicaeae) in Nebraska, Robert B. Kaul and Martha Naugler Kaul, 29:265–269
Sexton, Owen J., see Marion, Ken R., —
Sexual behavior among female aoudads, overt, Khushal Habib, 32:148–149
Sexual behavior in Merriam's kangaroo rat, observations on, Roger A. Maur and W. Glen Bradley, 11:134–136
Sexual behavior of a male checkered whiptail lizard, *Cnemidophorus tesselatus* (Say), James G. Saxon, 13: 454–455
Sexual differences in the home ranges of *Peromyscus truei* and *Dipodomys panamintinus* (Rodentia), John S. Scheibe, 29:7–13
Sexual dimorphism and morphometric variation in the Texas kangaroo rat (*Dipodomys elator* Merriam 1894), Troy L. Best, 32:53–59
Sexual dimorphism in prairie dogs: evidence for changes during the past century, increasing, John J. Pizzimenti, 26:43–47
Sexual maturity of white bass from ovum diameters, determination of, Scott H. Newton and Raj V. Kilambi, 14:213–220
Sexual segregation by desert mule deer, David L. Scarbrough and Paul R. Krausman, 33:157–165
Seyfer, James R., and Jerry Wilhm, Variation with stream order in species composition, diversity, biomass, and chlorophyll of periphyton in Otter Creek, Oklahoma, 22:455–467
Seyfer, James R., see Wilhm, Jerry, —
Shackleford, Martha W., Insect swarms coming to light traps, 5:221–224
Shadowen, Herbert E., see Benton, Allen H., —
Shake, Roy, see Wilson, Gerald T., —
Shane, Susan H., and David J. Schmidly, Bryde's whale (*Balaenoptera edeni*) from the Louisiana coast, 21:409–410
Shanley, Edwin, Jr., see Morrison, Michael L., —
Shannoon's formula, 14:441–445
Sharma, G. K., Environmental modifications of leaf epidermis and morphological features in *Verbena canadensis*, 17:221–228
Sharma, G. K., Flower formation in *Kalanchoe velutina* induced by low night temperature, 18:331–334
Sharp, A. J., and Marshall C. Johnston, Berchemia scandens (Hill) K. Koch (Rhamnaceae) in Chiapas: detailed locality data, 11:301–302
Sharrow, Steven H., see Neuenschwander, Leon F., —
Shaw, Harley G., Records of Mearn's quail, *Cyrtonyx montezumae* (Vigors) near Flagstaff, Arizona, 16:125
Shaw, James H., see Freeman, Ron C., —
Sheedy, Joyce D., Forrest L. Johnson, and Paul G. Risser, A model for phosphorus and potassium flux in a tall-grass prairie, 18:135–149
Sheffield, William J., see Lochmiller, Robert L., —
Shell closure on water loss in the Sonoran mud turtle, *Kinosternon sonoriense*, effects of, Mark L. Wygoda and Cynthia M. Chmura, 35:228–229
Shelley, Rowland M., Occurrences of the millipeds *Thrinaxoria lampra* (Chamberlin) and *Stenodesmus tuobitus* (Chamberlin) in eastern and southern Texas (Polydesmida: Xystodesmidae), 35:96–97
Shelley, Rowland M., *Rhysodesmus chisosi* new species, a biogeographically significant milliped from the Chisos Mountains, Texas (Polydesmida: Xystodesmidae), 34:219–224
Shelley, Rowland M., The milliped genus *Texophon* Chamberlin and the new tribe Texophonini (Callipodida: Schizopetalidae), 34:381–391
Shenopholis obtusata, 10:36
Shepard, William D., and Alan P. Covich, The unionid fauna of Ft. Gibson Reservoir and the Grand (Neosho) River in Oklahoma: comments on a proposed increase in water level, 27: 359–361
Shepard, William D., see Brown, Harley P., —
Shepherdia
canadensis, 12:143
rotundifolia, 22:269
Sherbrooke, Wade C., Defensive head posture in horned lizards (*Phrynosoma*: Sauria: Iguanidae), 32:512–515
Sherbrooke, Wade C., First year seedling survival of jojoba (*Simmondsia chinensis*) in the Tucson Mountains, Arizona, 22:225–234
Sherbrooke, Wade C., Seedling survival and growth of a Sonoran Desert shrub, jojoba (*Simmondsia chinensis*), during the first 10 years, 34: 421–424
Sherman, Harry L., Evidence of misapplication of the name *Schoenolirion texanum* (Scheele) Gray (Liliaceae), 24:123–126
Sherwood, Ross T. Bowlin, and Paul G. Risser, Annotated checklist of the vascular plants of Little Sahara State Park, Oklahoma, 25:323–338
Sherwood, Ross T. Bowlin, see Leuck, Beth E., —
Shields, Lora M., see Wells, Philip V., —
Shields, Lora Mangum, Zonation of vegetation within the Tularosa Basin, New Mexico, 1:49–68
Shields, Lora Mangum, see Hoover, Janice Baker, —
Shiller, Ivan, A new species of Hibiscus from Texas, 5:170–171
Shinners, Lloyd H., Anthophoroid behavior of a honeybee, Apis mellifera (Hymenoptera-Apoidea), 2:131–132
Shinners, Lloyd H., Arabidopsis thaliana (L.) Heynhold (Cruciferae) introduced in northeastern Texas, 3:213
Shinners, Lloyd H., Carduus nutans L. (Compositae), a European thistle in northwestern Louisiana, 3:220
Shinners, Lloyd H., Carthamus lanatus L. var. baeticus (Boissier & Reuter) P. coutinho (Compositae): another introduced thistle in central Texas, 3:220
Shinners, Lloyd H., Forestiera autumnalis Buckley (Oleaceae) in eastern Texas and western Louisiana, 1:87–88
Shinners, Lloyd H., Hypochaeris glabra L. (Compositae) in Arkansas and Louisiana, 1:88
Shinners, Lloyd H., Ipomoea shumardiana (Convolvulaceae), a neglected Oklahoma-North Texas endemic, 6: 100–101
Shinners, Lloyd H., New varietal names in Argemone (Papaveraceae), 3:213–214
Shinners, Lloyd H., Phlox bifida var. induta (Polemoniaceae), a new endemic in north central Texas, 6:50–51
Shinners, Lloyd H., Ranunculus trilobus (Ranunculaceae) in southern Louisiana: new to the United States, 5: 170
Shinners, Lloyd H., reviews by, 1:42–43, 1:44–47, 1:90–91, 1:93–95, 1:142–144, 3:245–246
Shinners, Lloyd H., Salt cedars (Tamarix, Tamaricaceae) of the Soviet Union by S. G. Gorschkova, translation and commentary by Lloyd H. Shinners, 2:48–73
Shinners, Lloyd H., Scarcity of wild bees and wasps (Hymenoptera Aculeata) in north central Texas in 1957, 2: 129–131
Shinners, Lloyd H., Species of Berendtia Gray (Scrophulariaceae: not Goeppert, fossil Myrsinaceae) transferred to Berendtiella, 4:208–209
Shinners, Lloyd H., Species of Laphamia

transferred to Perityle (Compositae-Helenieae), 204–206
Shinners, Lloyd H., Spring flora of the Dallas-Fort Worth area, Texas (rev.), 3:243–245
Shinners, Lloyd H., Synopsis of the genus Eustoma (Gentianaceae), 2:38–43
Shinners, Lloyd H., Tragia nepetaefolia var. leptophylla instead of var. ramosa (Euphorbiaceae), 6:101
Shinners, Lloyd H., Wahlengergia marginata (Thunb.) A. DC. (Campanulaceae) in Louisiana, 2:44
Shinners, Lloyd H., Wind a factor in floral ecology and morphology, 1:88–89
Shinners, Lloyd S., Liatris tenuis n. sp. (Compositae), another endemic in southeastern Texas, 4:207–208
Shinnery in Oklahoma, a preliminary study of the, V. E. Wiedeman and Wm. T. Penfound, 5:117–122
Shipley, F. S., The 4-egg clutch limit in the Chardarii: an experiment with American avocets, 29:143–147
Shipley, Michael M., Frederick B. Stangl, Jr., Rodney L. Cate, and Craig S. Hood, Immunoelectrophoretic relationships among four species of woodrats (Cricetidae: *Neotoma*), 35: 173–176
Shipsa rotunda, 35:131
Shirley, Ken, see Buchanan, Thomas, M., —
Shizothrix, 36:370
Shorebird migration at artificial fish ponds in the prairie-forest ecotone of northwestern Arkansas, Kimberly G. Smith, Joseph C. Neal, and Michael A. Mlodinow, 36:107–113
Short, Henry L., Growth and development of Mexican free-tailed bats, 6: 156–163
Short, Henry L., Richard B. Davis, and Clyde F. Herreid, II, Movements of the Mexican free-tailed bat in Texas, 5:208–216
Short, Robert A., and James V. Ward, Macroinvertebrates of a Colorado high mountain stream, 25:23–32
Short, Robert A., see Bowles, David E., —
Short-tailed shrew, Blarina brevicauda, in Oklahoma, the, J. Knox Jones and Bryan P. Glass, 5:136–142
Shortage of scientists?, Herbert W. Levi, 2:175–176
Shortleaf pine (*Pinus echinata*) in Bryan County, Oklahoma, John Taylor, 10:42–47
Shrankia uncinata, 4:57
Shrews in New Mexico, unusual records of, Sarah B. George, 35:464–465
Shroederia setigera, 20:48
Shuman, Theresa W., Robert J. Robel, John L. Zimmerman, and Arthur D. Dayton, Influence of handling time and metabolizable energy on seed selection by four emberizids, 35: 466–468
Shump, Karl A., Jr., and Donald P. Christian, Differential burrowing by hispid cotton rats (*Sigmodon hispidus*: Rodentia), 23:696–699
Shuteria, 9:209
africana, 9:211
trisperma, 9:212
Sialia
currucoides, 25:561, 26:95, 29:474, 34: 490
mexicana, 25:561, 26:95, 34:490
sialis, 17:149, 18:246, 26:95, 28:67
Sialidae, 6:18, 8:229, 30:604, 34:440
Sialis, 14:221, 14:222, 14:224, 14:226, 14: 238, 14:243, 23:140
californica, 30:602, 30:604
Sibbaldia procumbens, 20:432
Sibbaldus musculus, 18:460
Sibinia
puella, 20:304
subfasciata, 20:304
sulcatula, 20:303–314
Sibon
fasciata, 35:278
fisheri, 35:275
Sicista quercinus, 10:149
Sicydium
gymnogaster, 35:44
multipunctatum, 32:232, 35:34, 35:37, 35:38, 35:43, 35:44, 35:46
Sicyos angulatus, 19:162
Sida, 15:413, 19:97, 19:99, 19:323, 29: 304, 30:543, 33:108, 33:109
acuta, 19:324
coccinea, 23:657
cordifolia, 19:313, 19:314, 19:324
crystallina, 4:192, 34:345, 36:239
dissecta, 23:657
filicaulis, 21:316, 22:343, 22:507, 23: 297, 30:545, 30:546, 30:548
grayana, 19:98
hederacea, 15:413
lepidota, 1:66, 1:68, 15:413, 19:101, 19: 102
leprosa, 15:413, 19:101, 21:314
neomexicana, 35:72, 35:73
physocalyx, 21:314
procumbens, 35:73
rhombifolia, 29:301
sagittaefolia, 19:102
spinosa, 35:73
Sidalcea candida, 33:221
Sideranthus, 16:370
spinulosus, 17:7
Sides, S. L., see Judd, Frank W., —
Sides, Sammie L., see Judd, Frank W., —
Sides, Sammie L., see Lonard, Robert I., —
Sididae, 4:186, 34:345
Sidner, Ronnie, and Russell Davis, Records of nectar-feeding bats in Arizona, 33:493–495
Siebert, Darrell J., see Minckley, W. L., —
Siegesbeckia, 9:28, 9:32, 9:37
Sigaloessa dispar, 4:83, 4:84
Sigara, 26:156
alternata, 9:100, 12:372, 12:384, 12:387, 12:398, 12:402
grossolineata, 9:100
hydatotrephes, 9:100
modesta, 9:100, 12:387
pectenata, 9:100
Sigmidon hispidus, 33:55
Sigmodon, 2:35, 15:226, 22:7, 22:14, 28: 100, 31:281, 31:283, 32:153, 32:154, 33:401, 35:310, 35:314
arizonae, 18:196, 18:197, 18:199, 18: 200, 23:155
fulviventer, 20:498, 20:500, 21:141, 25: 123, 32:193
hispidus, 2:34, 4:17, 4:18, 4:40–42, 4: 153, 5:194–200, 7:240, 10:18, 10:69–71, 10:172, 10:315, 11:473, 12:29, 13:19, 13:362, 13:364–365, 14:351, 14:358, 15:220, 15:227, 16:126–128, 16:437, 17:99, 18:21–29, 18:445, 18: 448, 19:283, 19:284, 19:440–444, 20: 498, 20:505, 21:10, 21:11, 21:13, 21: 14, 21:141, 21:187, 21:194, 21:195, 21:451, 21:454, 21:559, 22:85, 22: 276, 23:401–407, 23:696–699, 24: 63–69, 24:239, 24:242, 24:243, 24: 708, 25:67, 25:71, 25:123, 25:568, 26:68, 26:202, 26:203, 26:440, 27: 358–359, 27:459, 28:100–102, 28: 108–111, 28:379, 30:599, 31:109, 31: 110, 31:401, 31:540, 31:547, 32:193, 32:403, 32:458, 32:459, 33:106, 33: 495, 33:496, 34:142, 34:143, 35:105, 35:108, 35:160, 35:202, 35:366, 35: 457, 36:90, 36:92, 36:344–346
minimus, 5:100
ochroghanthus, 16:16
ochrognathus, 4:14, 4:17, 4:19, 5:100, 14:353–355, 20:498, 21:141
planifrons, 11:306
Signalosa
petenense, 1:21, 1:22
petenensis, 2:98
Signodon, 35:236
Sikes, Patricia J., and Keith A. Arnold, Red imported fire ant (*Solenopsis invicta*) predation on cliff swallow (*Hirundo pyrrhonota*) nestlings in east-central Texas, 31:105–106
Sikes, S., see Powell, A. Michael, —
Silence as a defense against predatory bats in two species of calling insects, Hayward G. Spangler, 29:481–488

Silene, 24:431
acaulis, 20:428
antirrhina, 9:4, 9:5, 25:329, 35:64, 35:71
artirrhina, 23:321
laciniata, 35:71
plankii, 24:188
thurberi, 24:291, 24:293
Sileo, Lou, see Greiner, Ellis C., —
Silpha truncata, 26:431
Silphidae, 14:166, 23:566, 23:568, 23:570, 23:571, 23:575, 26:431, 27:11–15, 28:100, 28:101, 28:476
Silphium, 1:128, 1:132, 16:376
betonicifolium, 1:131
integrifolium, 4:59, 32:32, 32:35
laciniatum, 4:52, 4:59, 7:169, 17:7, 29:326, 29:329, 32:35
pumilum, 1:129
terebinthinaceum, 32:31, 32:32, 32:35
tomentosum, 1:129
Silver-haired bat at Wichita Falls, Texas, Edward L. Roth, 14:449–450
Silvy, Nova J., see Ridlehuber, Kenneth T., —
Silybum, 24:191, 35:18
marianum, 3:220
Simarubaceae, 11:387, 18:436, 18:438
Similarity in selected temperatures of two allopatric populations of blacktail shiner, *Notropis venustus* (Cyprinidae), S. W. Calhoun, T. L. Beitinger, and E. G. Zimmerman, 26:441–442
Similax, 13:218, 14:103
Simmondsia, 18:430, 18:441
chinensis, 22:225–234, 28:212, 28:430, 29:213, 30:20, 32:23, 33:158, 34:421–424
Simocephalis serrulatus, 14:324
Simocephalus, 8:232, 10:266, 13:47
exspinosus, 4:187, 4:192
serrulatus, 4:187, 4:192, 34:345–348
vetulus, 4:187, 4:192
Simocybe centunculus, 29:264
Simon, C. A., see Middendorf, G. A., —
Simon, Carol A., and George A. Middendorf, Changes in resource usage of *Sceloporus jarrovi* (Sauria: Iguanidae) during periods of high and low food abundance, 30:83–88
Simon, David, and Frank Enders, Insects visiting sap-exudate of groundsel-tree (*Baccharis neglecta*), 23:303–305
Simon, Thomas P., and Nancy J. Garcia, Description of eggs, larvae, and early juveniles of the stripped darter, *Etheostoma punctulatum* (Agassiz), from a tributary of the Osage River, Missouri, 35:123–129
Simon, William, see Löve, Áskell, —
Simons, Lee H., Vertebrates killed by desert fire, 34:144–145
Simpson, B. B., see Seigler, D., —
Simpson, C. David, see Moore, Richard L., —
Simpson, Douglass T., and J. Leon McGraw, Jr., Two new genera of Aspidogasteridae from *Pogonias cromis* (L.) from the Texas Gulf Coast, 24:557–561
Simsia, 16:379, 16:383, 16:384, 18:119
adenophora, 16:377
amplexicaulis, 16:377
calva, 10:36, 10:38, 18:122
foetida, 16:378
Simulation,
jackknifing, 36:1–6
Monte Carlo, 36:1–6
Simuliidae, 14:244, 25:251, 28:35, 28:39, 34:315, 36:286
Simulium, 1:154, 22:515, 25:142, 25:145, 25:147, 25:381, 34:185, 34:479, 34:480, 36:161, 36:164, 36:166, 36:167
arcticum, 28:130, 28:132
piscidium, 1:151
venustum, 25:251, 33:178, 33:181
vittatum, 14:234, 14:238, 14:244
Simullidae, 23:221
Simultaneous use of a nesting site by the digger bees, *Anthophora abrupta* Say and *A. occidentalis* Cresson (Hymenoptera: Anthophoridae), the, Stanley S. Schneider, 27:467–468
Sinapis
alba, 36:197
juncea, 36:196
kaber, 36:197
nigra, 36:197
Singa, 11:361
nigripes, 11:365
shefferi, 11:365
Siphateles obesus, 26:223
Siphlonuridae, 25:251, 35:253
Siphonaptera, 34:561–563, 35:305–309, 35:310–315
Siphonoglossa pilosella, 30:546, 30:548
Siphonophora texascolens, 34:387
Siphonophoridae, 34:387
Siren, 36:175
intermedia, 11:137, 13:372, 13:373, 13:455–457, 20:455, 20:456, 23:423–429, 28:271, 32:146–148, 36:144–147
Sirenidae, 20:456, 36:144–147
Sirogonium, 23:452
sticticum, 23:437
Sisk, M. E., see Branson, B. A., —
Sisk, Morgan E., see Branson, Branley A., —
Sissom, Stanley L., see Vidrine, Malcolm F., —
Sissom, W. David, Systematics of *Vaejovis dugesi* Pocock, with descriptions of two new related species (Scorpiones, Vaejovidae), 35:47–53
Sistotrema brinkmannii, 19:352
Sistrurus
catenatus, 1:27–29, 10:31–34, 11:411, 11:412, 31:260
miliarius, 1:182
Sisymbrium
altissimum, 2:162, 12:140, 27:7, 27:371, 29:407–411, 29:415, 29:417, 29:419, 31:289, 36:141
irio, 33:426, 35:71
linifolium, 1:63
shinnersii, 2:129
vaseyi, 2:127
Sisymbrium *shinnersii* M. C. Johnston, new name, Marshall C. Johnston, 2:129
Sisyridae, 24:196, 25:251
Sisyridivora cavigena, 24:197
Sisyrinchium, 6:45–46
acra, 6:45
albidum, 32:35
bermudiana, 4:56
biforme, 22:37, 23:507, 25:317, 36:123
campestre, 33:67, 33:68
ensigerum, 2:160, 6:45, 6:46, 27:312
langloisii, 6:45, 6:46
micranthum, 6:45, 6:46
montanum, 12:140, 12:142
pruinosum, 6:45, 6:46, 29:326, 29:329
quadrangulatum, 6:45, 6:46
varians, 7:170
Sitanion
hysterix, 27:371
hystrix, 1:62, 8:189, 12:80, 13:385, 13:386, 14:342, 16:93, 16:204, 19:442, 21:362, 23:117, 23:128, 23:129, 23:132, 27:7, 27:301, 29:277, 29:280, 29:358, 31:350, 32:191, 35:67, 35:75
longifolium, 27:169
Site preferences and community characteristics of *Cupressus arizonica* Greene (Cupressaceae) in southeastern Arizona, Albert J. Parker, 25:9–21
Sites, Jack W., Jr., and Douglas A. Boyce, Jr., A test for allozyme selection in *Sceloporus grammicus* (Sauria: Iguanidae), 30:41–51
Sites, Jack W., Jr., and Michael W. Haiduk, The karyotype of *Sceloporus exsul* (Sauria: Iguanidae), 24:393–395
Sites, Jack W., Jr., see McCoid, Michael J., —
Sites, Robert W., Aquatic and semiaquatic Heteroptera state records for Texas and New Mexico, 36:356–357
Sitomys megacephalus, 21:86
Sitona, 30:603
discoideus, 34:208
lineella, 8:55
lineolatus, 34:204
Sitophilus oryzae, 30:120
Sitta

canadensis, 14:253, 34:490
carolinensis, 16:26, 17:145, 24:571, 34:490
pusilla, 17:149
pygmaea, 25:561, 34:490, 36:248
Sittasomus griseicapillus, 4:70, 4:80
Sitticus
cursor, 17:165
dorsatus, 30:5
finschi, 15:324
ranieri, 15:323
Sittler, O. D., see Inglis, Jack M., —
Situlaspis, 18:429
condalia, 18:435
condaliae, 17:397, 17:398
yuccae, 17:397–399, 18:430, 18:432, 18:433, 18:435, 18:437
Size and metabolic differences in Pseudacris triseriata (Anura) from different elevations, David Pettus and Albert W. Spencer, 9:20–26
Size composition of invertebrate drift and fish predation in a Texas stream, David E. Bowles and Robert A. Short, 33:177–184
Skimnis, 36:51
Skinks (genus *Eumeces*) from northwestern Mexico, noteworthy records of, John M. Legler and Robert G. Webb, 5:16–20
Skistodiaptomus, 30:162
pallidus, 26:82–83
reighardi, 26:82
Skjabinoptera phyrnosoma, 26:75
Skousen, J. G., C. A. Call, and R. W. Knight, Natural revegetation of an unreclaimed lignite surface mine in east-central Texas, 35:434–440
Skrjabingylus, 33:15–20
Skrjabinoptera, 30:368
phrynosoma, 21:24, 30:367, 30:468–471, 36:366–368
Skryja, David D., and Tim W. Clark, Reproduction, seasonal changes in body weight, fat deposition, spleen and adrenal gland weight of the golden-mantled ground squirrel, *Spermophilus lateralis lateralis*, (Sciuridae) in the Laramie Mountains, Wyoming, 15:201–208
Skvarla, John J., and Donald A. Larson, Interbedded exine components in some Compositae, 10:65–68
Skwala
curvata, 35:133
parallela, 31:503, 31:505–507, 31:510, 35:130–134
Slack, R. Douglas, see Morrison, Michael L., —
Slater, Jennifer S., see Meaney, Carron A., —
Slaughter, Bob H., and Dan. Walton (eds.), About bats (rev.), 17:109–111
Slauson, William L., and Richard T. Ward, Ecogenetic patterns of four shrub species in semi-arid communities of Northwest Colorado, 31:319–329
Slavina
appendiculata, 18:157, 18:164, 24:509, 24:520, 24:522, 24:523, 27:297
evelinae, 27:298
Slavinia appendiculata, 23:139
Slayden, OV Daniel, A record of the San Joaquin pocket mouse *Perognathus inornatus*, from Lake County, California, 30:466
Sleeper, Roger A., Litter survival of deer mice (*Peromyscus maniculatus*) in nest boxes, 25:259–260
Sleeping habits of the eastern fence lizard, Sceloporus undulatus hyacinthinus (Sauria, Iguanidae), J. P. Kennedy, 3:90–93
Slender chub, *Hybopsis cahni* Hubbs & Crowe (Cyprinidae) at the type locality in Claiborne County, Tennessee, rediscovery of the, Bill J. Davis and Harley W. Reno, 11:307
Slender madtom, *Noturus exilis* Nelson (Osteichthyes: Ictaluridae), in the Little River system, Arkansas, occurrence of the, Henry W. Robison and Stephen Winters, 23:688–689
Sloan, Clair D., see Hulett, G. K., —
Sly, Kevin S., see Yeaton, Richard I., —
Smaragdolanius pulchellus, 4:75
Smarididae, 21:278
Smartt, R. A., and A. H. Harris, A record of spruce (Pinaceae: *Picea*) from the Pleistocene of south-central New Mexico, 24:710
Smartt, Richard A., Spencer G. Lucas, and David J. Hafner, The giant bison (*Bison latifrons*) from the middle Rio Grande Valley of New Mexico, 36:136–137
Smartt, Richard A., The ecology of late Pleistocene and Recent *Microtus* from south-central and southwestern New Mexico, 22:1–19
Smartt, Richard A., see Best, Troy L., —
Smartt, Richard A., see Metcalf, Artie L., —
Smeigh, Pamela Ann, see Gillis, J. E., —
Smeins, Fred E., see Diamond, David D., —
Smeins, Fred E., see Kirk, William L., —
Smicraulax, 15:309–317
arizonicus, 15:309–317
tuberculatus, 15:309–317
Smicraulaz tuberculatus, 15:310
Smicridea, 25:143, 25:147, 25:252, 25:383
fasciatella, 31:430
signata, 31:430
Smicronyx sordidus, 8:55
Smilacina
racemosa, 34:442
stellata, 12:137, 12:138
Smilax, 6:109, 10:44, 14:420, 16:272, 16:274, 18:433, 18:439, 18:441, 27:385, 28:63
bona-nax, 24:688
bona-nox, 12:345, 20:323, 20:325, 20:327, 20:333, 25:207, 25:211, 25:212, 27:57, 27:311, 30:400, 35:435, 35:437, 36:215
glauca, 12:344, 12:345
herbacea, 12:139
hispida, 19:162
laurifolia, 12:345
rotundifolia, 12:345
tamnoides, 25:211, 25:212
Smilisca, 3:80, 11:15, 11:17
baudini, 11:16, 14:131, 16:228, 23:685, 32:80, 32:82, 34:171
baudinii, 35:277
cyanosticta, 32:80
gabbi, 11:16
phaeota, 11:16
sordida, 31:249–250
wellmanorum, 11:16
Smilodon, 12:10, 29:199
fatalis, 21:14
Sminthuridae, 28:425, 35:280
Smiracraulax, 29:436, 29:440
tuberculatus, 29:435, 29:437–439, 29:441
Smiracraulaz tuberculatus, 29:441
Smith, Alberic A., see Bertsch, Hans, —
Smith, Andrew T., High local species richness of mammals at Bodie, California, 24:553–555
Smith, Betsy, see McCullough, Jack D., —
Smith, David L., and Donald A. Distler, Recovery of a benthic macroinvertebrate community following a toxic chemical discharge in a sandy plains stream, 25:547–551
Smith, Donald D., A comparison of food habits of sympatric *Cnemidophorus exsanguis* and *Cnemidophorus gularis* (Lacertilia, Teiidae), 34:418–420
Smith, Dwight G., Charles R. Wilson, and Herbert H. Frost, The biology of the American kestrel in central Utah, 17:73–83
Smith, Elizabeth L., see Bury, R. Bruce, —
Smith, Ernest C., A study of leaf variability in the water oak, *Quercus nigra* L., 4:206–207
Smith, Francis W., Records of molting in the pintail (*Anas acuta*) and northern shoveler (*Anas clypeata*) on the Texas Gulf Coast, 21:558
Smith, George A., L. C. Fitzpatrick, and W. D. Pearson, Structure and dynamics of a zooplankton community

in a small north-central Texas pond ecosystem, 24:1–15
Smith, Hanley K., see O'Brian, G. Patrick, —
Smith, Harold A., see Best, Troy L., —
Smith, Hobart M., and Dennis R. Paulson, A new lizard of the *schiedi* group of *Anolis* from Mexico, 13:365–368
Smith, Hobart M., and Kenneth L. Williams, A new snake (*Tantilla*) from Las Islas de la Bahia, Honduras, 11: 483–487
Smith, Hobart M., and Kenneth R. Larsen, Some overlooked rattlesnake *nomina nuda*, 20:285–286
Smith, Hobart M., and Robert W. Reese, A record tiger salamander, 13:370–372
Smith, Hobart M., and Rozella B. Smith, Synopsis of the herpetofauna of Mexico. Volume II. Literature exclusive of the axolotl (rev.), 19:121
Smith, Hobart M., Another new lizard from Mexico of the *schiedi* group of *Anolis*, 13:368–370
Smith, Hobart M., Southwestern range limit of the lizard *Sceloporus clarki*, 14:129
Smith, Hobart M., see Lynch, John D., —
Smith, Hobart M., see McCoy, Clarence J., —
Smith, Hobart M., see Perez-Higareda, Gonzalo, —
Smith, J. W., Jr., see Agnew, Charles W., —
Smith, James Dale, and J. Knox Jones, Jr., Additional records of the Guatemalan vole, *Microtus guatemalensis* Merriam, 12:189–191
Smith, James Dale, and Timothy E. Lawlor, Additional records of the armadillo in Kansas, 9:48–49
Smith, Kimberly G., Downy woodpecker feeding on mud-dauber wasp nests, 31:134
Smith, Kimberly G., Joseph C. Neal, and Michael A. Mlodinow, Shorebird migration at artificial fish ponds in the prairie-forest ecotone of northwestern Arkansas, 36:107–113
Smith, Kimberly G., On habitat selection of Williamson's and "red-naped" yellow-bellied sapsuckers, 27:464–466
Smith, Kimberly G., Wintering of spotted sandpiper at a heated reservoir in northwestern Arkansas, 30:310–311
Smith, Michael H., Kim T. Scribner, Len H. Carpenter, and Robert A. Garrott, Genetic characteristics of Colorado mule deer (*Odocoileus hemionus*) and comparisons with other cervids, 35:1–8
Smith, Michael L., Jiakun Song, and Robert Rush Miller, Redescription, variation, and zoogeography of the Mexican darter *Etheostoma pottsi* (Pisces: Percidae), 29:395–402
Smith, Michel H., see Wiener, James G., —
Smith, Philip W., review by, 15:505–506
Smith, R. H., and H. K. Preisler, Xylem monoterpenes of *Pinus monophylla* in California and Nevada, 33:205–214
Smith, Robert L., and William M. Langley, Cicada stress sound: an assay of its effectiveness as a predator defense mechanism, 23:187–195
Smith, Robert L., see Waring, Gwendolyn L., —
Smith, Rozella B., see Smith, Hobart M., —
Smith, Stamford D., see Gaines, William L., —
Smith, Stanley D., and John A. Ludwig, Further studies on growth patterns in *Yucca elata* Engelm. (Liliaceae), 23:145–150
Smith, Stanley D., and John A. Ludwig, Reproductive and vegetative growth patterns in *Yucca elata* Engelm. (Liliaceae), 21:177–184
Smith, Steven A., see Smith, Tracy S., —
Smith, Tracy S., Steven A. Smith, and David J. Schmidly, Impact of fire ant (*Solenopsis invicta*) density on northern pygmy mice (*Baiomys taylori*), 35:158–162
Smittia atterrima, 14:239, 14:245
Snake (*Tantilla*) from Las Islas de la Bahia, Honduras, a new, Hobart M. Smith and Kenneth L. Williams, 11: 483–487
Snake, Arizona elegans arizonae, a new name for the, James R. Dixon, 5: 226
Snake *Coluber constrictor* (Reptilia: Colubridae) from New Mexico and the Chihuahuan Desert of Texas, records of the, Jerry Glidewell, 19: 215–217
Snake genus *Geophis*, from Nevado de Colima, Jalisco, Mexico, notes on the, James R. Dixon, 13:452–454
Snake predators of lizards in western Texas, Charles O. McKenney and Royce E. Ballinger, 11:410–412
Snakes from northern Mexico, notes on, Clarence J. McCoy, Jr., 9:46–48
Snakes in southwestern Kansas, new records of, Richard A. Diener, 1:27–29
Snakes of the genus *Geophis* (Colubridae) from the Mexican states of Durango and Sinaloa, comments on, Robert G. Webb, 21:548–551
Snakes to return to a hibernaculum after displacement, the ability of two species of, Harold F. Hirth, 11:49–53
Snelling, Roy R., see Schmidt, Justin O., —
Snelson, Franklin F., Jr., and Robert E. Jenkins, *Notropis perpallidus*, a cyprinid fish from south-central United States: description, distribution and life history aspects, 18:291–304
Snowy plover on the Great Salt Plains, Oklahoma, adaptations of the, James R. Purdue, 21:347–357
Snyder, Walter A., see Anderson, Allen E., —
Snyder-Conn, E. K., see Conn, J. S., —
Sobolevicanthus coloradensis, 32:85, 32:87, 32:88, 32:90
colordensis, 32:87
Social aspects of aerial respiration of young gars (*Lepisosteus*), Loren G. Hill, 16:239–247
Social interaction of Texas horned lizards (*Phrynosoma cornutum*), an observation on the, John Peslak, Jr., 31: 552
Social interactions and habitat overlap between plain and bridled titmice, Philip K. Gaddis, 32:197–202
Social organization in a colony of rock squirrels (*Spermophilus variegatus*, Sciuridae), Kristine Johnson, 26: 237–242
Soderstrom, Thomas J., see Keeley, Jon E., —
Sohrabi, Nancy, see Caire, William, —
Soil and plant relationships in a Chihuahuan Desert *Larrea-Agave* community, William H. Reid, C. Edward Freeman, and R. Douglas Echlin, 26:85–88
Soil biota on decomposition of plant material in a gypsum sand dune habitat, the influence of, Perseu F. Santos and Walter G. Whitford, 28:423–427
Soil characteristics and grass rooting habits of two soil types in east-central Texas, G. L. Van Amburg and J. D. Dodd, 14:377–387
Soil microarthropod fauna of four habitats of the Rio Puerco watershed, New Mexico, Y. Steinberger, Earl F. Aldon, and W. G. Whitford, 35: 279–284
Soil movement by desert ants, Walter G. Whitford, Douglas Schaefer, and Wendy Wisdom, 31:273–274
Soil texture on the vegetation of a grazed, short-grass prairie in Colorado, the influence of, Thomas B. Kinraide, 29:277–287

Soil water potential on the perennial vegetation of a desert arroyo, the influence of, F. R. Balding and G. L. Cunningham, 19:241–248
Solana, Elena, see Walkowiak, Alain M., —
Solanaceae, 1:65, 1:67, 2:126, 2:168, 3:216–217, 10:212, 11:74, 11:75, 12:155, 18:436, 18:440, 18:441, 20:574, 22:38, 22:343, 23:298, 23:504, 24:189, 24:435, 25:334, 33:85–90, 35:19, 35:73, 36:124
Solanum, 12:82, 13:163, 20:332, 29:213, 33:86
acanthifolium, 3:216
aculeatissimum, 3:216
americanum, 2:168, 25:334
appendiculatum, 12:155
campechiense, 3:216–217
carolinense, 8:53–55, 10:37, 16:403, 16:407–409
carolinese, 7:170
cornutum, 35:74
dimidiatum, 16:403, 16:407, 16:409–411, 25:334, 36:354
douglasii, 35:74
elaeagnifolium, 1:56, 1:65, 1:67, 2:168, 6:196, 6:197, 7:170, 8:191, 10:37, 14:352, 16:205, 16:403, 16:407, 16:408, 16:410, 21:314, 23:321, 25:322, 25:334, 25:366, 35:74, 36:306
elaegnifolium, 16:409, 22:507, 22:552, 23:504
elaegnifolium, 27:461
eleagnifolium, 8:53–56, 22:343, 22:347, 23:298
grayi, 30:346
guanicense, 3:216
hindsianum, 28:212, 32:23
jamesii, 29:358
nigrum, 14:109, 18:438, 18:441
rostratum, 2:168, 8:53, 10:211, 10:212, 12:140, 16:403, 16:408–411, 24:552, 35:74
torreyi, 7:169, 16:403, 16:407, 16:409
triflorum, 2:168, 29:411
triquetrum, 23:504, 25:322, 30:400, 36:215
xantii, 31:181
Solanum campechiense L. (Solanaceae) in extreme southern Texas, Marshall C. Johnston, 3:216–217
Soleidae, 32:226, 32:232, 35:45
Solenopsis, 23:304, 31:258, 32:508, 33:216
aurea, 21:6, 23:205, 23:209, 28:140, 30:59–68, 31:87–94
drockowi, 21:6
geminata, 23:205, 23:206, 23:208, 23:209, 23:211, 26:5–8, 26:11, 27:137, 30:59–68, 31:87–94, 31:105, 31:555, 31:556, 34:446
invicta, 23:205–207, 23:209–211, 27:135, 27:222, 30:59–68, 31:87–94, 31:105–106, 31:109, 31:540, 31:555–557, 33:217, 34:209, 34:443–449, 35:158–162, 35:416–422, 35:477–478, 36:116, 36:141
molesta, 17:49–51, 28:140
richteri, 23:205, 23:209, 31:87–94
saevissima, 3:7–12
xyloni, 21:6, 22:276, 23:205, 23:206, 23:209–211, 25:181, 25:187, 25:193, 28:140, 30:59–68, 31:87–94, 31:105
Solidago, 12:144, 16:370, 17:47, 20:332, 21:38, 25:210, 29:326, 34:273
altissima, 14:372
californica, 35:18
canadensis, 14:372, 16:203–205, 30:339, 31:371
gigantea, 2:170, 12:140, 12:142
glaberrima, 2:170, 13:387, 14:342, 17:7
graminifolia, 32:35
gynnospermoides, 25:336
juncea, 23:348, 32:32, 32:35
missouriensis, 7:169, 12:140, 23:625
mollis, 7:169, 17:7
nemoralis, 7:170, 12:348, 27:57, 32:32
odora, 12:348
petiolaris, 7:170, 25:336
petradoria, 7:270
radula, 12:348
rigida, 4:50, 4:59, 7:170, 12:139, 17:7, 32:32, 32:35
rigidus, 14:331
sempervirens, 22:38, 22:42, 22:44, 23:501, 25:316
sparsiflora, 35:65, 35:71
spathulata, 20:429
spectabilis, 31:24
velutina, 16:378
Solidago altissima (Compositae), a new combination and a new variety in, Marshall C. Johnston, 14:372
Solifugidae, 36:140
Soligago missouriensis, 31:269
Soloessa, 11:116
Solonaceae, 13:383
Solpugid (Arachnida) populations in a creosotebush vs. a mixed plant association, Martin H. Muma, 25:129–136
Solpugida, 17:31–41, 25:95–102
Solpugidae, 28:377
Solpugids (Arachnida) in Colorado, Jack Brookhart, 17:31–41
Soltis, Douglas E., see Bye, Robert A., Jr., —
Soltz, David L., see Richards, Carl, —
Soltz, R. L., Interspecific competition and resource utilization between bumblebees, 32:39–52
Soltz, Roberta Lynn, Time and energy budgets of the red-tailed hawk in southern California, 29:149–156
Somateria, 26:427
Somatochlora, 8:135
ensigera, 2:13
filosa, 4:131
linearis, 2:5, 2:13
ozarkensis, 2:5, 2:15
tenebrosa, 2:5, 2:13
Somatogyrus, 27:350
Sommerfeld, Milton R., Rose Mary Cisneros, and Richard D. Olsen, The phytoplankton of Canyon Lake, Arizona, 20:45–53
Sommerfeld, Milton R., see Bell, Robert A., —
Sommerfeld, Milton R., see Crane, Nancy L., —
Sonchus, 35:436
asper, 2:171, 23:501, 25:322
oleraceus, 35:18
Song, Jiakun, see Smith, Michael L., —
Sonora, 3:47, 5:228, 18:345, 36:310
episcopa, 3:231–233, 5:227, 21:123, 29:451, 31:61
semiannualata, 18:101
semiannulata, 3:33, 3:49, 4:88, 4:92, 4:95, 4:103, 8:225, 11:134, 12:186, 22:55, 22:56, 22:61, 26:267, 26:272, 27:163, 32:415, 32:420, 34:144, 36:99, 36:307, 36:308
Sonoran gastropods, notes on, B. A. Branson, C. J. McCoy, Jr., and M. E. Sisk, 9:103–104
Sonorella, 16:85, 16:94, 16:103, 16:104, 19:62, 29:35, 30:459
animasensis, 21:410, 21:411
binneyi, 33:84
cananea, 33:81–84
coloradoensis, 26:342
hachitana, 16:95, 19:63
magdalenensis, 33:81, 33:84
mearnsi, 9:103
metcalfi, 29:38
milleri, 26:341–344
orientis 38, 29:40, 29:41
sitiens, 33:81
superstitionis, 26:341–343
xanthenes, 26:342
Sonorella (Pulmonata: Helminthoglyptidae) from the Table Top Mountains, Pinal County, Arizona, with a description of *Sonorella milleri*, new species, new records of, Carl C. Christensen and Richard L. Reeder, 26:341–344
Sonorella cananea, a new species of land snail (Gastropoda: Pulmonata: Helminthoglyptidae) from Sonora, Mexico, Edna Naranjo-Garcia, 33:81–84
Sophia
purpurascens, 18:368
ramosa, 18:368
Sophora, 22:495, 22:497–503
affinis, 16:272
arizonica, 22:495, 22:497–500, 22:502
formosa, 22:495, 22:502

gypsophila, 22:495, 22:497–503, 23: 292–294, 23:299
nuttalliana, 23:129, 29:280
purpusii, 22:495, 22:497–499, 22:501–503
secundiflora, 11:242, 15:300, 18:432, 18:441, 22:495, 22:503, 24:168, 24: 171, 25:362, 25:366, 28:437–443
sericea, 12:152, 14:342, 21:362, 32:400
tomentosa, 22:37, 22:41, 23:502, 25:316, 25:318, 25:319
wilcoxiana, 16:112
Sorastrum, 9:168
americanus, 24:157
setigera, 24:157
Sorbus aucuparia, 33:447
Sordaria, 12:117
Soreng, Robert J., and Thomas R. Van Devender, Late Quaternary fossils of *Poa fendleriana* (muttongrass): Holocene expansions of apomicts, 34: 35–45
Sorensen, E. M. B., and Ray D. Burkett, A population study of the isopod, *Armadillidium vulgare*, in northeastern Texas, 22:375–387
Sorensen, L. O., see Baca, Bart J., —
Sorex, 29:200, 33:386–388
araneus, 21:114, 33:479
arizonae, 23:532–533
bendirii, 33:386
cinereus, 12:4, 12:29, 14:211, 17:319–321, 20:417, 22:289, 22:292, 22:293, 22:297, 22:299, 22:300, 25:36, 26: 332, 26:333, 33:386, 35:200
emarginatus, 23:533
fumeus, 33:386, 36:115
haydeni, 35:84–86
hoyi, 36:115
longirostris, 21:405, 22:149, 26:70, 33: 248
macrodon, 21:543
merriami, 17:320, 22:11, 22:12, 23:533, 24:708–709, 24:710, 26:333, 31:415–416, 33:386, 33:388, 35:464, 35:465
monticolus, 23:533, 24:708, 25:36, 26: 332, 26:333, 29:246, 31:415, 33:386
nanus, 17:319, 17:320, 24:708, 25:36, 26:332–334, 35:464, 35:465, 36:246
ornatus, 19:113
pacificus, 33:386, 33:479–480
palustris, 17:325, 20:417, 24:554, 25: 36, 26:333, 33:386, 33:388, 35:107
preblei, 33:386
saussurei, 23:533, 36:114–115
tenellus, 24:554
trowbridgii, 33:386, 33:479
vagrans, 12:3, 12:4, 12:224, 17:81, 17: 319, 17:320, 20:417, 20:418, 22:289, 22:292, 22:293, 22:297, 22:299–301, 23:284, 23:533, 24:554, 24:708, 26: 327, 26:328, 26:333, 26:338, 31:23, 31:26–29, 31:415
Sorex arizonae (Insectivora: Soricidae) from Mexico, first record of, William Caire, Joe E. Vaughan, and Victor E. Diersing, 23:532–533
Sorex longirostris (Soricidae) in Oklahoma, first record of, Cindy L. Taylor and Robert F. Wilkinson, Jr., 33: 248
Sorex merriami (Insectivora: Soricidae) in eastern Nevada, Mark A. Ports and J. Kent McAdoo, 31:415–416
Sorghum vulgare, 14:180
Sorghastrum, 17:47, 19:156, 32:32
avenaceum, 25:327
brunneum, 28:463
elliotii, 13:373, 25:280
elliottii, 12:349
halepense, 19:444
incompletum, 12:83, 12:84
nutans, 2:158, 4:50, 4:56, 4:118, 5:8, 6: 98, 6:99, 7:163, 7:169, 7:172, 7:173, 9:219–231, 9:306–308, 10:50, 10:52, 12:84, 12:304, 12:349, 13:385, 13: 386, 14:317, 15:166, 17:6, 18:86, 18: 88, 18:90, 18:136, 20:76, 20:379, 24: 240, 24:267–270, 24:272, 25:69, 27: 57, 27:59, 29:242, 29:321, 29:324–326, 29:329, 29:330, 31:235–241, 32: 30, 32:32, 32:35, 32:267, 33:65–68, 34:314, 35:55, 35:387, 35:390, 36:2
Sorghum, 22:551
bicolor, 29:182, 29:185
halapense, 25:210, 26:6–8, 29:229, 33: 374, 36:364
halepense, 1:67, 1:122, 2:122, 2:125, 2: 158, 4:118, 5:8, 7:170, 8:188, 8:189, 10:50, 10:52, 12:80, 13:362, 15:166, 18:435, 18:439, 18:441, 23:506, 25: 322, 25:327, 27:462, 34:272, 34:274, 35:75, 35:436
sudanense, 30:574, 36:354
vulgare, 2:122, 2:125, 9:79, 12:80, 14: 181, 18:89, 24:373, 30:33, 31:37, 31: 107, 35:466
Sorhum vulgare, 13:163
Soricidae, 21:405, 23:532–533, 26:275, 26:327, 30:448–449, 31:280, 31:403–405, 31:415–416, 33:248, 33:386, 35: 200, 36:100
Sork, Victoria, A comparison of physiological and behavioral adjustments to water stress in three species of kangaroo rats, 23:95–101
Soule, Oscar H., see Crossin, Richard S., —
Soulgas corticarius, 30:6
South American bats of the genus *Eptesicus*, review of, William B. Davis, 11:245–274
Southeastern shrew, *Sorex longirostris* (Soricidae), a western extension of the, Gary L. Graham, 21:405
Southern bog lemming in Arkansas, range extension of the, David A. Easterla, 13:364
Southern yellow bat, *Lasiurus ega*, in Texas, northward expansion of the, Sandra G. Spencer, Paul C. Choucair, and Brian R. Chapman, 33:493
Southwestern acalyptrate Diptera, new species of, Marshall R. Wheeler, 6: 86–91
Southwestern Association of Naturalists: the first 30 years, 1953 to 1983, the, Howard McCarley and Robert F. Clarke, 34:1–26
Southwestern lignicolous hymenomycetes of special interest, some, A. B. Budington and R. L. Gilbertson, 17: 409–422
Southwestern pine tip moth: notes on larval descent behavior, predators, and associated shoot borer in northern Arizona, H. Randy Lawson, Larry A. Yost, and Daniel T. Jennings, 28:95–97
Southwestern range limit of the lizard *Sceloporus clarki*, Hobart M. Smith, 14:129
Sowell, Bok F., see Koerth, Benjamin H., —
Soyedina
interrupta, 35:131
producta, 35:131
vallicularia, 35:131
Spaeralcea
dissecta, 23:657
elata, 23:658
grandiflora, 18:368
grossulariaefolia, 16:413–418
Spangle, Paul F., see Baker, James K., —
Spangler, Hayward G., Silence as a defense against predatory bats in two species of calling insects, 29:481–488
Sparassidaceae, 19:358
Sparassidae, 15:328, 26:437–439
Sparassis radicata, 19:358
Sparganium, 35:354
emersum, 30:485, 33:485
Sparganophilus eiseni, 10:22–24
Sparidae, 1:103, 1:161
Spartina, 5:143, 5:144, 6:91, 15:427, 22: 321, 26:122, 31:203
alterniflora, 15:307, 18:435, 18:441, 23: 506, 25:316, 25:318, 25:397, 26:346, 31:388, 34:150
cynosuroides, 25:397
patens, 4:118, 22:36, 22:41–44, 23:506, 25:316, 25:318, 25:397, 26:118, 26: 346, 29:247, 29:250, 29:251, 29:254, 29:255, 34:150, 36:123
pectinata, 2:158, 7:169, 7:170, 7:172, 25:397, 26:53, 28:255
spartinae, 18:246, 23:197–204, 23:506, 24:64, 24:102, 25:316, 25:318, 25: 397–410, 28:311, 28:388, 29:250, 29: 322, 35:385
townsendii, 3:5, 9:233

Spatial and temporal variation in Chihuahuan Desert ant faunas, Aileen Schumacher and Walter G. Whitford, 1–8

Spatial and temporal variation in productivity, species diversity, and pigment diversity of periphyton in a stream receiving domestic and oil refinery effluents, James M. Cooper and Jerry Wilhm, 19:413–428

Spatial genetic variability among introduced populations of the ring-necked pheasant, K. T. Scribner, J. H. Dowell, and R. J. Warren, 34:27–34

Spatial organization in a population of Nelson pocket mouse, Keith L. Dixon, 3:107–113

Spatial patterning in Oklahoma furbearer populations, evaluation of, Gary D. Schnell, Joseph A. Grzybowski, Daniel J. Hough, and Thomas M. McKenna, 30:225–238

Spatoglossum schroederi, 21:460, 21:461

Spatula clypeata, 5:107, 11:136, 14:177

Spaulding, J. Scott, see Angradi, Ted R., —

Spaulding, W. Geoffrey, and Thomas R. Van Devender, Late Pleistocene montane conifers in southeastern Utah, 22:269–271

Spawning and movements of razorback sucker, *Xyrauchen texanus*, in the Green River Basin of Colorado and Utah, Harold M. Tyus and Catherine A. Karp, 35:427–433

Spawning behavior and habitat of the threatened leopard darter, *Percina pantherina*, Paul W. James and O. Eugene Maughan, 34:298–301

Spawning behavior of red shiner, introduced into Burro Creek, Arizona, notes on the, W. L. Minckley, 17:101–103

Spawning behavior of the gray redhorse, *Moxostoma congestum* (Pisces: Catostomidae) in central Texas, Robert F. Martin, 31:399–401

Spawning by *Rhinichthys osculus* (Cyprinidae), in the San Francisco River, New Mexico, Gordon A. Mueller, 29:354–356

Spawning of bluehead sucker in Kanab Creek, Arizona (Pisces: Catostomidae), Henry R. Maddux and William G. Kepner, 33:364–365

Spawning razorback sucker (*Xyrauchen texanus*) utilizing riverine habitat in the Lower Colorado River, Arizona-Nevada, observations of, Gordon Mueller, 34:147–149

Spea, 3:55–69

intermontanus, 5:25

Species as a dynamic system, the, W. Frank Blair, 1:1–5

Species composition and diversity of benthic macroinvertebrates in the upper Rio Grande, Texas, Jack R. Davis, 25:137–150

Species composition and diversity of benthic macroinvertebrates of lower Devil's River, Texas, Jack R. Davis, 25:379–384

Species composition and diversity of benthic macroinvertebrate populations of the Pecos River, Texas, Jack R. Davis, 25:241–256

Species composition and diversity of macroinvertebrates in two playa lakes on the southern High Plains, Texas, Frank W. Merickel and James K. Wangberg, 26:153–158

Species composition and diversity of periphyton in the Grand River Dam area, Mayes County, Oklahoma, Lois A. Pfiester, Robert Lynch, and Terry L. Wright, 24:149–164

Species composition and seasonal succession of the zooplankton community of eutrophic Lahontan Reservoir, Nevada, James J. Cooper and Steven Vigg, 30:239–252

Species composition of a willow community relative to seasonal grazing histories in Colorado, Richard W. Cannon and Fritz L. Knopf, 29:234–237

Species distribution in a mixed Scaphiopus-Bufo breeding chorus, Wayne H. McAlister, 3:227–229

Species diversity and seasonal abundance of snakes in a mixed pine-hardwood forest of eastern Texas, Neil B. Ford, Vincent A. Cobb, and Jim Stout, 36:171–177

Species dominance in two river populations of sunfishes (Pisces: Centrarchidae): 1966 to 1988, Gerald E. Gunning and Royal D. Suttkus, 35:346–348

Species of Berendtia Gray (Scrophulariaceae: not Goeppert, fossil Myrsinaceae) transferred to Berendtiella, Lloyd H. Shinners, 4:208–209

Species of Laphamia transferred to Perityle (Compositae-Heleniеae), Lloyd H. Shinners, 204–206

Species richness of mammals at Bodie, California, additional notes on, Vernon C. Bleich, 27:121–122

Spectrograph, 9:118–145

Specularia perfoliata, 27:433

Speleketor

flocki, 29:169–179

irwini, 29:169–179

pictus, 29:169–179

Speleketor from southern California with comments on the taxonomic position of the genus (Psocoptera: Prionoglaridae), two new species of, Edward L. Mockford, 29:169–179

Speleocola

secunda, 15:446

tadaridae, 15:446, 15:452

Speleorchestes, 28:417–419, 35:282

Spellenberg, R. W., see Syvertsen, J. P., —

Spellenberg, Richard, Carlos Leiva, and Enrique P. Lessa, An evaluation of *Eriogonum densum* (Polygonaceae), 33:71–80

Spellenberg, Richard, Chromosome number as an indication of relationships of *Astragalus*, section Strigulosi (Leguminosae), with descriptive notes on *Astragalus altus*, 18:393–396

Spellenberg, Richard, Chromosome numbers from some federally proposed threatened or endangered southwestern angiosperms and other miscellaneous taxa, 24:187–189

Speloeophorus schmitti, 11:140

Spencer, Albert W., see Pettus, David, —

Spencer, Sandra G., Paul C. Choucair, and Brian R. Chapman, Northward expansion of the southern yellow bat, *Lasiurus ega*, in Texas, 33:493

Speocirolana, 15:76

thermydronis, 15:71, 15:80

Speodesmus echinourus, 12:271

Speorthus tuganbius, 12:253, 12:263, 12:270, 12:271

Speotyto

cunicularia, 14:163–170, 17:296

cunicularis, 31:280

Sperchon, 1:152, 25:141, 25:381, 25:383

Sperm of the coachwhip *Masticophis flagellum* (Serpentes: Colubridae), and a method of preparation for scanning electron microscopy of vertebrate spermatozoa, Christopher P. Kofron, 25:118–120

Sperm whales (*Physeter catodon*) in the Gulf of Mexico, Laura A. Collum and Thomas H. Fritts, 30:101–104

Spermatodis pustulosus, 31:491

Spermatodus pustulosus, 31:485, 31:489

Spermolepis echinata, 25:332, 35:70

Spermophillus spilosoma, 16:7

Spermophilus, 11:325, 21:14, 22:7, 22:14, 26:317, 26:318, 27:145, 27:236, 28:100, 32:194

armatus, 15:193–200, 15:400–402, 20:156, 21:244, 22:213–224, 26:240, 26:329, 26:333, 26:334, 26:337, 34:302–304

atricapillus, 21:128

beecheyi, 15:400, 19:114, 22:222, 24:84, 24:191–195, 24:554, 26:240, 28:430, 29:149

beldingi, 20:156, 24:554, 26:240, 30:357, 30:360, 30:361, 33:94, 33:496
cochisei, 34:510
columbianus, 24:194, 26:241
elegans, 26:328, 26:329, 30:357–362, 34:302–304
franklinii, 30:357, 35:107
harrisii, 15:203
idahoensis, 33:94
lateralis, 15:201–208, 17:323, 19:113, 21:245, 21:516, 22:222, 23:284, 24:554, 25:36, 26:329, 26:331, 26:338, 34:286, 35:149, 36:26, 36:246
madrensis, 29:246
mexicanus, 13:16, 23:706, 25:568, 35:201
mohavensis, 34:510, 34:511
mohaviensis, 20:141
mollis, 33:91–96
richardsoni, 13:248–249, 15:193–200, 17:323
richardsonii, 24:194, 26:240, 26:241, 30:357, 30:358, 30:361
spilosoma, 5:100, 12:3, 12:7, 13:16, 20:497, 23:706, 26:328, 28:200, 30:340, 30:341, 31:280, 32:186, 32:190, 32:193, 32:293, 32:458, 32:459, 35:201, 36:101
tereticaudus, 15:203, 24:244, 26:84, 26:240, 34:509–511, 35:334, 36:101
teriticaudus, 35:331
townsendi, 15:203
townsendii, 20:141, 20:156, 34:506, 34:509–511
tridecemlineatus, 13:16, 14:293–296, 15:198, 15:203, 15:499–502, 17:315, 17:325, 18:346, 18:445, 18:448, 22:221, 24:79–85, 24:239, 24:242, 25:71, 25:216, 25:261, 26:54, 26:55, 26:240, 26:241, 26:331, 26:332, 27:459, 30:340, 30:342, 32:179, 32:186, 32:190, 32:191, 32:293, 34:302–304, 35:201, 36:101
undulatus, 15:203, 22:222, 26:241, 30:357
variegatus, 5:100, 15:26, 20:363–370, 20:498, 20:505, 21:128, 21:245, 25:36, 25:568, 26:237–242, 26:267, 26:275, 26:283, 26:328, 31:280, 32:153, 32:193, 32:293, 32:458, 32:459, 34:424–427, 35:149, 35:201, 36:15, 36:101, 36:260

Spevak, Teryl A., Population changes in a Mediterranean scrub rodent assembly during drought, 28:47–52

Sphaeralcea, 2:125, 22:347, 23:299, 24:132, 25:366, 26:265, 26:283, 28:99, 29:358, 32:452, 33:108, 33:368, 36:306, 36:358–360
ambigua, 17:173, 17:335, 17:339, 22:62, 24:401, 26:264, 26:282, 32:23, 33:428, 33:429, 33:431
angusta, 7:170
angustifolia, 1:64, 2:165, 6:196, 8:190, 19:321, 23:297, 30:435, 35:73
coccinea, 1:68, 2:165, 12:140, 14:331, 20:294, 21:362, 21:366, 23:129, 23:316, 23:651–660, 24:433, 24:552, 27:300–302, 27:461, 27:462, 28:336, 29:279, 29:280, 29:412, 30:339, 30:438, 32:400
digitata, 22:343
emoryi, 12:185, 16:202, 16:203, 16:205
fendleri, 1:64, 19:319, 27:7, 30:435, 31:355
grossulariaefolia, 27:404
hainesii, 36:358, 36:360
incana, 1:55, 1:64, 30:435, 30:574, 36:55
laxa, 35:73
lindheimeri, 19:324, 19:325
orcutti, 16:417
parviflora, 27:7
parvifolia, 27:169, 27:176
polychroma, 30:433–436
procera, 30:433, 30:435, 30:436
reflexa, 36:358–360
rotundifolia, 1:64
subhastata, 1:67, 21:314, 23:321

Sphaeralcea (Malvaceae), a new species of, John C. La Duke, 30:433–436

Sphaeralcea (Malvaceae) from Coahuila, Mexico, a new species of, P. A. Fryxell, J. Valdés Reyna, and J. A. Villarreal Q., 36:358–360

Sphaeridae, 8:135, 22:239, 25:548
Sphaeriidae, 12:202, 18:31–37, 25:253, 27:350, 28:190
Sphaerium, 14:225, 14:226, 23:140
lacustre, 18:31, 18:36, 27:239
partumeium, 16:309, 27:239
striatinum, 18:31–37, 22:239, 25:253, 27:350
transversum, 12:202–203, 14:239, 14:246, 16:315, 18:31–36, 27:239
Sphaerocarpaceae, 4:154
Sphaerocarpos, 28:241
texanus, 28:240
Sphaerocarpus
texanum, 4:154
texanus, 4:154
Sphaeroceridae, 12:267
Sphaerococcus draperi, 18:423
Sphaerocystis, 17:245
schroeteri, 23:440, 24:157
Sphaerodactylus glaucus, 35:278
Sphaerodinium fimbriatum, 11:201
Sphaerolana, 15:71–81
affinis, 15:71, 15:75, 15:76, 15:80
interstitialis, 15:71–77

Sphaerolana, a new genus of cirolanid isopod from northern Mexico, with description of two new species, Gerald A. Cole and W. L. Minckley, 15:71–81

Sphaeromatidae, 36:353
Sphaeromeria
diversifolia, 34:443
ruthiae, 34:441–443
Sphaerophthalma, 26:430
Sphaerophysa salsula, 21:314
Sphaeroplea, 5:112
Sphaerozosma aubertianum, 20:576
Sphagnum, 28:241, 28:451
Sphalloplana, 33:375
Sphecidae, 17:103–104, 19:109, 20:8, 20:337–342, 22:276, 23:575, 24:608, 29:442, 29:511, 32:419, 32:420
Sphecius, 29:78
Sphecodosoma, 29:367
pratti, 29:372
Sphenomorphus
assatus, 35:273, 35:278
incertus, 35:275
Sphenopholis
intermedia, 16:93
obtusata, 2:159, 25:327, 35:65, 35:75
Sphenophorus phoeniciencis, 32:491, 32:493
Spheralcea coccinea, 8:173
Sphingidae, 20:7, 20:393, 28:161, 30:69–76, 32:418, 32:494
Sphinx, 30:69
asella, 30:72, 30:73
chersis, 30:72–76
Sphoeroides
annulatus, 32:232
parvus, 20:463
Sphyrapicus
thryoideus, 25:561, 36:247–250
thyroides, 14:252, 27:464–466
varius, 4:70, 19:1, 19:4, 22:369, 22:371, 27:464–466

Spicer, Greg S., A new state record of *Streptocephalus texanus* Packard (Anostraca) from Mexico, 27:244–245

Spider populations of a Southeast Texas rice field, Marsha W. Woods and Richard C. Harrel, 21:37–47

Spiders, 34:288

Spiders (Araneae) associated with dwarf mistletoes (*Arceuthobium* sp.) in Colorado, Daniel T. Jennings, Frederick B. Penfield, Robert E. Stevens, and Frank G. Hawksworth, 34:349–355

Spiders (Araneae) associated with rice in Arkansas with notes on species compositions of populations, J. S. Heiss and M. V. Meisch, 30:119–127

Spiders collected from peanuts and nonagricultural habitats in the Texas West cross-timbers, Charles W. Agnew, David A. Dean, and J. W. Smith, Jr., 30:1–12

Spiders from a Colorado grassland, James D. McIver, 29:230–232

Spiders of the University of Oklahoma Biological Station, Marshall County, Oklahoma, with observations on

species used by muddaubers as larval food, and a review of the species known from Oklahoma, Branley A. Branson, 11:338–371
Spiders preying on *Ips* bark beetles, Daniel T. Jennings and Herbert Allen Pase, III, 20:225–229
Spieler, Richard E., see Hambrick, Patrick S., —
Spilanthes, 9:37, 16:373
americana, 9:32
Spillett, J. Juan, see Collier, G. Donald, —
Spilman, T. J., Two new species of Niptus from North American caves (Coleoptera: Ptinidae), 13:193–200
Spilodiscus, 28:475
Spilogale, 7:240
gracilis, 16:457–458, 23:707, 24:554
putorius, 4:32, 6:24, 13:20, 13:281, 16:457, 24:377, 24:681, 26:335, 28:316, 28:317, 28:320, 32:158, 32:163, 33:15–19, 35:234
pygmaea, 33:15, 33:16
Spilomyia hamifera, 10:16
Spinacia oleracea, 35:353
Spinal deformity among threadfin shad, an unusually high incidence of, Paul C. Marsh and William E. Rinne, 28:117–118
Spinbdella cronini, 21:278
Spindbella cronini, 21:277
Spinitectus
carolini, 12:334, 16:293, 16:294, 18:405, 18:406, 18:408, 18:411–413, 22:361, 22:528, 27:224, 27:225, 29:381, 29:382, 29:383
gracilis, 22:529, 29:381, 29:382
micracanthus, 29:381, 29:382, 29:383
Spinolaelaps, 27:238
Spintarus, 11:358
Spintharus flavidus, 11:360
Spinturnicidae, 6:19, 20:241, 20:243–246
Spinturnix, 4:62, 6:19, 6:20
americanus, 20:241, 20:244, 20:245, 20:246, 20:249, 20:250
bakeri, 20:241, 20:245
orri, 20:241, 20:246
Spinus
pinus, 22:370
psaltria, 16:14, 18:199, 24:572
tristis, 22:370
Spiranthes
cernua, 7:169
parasitica, 14:447–448
vernalis, 2:160, 22:37, 23:507, 25:315, 25:318, 36:123
Spiranthes parasitica and *Corallorhiza wisteriana* (Orchidaceae) new to New Mexico, Thomas K. Todsen, William J. Hess, and R. Roy Johnson, 14:447–448
Spirodela
polyrhiza, 2:159, 34:290
polyrrhiza, 26:321, 33:170, 33:175
Spirogyra, 8:230, 8:232, 10:188–210, 10:229, 10:263, 10:266, 10:269, 12:299, 12:311, 14:242, 14:369, 15:95–97, 15:103, 15:104, 16:440, 17:14, 17:16, 17:245, 17:247, 18:99, 18:100, 18:103, 20:105, 20:107, 20:110, 22:459, 23:59, 23:216, 23:223, 23:452, 23:551, 24:158, 25:379, 25:416, 25:420, 25:548, 26:433, 27:24, 28:190, 34:131
irregularis, 23:437
juergensii, 23:437
laxa, 23:437
schmidtii, 23:437
singularis, 23:437
Spironoura chelydrae, 22:533
Spirontocaris
cristata, 29:60
franciscanus, 29:59
lagunae, 29:60
macrodonta, 29:64
picta, 29:60
prinota, 29:64
Spironura catesbianae, 17:199
Spirorchidae, 27:244
Spirorchis scripta, 27:244
Spirostreptidae, 34:223
Spiroxys, 22:361, 22:362, 22:365, 22:529, 22:530
controtus, 29:381, 29:383
utahensis, 25:392
Spirulina, 8:232, 10:188–210, 17:14, 17:17, 22:112, 23:60, 25:420
gigantea, 23:443
laxissima, 24:159
laxissma, 20:50, 20:51
okensis, 20:50
princeps, 23:443
subsalsa, 22:413, 23:443
subtilissima, 11:201
Spiza americana, 10:142, 14:363
Spizella, 5:195, 5:196, 9:255–296
arborea, 9:255, 12:303–310, 35:466
atrogularis, 9:290, 16:24, 29:474, 36:363
breweri, 9:276, 22:371, 25:174–177, 29:474, 34:491
pallida, 9:270
pallidae, 14:254
passerina, 9:260, 18:196, 22:370, 22:371, 29:474, 34:491
pusilla, 9:286, 14:254, 26:291, 31:260
wortheni, 9:255
Splendidofilaria corophila, 35:458, 35:459
Spondias, 32:363
Spondylosium
moniliforme, 20:576
pulchrum, 11:200
Spongiimpropecti, 8:232
Spongilla
fragilis, 22:140
jewelli, 15:333
lacustris, 16:434
Spongillidae, 15:331–346, 16:434–435, 25:252, 25:255, 25:381
Spongiococcum, 9:168
Spongovostox apicedentatus, 32:491, 32:493
Spontaneous triploidy in a natural population of the fathead minnow, *Pimephales promelas* (Pisces: Cyprinidae), J. R. Gold, 31:527–529
Spore to spore cultivation in agar culture of three Myxomycetes: *Comatricha laxa*, *Perichaena depressa*, and *Licea biforis*, Constance Wollman and Constantine J. Alexopoulus, 9:160–165
Sporobolis, 34:47
Sporobolus, 3:128, 11:315, 12:349, 13:156, 17:1, 18:445, 18:446, 26:206, 27:44, 27:381, 27:433, 28:376, 29:305, 30:597, 31:36, 33:368, 33:458
airoides, 1:59, 1:62, 2:159, 4:119, 8:186, 8:187, 10:50, 15:118, 15:120, 20:217, 20:257, 23:316, 23:319, 26:205, 26:207, 26:397, 28:99, 28:255, 28:313, 28:463, 30:451, 30:452, 31:405, 33:429
asper, 4:45, 4:48, 4:51, 4:52, 4:54, 4:56, 4:119, 5:9, 7:169, 12:349, 13:385, 13:386, 14:342, 14:352, 17:6, 18:22, 18:136, 18:444, 19:294, 22:551, 24:433, 28:347, 29:325, 29:326, 29:329, 33:68, 33:333
auriculatus, 20:257
brasiliensis, 22:139
buckleyi, 12:70, 12:83
clandestinus, 12:349
contractus, 16:205, 35:75, 36:55, 36:56
cryptandrus, 1:55, 1:62, 2:159, 4:119, 5:9, 5:120, 7:170, 8:186, 9:114, 9:115, 11:308, 12:139, 13:146, 13:384–386, 14:342, 17:6, 17:231, 18:444, 21:314, 21:316, 21:362, 21:363, 21:370, 22:506, 22:552, 23:129, 23:506, 24:433, 24:551, 25:322, 25:325, 25:327, 26:397, 27:300, 27:301, 27:339, 27:461, 28:200, 28:254, 28:255, 28:335, 28:381, 28:382, 29:277, 29:279, 29:280, 29:412, 30:320, 30:336, 30:339, 30:580, 32:111, 32:191, 32:192, 33:65, 33:68, 33:69, 33:361, 34:488, 35:390, 36:255, 36:354
flexuosus, 1:62, 21:261, 26:14, 27:305, 32:428, 36:54, 36:55
giganteus, 1:62, 2:159, 25:327
grandulosa, 31:388
heterolepis, 7:170, 32:30, 32:32, 32:35, 33:65, 33:67
junceus, 12:349
littoralis, 15:303, 18:435, 18:441
macer, 7:170
nealleyi, 1:66
neglectus, 4:119, 5:9, 7:170, 35:55
pilosus, 14:342, 17:6, 17:8
pyramidatus, 8:181, 8:193, 12:85, 23:506, 25:322, 36:123

spiciformis, 20:217
tharpii, 22:36, 23:506, 25:317, 25:319
trichodes, 12:86
vaginiflorus, 4:119, 7:170
virginicus, 22:36, 22:40, 22:42–44, 22:46, 23:506, 25:316, 26:118, 26:346, 28:366–368, 29:250, 36:123, 36:125
wrightii, 4:119, 5:9, 10:50, 10:52, 12:76, 15:303, 18:421, 18:435, 18:441, 21:139, 23:506, 25:315, 25:319, 28:99, 35:75, 36:119
Sporophila torqueola, 4:78
Spotfin shiner in northeastern Arkansas, the, John K. Beadles, 19:219–220
Spotila, James R., and Patrick H. Ireland, Notes on the eggs of the gray-bellied salamander, *Eurycea multiplicata griseogaster*, 14:366–368
Spotila, James R., Courtship behavior of the ringed salamander (*Ambystoma annulatum*) observations in the field, 21:412–413
Spotted bat and big free-tailed bat in northern New Mexico, Denny G. Constantine, 6:92–97
Spotted racer (*Coluber constrictor anthicus*) in Arkansas, distribution of the, Renn Tumlison and Jim Gann, 33:500–501
Spotted racer, Coluber constrictor anthicus Cope, in Arkansas, the, Herndon G. Dowling, 4:40
Spotted sunfish, *Lepomis punctatus*, in the Devils River, Texas, occurrence of the, Melvin L. Warren, Jr., 35:349–351
Spread of the Asiatic clam *Corbiucla* (Bivalvia: Corbiculacea) into the New World tropics, David M. Hillis and Richard L. Mayden, 30:454–456
Spring and summer foods of Audubon's cottontail rabbit (*Sylvilagus audubonii*) in north-central Colorado, David S. deCalesta, 24:549–553
Spring arrival of summer resident birds on the lower Rio Grande, New Mexico, Harry C. Williams and Richard F. Johnston, 2:28–32
Spring food habits of the bullfrog, *Rana catesbeiana*, in three habitats of central Arkansas, a comparison of, James A. McKamie and Gary A. Heidt, 19:107–111
Spring movements, roosting activities, and home-range characteristics of male Merriam's wild turkey, Richard W. Hoffman, 36:332–337
Springer, M. D., see Bickham, J. M., —
Springer, Marlin D., see Christiansen, James L., —
Spruce (Pinaceae: *Picea*) from the Pleistocene of south-central New Mexico, a record of, R. A. Smartt and A. H. Harris, 24:710
Spyridia, 21:459
filamentosa, 18:167, 18:168, 35:239
Squamata, 20:1–11
Squatarola squatarola, 6:103, 7:257
Squatinella, 33:465–467
St. Romain, Philip A., Geographic variation in the white-footed mouse (*Peromyscus leucopus*) in Louisiana and eastern Texas, 20:355–362
St. Romain, Philip A., Variation in the cotton mouse (*Peromyscus gossypinus*) in Louisiana, 21:79–88
Stacey, Peter B., Rosetta D. Arrigo, Thomas C. Edwards, and Nancy Joste, Northeastern extension of the breeding range of the elf owl in New Mexico, 28:99–100
Stacey, Peter B., see Gustafson-Ropski, Melanie, —
Stachybotrys, 24:368, 27:18
Stachys, 32:42
bullata, 32:41
coccinea, 35:72
Stactobiella
brustia, 31:434
delira, 31:434
Stahlecker, Dale W., Patricia L. Kennedy, Anne C. Cully, and Charles B. Kuykendall, Breeding bird assemblages in the Rio Grande Wild and Scenic River Recreation Area, New Mexico, 34:487–498
Stalling, Dick T., A xanthochromic prairie vole and notes on associated literature, 19:115–117
Stalling, Dick T., see Burns, Thomas A., —
Stalnaker, Clair B., see Holden, Paul B., —
Stamp, Nancy E., and Robert D. Ohmart, Rodents of desert shrub and riparian woodland habitats in the Sonoran Desert, 24:279–289
Stanford, Jack A., see Prete, Phillip J., —
Stangl, Frederick B., Jr., and John V. Grimes, Supernumerary hind foot on a specimen of the Texas mouse, *Peromyscus attwateri* (Rodentia: Cricetidae), 35:371–373
Stangl, Frederick B., Jr., and Walter W. Dalquest, Two noteworthy records of Oklahoma mammals, 31:123–124
Stangl, Frederick B., Jr., see Dalquest, Walter W., —
Stangl, Frederick B., Jr., see Shipley, Michael M., —
Stanley, William T., see Gannon, William L., —
Stanleya pinnata, 26:397
Stanton, Patricia A., see Moriarty, David J., —
Staphylea, 13:357
splendens, 13:355
trifolia, 24:388
Staphylinidae, 12:253, 12:269, 15:321, 23:566, 23:570, 23:571, 23:575, 26:430, 26:431, 28:476, 32:386, 32:396, 32:418, 32:420, 32:491, 32:493
Stark, Lloyd R., Additions to the bryoflora of southern New Mexico, 31:398–399
Starling feeding purple martins, Charles R. Brown, 21:557–558
Starmer, William T., Herman J. Phaff, Jane M. Bowles, and Marc-Andre Lachance, Yeasts vectored by insects feeding on decaying saguaro cactus, 33:362–363
Stasiak, Richard H., A river carpsucker, *Carpiodes carpio* (Osteichthyes: Catostomidae) with an accessory paired fin, 24:200–201
Stasiak, Richard H., and Paul K. Evans, An albinistic madtom, *Noturus gyrinus* (Osteichthyes: Ictaluridae), from Nebraska, 23:539
Statice gmelini, 9:237
Statistical analysis of morphological variation in cytotypes of *Atriplex canescens* (Chenopodiaceae), a, Max P. Dunford, 30:377–384
Staton, M. A., and Paul J. Conzelmann, Cannibalism in *Sceloporus torquatus torquatus* Wiegmann (Reptilia: Sauria), 20:147–148
Stator limbatus, 35:334
Status and conservation of the Rio Grande silvery minnow, *Hybognathus amarus*, Kevin R. Bestgen and Steven P. Platania, 36:225–232
Staurastrum, 10:188–210, 10:266, 10:270, 15:103, 15:104, 17:16, 17:245, 23:57–59, 23:434, 25:414, 25:416, 25:420
alternans, 20:576
arctiscon, 20:576
bibrachiatum, 11:199
brevispinum, 20:576
chaetoceras, 20:47, 20:48
clepsydra, 23:439
curvatum, 20:576
dickiei, 11:199
dilatatum, 23:439
duacense, 23:439
gracile, 23:439
hexacerum, 11:199
johnsonii, 20:576
muticum, 10:230, 10:231, 20:576
setigerum, 11:199
Staurastum, 24:158
Stauroneis, 10:266, 25:420
anceps, 24:155, 28:246
ignorata, 28:246
kriegeri, 28:246
nana, 28:246
nobilis, 24:155
phoenicenteron, 10:40, 20:405

smithii, 10:40, 28:246
Steadonyssus furmani, 20:245
Steatoda, 20:60
americana, 29:231, 30:6
fulva, 20:59, 20:61, 20:63, 30:3
medialis, 30:3
transversa, 30:3, 30:9
triangulosa, 30:3
Steatonyssus, 21:277, 21:278
antrozoi, 20:241, 20:244, 20:246, 20:248
emarginatus, 20:241, 20:245
furmani, 20:241, 20:250
joaquimi, 4:63
occidentalis, 20:241, 20:245–247
Steccherinaceae, 19:358
Steccherinum
ciliolatum, 19:358
fimbriatum, 19:358
Steele, Benjamin B., see Grant, C. Val, —
Steele, Edward, see Craig, T. H., —
Steenbergh, Warren F., Lightning-caused destruction in a desert plant community, 16:419–429
Steere, William C., see Crum, Howard, —
Steganopus tricolor, 36:110
Stegmastodon priestleyi, 22:255
Stegomastodon, 22:256, 22:266
priestleyi, 22:259
Stegnosperma
cubense, 27:63, 27:67, 27:68
halimifolium, 27:63–72
scandens, 27:63
watsonii, 27:63–70
Stegoelmis verrucata, 24:197
Stegomastodon, 12:6, 32:238
mirificus, 22:259
Stegosaurus, 30:525
Stein, A., see Van Auken, O. W., —
Steinberger, Y., Earl F. Aldon, and W. G. Whitford, Soil microarthropod fauna of four habitats of the Rio Puerco watershed, New Mexico, 35:279–284
Steiner, André L., Bedding and nesting material gathering in rock squirrels, *Spermophilus* (*Otospermophilus*) *variegatus grammurus* (Say) (Sciuridae) in the Chiricahua Mountains of Arizona, 20:363–370
Stelgidopteryx
ruficollis, 17:149, 18:195, 22:368, 22:369
serripennis, 34:495, 36:362
Stellaria
calycantha, 18:242
irrigua, 18:242
longipes, 20:428
media, 1:122
umbellata, 18:242, 20:428
Stellifer lanceolatus, 1:160, 1:162, 1:164
Stellula calliope, 36:248
Stemmatella
lehmannii, 9:38
sodirodii, 9:38
urticaefolia, 9:38
Stemmodontia scaberrima, 16:378
Stemodia tomentosa, 22:38, 23:275, 23:504, 25:317
Stemonitaceae, 9:163, 10:224, 16:144, 23:690, 23:691
Stemonitis, 9:158, 9:160
axifera, 10:224, 16:143, 16:145
flavogenita, 10:226, 16:143, 16:145
fusca, 10:224
herbatica, 16:145
nigrescens, 10:224
smithii, 10:224
splendens, 10:224
Stemphylium, 27:18, 32:133
Stenacron interpunctatum, 34:315
Stenamma huachuanum, 28:139
Stenaspis solitaria, 24:608, 24:610–612
Stenella
frontalis, 18:453, 18:459, 18:463
plagiodon, 18:453, 18:459, 18:463
Stenelmis, 14:238, 14:243, 20:105, 23:140, 25:141, 25:147, 25:248, 36:286
beameri, 24:197
bicarinata, 8:112, 25:250
calida, 24:197
calidae, 20:107, 20:108
convexula, 8:113, 24:197
crenata, 8:112
decorata, 8:113
gammoni, 24:197
grossa, 8:112
hungerfordi, 24:197
liberiana, 24:197
märkelii, 8:113
miyamotoi, 24:197
parva, 8:112
sexlineata, 8:112
vulgaris, 24:197
Steniola, 20:341
Steniolia elegans, 17:104
Steno-bredanensis, 18:462
Stenobredanensis, 18:453, 18:457, 18:458, 18:463
Stenocarpha, 10:238–240
filiformis, 10:238–240
Stenocereus thurberi, 34:40, 34:396, 36:94
Stenochironomus, 14:239, 14:245, 23:140, 25:142
hilaris, 32:289
maculatus, 32:412
Stenodesmus tuobitus, 34:219, 34:220, 34:223, 34:383, 35:96–97
Stenomorpha
costipennis, 18:308, 18:309
neutralis, 18:309, 18:311
Stenonema, 8:136, 14:237, 14:242, 25:550
femoratum, 31:17, 34:315
tripunctatum, 1:151
Stenopsocidae, 21:342
Stenopsocus stigmaticus, 22:28
Stenorrhina freminvillii, 35:274, 35:278
Stenosiphon
linifolium, 2:166, 4:58
linifolius, 17:7, 25:103
Stenosiphon linifolius (Nutt.) Heynh. (Onagraceae) from New Mexico, a record of, Mary Sublette, 25:103
Stenosphenus
dolosus, 27:24
lugens, 27:23, 27:24
Stenotaphrum secundatum, 4:117, 5:8, 10:50, 10:51, 13:221, 18:434, 18:435, 23:506, 25:322
Stenotrema
fraternum, 16:314, 16:315
hubrichti, 16:308, 16:312–314
leai, 16:312–315, 16:319, 27:239, 27:240
wichitorum, 16:307–320
Stenotus, 16:370
Stentor, 17:244
Steotoda, 11:358
transversa, 11:359
Stephanodiscus, 20:51, 22:414, 22:415
astraea, 20:50, 20:402–404, 20:406, 28:245
astrea, 22:458, 24:156, 27:83
astreae, 20:49
handtzschii, 24:156
hantzschii, 22:458
hantzschii, 10:40, 20:50, 22:413, 22:418
invisitatus, 26:313
Stephanomeria, 15:184
exigua, 17:173, 17:174
pauciflora, 1:66, 21:314, 22:342, 35:71
runcinata, 18:327
tenuifolia, 18:327, 34:442
thurberi, 35:71
Stephanopyxis broschii, 23:91
Stephenson, Thomas R., Mammalian prey selection by a captive bobcat, 33:104–105
Stephenson, Thor E., Jerry L. Holechek, and Charles B. Kuykendall, Diets of four wild ungulates on winter range in northcentral New Mexico, 30:437–441
Stephensoniana, 27:297
trivandrana, 25:261–264
Stephensoniana trivandrana in North America, with an additional record for *Dero* (*Aulophorus*) *flabelliger* (Oligochaeta: Naididae), occurrence of, William M. Brenneman, 25:261–264
Steptolaelaps liomydis, 10:17, 10:19, 10:21
Sterculiaceae, 22:343, 23:298
Stereaceae, 19:358
Stereum
albobadium, 19:358
sanguinolentum, 19:358
Sterling, W. L., see Nyffeler, M., —
Sterna

antillarum, 34:124–130
forsteri, 6:103
maxima, 29:252
Sterna antillarum browni en el Golfo de California: observaciones sobre una colonia reproductora en una zona vulnerable al impacto turistico, Alberto Carvacho, Rubén Ríos, Cuauhtémoc León, y Anamaría Escofet, 34:124–130
Sternidius
alpha, 27:23
mimeticus, 27:23, 27:26
naeviicornis, 27:23
texanus, 27:23, 27:26
wiltii, 27:23
Sternopsylla texana, 4:63, 4:64, 12:268, 20:241, 20:244, 20:246, 20:248
Sternostoma
boydi, 6:103
strandtmanni, 6:103
Sternothaerus
carinatus, 14:31–66, 16:444, 16:445
minor, 14:61, 16:444–445
odoratus, 10:314, 14:31–66, 16:220
Sternothaerus minor peltifer in Louisiana, J. Larry Crain and J. William Cliburn, 16:444–445
Sternotherus
carinatus, 27:447, 27:452
minor, 27:447
odoratus, 23:459, 27:447, 27:450, 27:452, 31:300
Sterotherus odoratus, 1:182
Steuter, Allen A., see Britton, Carlton M., —
Stevenilla, 13:337
Stevens, Fred, see Hubbs, Clark, —
Stevens, R. B., Career opportunities in biology. The challenge of the life sciences (rev.), 1:93–95
Stevens, Richard, see Van Pelt, Nicholas S., —
Stevens, Robert E., see Bodenham, Judy, —
Stevens, Robert E., see Gregor, Susan, —
Stevens, Robert E., see Jennings, Daniel T., —
Stevens, Timothy P., Body temperatures of montane *Cnemidophorus inornatus* (Reptilia: Teiidae), 27:232–234
Stevens, Timothy P., Reproduction in an upper elevation population of *Cnemidophorus inornatus* (Reptilia, Teiidae), 28:9–20
Stevens, Warren Douglas, A new name, *Marsdenia lanata* (Asclepiadaceae), and notes on the species, 21:406–409
Stevenson, Michael M., and Bruce Alan Thompson, Further distribution records for the bigscale logperch, *Percina macrolepida* (Osteichthyes: Percidae) from Oklahoma, Texas and Louisiana with notes on its occurrence in California, 23:309–313
Stevenson, Michael M., *Percina macrolepida* (Pisces, Percidae, Etheostomatinea), a new percid fish of the subgenus *Percina* from Texas, 16:65–83
Stevenson, Michael M., see Hubbs, Clark, —
Stevia, 12:80, 12:84, 16:364
clinopodia, 16:378
clinopodioides, 16:378
elongata, 9:30
lemmoni, 35:71
lemmonii, 16:378
lucida, 9:28, 9:30, 16:378
monardifolia, 16:378
origanoides, 16:378
ovata, 36:114
palmeri, 16:378
purpurea, 9:35, 16:378
pyrolaefolia, 16:378
reglensis, 16:378
rhombifolia, 16:378
salicifolia, 16:378
seleriana, 9:30
tomentosa, 16:378
trachelioides, 16:378
trifida, 9:30
viscida, 16:378
Stewart, Bruce G., William A. Carter, and Jack D. Tyler, Third known nest of the slaty vireo, *Vireo brevipennis* (Vireonidae), in Colima, Mexico, 33:252–253
Stewart, J. W., see Campbell-Kissock, Linda, —
Stewart, Jon M., see Cornett, James W., —
Stewart, Kenneth W., see Hassage, Rodney L., —
Stewart, William S., see Foreman, Larry D., —
Stichococcus, 33:317
Stichosiphon
filamentosus, 11:201
sansibaricus, 23:444
Stictiella, 20:341
pulchella, 20:341
Stictocephala, 2:127
Stictochironomus, 23:140, 32:289
devinctus, 14:239, 14:245
Stigeoclonium, 9:168, 10:266, 22:316, 24:162
attenuatum, 23:441
flagiferum, 23:440
nanum, 23:440
tenue, 19:418, 22:458–460, 22:464, 24:156, 24:160, 24:161
Stigmaeidae, 28:419, 29:239–241
Stigmatomma, 18:283
Stigonema mammalosum, 23:89
Stilbosis quadricustatella, 31:202, 31:204
Stilicolina condei, 12:269, 12:270
Stillingia, 8:100–106
sylvatica, 2:164, 8:100, 8:101, 16:273, 16:276, 25:331
texana, 8:100–102, 27:312
treculiana, 8:100, 8:104
Stillingia (Euphorbiaceae) in far western Texas, the three species of, Marshall C. Johnston and Barton H. Warnock, 8:100–106
Stilobezzia, 14:238, 14:244
Stilosanthes bifora, 4:57
Stimuli used by *Trichobius major* (Diptera: Streblidae) to locate its bat host, *Myotis velifer*, William Caire, Lothar Hornuff, and Nancy Sohrabi, 30:405–412
Stinson, Nathaniel, Jr., Habitat structure and rodent species diversity on north and south-facing slopes in the Colorado lower montane zone, 23:77–83
Stipa, 3:30, 4:126, 13:147, 13:150, 13:152–154, 13:156, 17:47, 17:322, 20:255, 28:462
californica, 12:82
columbiana, 20:434
comata, 12:138, 12:141, 12:143, 12:144, 13:146, 13:249, 13:385, 13:386, 14:331, 15:501, 21:362, 21:364, 24:552, 26:53, 26:397, 27:245, 27:301, 28:335, 29:230, 29:408, 29:412, 33:91, 33:481, 35:28, 36:255
constricta, 12:79
diegoensis, 12:79
eminens, 12:79, 12:82, 26:366
ichu, 28:462
lepida, 12:79
lettermanii, 30:389
leucotricha, 3:127, 4:56, 4:119, 12:82, 12:84, 16:268, 16:272, 16:273, 22:506, 27:312, 25:279, 29:301, 29:305, 30:319, 33:333, 35:435, 35:436, 36:54
neomexicana, 27:335, 27:339
pringlei, 8:188, 12:79, 21:61
robusta, 12:82, 24:552, 26:211–214, 34:488
spartea, 32:35
speciosa, 16:342, 16:347, 36:306
tenuissima, 4:119, 16:15, 21:309
viridula, 12:137, 12:138, 12:141, 12:143, 14:331, 26:211–214, 29:182, 29:185
Stipeae, 26:211–214
Stizostedion
canadense, 2:94, 4:167
vitreum, 1:24, 14:306, 14:307, 14:310, 19:408, 19:411, 23:247, 25:86, 28:328, 30:560, 31:149, 31:152, 32:215, 32:216, 32:409, 32:410, 34:192, 35:87, 36:287
Stock, A. Dean, Swimming ability in kangaroo rats, 17:98–99
Stockoceros, 34:278, 34:280

onusrosagris, 34:279
Stockwell, Scott A., see Cokendolpher, James C., —
Stomach flushing for desert lizard diet analysis, an evaluation of, Robert D. Pietruszka, 26:101–105
Stomatal inactivity in grasses, Walter V. Brown and Gene A. Pratt, 10:48–56
Stone, Michael D., Occurrence and implications of heavy parasitism on the turtle *Chelydra serpentina* by the leech *Placobdella multilineata*, 20: 575–576
Stonecat, *Noturus flavus* (Ictaluridae), in the South Platte River system, Colorado, with notes on an albinistic specimen, first verified record of the, Steven P. Platania, Timothy R. Cummings, and Kenneth J. Kehmeier, 31:553–555
Stonefly genus *Anacroneuria* (Plecoptera: Perlidae) from the Nearctic region with the description of a new species from Arizona, confirmation of the, Richard W. Baumann and Carl A. Olson, 29:489–492
Storeria, 21:124, 27:229, 32:505, 33:339
dekayi, 1:182, 5:227, 11:137, 12:199, 32:515, 35:474, 36:172, 36:175
hidalgoensis, 16:229
occipitomaculata, 1:182, 10:143, 21:123, 36:172, 36:175
Stout, Jean, Coexistence of a mosquito and a dytiscid beetle predator in an intermittent stream in northern Arizona, 27:273–277
Stout, Jim, see Ford, Neil B., —
Stovall, Randall H., and J. P. Kennedy, Pupillary responses in certain snakes (Colubridae), 24:701–703
Stranding record of *Globicephala macrorhynchus* (Cetacea: Delphinidae) in Yucatan, Mexico, a, Daniel Navarro L., 33:247–248
Strandtmann, R. W., A case of infertility in a pair of golden eagles (Aquila chrysaetos, Aves), 1:89
Strandtmann, R. W., Notes on nest building and mating in the golden eagle, 7:267–268
Strandtmann, R. W., reviews by, 1:140, 1:140–141, 3:238–239, 7:273, 13: 374–376
Strandtmann, R. W., see Eller, Roy, —
Strandtmann, R. W., see George, John E., —
Strandtmann, R. W., see Hilman, Jessie Lee, —
Stratiomyidae, 26:157, 26:158, 28:34, 28: 39, 29:454, 29:455, 35:253
Stratiomyiidae, 23:555, 32:491
Strawn, Kirk, see Boudreaux, Jack, —
Strawn, Kirk, see Hubbs, Clark, —
Stream movements and population density of the orangebelly darter, *Etheostoma radiosum cyanorum* (Osteichthyes: Percidae), Charles G. Scalet, 17:381–387
Streamside zone width and amphibian and reptile abundance, D. Craig Rudolph and James G. Dickson, 35: 472–476
Streblidae, 12:267, 20:241, 20:243–246, 26:429–430, 27:356–357, 30:405–412, 31:126–129
Streblospio benedicti, 34:150, 34:152
Streblotrichum, 1:35–38
Streeter, Robert G., and Clait E. Braun, Occurrence of pine marten, *Martes americana*, (Carnivora: Mustelidae) in Colorado alpine areas, 13:449–451
Strenth, Ned E., Successional variation of sex ratios in *Eulimnadia texana* Packard (Crustacea, Conchostraca), 22:205–212
Streptanthus, 24:431
arizonicus, 1:66, 21:316, 22:342, 35:71
bracteatus, 36:341–343
hyacinthoides, 25:329
Streptaxidae, 21:134
Streptocephalidae, 27:244
Streptocephalus, 11:24–48, 11:296, 11:297, 25:541–546
americanus, 11:33
anostraca, 6:101–102
antillensis, 5:63, 11:33, 11:34, 11:43, 20:94, 20:101
bouvieri, 25:541
cafer, 11:27
coloradensis, 11:33
dorothae, 5:63, 9:315–316, 11:33, 11: 34, 11:36, 11:40, 11:43, 12:383–385, 12:390, 12:398, 12:402, 20:94, 20: 101, 22:101, 22:102, 25:541, 28:380
floridanus, 11:32
linderi, 11:24, 11:39–43, 11:46, 20:94, 20:101
mackini, 11:24, 11:34–38, 11:40–45, 20: 94, 20:98, 20:101, 22:101–103, 25: 541–544
moorei, 20:94, 20:102
seali, 5:61–65, 6:101, 6:102, 8:32–34, 9:316, 11:26, 11:28–34, 11:37, 11: 41, 11:43, 15:99, 15:101, 16:303, 20: 93, 20:102, 22:99–105, 24:201–203, 25:541
similis, 5:63, 11:27, 11:28, 11:31–34, 11:36, 11:37, 11:41, 11:43, 20:93, 20: 102, 28:380, 28:381
texana, 32:74
texanus, 5:61–65, 6:102, 8:32–34, 9:316, 11:25, 11:26, 11:28–31, 11:33, 11: 34, 11:36–38, 11:40, 11:42–44, 12: 383–385, 12:390, 12:398, 12:402, 18: 476, 18:478, 18:479, 20:92, 20:94, 20:98, 20:102, 20:577, 25:541, 27: 244–245, 28:381, 35:393–396, 35: 399, 35:401
torvicornis, 11:26, 11:27
watsoni, 11:28, 11:29
Streptocephalus texanus Packard (Anostraca) from Mexico, a new state record of, Greg S. Spicer, 27:244–245
Streptomyces, 13:399, 18:94
Streptonoura, 18:413
Striatura
meridionalis, 5:149, 5:152, 16:310, 21: 410, 21:411, 29:37, 29:40, 29:41
milium, 16:317
Strigidae, 4:81, 26:274
Strigoderma arboricola, 26:162, 26:163
Strix
aluco, 17:76
nebulosa, 26:207
varia, 35:449
Strobilops
hubbardi, 5:146, 5:153
labyrinthica, 5:146, 5:153, 16:317, 27: 239, 27:240
texasiana, 27:239
Strobilopsidae, 5:153
Strobilurus conigenoides, 29:261, 29:264
Strobiops labryinthica, 16:310
Stromberg, Julie C., and Duncan T. Patten, Dynamics of the spruce-fir forests on the Pinaleno Mountains, Graham Co., Arizona, 36:37–48
Stromberg, Juliet C., and Thomas M. Krischan, Vegetation structure at Punta Cirio, Sonora, Mexico, 28: 211–214
Stromberg, Mark R., Subsurface burrow connections and entrance spatial pattern of prairie dogs, 23:173–180
Strombocarpa, 3:30
cinerescens, 17:402, 18:432, 18:441
Strong, J. E., see Campbell, C. J., —
Strong, Mark A., see Porter, David K., —
Strongylocentrotidae, 36:353
Strongylocentrotus, 29:63
franciscanus, 29:64
purpuratus, 29:64, 36:353
Strongyloides sigmodontis, 23:404
Strongylura
exilis, 32:229
hubbsi, 32:227, 32:229
longleyi, 28:103
marina, 2:95, 28:465, 36:203, 36:205, 36:208
Stropharia
cubensis, 21:227
semiglobata, 8:202
Strophariaceae, 29:257, 29:264
Strophitus undulatus, 27:350
Strophostyles
helvola, 27:117, 27:118
leiosperma, 25:330
umbellata, 7:169
Strother, John L., A new chromosome

number for *Hymenoxys odorata* DC. (Compositae) and correction of an erroneous count for *H. subintegra* Ckll., 11:502
Strother, John L., Chromosome numbers in Hymenoxys (Compositae), 11: 223–227
Structural ecological parameters of a population of *Peromyscus maniculatus* in west-central Kansas, Carroll M. Hansen and Eugene D. Fleharty, 19:293–303
Structure and dynamics of a zooplankton community in a small north-central Texas pond ecosystem, George A. Smith, L. C. Fitzpatrick, and W. D. Pearson, 24:1–15
Structure and location of burrows of yellow-bellied marmot, Gerald E. Svendsen, 20:487–494
Struthanthus haenkeanus, 12:154
Strymon
leda, 13:372
melinus, 28:466, 28:467
Strymon leda (Lepidoptera, Lycaenidae) in southern Nevada, George T. Austin and Anna T. Austin, 13:372
Stuckey, Ronald L., and Roland G. Hawk, Itinerary and type collections of L. M. Underwood and A. D. Selby's 1901 plant collecting trip in west-central Colorado, 18:361–370
Studier, Eugene H., and Ted P. Baca, Atmospheric conditions in artificial rodent burrows, 13:401–410
Studier, Eugene H., Fringe-tailed bat in Northeast New Mexico, 13:362
Studier, Eugene H., see Cain, George D., —
Studier, Eugene H., see Yarbrough, James W., —
Stuessy, Tod F., and Robert S. Irving, A morphological fossil plant species: *Euonymus glanduliferus*, 13:353–357
Stuessy, Tod F., see Irving, Robert S., —
Sturnella
magna, 9:305, 10:307–310, 33:55
neglecta, 10:307–310, 11:137, 22:370, 34:493
Sturnira, 12:407, 12:416, 12:419, 12:421, 12:423–425, 12:428, 32:364
ledovici, 16:450
lilium, 11:306, 11:310, 11:311, 12:413, 12:414, 12:420, 12:427, 13:361, 14: 359, 15:3, 16:450, 22:403, 23:155, 24:541, 24:542, 30:324, 31:331–340, 31:533, 32:134–136, 32:365, 32:366, 33:100, 35:152, 35:232
ludovici, 11:306, 11:493, 12:414, 12:420, 12:427, 14:359, 28:379
Sturnis vulgaris, 17:81, 17:82
Sturnus vulgaris, 14:164, 14:166, 14:168, 17:149, 21:557, 22:369, 22:370, 23: 600, 34:495
Styer, Eloise S., see Reveal, James L., —
Stygobromus ozarkensis, 28:100
Stylaria lacustris, 13:249–250, 14:224, 14: 226, 18:157, 18:164
Stylaria lucustris (Oligochaeta-Naididae) in Oklahoma, Richard E. Craven, 13:249–250
Stylocheilus longicauda, 18:166
Stylohipparion, 25:508
Stylosanthes, 7:31
biflora, 7:33, 7:170, 12:348
calcicola, 7:32, 7:33
dissitiflora, 7:30, 7:34
eciliata, 7:30, 7:34
eriocarpa, 7:30, 7:33
glutinosa, 7:29
guyanensis, 7:29, 7:30, 7:32, 7:34
hamata, 7:30, 7:32, 7:33
humilis, 7:33, 7:35
ingrata, 7:33, 7:35
macrocarpa, 7:30, 7:32, 7:33, 7:38
mexicana, 7:30, 7:32, 7:33
montevidensis, 7:32, 7:35
mucronata, 7:33
prostrata, 7:30, 7:35
purpurata, 7:34
scabra, 7:35
scoparia, 7:33
subsericea, 7:30, 7:32, 7:33
viscosa, 7:30, 7:32, 7:35
Stylosanthinae, 7:29–40
Stylosphaeridium stipitatum, 23:440
Stylurus, 2:3
Stypodon signifer, 9:62, 9:66
Suadea
fruticosa, 20:218
palmeri, 20:218
Suaeda, 20:583, 27:381, 33:458
fruticosa, 15:117–120, 31:24
grahamii, 29:213, 29:215
linearis, 22:37, 22:43, 22:44, 23:500, 25:316, 29:250, 31:388
suffrutescens, 1:66, 8:194
tampicensis, 25:314, 25:317, 25:319
torreyana, 1:66, 23:674, 23:675, 25:314, 25:317, 29:213, 29:215, 30:427
Sub-recent vertebrate remains from a site in southern Texas with comments on *Microtus* (*Pedomys*) *ludovicianus*, Gerald G. Raun and Harold E. Laughlin, 16:436–439
Subalpine tall grass, *Festuca thurberi*, community of Sierra Blanca, New Mexico, the, William H. Moir, 12: 321–328
Subgeneric classification of Euphorbia peplidion and E. tetrapora, on approaching the, Leon Croizat, 10:241–247
Sublette, James E., and J. S. Dendy, Plastic materials for simplified tent and funnel traps, 3:220–223
Sublette, James E., and Mary Smith Sublette, The limnology of playa lakes on the Llano Estacado, New Mexico and Texas, 12:369–406
Sublette, James E., Seasonal changes in bottom fauna of an Ozark headwater stream (Clear Creek, Washington County, Arkansas), 1:148–156
Sublette, James E., see Cowley, David E., —
Sublette, Mary, A record of *Stenosiphon linifolius* (Nutt.) Heynh. (Onagraceae) from New Mexico, 25:103
Sublette, Mary Smith, see Sublette, James E., —
Subspecies of pallid bat (Chiroptera: Vespertilionidae) from northeastern Mexico, a new, Rollin H. Baker, 12: 329–330
Substrate composition on detritus accumulation and macroinvertebrate distribution in a southern Nevada desert stream, effect of, Michael S. Parker, 34:181–187
Substrate preference of the bigscale logperch *Percina macrolepida* (Percidae) in Lake Texoma Oklahoma, Donald C. Jackson, 29:351–353
Substrate preference of the fingernail clam, *Spaerium striatinum* (Lamarck) (Spaeriidae), William F. Gale, 18: 31–37
Subsurface burrow connections and entrance spatial pattern of prairie dogs, Mark R. Stromberg, 23:173–180
Subterranean termites on the growth of creosotebush, *Larrea tridentata*, effect of eliminating, Julio R. Gutierrez and Walter G. Whitford, 34:549–551
Subulinidae, 21:134
Succession in tree pits following cabling in pinyon-juniper communities, M. R. Schott and Rex D. Pieper, 32: 399–402
Succession of abandoned fields on the shortgrass prairie, northeastern Colorado, Karen L. Reichhardt, 27:299–304
Succession of mammals in a disturbed area of the Great Plains, David C. Lovell, Jerry R. Choate, and Steven J. Bissell, 30:335–342
Successional stages in a hardwood bottomland forest near Dallas, Texas, Elray S. Nixon, 20:323–336
Successional variation of sex ratios in *Eulimnadia texana* Packard (Crustacea, Conchostraca), Ned E. Strenth, 22:205–212
Succinea, 16:90, 16:91, 16:104, 27:240
ampullacea, 9:104
avara, 5:153, 7:56, 27:239
concordalis, 27:239

concordialis, 5:147, 5:153, 14:372, 16:311, 16:316
grosvenori, 5:147, 5:153
luteola, 5:147, 5:153, 9:104, 16:316, 24:688
pseudavara, 16:311
unicolor, 5:147, 5:153
vaginacontorta, 16:318
Succineidae, 5:153, 7:56, 9:104, 19:60, 19:64, 24:688, 29:40
Suckleya suckleyana (Chenopodiaceae) new to Texas, Charles R. Hutchins, 15:142–143
Suckleya suckleyana, 15:142–143
Sugg, Derrick W., Michael L. Kennedy, and Gary A. Heidt, Morphologic variation in the Texas mouse, *Persomyscus attwateri*, 35:163–172
Sullivan, Brian K., and Elizabeth A. Sullivan, Variation in advertisement calls and male mating success of *Scaphiopus bombifrons*, *S. couchi* and *S. multiplicatus* (Pelobatidae), 30:349–355
Sullivan, Elizabeth A., see Sullivan, Brian K., —
Sullivan, Kimberly A., see Gumbart, Thomas C., —
Sumac virens, 16:15
Suminski, Rita R., see Jester, Douglas B., —
Summer filtering rates of three species of *Cladocera* (Crustacea), Carl W. Prophet and Stephen W. Waite, 23:164–165
Summer flora of the Gene Howe Wildlife Management Area, Hemphill County, Texas, Chester M. Rowell, 2:155–171
Summer food habits of fishes from two springs in east-central Nevada, Cynthia D. Williams and Jack E. Williams, 27:437–445
Summer food habits of sympatric stream populations of spotted bass, *Micropterus punctulatus*, and largemouth bass, *M. salmoides*, (Osteichthyes: Centrarchidae), Charles G. Scalet, 21:493–501
Summer foods of coyotes at Rocky Flats, Colorado, Christine A. Ribic, 23:152–153
Summer foods of some fish species in East Bay, Texas, George K. Reid, Anthony Inglis, and Hinton D. Hoese, 1:100–104
Summer foods of the Audubon's cottontail (*Sylvilagus auduboni*: Leporidae) on Texas Panhandle playa basins, Kim T. Scribner and Leslie J. Krysl, 27:460–463
Summer movement and mass mortality in the California tiger salamander (*Ambystoma californiense*), late, Dan C. Holland, Marc P. Hayes, and Eben McMillan, 35:217–220
Summer net plankton in Sardis Reservoir, Mississippi, Earl L. Hanebrink, 10:261–277
Summer stream metabolism values for Cedar Creek, Kansas, Carl W. Prophet and John D. Ransom, 19:305–308
Summer use of abandoned mines by the Caddo Mountain salamander, *Plethodon caddoensis* (Plethodontidae), in Arkansas, David A. Saugey, Gary A. Heidt, and Darrell R. Heath, 30:318–319
Suncus, 33:386
Sundman, J. A., Checklist and description of a new species of the genus Cryptocephalus in Texas (Coleoptera: Chrysomelidae), 10:1–8
Sunquist, Melvin, see Daneke, Dennis, —
Supercooling studies on North American fire ants (Hymenoptera: Formicidae), Oscar F. Francke, James C. Cokendolpher, and Lindsey R. Potts, 31:87–94
Supernumeracy chromosomes in a population of *Tradescantia edwardsiana*, Walter V. Brown, 5:49–60
Supernumerary dentition in carnivores from Arkansas, Renn Tumlison, J. D. Wilhide, and V. Rick McDaniel, 30:450–451
Supernumerary hind foot on a specimen of the Texas mouse, *Peromyscus attwateri* (Rodentia: Cricetidae), Frederick B. Stangl, Jr., and John V. Grimes, 35:371–373
Suphis
gibbulus, 24:427
lineatus, 24:415
puncticollis, 24:418
Suphisellus, 24:409–429, 31:523
balzani, 24:418
bicolor, 24:409, 24:415, 24:417, 24:423–425, 24:427, 24:428
binotatus, 24:412, 24:415, 24:419–421
centralis, 24:409, 24:415, 24:417
curtus, 24:413, 24:417, 24:428
floridanus, 24:409, 24:422
gibbulus, 24:409, 24:410, 24:415, 24:417, 24:423, 24:425–428
insularis, 24:409, 24:410, 24:413, 24:417, 24:421–423
levis, 24:412, 24:417, 24:423
lineatus, 24:409–411, 24:414, 24:415, 24:417, 24:418, 24:429
majusculus, 24:413, 24:417, 24:423
mexicanus, 24:409, 24:415, 24:417, 24:418
neglectus, 24:409, 24:412, 24:415, 24:419–421, 24:429
nigrinus, 24:409, 24:413, 24:417, 24:424
parsonsi, 24:410, 24:413, 24:415, 24:423
puncticollis, 24:412, 24:414, 24:418, 24:421
punctipennis, 24:409, 24:410, 24:425, 24:427
rufipes, 24:409, 24:417, 24:424
similaris, 24:409, 24:422
simoni, 24:411, 24:417, 24:418
simplex, 24:409
subsignatus, 24:412, 24:415, 24:419, 24:421
tenuicornis, 24:415, 24:417, 24:426
varians, 24:412, 24:415, 24:419–421, 24:429
Surat, Eric, see Matthews, William J., —
Surface phytoplankton and some aspects of the physical-chemical limnology of three areas on Lake Texoma, Raymond E. Baglin, Jr., 17:11–19
Surface sculpturing of the integument in Isopoda (Crustacea), Kamel T. Khalaf, 31:254–256
Suriana, 11:387
Suring, Lowell H., and Charles J. Ault, Flycatching behavior by American kestrels, 26:76
Surirella, 10:266, 17:244, 22:112, 22:414, 22:415, 25:420
angustata, 19:418, 22:413, 22:459, 26:316, 28:247
brightwellei, 26:316
brightwellii, 22:413, 22:418, 22:459
didyma, 24:155
linearis, 10:40, 24:155
ovalis, 10:40, 22:413, 22:459, 24:155, 26:316
ovata, 19:418, 20:50, 20:405, 22:413, 22:418, 22:459, 22:464, 24:155, 26:316, 28:247
robusta, 10:40, 22:459, 24:155, 28:247
rudis, 26:312, 26:316
striatula, 24:155, 26:316
tenera, 30:464
Surirellaceae, 10:40, 26:316, 28:247
Survival and growth of immature *Juniperus osteosperma* and *Pinus edulis* following woodland chaining in central Utah, Nicholas S. Van Pelt, Richard Stevens, and Neil E. West, 35:322–328
Survival of *Quercus turbinella* and *Q. emoryi* seedlings in an Arizona chaparral community, C. P. Pase, 14:149–156
Sus scrofa, 6:24, 24:377–380
Susania gardineri, 18:170
Sutherland, David M., and Steven P. Churchill, X *Agrohordeum* (Poaceae-Triticeae) in Nebraska, 22:389–391

Sutherland, David M., see Bragg, Thomas B., —
Sutherland, David M., see Churchill, Steven P., —
Suttkus, Royal D., Additional information about blind catfishes from Texas, 6:55–64
Suttkus, Royal D., and Robert C. Cashner, The intergeneric hybrid combination, *Gila pandora* x *Rhinichthys cataractae* (Cyprinidae), and comparisons with parental species, 26: 78–81
Suttkus, Royal D., see Cashner, Robert C., —
Suttkus, Royal D., see Gunning, Gerald E., —
Suttkus, Royal D., see Jones, Clyde, —
Sutton, Dallas A., Analysis of Pacific coast Townsend chipmunks (Rodentia: Sciuridae), 32:371–376
Sutton, Dallas A., and Charles F. Nadler, Systematic revision of three Townsend chipmunks (*Eutamias townsendii*), 19:199–212
Sutton, Dallas A., The female genital bone of chipmunks, genus *Eutamias*, 27: 393–402
Sutton, Dallas A., see McMillin, James H., —
Sutton, Dallas A., see Wentworth, Fred A., —
Sutton, George Miksch, A painting of Yarrow's spiny lizard, 6:1
Sutton, George Miksch, and Gerald W. Dickson, Interbreeding of the eastern and western meadowlarks in central Oklahoma, 10:307–310
Sutton, George Miksch, Flammulated owl in Lubbock County, Texas, 5:173–174
Sutton, George Miksch, Interbreeding in the wild of the bob-white (*Colinus virginianus*) and scaled quail (*Callipepla squamata*) in Stonewall County, northwestern Texas, 8:108–111
Sutton, George Miksch, On plumages of the young lesser prairie chicken, 9: 1–5
Svejcar, Tony, and Scott Christiansen, Influence of burning on tillering and aboveground biomass partitioning in little bluestem (*Sachizachyrium scoparium*), 31:116–118
Svendsen, Gerald E., Structure and location of burrows of yellow-bellied marmot, 20:487–494
Svoboda, Peggy L., Deanna K. Tolliver, and Jerry R. Choate, *Peromyscus boylii* in the San Luis Valley, Colorado, 33:239–240
Swainson's hawks praying on fall armyworms, Carroll D. Littlefield, 17: 433
Swanson, Douglas W., New nesting record for Botteri's sparrow, *Aimophila botterii*, in South Texas, 30:161
Sweltsa
  mediana, 35:132
  onkos, 35:132
Swepston, Danny A., New records of the red fox (*Vulpes vulpes*) in West Texas, 25:565
Swertia
  perennis, 20:430
  radiata, 12:323
Swietenia
  humilis, 32:363
  macrophylla, 31:532
Swimming ability in kangaroo rats, A. Dean Stock, 17:98–99
Swimming ability in pocket mice, David J. Schmidly and Robert L. Packard, 12:480–482
Swimming behavior in representative species of the three genera of North American geomyids, Graham C. Hickman, 21:531–538
Swimming in *Terrapene carolina* (Testudines: Emydidae), a case of, Jack D. Tyler, 24:189–190
Swineford, Douglas M., see King, Kirke A., —
Sygnathidae, 35:45
Sygnathus
  floridae, 20:463, 20:464
  louisianae, 36:206
  scovelli, 36:205
Sylviidae, 4:81
Sylvilagus, 2:34, 5:195, 6:23, 12:3, 14:165, 14:168, 15:228, 16:437, 20:505, 20: 509, 21:10, 21:14, 22:14, 22:61, 23: 153, 23:529, 24:275, 24:276, 24:278, 26:317, 26:318, 27:241, 29:340, 31: 417, 33:391, 33:393, 33:395, 34:247, 35:107, 35:108, 35:199, 35:236
  aquaticus, 13:16, 28:317, 28:322, 29: 197–210, 34:246, 35:200, 35:201
  auduboni, 1:109–115, 3:26, 12:11, 13: 265, 16:218, 22:56, 23:415, 23:564, 27:460–463, 29:359, 29:360, 36:100
  audubonii, 2:36, 7:78, 13:14, 13:16, 15: 223, 19:277–280, 20:497, 21:12, 24: 549–554, 26:331, 26:332, 29:197–210, 30:340, 30:341, 31:65–71, 31: 280, 32:150, 32:152, 32:153, 32:158, 32:159, 32:185, 32:190, 32:191, 32: 293, 32:458, 32:459, 33:104, 33:487, 35:200, 36:260, 36:265, 36:268, 36: 309
  bachmani, 19:279
  brasiliensis, 15:223
  floridanus, 1:109–115, 2:35, 2:36, 3:26, 3:27, 10:315, 13:16, 13:275, 13:362, 15:223, 17:345–348, 18:352, 19:277–280, 21:12, 21:13, 21:451, 21:454, 25:36, 26:68, 26:203, 28:317, 28:322, 29:197–210, 30:340, 30:341, 31:65–71, 31:401, 32:158, 32:159, 32:174, 32:179, 32:185, 32:190, 32:191, 34: 246, 35:158, 35:200, 36:344, 36:345
  idahoensis, 24:554
  nuttalli, 25:36, 26:335, 26:336, 32:186, 36:246
  nuttallii, 19:453, 24:554
  palustris, 21:12, 21:13
  robustus, 16:16
Symbos, 22:261
  cavifrons, 32:139–143
Sympatric and allopatric relationships among desert bighorn sheep and feral equids in Grand Canyon, Joel Berger, 22:540–543
Sympatric occurrence of three species of Eubranchipoda in Douglas County, Kansas, the, Donald G. Huggins, 20:577–578
Sympatry between *Rana blairi* and the southern form of leopard frog in southeastern Arizona (Anura: Ranidae), John S. Frost and Joseph T. Bagnara, 22:443–453
Sympecma, 8:70
Sympetrum
  ambiguum, 2:7, 2:14, 4:132
  internum, 2:7, 2:14
  occidentale, 2:7, 2:14
  semicinctum, 2:7, 2:13
  vicinum, 2:7, 2:14
Symphimus leucostomus, 35:271
Symphoriacarpos oreophilus, 28:83
Symphoricarpos, 18:375, 20:164, 20:333, 20:437, 20:439, 20:443, 22:62, 24: 132, 24:133, 24:137, 26:265, 26:283, 26:284, 36:38, 36:42
  longiflorus, 24:134, 26:264
  occidentalis, 12:138, 12:141
  orbiculatus, 7:170, 18:430, 18:438, 18: 441, 19:162, 19:441, 20:327, 20:329, 20:333, 25:70, 25:207, 25:211, 25: 334, 28:254
  oreophilus, 12:324, 15:152, 15:159, 15: 160, 18:374, 31:319–329, 34:442, 34: 488
  oreophyllus, 15:159
  parishii, 27:371
  rotundifolias, 15:153
Symphoricarpus
  orbiculatus, 27:429, 27:432, 35:437
  oreophilus, 31:416
Symphurus plagiusa, 36:207
Symplocarpus foetidus, 34:353
Symplocos tinctoria, 23:265
Synageles noxiosa, 30:8
Synaptomys, 12:29, 14:211, 32:238, 32: 239
  australis, 21:14
  borealis, 32:242
  cooperi, 13:265, 13:364, 13:448, 29:199
Synbranchidae, 32:226, 32:230

Synbranchus marmoratus, 32:227, 32:230
Synchaeta, 22:417, 33:465–467
Synchrony of cliff swallow nesting and development of the tick, *Ixodes baergi*, R. Weldon Larimore, 32:121–126
Synechococcus, 33:317
Synechocystis pevalekii, 23:444
Synedoida tejonica, 18:309
Synedra, 10:266, 10:270, 17:14, 17:16, 17:18, 18:99, 18:100, 20:51, 22:306, 22:414, 22:415, 22:543, 23:59, 25:243, 25:414, 25:416, 25:420, 25:538
acus, 20:50, 20:202, 20:405, 24:155, 26:313, 28:245, 35:209
delicatissima, 20:50
famelica, 26:312, 26:313
fasciculata, 22:459, 26:312, 26:313
fasiculata, 24:155
filiformis, 20:50, 28:245
goulardi, 24:155, 30:464
incisa, 20:202
minuscula, 24:155, 26:312, 26:313
pulchella, 26:313
radians, 24:155
rumpens, 20:202, 22:413, 22:459, 24:156, 28:245, 30:464, 35:209
tabulata, 22:308, 22:311, 22:413
tenera, 28:245
ulna, 10:40, 19:418, 20:50, 20:202, 22:413, 22:459, 22:460, 22:464, 24:156, 26:313, 35:209
vaucheriae, 23:87, 23:91
Synedrilla, 16:373
Synema parvula, 11:348
Syngenaspis
pergandii, 16:330
proteus, 16:332
theae, 16:332
Syngnathidae, 8:136, 28:102, 32:226, 32:230
Syngnathus olivaceus, 8:136
Synhalonia frater, 32:39–52
Synodus foetens, 20:463, 36:205
Synoma, 11:345
Synonymical notes and new distribution records in *Abedus* (Hemiptera, Belostomatidae), A. S. Menke, 22:115–123
Synopsis of the 23 species of Asclepias (Asclepiadaceae) in Tamaulipas and Nuevo Leon including two new species, Asclepias bifida and Asclepias prostrata, Will H. Blackwell, Jr., 9:171–180
Synopsis of the genus Eustoma (Gentianaceae), Lloyd H. Shinners, 2:38–43
Synopsis of the United States species of Forestiera (Oleaceae), Marshall C. Johnston, 2:140–151
Syntomidae, 21:34
Synura, 23:60, 25:420
Syphacia, 31:410, 31:411
obvelata, 21:332
sigmodontis, 23:401, 23:403, 23:405
Syrbula fuscovittata, 27:200, 27:201, 27:203, 27:205
Syringodium filiforme, 30:402
Syringophilidae, 21:279, 22:169–175, 23:158
Syrisca, 11:344
affinis, 30:4
Syrphidae, 10:16, 12:384, 12:388, 19:65, 19:70, 20:8, 26:163, 26:441, 28:161, 29:455, 30:312–315, 32:491, 36:341
Syrrhophus, 5:68
cystignathoides, 35:358–361
gaigeae, 3:37
longipes, 16:228
marnocki, 3:33, 3:37, 5:66, 5:69, 5:77–79, 5:85, 12:106, 35:359
marnockii, 33:379
pipilans, 35:277
verrucipes, 16:228
Syrrhopus
campi, 11:298
marnocki, 3:31
Systematic relationships among taxa in the Townsend chipmunk group, Howard Levenson and Robert S. Hoffmann, 29:157–168
Systematic revision of three Townsend chipmunks (*Eutamias townsendii*), Dallas A. Sutton and Charles F. Nadler, 19:199–212
Systematic status of *Peromyscus comanche*, the, David J. Schmidly, 18:269–278
Systematics of flying squirrels, *Glaucomys volans* (Linnaeus), from Mexico, Guatemala, and Honduras, Victor E. Diersing, 25:157–171
Systematics of short-tailed shrews (genus *Blarina*) in Texas, David J. Schmidly and Wennona A. Brown, 24:39–48
Systematics of *Sphaeralcea coccinea* (Nutt.) Rydb. (Malvaceae), the, John C. La Duke and David K. Northington, 23:651–660
Systematics of *Vaejovis dugesi* Pocock, with descriptions of two new related species (Scorpiones, Vaejovidae), W. David Sissom, 35:47–53
Syvertsen, J. P., G. L. Nickell, R. W. Spellenberg, and G. L. Cunningham, Carbon reduction pathways and standing crop in three Chihuahuan Desert plant communities, 21:311–320
Szaro, Robert C., Bird population responses to converting chaparral to grassland and riparian habitats, 26:251–256

T. ariolare, 16:369
T. odoratum, 16:366
Tabanidae, 14:244, 21:117–121, 23:223, 25:251, 26:158, 28:34, 28:39, 29:511, 34:480, 36:161, 36:167
Tabanus, 14:238, 14:244, 25:142, 25:251, 25:381, 27:40
boharti, 21:120
caenosus, 21:120
dorsifer, 21:120
ebeneus, 21:117, 21:120, 21:121
mogollon, 21:120
morbosus, 21:117–121
Tabanus morbosus Stone (Diptera: Tabanidae) in Arizona, with a description of the male, notes on, John F. Burger, 21:117–121
Tabellaria, 10:266, 10:270, 22:112, 22:415
floculosa, 24:156
Taber, Barbara A., see Taber, Charles A., —
Taber, Charles A., Barbara A. Taber, and Milton S. Topping, Population structure, growth and reproduction of the Arkansas darter, *Etheostoma cragini* (Percidae), 31:207–214
Taber, Freeman E., see Halloran, Arthur F., —
Taber, Stephen W., and Oscar F. Francke, A bilateral gynandromorph of the western harvester ant, *Pogonomyrmex occidentalis* (Hymenoptera: Formicidae), 31:274–276
Tabor, Stephen P., and Rex E. Thomas, The occurrence of plague (*Yersinia pestis*) in a bobcat from the Trans-Pecos area of Texas, 31:135–136
Tacha, Thomas C., Autumn activities of blue jays in an urban environment, 26:90–91
Tacha, Thomas C., Donald C. Martin, and Craig T. Patterson, Common crane (*Grus grus*) sighted in West Texas, 25:569
Tachimus mexicanus, 32:386–389
Tachinidae, 23:565, 23:566, 23:569–571, 23:575, 28:384
Tachopteryx thoreyi, 2:2, 2:13, 4:132
Tachycineta
bicolor, 34:495
thalassina, 16:26, 18:195, 21:250, 22:368, 22:369, 25:561, 29:474, 30:326, 34:490, 36:248
Tachys proximus, 12:269
Tachytes, 6:52
elongatus, 6:51
Tacoma, 29:442
feriella, 29:436–438
Tadarida, 5:105, 14:82, 15:217, 20:243, 31:280
aurispinosa, 15:220, 15:223, 17:308–309
brasiliensis, 2:35, 2:36, 4:16, 4:61, 4:63, 4:64, 4:137, 4:138, 4:140, 4:141, 5:104, 5:208–216, 6:95, 6:96, 6:156–163, 7:64, 7:76–77, 8:175, 9:43, 9:

45, 9:205, 10:75, 11:290–295, 11:310, 11:311, 12:163–171, 12:195, 12:255, 12:261, 12:262, 12:477, 12:478, 13:16, 15:11, 15:13, 15:20, 15:132, 15:134, 15:135, 15:222, 15:395, 15:396, 15:437–458, 16:262–264, 16:449, 17:299, 17:357, 17:359, 17:362, 17:363, 17:425, 17:427, 19:267–276, 20:246, 20:248, 20:250–252, 20:500, 21:250, 21:251, 21:275, 21:277, 21:278, 21:321–326, 22:427–433, 24:448, 24:449, 24:451, 24:452, 26:69–70, 26:70–71, 26:328, 27:127–133, 30:324, 32:135, 32:149, 33:102–104, 33:239, 35:232, 35:261–267, 35:342, 35:354
constantinei, 15:222
cynocephala, 4:64
femorosaca, 15:222, 15:223, 23:155
femorosacca, 4:14–16, 11:310, 11:311, 15:12, 15:13, 15:21, 15:439, 15:447, 15:453–455, 17:309, 20:246, 20:250, 20:252
laticaudata, 15:220, 15:222, 15:223, 29:360–361, 35:151–154, 35:156
macrotis, 10:220, 12:196, 15:21, 15:264, 15:395, 16:262–264, 17:357–360, 17:363, 17:429, 20:247, 20:251, 20:252, 23:537–538, 24:389, 26:328, 32:505
macrotus, 18:470
mexicana, 1:137, 1:194, 2:88, 3:102–106
molossa, 4:134, 4:140, 4:141, 6:52–53, 6:92–97, 8:175, 10:75, 10:220, 11:311, 15:13, 15:21, 15:223, 15:264
mops, 15:438
Tadarida aurispinosa in Sonora, Mexico, Robert J. Baker and J. Knox Jones, Jr., 17:308–309
Tadarida macrotis (Gray) (Chiroptera: Molossidae) in Oklahoma, second record of, Richard A. Pyle and William Caire, 24:389
Tadarida macrotis in northwestern Arizona, notes on, Steven W. Carothers and George A. Ruffner, 15:395
Tadorna, 26:427
Tadpole interactions in the Chihuahuan Desert at two experimental densities, B. D. Woodward, 27:119–121
Tadpole size and predation in the Chihuahuan Desert, Bruce Woodward, 28:470–471
Taenia
multiceps, 33:487
pisiformis, 33:487
rileyi, 23:401, 23:403, 23:405
taeniaeformis, 23:401, 23:403, 23:405
Taenionema, 31:503, 31:508
pacificum, 31:503, 31:505–507, 31:510
Taeniopoda
eques, 35:455–458
equis, 24:608, 24:611
Taeniopteryx maura, 1:151
Taeniopterygidae, 31:507
Taeniothrips vulgatissimus, 19:70
Tafanelli, Robert, and James E. Russell, A extension of the range of the blind cavefish *Amblyopsis rosae* (Eigenmann), 17:310
Tafanelli, Robert J., and J. Carl Bass, Feeding response of *Lepomis cyanellus* to blister beetles (Meloidae), 13:51–54
Tagelus affinis, 35:239
Tagetes
elongata, 16:379
filifolia, 16:379
lucida, 15:180, 15:184, 16:379
micrantha, 16:379
patula, 16:379
tenuifolia, 16:379
Tail-vibration of the lizard *Xenosaurus grandis*, J. Alan Holman, 11:305–306
Takydromus tachydromoides, 31:13
Talavera minuta, 30:8
Talbot, William A., see Carpenter, Charles C., —
Talinaria, 22:394–397
coahuilensis, 22:395, 22:396
palmeri, 22:394, 22:395
Talinaria, the genus, J. McNeill, 22:394–397
Talinum, 12:79, 22:394, 30:543
angustissimum, 21:314, 21:316, 31:34
aurantiacum, 30:546, 30:548, 35:73
coahuilense, 22:395
okanoganense, 22:395
paniculatum, 35:67, 35:73
sediforme, 22:395
triangulare, 22:395
Talitridae, 23:554, 25:252, 36:353
Tall-grass prairie in northeastern Oklahoma, a survey of the, Paul Buck and Ralph W. Kelting, 7:163–175
Talley, Linda L., and Kenneth B. Williams, Eight new species of Myxomycetes from West Texas, 23:689–691
Talorchestia, 29:362, 29:363
Tamandua mexicana, 29:513, 29:514
Tamarax gallica, 25:207, 25:210
Tamaricaceae, 1:64, 2:48–73, 2:135–139, 2:165, 9:232–238, 23:504
Tamarisk pendrata, 36:278
Tamarix, 2:48–73, 6:193, 8:92, 12:163, 12:312, 18:246, 21:131, 21:200, 24:87, 24:332, 24:337, 24:338, 24:340, 24:342, 24:344, 24:345, 24:540, 24:564, 25:535, 29:76, 30:580
affinis, 2:70
africana, 2:48, 2:71, 2:72
altaica, 2:71
androssowii, 2:51, 2:57
angustifolia, 2:60, 2:61
aphylla, 2:48, 2:71, 2:72, 2:135, 18:193, 23:504, 25:322, *aralensis*, 2:70
araratica, 2:51, 2:56, 2:58
arceuthoides, 2:52, 2:65
articulata, 9:233
ashkabadensis, 2:61
brachystachys, 2:55
bungie, 2:52, 2:63
canescens, 2:62
chinensis, 2:73, 7:24, 24:279, 24:447, 26:415, 26:419, 27:404, 28:82, 28:83, 28:87, 28:113, 28:249, 28:251–254, 28:256–258, 29:73, 29:74, 30:427, 31:416, 36:119, 36:218
cupressiformis, 2:61
elongata, 2:51, 2:54, 2:58
ewersmannii, 2:52, 2:67
florida, 2:52, 2:58, 2:60, 2:61, 2:65, 2:66
gallica, 1:57, 1:64, 2:48, 2:49, 2:63, 2:64, 2:67, 2:72, 2:73, 2:135, 2:165, 4:159, 7:24, 7:25, 10:307, 11:396, 13:105, 15:135, 16:435, 19:163, 24:176, 26:345–350, 28:99
gracilis, 2:52, 2:61, 2:70, 2:71
hispida, 2:52, 2:62, 2:63, 2:67, 2:68, 2:70, 2:71
hohenackeri, 2:52, 2:58, 2:60
jordanis, 7:24, 7:27
karakalensis, 2:53, 2:65, 2:66
karakhorum, 2:52, 2:67
karelini, 2:62
karelinii, 2:52, 2:68
komarovii, 2:53, 2:70
korolkovii, 2:52, 2:68
kotschyi, 2:51, 2:57
laxa, 2:51, 2:56, 2:58, 2:61
leptopetala, 2:52, 2:62
leptostachys, 2:52, 2:63, 2:67, 2:68
lipskyi, 2:62
litwinowii, 2:49, 2:51, 2:56–58, 2:70
macrocarpa, 2:66
meyeri, 2:51, 2:54, 2:58
mirabilis, 2:66
montana, 2:65
octandra, 2:51, 2:53
odessana, 2:64
pallasii, 2:64, 2:65, 2:67
paniculata, 2:64
parviflora, 2:71, 2:72
passerinoides, 2:53, 2:63, 2:66, 2:70
pentandra, 2:48, 2:49, 2:62, 2:64, 2:73, 2:135–139, 7:23–28, 9:232–238, 15:152, 16:117, 16:120, 17:40, 17:86, 14:405, 20:114, 24:331, 24:333, 24:339, 24:341, 24:343, 25:43, 30:613, 33:361, 36:282
polystachya, 2:61
pycnocarpa, 2:66
ramosissima, 2:49, 2:52, 2:63, 2:64, 2:67, 2:68, 2:70, 2:73, 7:23–27, 24:434, 34:260, 34:263
speciosa, 2:71, 2:72
spiridonowii, 2:61
szovitsiana, 2:56, 2:57
taurica, 2:55
tetragyna, 2:53–55

tetrandra, 2:51, 2:55, 2:57, 2:61, 2:72, 2:135, 2:137
tomentosa, 2:62
turkestanica, 2:65
Tamias, 32:371–376, 36:94, 36:269, 36:310
amoenus, 31:416, 36:26
cinereicollis, 36:101, 36:103
cooperi, 29:159–167
dorsalis, 36:26, 36:101, 36:103, 36:307
leucurus, 9:89–93
merriami, 34:508
minimus, 31:416, 34:506, 34:508–511, 36:14–28
obscurus, 34:508
ochrogenys, 29:157–167
palmeri, 36:315–317
quadrivittatus, 24:663, 35:107, 36:14–28
ruficaudus, 36:26
senex, 29:157–167
sibiricus, 36:14
siskiyou, 29:157–167
sonomae, 29:159–167
striatus, 6:108, 21:129, 24:239, 25:5, 27:234, 27:459, 36:14
townsendii, 29:157–168
umbrinus, 36:14–28, 36:315
Tamiasciurus, 23:29, 23:30, 23:35, 33:303
douglasi, 23:36, 23:39
douglasii, 36:249
douglassi, 18:472
hudsonicus, 17:325, 18:470–473, 21:216, 21:515, 21:516, 23:281, 23:700, 25:36, 26:327, 26:329, 26:331, 26:333, 26:334, 26:338, 36:37, 36:246
Tamsitt, J. R., Abundance of the Palo Duro mouse *Peromyscus comanche* during 1949–1956, 3:234–236
Tanacetum, 34:441
Tanaemyrmex, 19:70
Tanagara nigro-cincta, 4:77
Tanagra
affinis, 4:77
gouldi, 4:77, 4:80
lauta, 4:77
Tanaidae, 36:353
Tangavius aeneus, 17:293–295
Tangiopsis, 26:410, 26:413
Tank training activities on botanical features at Fort Hood, Texas, effects of, Forrest L. Johnson, 27:309–314
Tanner, Wilmer W., and J. W. Heinrichs, An extension of *Arizona e. phillipi* and *Rhinocheilus l. lecontei* into southcentral Utah, 9:45–46
Tantilla, 5:228, 11:483–487, 18:345, 20:411, 35:221
atriceps, 3:33, 3:50, 4:92, 4:95, 4:104, 8:50, 8:51, 16:11, 19:194
bocourti, 22:275
brevis, 31:243, 31:244
canula, 31:243, 31:244
cucullata, 3:32, 3:33, 3:50, 27:221
elseni, 11:308
flavilineata, 11:485
gracilis, 1:182, 5:227, 10:144, 11:131, 11:132, 27:229, 35:222–224, 36:172, 36:173, 36:175
hobartsmithi, 36:307, 36:308, 36:310
jani, 11:485
lintoni, 31:243, 31:244
nigriceps, 11:411, 27:163
planiceps, 36:310
reticulata, 11:485, 11:486
rubra, 16:229, 27:220–221, 35:278
striata, 11:485
taeniata, 11:483, 11:485
trilineata, 11:485
triseriata, 11:485
tritaeniata, 11:483, 11:485, 11:486
trivittatum, 11:485
utahensis, 11:308
virgata, 11:485, 11:486
wilcoxi, 5:33, 9:48, 36:310
Tantilla bocourti (Reptilia: Colubridae) from Zacatecas, Mexico, first record of, James R. McCranie, 22:275
Tantilla rubra cucullata (Colubridae) and the distribution of its two morphotypes, new localities for, David M. Hillis and Stephen L. Campbell, 27:220–221
Tantilla utahensis Blanchard in Clark County, Nevada, Lee R. Baker and W. Glen Bradley, 11:308
Tantillita brevissima, 35:271
Tanupolama, 12:15
hollomani, 22:260
macrocephala, 12:4, 12:13, 12:14, 22:260
Tanupoloma mirifica, 21:14
Tanvarius aeneus, 12:332
Tanypus, 23:139, 25:142
grodhousi, 12:372, 12:375, 12:383
neopunctipennis, 12:375, 25:538
Tanysphyrus, 23:555
Tanytarsus, 12:375, 23:138, 23:140, 25:142, 25:249, 25:251, 25:253, 25:254, 25:538, 32:412
flavipes, 14:239, 14:245
Tanzer, Ernest C., Eston O. Morrison, and Charles Hoffpauir, New locality records for amphibians and reptiles in Texas, 11:131–132
Taphius
decipiens, 9:103
havanensis, 9:103
Taphromysis louisiana, 17:203–205
Taphromysis louisiana Banner (Crustacea, Mysidacea) in marsh embayments on the Texas coast, occurrence of, Fred C. Conte, 17:203–205
Tapia, Catalina B. Chávez, see Hernández, Cornelio Sánchez, —
Tapinocyba hortensis, 30:6
Tapinoma, 17:54
sessile, 17:49–51, 19:69, 19:70, 28:138, 36:142
Tapirella bairdii, 4:66
Tapirus, 24:231, 32:237, 32:239
copei, 22:262
excelsus, 21:15
haysii, 22:262
Taraba major, 4:71
Taracus packardi, 15:323
Taranomis bivittata, 27:25
Tarantula, 14:84
Taraxacum officinale, 1:121, 1:122, 7:170, 12:139, 12:323, 12:326, 28:290, 29:411, 31:319, 34:442, 35:436
Tardigrada, 17:21–29, 35:302–304
Tardigrada from Gunnison Co., Colorado, with the description of a new species of *Diphascon*, Clark W. Beasley, 35:302–304
Tardigrades from Mexico, some, Clark W. Beasley, 17:21–29
Targioni graminella, 13:223
Targionia, 18:426
celtis, 14:425
covilleae, 14:439
cueroensis, 14:425
dearnessi, 14:437
gutierreziae, 14:437
hypophylla, 1:118, 1:120, 3:116
yuccae, 17:398
yuccarum, 14:439, 14:440, 18:431, 18:433, 18:435
Tarnatrum corruptum, 26:156
Tarnetrum corruptum, 2:7, 2:14, 4:131, 6:112, 12:372, 12:384
Tarsonedidae, 29:239
Tarsonemidae, 28:419, 28:425, 29:240, 35:280
Tarsonemoidea, 25:264–266
Tash, Jerry C., see Wanjala, Benny, —
Taste buds in the oral epithelium of the blind snake, *Leptotyphlops dulcis* (Reptilia: Leptotyphlopidae), James C. Kroll, 17:365–370
Tastiotenia festiva, 6:51–52
Tate, Cathy M., and Martin E. Gurtz, Comparison of mass loss, nutrients, and invertebrates associated with elm leaf litter decomposition in perennial and intermittent reaches of tallgrass prairie streams, 31:511–520
Tatraedron, 20:51
Taxidea taxus, 4:31, 6:23, 10:78, 11:134, 12:3, 12:10, 13:20, 14:251, 14:252, 20:499, 21:141, 21:245, 22:283–284, 24:554, 24:678, 24:681, 26:335, 28:107–108, 28:316, 28:320, 30:451, 32:158, 32:162
Taxidea taxus (Carnivora: Mustellidae), extension of the range eastward for, Louis E. McGee, 10:78
Taxodiaceae, 33:175
Taxodium, 11:445, 18:194, 18:197
distichum, 6:175, 6:178, 6:202, 13:364,

14:437, 18:434, 18:438, 18:441, 21:485, 23:265, 23:548, 27:383, 27:385, 33:178, 34:73
mucronatum, 18:190, 32:134, 32:136, 33:172, 33:175
mucronatus, 18:193
mucrunatum, 34:541
mucvonatum, 16:227
Taxonomic and nomenclatorial status of *Mus ludovicianus* Custis, 1807, the, J. Knox Jones, Jr., Dan L. Flores, and Robert D. Owen, 31:106–107
Taxonomic notes on Arizona herpetozoa, Kenneth L. Williams, 5:25–36
Taxonomic notes on *Tamarix pentandra* in Arizona, Jerome S. Horton and John E. Flood, 7:23–28
Taxonomic position of Asiopsocus Gunther (Psocoptera), a new species and notes on the, Edward L. Mockford and Alfonso Neri Garcia Aldrete, 21:335–346
Taxonomic relationship between *Proboscidea louisianica* and *Proboscidea fragrans* (Martyniaceae), the, P. K. Bretting, 28:445–449
Taxonomic status and distribution of *Geophis laticinctus* (Colubridae) in southern México, Jerry D. Johnson, 24:698–701
Taxonomic status and morphology of isolated populations of the White River springfish, *Crenichthys baileyi* (Cyprinodontidae), Jack E. Williams and Gene R. Wilde, 25:485–503
Taxonomic status, distribution, and habitat of the Carmen Mountains white-tailed deer (*Odocoileus virginianus carminis*) in Trans-Pecos Texas, comments on the, Paul R. Krausman, David J. Schmidly, and Ernest D. Ables, 23:577–589
Taxonomic status of certain long-eared bats (genus *Myotis*) from the southwestern United States and Mexico, Hugh H. Genoways and J. Knox Jones, Jr., 14:1–13
Taxonomic status of *Cervus elaphus merriami* (Cervidae), Sydney Anderson and Richard Barlow, 23:63–70
Taxonomic status of *Eutamias bulleri*, J. R. Callahan, 25:1–8
Taxonomic status of Oklahoma beavers, *Castor canadensis*, the, Bryan P. Glass, 5:21–24
Taxonomic status of *Perognathus penicillatus minimus* Burt, the, Donald F. Hoffmeister, 19:213–214
Taxonomic status of *Peromyscus merriami goldmani* Osgood, 1904, the, Donald F. Hoffmeister and Victor E. Diersing, 18:354–357
Taxonomic status of *Rhinichthys osculus* (Cyprinidae) in the Moapa River, Nevada, Jack E. Williams, 23:511–517
Taxonomic status of the corn snake, *Elaphe guttata* (Linnaeus) (Colubridae), in Louisiana and eastern Texas, Larry R. Raymond and Laurence M. Hardy, 28:105–107
Taxonomic status of the Pleistocene ringtail *Bassariscus sonoitensis* (Carnivora), Arthur H. Harris, 35:343–346
Taxonomic status of wild Canis (Canidae) in the south central United States, the, Howard McCarley, 7:227–235
Taxonomic study of the fossil species of the genus Cryptantha (Boraginaceae), Ronald Segal, 11:205–210
Taxonomic study of the genus Amphicarpaea (Leguminosae), a, B. L. Turner and D. S. Fearing, 9:207–218
Taxonomy and ecology of sibling chipmunks in central Colorado, Charles A. Long and Donald Cronkite, 14:283–291
Taxonomy and natural history of the rubber boa, *Charina bottae*, observations on the, John D. Cunningham, 11:298–299
Taxonomy of Eutetras (Compositae–Heleniеae), B. L. Turner, 11:118–122
Taxonomy of *Neivamyrmex graciellae* (Mann) (Hymenoptera: Formicidae: Ecitoninae) including an original description of the queen and field observations, the, Julian F. Watkins, II, and Christopher J. Coody, 31:256–259
Taxonomy of Pericome (Compositae-Peritylinae), A. Michael Powell, 18:335–339
Taxonomy of *Stenocarpha* (Compositae-Heliantheae-Galinsoginae), B. L. Turner, 10:238–240
Tayassu, 21:139
tajacu, 6:25, 13:20, 20:499, 21:141, 31:79–85
Tayassuidae, 20:499
Taylor Bayou local fauna (Pleistocene) near Houston, Texas, the, Timothy C. Kaspar and William L. McClure, 9–16
Taylor, Cindy L., and Robert F. Wilkinson, Jr., First record of *Sorex longirostris* (Soricidae) in Oklahoma, 33:248
Taylor, Cindy L., Robert F. Wilkinson, Jr., and Chris L. Peterson, Reproductive patterns of five plethodontid salamanders from the Ouachita Mountains, 35:468–472
Taylor, Connie, see Branson, Branley A., —
Taylor, David R., see Carpenter, Charles C., —
Taylor, Dwight W., Freshwater clam *Sphaerium transversum* (Say) in Arizona, 12:202–203
Taylor, Harry L., and J. Martin Walker, Reproductive characteristics of the Cerralvo Island whiptail lizard, *Cnemidophorus ceralbensis* (Teiidae), 32:392–395
Taylor, John, Shortleaf pine (*Pinus echinata*) in Bryan County, Oklahoma, 10:42–47
Taylor, John, see Branson, Branley A., —
Taylor, Maple A., and Fred S. Guthery, Dispersal of a lesser prairie chicken (*Tympanuchus pallidicinctus*), 25:124–125
Taylor, Maple A., Lesser prairie chicken use of man-made leks, 24:706–707
Taylor, Norman, see Bragg, Arthur N., —
Taylor, R. John, and Harold Laughlin, Additions to the herpetofauna of Bryan County, Oklahoma, 9:41–43
Taylor, R. John, and Howard McCarley, Vertical distribution of *Peromyscus leucopus* and *P. gossypinus* under experimental conditions, 8:107–108
Taylor, R. John, and William T. Penfound, The grassland communities on the Baum limestone in Johnston County, Oklahoma, 6:98–99
Taylor, R. John, see Bennett, Charles, —
Taylor, R. John, see Bragg, Arthur N., —
Taylor, Robert G., and Howard G. Applegate, Pesticide levels and fluctuation in soil bacteria in an irrigated field and a pond of Southwest Texas, 13:393–400
Taylor, Steven J., and Steven P. Lewis, Notes on the habitat and distribution of *Acaricoris ignotus* Harris and Drake (Heteroptera: Aradidae), 34:154–155
Taylor, Walter Kingsley, Avian records from central Coahuila, México, primarily from the Cuatro Ciénegas area, 11:136–137
Taylor, Walter Kingsley, Plumage anomaly in the verdin, 17:100–101
Technique for capturing prairie dogs, a, Donald J. Elias, John K. Crier, and Howard P. Tietjen, 18:473–474
Technique for collection and study of subterranean invertebrates, a, Karen L. Hooker and Matt R. Whiles, 33:375–376
Technique for quantifying fire behavior in grassland fire ecology studies, a,

D. M. Engle, T. G. Bidwell, A. L. Ewing, and J. R. Williams, 34:79–84
Tecoma stans, 18:194, 21:316, 23:296, 35:71
Tecomatlana texana, 20:241, 20:247, 20:251, 20:252
Tectaria heracleifolia, 22:137
Teel, Pete D., Scifres, Charles J., —
Teer, J. G., see Ofcarcik, R. P., —
Teer, James G., see Bothma, J. du P., —
Tegenaria
antrias, 12:260
derhami, 11:353
domestica, 11:353, 12:260
pagana, 12:260
Tegeticula, 29:48, 29:52, 29:54, 32:169
maculata, 29:46, 29:55
synthetica, 29:47, 29:55
yuccasella, 29:45–47, 30:322
Teidae, 22:54
Teiidae, 2:105–121, 11:275–289, 19:218, 20:505, 21:252–254, 26:72–74, 27:232–234, 28:1–8, 28:9–20, 29:137–140, 29:514, 30:368, 30:469, 30:471, 31:405–408, 31:408–410, 32:279–281, 32:392–395, 32:395–397, 32:511–512, 33:121–124, 34:296–298, 34:418–420, 35:215–217, 36:99, 36:242–244, 36:366
Teinocoptes lasionycteris, 5:228
Tejachernes (Arachnida-Chelonethida, Chernetidae-Chernetinae), a new genus of pseudoscorpion based on Dinocheirus stercoreus, C. Clayton Hoff, 2:83–88
Tejachernes stercoreus, 2:83–88
Tejada, Cesar A. Dominguez Perez, and Stephen H. Bullock, Seed fecundity of monoecious and female plants of a *Croton* species (Euphorbiaceae), 33:233–234
Telabis serrata, 28:477
Telaranea nematodes, 28:240, 28:241
Teleallagma daecki, 2:11, 2:14, 2:16
Telebasis salva, 2:10, 2:14, 32:131–134
Teleogryllus oceanicus, 29:481
Telfair, Raymond C., II, Cattle egrets, inland heronries, and the availability of crayfish, 26:37–41
Telfair, Raymond Clark, II, The cattle egret: a Texas focus and world view (rev.), 30:622–623
Telleallagma, 14:237
Téllez-Girón, Guadalupe, see Urbano-Vidales, Guillermina, —
Téllez-Girón S., Guadalupe, see Medellín, Rodrigo A., —
Telmatodytes palustris, 11:136, 14:362, 21:354
Telopelopia okoboji, 25:251, 25:253
Teloscopus fallax, 20:547–549
Teloxys
ambrosioides, 35:351, 35:352
graveolens, 35:351
Temnochila, 27:26
Temperate and tropical cave communities, a comparison of, Robert W. Mitchell, 14:73–88
Temperature and body length on filtering rates of two chydorid Cladocera, effects of, Jack D. McCullough and Vickie L. Reat, 36:237–242
Temperature and sucrose composition of floral nectars in *Ipomopsis longiflora* under field conditions, C. Edward Freeman and Kathleen C. Head, 35:423–426
Temperature modifications of the nest of *Pogonomyrmex montanus* (Hymenoptera: Formicidae), William MacKay and Emma MacKay, 30:307–309
Temperature of yearling Colorado squawfish, preferred, Tamara Black and Ross V. Bulkley, 30:95–100
Temperature on activity patterns of peccaries, the influence of extremes of, John A. Bissonette, 23:339–346
Temperature on heart and ventilatory rates of *Sceloporus jarrovi*, effect of, Thomas A. Burns, 15:465–471
Temperature on the termination of breeding season of Menidia audens, Clark Hubbs and Horace H. Bailey, effects of, 22:544–547
Temperature relations and the critical thermal maximum of *Holbrookia maculata maculata* (Reptilia: Iguanidae), Anthony P. Sena, 23:41–50
Temperature selection and shelter utilization of the crayfish, *Orconectes causeyi*, Michael W. Loring and Loren G. Hill, 21:219–226
Temperature-daylength combinations on ovogenesis in the Red River pupfish, *Cyprinodon rubrofluviatilis* (Cyprinodontidae), the effects of four, Anthony A. Echelle, Stan Wilson, and Loren G. Hill, 18:229–239
Temporal changes in nectar availability and *Bombus appositus* (Hymenoptera: Apidae) foraging profits, David Hamilton Wright, 33:219–227
Temporal foraging activities of *Solenopsis invicta* (Hymenoptera: Formicidae) and other predominant ants of central Texas, David M. Claborn and Sherman A. Phillips, Jr., 31:555–557
Temporary foraging areas and burrows of the sun spider, *Ammotrechula penninsulana* (Banks) (Arachnida: Solpugida), observations on, James A. Gore and Bruce S. Cushing, 25:95–102
Tempskya, 30:525, 30:530
Tendipedidae, 1:6, 1:12, 1:13, 1:15, 1:154, 1:155, 8:134, 8:136, 8:139, 13:47, 14:221, 14:223, 14:225–228, 23:223
Tendipepedidae, 1:12
Tendipes, 1:13
attenuatus, 14:239, 14:245
fumidus, 1:152
Tendipididae, 23:217
Tenebrio, 30:59, 31:88
molitor, 12:187, 30:66
Tenebrionidae, 12:253, 12:270, 14:166, 16:341–355, 17:81, 17:82, 18:308, 18:309, 18:311, 18:313, 19:108, 23:415, 23:565, 23:566, 23:568–571, 24:607, 24:610, 26:204, 26:430, 26:431, 27:26, 27:305–308, 28:100, 28:376, 28:377, 28:476, 28:478, 30:148–150, 30:550, 30:603, 32:386, 32:396, 32:418, 32:421, 32:422, 32:424, 32:491, 34:319–329
Tenebroinoidae, 28:101
Teneriffia, 8:23
quadripapillata, 8:30
Teneriffidae, 28:419
Teneriffiidae (Acarina: Prostigmata), notes on, Roy Eller and R. W. Strandtmann, 8:23–31
Teneriffiidae, 8:23–31
Tennant, Alan, Snakes of Texas (rev.), 30:621–622
Tennant, Michele R., see Hayes, Marc P., —
Tennesseellum formicum, 11:367, 30:3, 30:9
Tennesseelum, 11:366
Tenthredinidae, 19:70
Tepedino, V. J., Notes on the flower-visiting habits of *Pseudomasaris vespoides* (Hymenoptera: Masaridae), 24:380–381
Tephritidae, 23:566, 23:570, 23:571, 23:575
Tephrosia
onobrychoides, 12:348
tenella, 35:66, 35:72
virginiana, 2:164, 4:57, 12:348
Teraphosidae, 11:339
Terminalia
catappa, 32:363
hilgardiana, 16:112
Termitidae, 20:6, 30:543, 30:550
Termonectus, 31:522, 31:523
Ternstroemites preclaibornensis, 16:112
Terpsinöe
americana, 21:247
musica, 21:246–247
Terrapene, 21:10, 35:442
canaliculata, 13:265
carolina, 1:83–86, 1:182, 5:80, 5:81, 5:85, 5:86, 8:91, 8:96, 12:27, 12:29, 13:265, 14:67, 14:204–206, 14:210, 16:171, 16:173, 16:179–182, 19:191–193, 19:195, 21:9, 23:459, 24:189,

26:199–200, 31:131–134, 31:300, 35:474
coahuila, 8:89–99, 11:136, 15:75, 16:171–184
coahuilae, 5:77–82, 5:84–86
nelsoni, 16:171, 16:173
ornata, 1:85, 3:33, 3:38, 5:26, 8:51, 8:91, 13:107, 14:67–72, 14:206, 16:171, 16:173, 16:179, 19:21, 19:23, 19:30–33, 19:192, 19:193, 19:195, 21:89–103, 23:459, 24:190, 25:438, 27:365, 30:367, 33:357–361
putnami, 5:81
Terrepene
canaliculata, 3:26, 3:27
carolina, 3:26, 3:27
Terrestrial activity of the northern pocket gopher (Geomyidae) as indicated by owl predation, David J. Fassler and Richard D. Leavitt, 19:452–453
Terrestrial vertebrates of the Cerro Mohinora region, Chihuahua, Mexico, Robert G. Webb and Rollin H. Baker, 29:243–246
Territoriality and breeding behavior in *Pachydiplax longipennis* Burmeister (Odonata: Libellulidae), study of a, Clifford Johnson, 7:191–197
Terry, Steven, see Pfiester, Lois A., —
Tertiary endocarps of Celtis (Ulmaceae), a review of some, Ronald H. Segal, 11:211–216
Tertiary fossil *Eleofimbris* (Cyperaceae), a range extension for the, Mark L. Gabel and Howard Bich, 33:110–112
Tessaria
sericea, 27:404, 34:261, 34:263
serecia, 26:417
Test for allozyme selection in *Sceloporus grammicus* (Sauria: Iguanidae), a, Jack W. Sites, Jr., and Douglas A. Boyce, Jr., 30:41–51
Tests and their possible significance in the worm, *Tubifex tubifex* (Oligochaeta), occurrence of, Jerry L. Kaster and John H. Bushnell, 26:307–310
Testudinae, 25:438
Testudines, 8:89–99, 22:400–401, 23:162–164, 23:457–461, 24:189, 28:237–239, 31:1–8
Testudinidae, 22:50, 23:162–164, 23:459, 24:545–546, 25:430–432, 26:266, 27:230–232, 31:131–134, 31:261–263
Testudo, 17:61
agasizzi, 20:285
hermanni, 23:459
Tethymia aptena, 36:353
Tetraclea coulteri, 22:343, 22:345, 22:347, 23:298, 35:65, 35:74
Tetracotyle, 22:361
Tetracystis, 9:167, 9:168, 33:317, 33:319
Tetradymia, 16:370
Tetraedon, 17:245
minimum, 22:310
muticum, 22:310
Tetraëdron, 10:188–210
caudatum, 20:48
constrictum, 23:436
gracile, 23:436
hastatum, 23:436
limneticum, 23:436
minimum, 20:47, 20:49
muticum, 23:436
regulare, 23:435, 24:157
trigonum, 20:47, 20:49, 23:435, 24:157
Tetragnatha, 6:135, 6:136
banksi, 11:366
barrodi, 11:366
elongata, 30:7
guatemalensis, 30:7
laboriosa, 11:365, 21:43, 30:4, 30:9, 30:119, 30:121, 30:123–125, 33:216
pallescens, 11:366, 30:121, 30:123
straminea, 21:43
versicolor, 11:366, 11:370, 21:43, 30:7
Tetragnathidae, 11:365, 11:370, 21:43
Tetragoneuria, 8:135, 14:237
canis, 2:13
cynosura, 2:4, 2:13, 4:132, 6:133
petechialis, 2:5, 2:15
spinosa, 2:5, 2:13
williamsoni, 2:5, 2:13
Tetragonoderus pallidus, 28:474
Tetragonotheca texana, 26:6, 26:7
Tetragrapsus jouyi, 11:140
Tetrallantos
lagerheimii, 23:85
lagerhemii, 23:87
Tetrameras somateriae, 29:458
Tetrameres
fissispina, 29:458
somateriae, 29:458
spinosa, 29:458
Tetramerium hispidum, 35:66, 35:70
Tetrameryx
conklingi, 22:13
knoxensis, 12:16
onusrosagris, 34:278
shuleri, 12:4, 12:16, 12:17, 12:28
Tetramorium spinosus, 28:140
Tetramura, 27:466
Tetraneuris, 11:226, 16:370, 17:1
linearifolia, 4:59
stenophylla, 17:5, 17:7
Tetrangnatha elongata, 11:366
Tetranthus, 16:373
Tetranychidae, 16:415, 28:419, 36:51
Tetranychus, 36:50
cinnabarinus, 36:51
urticae, 36:51
Tetraodontidae, 32:226, 32:232
Tetraonchus, 28:399, 28:401, 28:403
Tetraselmis, 32:61
Tetraspora
cylindrica, 11:197
gelatinosa, 24:157
lacustris, 23:440, 24:157
lubrica, 11:197
Tetrasporaceae, 11:197
Tetrastichus, 29:53
Tetrastrum
elegans, 24:157
staurogeniaformae, 20:47, 20:49
Tetrodea, 9:210
comosa, 9:215
monoica, 9:216
Tettigonidae, 19:109, 29:442
Tettigoniidae, 6:18, 13:51, 13:53, 16:124, 28:377, 32:396, 32:417
Teucrium
canadense, 2:168, 19:162
laciniatum, 23:321, 36:354
Teutana triangulosa, 11:359
Texadina sphinctostoma, 5:145, 5:150
Texamaurops, 23:234
Texananus, 29:438
Texano-Mexican species of *Dalea* (Leguminosae), a new, R. C. Barneby, 15:389–391
Texanocotyle, 24:560
pogoniae, 24:557–559
Texas cave bats, some observations of, Gerald G. Raun and James K. Baker, 3:102–106
Texas euporbias of subgenus Chamaesyce, new combinations in, Barton H. Warnock and Marshall C. Johnston, 5:170
Texas fresh-water fishes, distributional patterns of, Clark Hubbs, 2:89–104
Texas fresh-water sponges (Spongillidae) with the first record of *Radiospongilla cerebellata* (Bowerbank, 1863) from the Western Hemisphere, additional records of, Michael A. Poirrier, 16:434–435
Texas kangaroo rat, *Dipodomys elator*, from Motley Co., Texas, with notes on habitat attributes, the, Robert E. Martin and Kenneth G. Matocha, 36:354–356
Texas kangaroo rat, *Dipodomys elator* (Heteromyidae), from Oklahoma, a recent specimen of the, George D. Baumgardner, 32:285–286
Texas kangaroo rat, *Dipodomys elator* (Heteromyidae), in Oklahoma, status of the, Susan P. Moss and Patricia Mehlhop-Cifelli, 35:356–358
Texas marine ichthyofauna, with notes on the Rio Grande estuary, additions to the, Frank L. Pezold and Robert J. Edwards, 28:102–105
Texas population of *Tilapia* (Pisces: Cichlidae), first record of a, Maurizio A. Mangini, 28:374–375
Texas rat snake feeds on Mexican freetail bat and wood duck eggs, Kenneth T. Ridlehuber and Nova J. Silvy, 26:70–71

Texas riffle beetles (Coleoptera, Elmidae), notes on, Horace R. Burke, 8:111–114
Texas slider (Pseudemys floridana texana) in New Mexico, the, John M. Legler, 3:230–231
Texas species of Croton (Euphorbiaceae), the, Marshall C. Johnston, 3:175–203
Texas species of Cyperus subgenus Kyllinga (Cyperaceae), the, Marshall C. Johnston, 11:123–125
Texas weevils (Coleoptera, Curculionidae), three new species of, Horace R. Burke, 6:65–72
Texas weevils, with notes on others (Coleoptera, Curculionidae), a new species of, Horace R. Burke, 8:162–172
Texas, wild bees and wasps, 2:129–131
Texas wild rice (*Zizania texana* Hitchc.), current status of, Wm. H. P. Emery, 22:393–394
Texophon, 34:381–391
aransas, 34:381, 34:383, 34:385, 34:387–390
nessium, 34:381, 34:383, 34:385–387, 34:389, 34:390
nessius, 34:381, 34:385, 34:390
Texophonini, 34:381–391
Textrema hopkinsi, 29:379
Thachinotus carolinus, 1:162
Thaeler, Charles S., Jr., Chromosome polymorphism in *Thomomys talpoides agrestis* Merriam (Rodentia-Geomyidae), 21:105–115
Thaeler, Charles S., Jr., The karyotype of *Thomomys townsendii similis* and comments on the karyotypes of *Thomomys*, 17:327–331
Thalasseus
maximus, 20:134
sandvicensis, 20:134
Thalassia testudinum, 30:402
Thalassiosira
pseudonana, 26:313
weissflogii, 26:313
Thalerophis, 20:541
richardi, 27:161
Thalictrum
dasycarpum, 12:138, 12:139
fendleri, 31:350, 34:442, 35:65, 35:73
Thalkethops, 12:271
grallatrix, 12:253, 12:262, 12:270
Thallasseus maximus, 6:103
Thamnistes anabatinus, 4:71
Thamnocephalidae, 9:68
Thamnocephalus, 9:68–77, 20:91, 25:542
mexicanus, 9:68, 9:76, 11:41, 20:93, 20:98, 20:102, 22:102, 22:103, 32:74
platyurus, 9:68, 9:69, 9:71, 9:73–76, 9:316, 11:41, 12:383, 12:385, 12:398, 20:93, 20:98, 20:102, 20:577, 22:102, 24:201, 32:74, 35:393–396, 35:399
playturus, 22:101
Thamnophilus doliatus, 4:71
Thamnophis, 14:31, 19:194, 19:195, 20:541, 27:226, 33:339, 35:442
butleri, 32:97–99
crytopsis, 19:195
cyrtopsis, 3:33, 3:49, 4:92, 4:95, 4:96, 4:104, 4:107, 8:51, 8:225, 12:207–229, 16:229, 18:195, 26:418, 27:163, 32:505, 33:381, 35:115–122, 35:275
elegans, 7:78, 12:207–229, 22:480, 32:275, 35:120
eques, 16:229, 18:247, 24:694, 29:244, 34:522
fulvus, 35:275
marcianus, 3:33, 3:49, 4:107, 5:106, 5:227, 6:43, 8:221, 11:411, 12:199, 16:229, 19:195, 27:163, 32:93–101, 33:381, 35:449
melanogaster, 16:229, 18:195, 18:196
proximus, 8:221, 11:137, 14:134, 14:204, 14:209–211, 20:467, 20:468, 20:470, 20:471, 20:475–477, 26:385–388, 33:381, 35:120, 35:278, 35:474, 36:172, 36:175
radix, 1:182, 12:220, 12:222
rufipunctatus, 12:207–229, 29:244, 35:120
sauritus, 1:182, 5:227, 6:42, 6:43, 9:105
scalaris, 16:229
sirtalis, 1:182, 11:137, 12:200, 12:220, 13:106, 18:247–248, 19:110, 20:281, 26:385–388, 32:275, 32:515, 33:476, 35:121
sumichrasti, 16:229
Thamnosma, 26:265
montana, 12:233, 17:335
texana, 30:546, 30:548, 35:73
Thamnus, 18:198
Thanathus formicinus, 29:231
Thanatidius, 11:354
dubius, 11:355
Thanatus, 11:345, 15:328
coloradensis, 15:323
formicinus, 11:348, 30:5, 30:11
rubicellus, 11:348, 15:323
Thaumatomyia annulata, 19:70
Thayer's gull specimen from Texas: a problem in identification, a, Warren M. Pulich, 25:257–258
Thayn, G. F., see Tidwell, W. D., —
Thea japonica, 18:436, 18:438
Theaceae, 16:112, 18:436, 18:438
Thebeau, Larry C., and Brian R. Chapman, Laughing gull nest placement on Little Pelican Island, Galveston Bay, 29:247–256
Thelephoraceae, 19:358
Thelesperma, 5:15, 15:183
ambiguum, 23:373
curvicarpum, 8:179
filifolium, 4:50, 4:52, 4:53, 4:59, 23:373, 25:336
flavodiscum, 23:373
gracile, 13:387, 17:7
gracilis, 14:342
intermedium, 23:373
longipes, 15:177, 23:373, 35:65, 35:71
megapotamicum, 1:66, 12:140, 15:177, 16:205, 23:373, 25:336, 25:438, 28:382, 35:71
nuesense, 35:390
simplicifolia, 26:6, 26:7
simplicifolium, 2:171, 11:194, 15:177, 23:373
subaequale, 23:373
subnudum, 23:373
subsimplicifolium, 23:373
Thelesperma curvicarpum T. E. Melchert (Compositae), new species, Thomas E. Melchert, 8:179
Thelespermum filifolia, 21:362
Thelia
asprella, 22:136
hirtella, 5:44, 28:241
lescurii, 30:151
Thelocactus bicolor, 34:163
Thelypodiopsis
linearifolia, 35:66, 35:71
wootonii, 24:215, 24:216
Thelypodium
laxiflorum, 34:442
vaseyi, 2:127
wrightii, 1:63
Themeda triandra, 4:118
Theraphosidae, 30:6
Theridiidae, 11:358, 11:370, 12:261, 20:6, 20:9, 20:59, 20:61, 20:63, 29:231, 30:1, 30:3, 30:5, 30:6, 30:121, 30:122, 33:215–218, 34:350
Theridion, 11:359, 29:231, 34:354
alabamense, 30:6
australe, 30:3, 30:9, 33:215–218
cinctipes, 30:3
crispulum, 30:3
differens, 11:360
dilutum, 30:6
dividuum, 30:6
glaucescens, 11:360
goodnightorum, 20:225, 20:227
hidalgo, 30:3, 30:9
llano, 30:3, 30:9
lyricum, 30:6
murarium, 11:360, 30:3, 34:350, 34:352
rabuni, 30:3, 30:9
spirale, 11:360
tepidariorum, 11:360
Thermal acclimation and temperature selection in sunfishes (*Lepomis*, Centrarchidae), Loren G. Hill, Gary D. Schnell, and Jimmie Pigg, 20:177–184
Thermal ecology of anoline lizards: temperate versus tropical strategies, Donald R. Clark, Jr., and James C. Kroll, 19:9–19
Thermal preferentia of Berlandier's tortoise (*Gopherus berlandieri*) and the ornate box turtle (*Terrapene ornata*),

Francis L. Rose, M. E. T. Scioli, and Michael P. Moulton, 33:357–361
Thermal relations of rattlesnakes, field observations on the, John D. Cunningham, 11:140–142
Thermonectes
marmoratus, 32:289
marmortus, 32:288
nigrofasciatus, 12:372, 12:383, 12:388, 12:403
Thermonectus, 23:555, 25:393
abasillaris, 31:523
basilraris, 28:475
nigrofasciatus, 26:157
ornaticollis, 31:523
Thermopsis rhombifolia, 12:138, 12:140, 29:412
Thermoregulation and hibernation of the lizard, Cnemidophorus hyperythrus beldingi (Sauria: Teiidae), Dennis L. Bostic, 11:275–289
Thermoregulation in the iguanid lizard *Sceloporus jarrovi*: the influences of age, time, and light condition on body temperature and thermoregulatory behaviors, G. A. Middendorf and C. A. Simon, 33:347–356
Theromyzon
rude, 15:271
tessulatum, 15:271
Thespesia
lampas, 18:482
tomentosa, 18:482
Thicanus mimus, 28:474
Thick-billed kingbird record for Texas, first, Roland H. Wauer, 12:485–486
Thienemanniella, 1:152, 25:27, 25:142, 25:381, 34:185
Thienemannimyia, 34:480
Thieret, John W., *Eriocaulon cinereum* R. Br. in Louisiana, 15:391
Thies, Monte, and William Caire, Association of *Neotoma micropus* nests with various plant species in southwestern Oklahoma, 35:80–82
Thies, Monte, and William Caire, Nearest-neighbor analysis of the spatial distribution of houses of *Neotoma micropus* in southwestern Oklahoma, 36:233–237
Thies, Monte L., see Caire, William, —
Thiodina, 11:348, 21:199, 21:200
iniquies, 11:352, 21:44
puerpera, 17:165, 30:5, 30:11
purpurea, 21:44
sylvana, 21:199, 30:8, 30:11
Thlaspi montanum, 20:430, 35:71
Thoburnia, 7:83, 7:100, 7:128, 7:150
Thomas, Freeman, see Hardin, James W., —
Thomas, Howard H., John O. Whitaker, Jr., and Troy L. Best, Ectoparasites of *Dipodomys elator* from north-central Texas with some data from sympatric *Chaetodipus hispidus* and *Perognathus flavus*, 35:111–114
Thomas, Howard H., see Best, Troy L., —
Thomas, John H., review by, 4:210
Thomas, R. Dale, and Larry R. Raymond, *Falcaria vulgaris* Bernh. (Apeaceae): new to Louisiana, 32:279
Thomas, R. Dale, *Botrychium lunarioides*, *Ophioglossum crotalophoroides*, and *Ophioglossum engelmanni* in a Louisiana cemetery, 16:431–432
Thomas, R. Dale, *Eulophia ecristata* (Fernald) Ames (Orchidaceae) in Grant Parish, Louisiana, 16:431
Thomas, R. Dale, First record of *Botrychium lunarioides* and *Ophioglossum nudicaule* var. *tenerum* (Ophioglossaceae) from Texas, 24:395–396
Thomas, Rex E., see Tabor, Stephen P., —
Thomas, Robert A., and Fred S. Hendricks, Letisimulation in *Virginia striatula* (*Linnaeus*), 21:123–124
Thomas, Robert A., and James R. Dixon, A re-evaluation of the *Sceloporus scalaris* group (Sauria: Iguanidae), 20:523–536
Thomasomys, 33:397
Thomasson, Joseph R., Micromorphology of the lemma in *Stipa robusta* and *Stipa viridula* (Gramineae: Stipeae): taxonomic significance, 26:211–214
Thomasson, Joseph R., New and clarified plant distribution and occurrence records for South Dakota, 27:124
Thomasson, Joseph R., Ornate box turtle, *Terrapene ornata* (Testudinae), feeding on pinecushion cactus, *Coryphantha vivipara* (Cactaceae), 25:438
Thombicula allredi, 10:18
Thomisidae, 11:344, 11:370, 15:323, 15:328, 15:503, 16:201–207, 20:6, 20:9, 20:60, 20:61, 20:63, 20:64, 21:44, 25:109–111, 29:231, 30:1, 30:4, 30:8, 30:10, 30:121, 30:122, 34:350, 36:51
Thommys, 20:273
Thomnophis, 19:109
Thomomys, 16:448, 20:272, 21:185, 25:215, 26:317, 26:318, 27:236, 32:8, 34:97, 35:58, 35:201
alexandrae, 22:151
bottae, 14:160, 16:7, 17:302–307, 17:315, 17:321, 17:325, 17:330, 18:1–9, 19:114, 19:444–446, 20:142, 20:273, 20:274, 21:169–175, 21:531–538, 22:151, 23:375–380, 25:270–271, 27:105, 28:53–60, 28:430, 31:265, 31:416, 31:417, 32:143–145, 32:186, 32:187, 32:190, 34:330–337, 35:105, 35:107, 35:108, 36:32, 36:45, 36:117, 36:307, 36:309
bulbivorous, 20:142
idahoensis, 26:328, 26:329–331
lachugilla, 18:2, 18:4
mazama, 17:330
monticola, 17:330, 21:194
similis, 14:157, 14:159
talpoides, 13:148, 13:155, 14:157–160, 14:165, 14:168, 17:303, 17:321, 17:322, 17:327–330, 19:445, 19:453, 20:143, 20:417, 21:105–115, 21:531, 22:301, 23:153, 23:378, 24:554, 25:36, 25:215, 26:329–331, 31:23, 31:415, 32:144, 32:145, 36:246
townsendii, 14:157–161, 17:327–331, 36:32
umbrinus, 5:99–101, 17:330, 17:333, 17:336, 18:2, 18:199, 20:497, 20:500, 23:532, 25:36, 25:568, 29:264, 31:280, 35:204
Thompson, Bruce Alan, see Stevenson, Michael M., —
Thompson, Daniel B., see Key, Laura J., —
Thompson, Fred G., A xeric snail from New Mexico, 19:53–56
Thompson, James N., Jr., and Everett M. Grigsby, The pickerel frog in northeastern Oklahoma, 16:219–220
Thompson, James N., Jr., and J. Keever Greer, Geographic ranges of three Oklahoma mammals, 15:131
Thompson, James N., Jr., and Richard L. Gilstrap, Plant specificity in striped skunk diggings, 15:135
Thompson, James N., Jr., Brent N. Hisey, and R. C. Woodruff, Morphological differences between the females of *Drosophila melanogaster* and *D. simulans*, 24:204–205
Thompson, Michael L., see Force, Don C., —
Thompson, Pamela, see Porter, Calvin A., —
Thompson, Thomas G., and Walt Conley, Discrimination of coexisting species of *Peromyscus* in south-central New Mexico, 28:199–209
Thorichthys, 32:227
Thornburgh, Patrick I., see Michael, Edwin D., —
Thornton, W. A., and Gordon C. Creel, Distribution of gophers (Geomyidae) in western Texas, 20:272–275
Thornton, W. A., Gordon C. Creel, and R. E. Trimble, Hybridization in the fox genus *Vulpes* in West Texas, 15:473–484
Thornton, W. A., see Creel, Gordon C., —

Thorp, Robbin W., see Perkins, Gaylene, —
Thraulodes, 25:142, 25:145, 25:147, 25:251, 25:253, 25:381
gonzalesi, 31:17
Thraupidae, 4:80, 4:81
Thraupis abbas, 4:77
Threskiornithidae, 6:105
Thrinaxoria
bifida, 35:96
lampra, 35:96–97
Thripidae, 36:52
Thryallis
glauca, 12:154
undatus, 27:23, 27:26
Thryomanes bewickii, 16:16, 24:573, 26:254, 29:473, 36:363
Thryothorus
ludovicianus, 17:149, 20:413–414
maculipectus, 4:80
rutilus, 4:74
sinaloa, 18:199, 18:200
Thubunea, 10:313, 30:468, 30:469, 30:471
Thuidium
delicatulum, 24:214, 28:241
minutulum, 28:241
Thuja, 28:61, 28:64
Thymelaea passerina (L.) Coss. and Germ. (Thymelaeaceae) in western Nebraska, Ronald L. McGregor and W. T. Barker, 14:128
Thymelaea passerina, 14:128
Thymelaeaceae, 14:128
Thymoites
expulsus, 30:3
pallidus, 30:6
Thyreocoridae, 32:417, 32:420, 32:422
Thyreodon fernaldi, 24:605, 24:606
Thyroptera tricolor, 31:533
Thysanocarpus
curvipes, 35:71, 36:307
elegans, 35:65, 35:71
Thysanophora
horni, 5:148, 5:151, 9:103, 14:372, 16:95, 16:100, 16:104, 19:62, 24:688
hornii, 29:38–41
incurstata, 5:151
proxima, 9:103
tatei, 9:103
Thysanophoridae, 24:688
Tiaroga, 11:321, 11:322
cobitis, 11:313, 11:320, 12:301, 20:186, 28:399, 28:401, 28:402, 34:109–117, 34:407, 34:408, 35:451–454
Tibbetts, Ted, Homing instincts of two bats, Eptesicus fuscus and Tadarida mexicana (Mammalia: Chiroptera), 1:194
Tibellus, 11:345
chamberlini, 29:231
duttoni, 11:348, 30:5, 30:11
maritimus, 21:44
oblongus, 21:44
Tidarren
haemorrhoidale, 33:215–218
sisyphoides, 30:6
Tidestromia
lanuginosa, 1:56, 1:63, 2:161, 21:314, 21:316, 22:341, 23:296, 23:499, 25:322, 35:70
oblongifolia, 15:117, 22:341
Tidwell, W. D., and G. F. Thayn, Flora of the lower Cretaceous Cedar Mountain formation of Utah and Colorado, Part IV. *Palaeopiceoxylon thinosus* (Protopinaceae), 30:525–532
Tiemeier, O. W., and C. W. Deyoe, Growth obtained by stocking various size combinations of channel catfish, (*Ictalurus punctatus*), and efficiencies of utilizing pelleted feed, 13:167–174
Tiersch, T. R., see Griffith, J. S., —
Tietjen, Howard P., see Elias, Donald J., —
Tiffany, Robert S., see Freeman, C. E., —
Tiger salamander, a record, Hobart M. Smith and Robert W. Reese, 13:370–372
Tigner, James R., Golden eagle predation on a pronghorn fawn, 18:346–348
Tigriopus californicus, 36:353
Tihen, J. A., Notes on late Cenozoic hylid and leptodactylid frogs from Kansas, Oklahoma and Texas, 5:66–70
Tihen, J. A., see McCoy, Clarence J., —
Tilapia, 35:179, 35:338, 36:260, 36:261
aurea, 28:380, 30:157, 33:195, 35:406–408
aureus, 36:203
guineensi, 28:375
mariae, 28:221–223
melanopleura, 32:232
mossambica, 29:378, 29:383, 29:384, 32:232
rendalli, 35:34, 35:35, 35:43, 35:46
zilli, 28:374–375
Tilia, 21:482
americana, 24:388
caroliniana, 24:169, 24:171
Tillandsia, 18:194, 30:91
baileyii, 31:260
imperialis, 13:367
recurvata, 24:291, 24:292, 24:295
Time and energy budgets of the red-tailed hawk in southern California, Roberta Lynn Soltz, 29:149–156
Time budgets of California ground squirrels during reproduction, D. H. Owings, R. Virginia, and D. Paussa, 24:191–195
Timken, R. L., see Hoffman, G. R., —
Timmiella anomala, 31:398
Tinamidae, 4:81
Tinamus major, 4:67
Tinantia anomala, 36:342
Tinca tinca, 1:23, 32:410
Tinea, 12:266
Tineidae, 12:266
Tingidae, 2:127, 20:7
Tinkle, Donald W., and Roger Conant, The rediscovery of the water snake, *Natrix harteri*, in western Texas, with description of a new subspecies, 6:33–44
Tinkle, Donald W., and William C. Lawrence, Blowguns for reptile sampling, 1:133–134
Tinkle, Donald W., Observations on the lizards Cnemidophorus tigris, Cnemidophorus tessellatus and Crotaphytus wislizeni, 4:195–200
Tinkle, Donald W., see Milstead, William W., —
Tiphiidae, 20:8, 32:419, 32:422
Tipula, 1:151, 12:266, 25:27, 31:518
commiscibilis, 28:127, 28:130–132
furca, 14:238
Tipulidae, 12:266, 14:244, 19:70, 23:555, 28:127, 30:603, 31:252, 32:418, 34:253, 34:315, 34:480, 36:164, 36:167
Tiquilia greggii, 27:30
Tischendorf, Jay S. W., Catherine Frazer, and Teryl G. Grubb, Interactions between bald eagles (*Haliaeetus leucocephalus*: Accipitridae) and river otters (*Lutra canadensis*: Mustelidae), 32:286–287
Titanoeca americana, 11:368, 30:6
Titanotylopus, 22:256, 32:238
spatulus, 22:260, 22:266
Tithonia, 9:36, 9:37, 16:378, 16:383, 16:384, 23:374
rotundifolia, 9:32, 16:379
thurberi, 16:379, 35:66, 35:71
tubaeformis, 16:379
Tithymalus
phenacodorum, 11:211
willistoni, 11:211
Tityra
inquisitor, 4:72
semifasciata, 4:72
Tlaloc mexicanus, 32:227
Tmarus, 11:344, 16:206
angulatus, 30:5
Tmerus, 29:231
Toad from western Mexico, a new, John D. Lynch and Hobart M. Smith, 11:19–23
Tobosa grass (*Hilaria mutica*), review of, Leon F. Neuenschwander, Steven H. Sharrow, and Henry A. Wright, 20:255–263
Todd, T. C., see Seastedt, T. R., —
Todsen, Thomas A., see Todsen, Thomas K., —
Todsen, Thomas K., and Thomas A. Todsen, Color variations of *Corallorhiza* in New Mexico, 16:121–122
Todsen, Thomas K., William J. Hess,

and R. Roy Johnson, *Spiranthes parasitica* and *Corallorhiza wisteriana* (Orchidaceae) new to New Mexico, 14:447–448
Toetz, Dale W., see Hall, Ross W., Jr., —
Tolerance of the red shiner, *Notropis lutrensis* (Cyprinidae) to environmental parameters, William J. Matthews and Loren G. Hill, 22:89–98
Toleration of high temperatures and low dissolved oxygen in natural waters by Crenichthys baileyi, observations on the, Clark Hubbs and William F. Hettler, 9:245–248
Toliver, Michael E., and Daniel T. Jennings, Food habits of *Sceloporus undulatus tristichus* Cope (Squamata: Iguanidae) in Arizona, 20:1–11
Tolliver, Deanna K., see Schnake-Greene, Janice E., —
Tolliver, Deanna K., see Svoboda, Peggy L., —
Tolriolus ungulatus, 24:197
Toluca lineata, 2:19, 2:21, 16:229
Tomanek, G. W., see Heitschmidt, Rodney K., —
Tomanek, G. W., see Hladek, K. L., —
Tomanek, G. W., see Hulett, G. K., —
Tomb, A. Spencer, see Powell, A. Michael, —
Tomentella
atroviolacea, 19:358
bresadolae, 19:358
brunneofirma, 19:358
coerulea, 19:358
ferruginea, 19:358
ferruginella, 19:358
lateritia, 19:358
molybdaea, 19:359
montanensis, 19:359
neobourdotii, 19:359
pallidofulva, 19:359
pilatii, 19:359
pilosa, 19:359
ramosissima, 19:359
sublilacina, 19:359
sulphurina, 17:417
umbrinella, 19:359
viridis, 17:412, 19:359
Tomida, Yukimitsu, see Winkler, Alisa J., —
Tomko, Dennis S., *Rana pipiens* (Ranidae) in the Grand Canyon of the Colorado River, Arizona, 21:131
Tomlinson, Gayla Jardon, see Hoffman, George R., —
Tomodactylus, 2:19
Tonatia, 7:64, 34:417
bidens, 11:490, 29:481, 31:532
nicaraguae, 7:67
silvicola, 11:490
Tool-using behavior of the pocket gopher, *Thomomys bottae* (Geomyidae)?, Susan J. Katz, 25:270–271
Tooth failure is not an important mortality factor in a white-tailed deer herd in Texas, John G. Kie and Marshall White, 31:266–267
Tooth replacement in king mackerel, *Scomberomorus cavalla* (Pisces: Scombridae), Edward C. Morgan and William Ken King, 28:261–269
Topminnow population in Arizona, with observations on topminnow/mosquitofish co-occurrence, description of a new, Gary K. Meffe, Dean A. Hendrickson, and John N. Rinne, 27:226–228
Topoff, Howard, Brent LaMon, Linda Goodloe, and Myrna Goldstein, Ecology of raiding behavior in the western slave-making ant *Polyergus breviceps* (Formicidae), 30:259–267
Topoff, Howard, Maria Inez-Pagani, Lisa Mack, and Myrna Goldstein, Behavioral ecology of the slave-making ant, *Polyergus breviceps*, in a desert habitat, 30:289–295
Topographic relations of vegetation and soil in a southeastern Arizona grassland, Edward F. Haase and Henry A. Schreiber, 16:387–401
Topography and vegetation on the distribution of small mammals in southwestern Utah, the influence of, Rodney L. Honeycutt, Michael P. Moulton, Jerry R. Roppe, and Lynn Fifield, 26:295–300
Topping, Milton S., see Taber, Charles A., —
Tortella
flavovirens, 6:188
humilis, 28:241, 30:151
Tortricidae, 26:375, 26:376, 28:95
Tortula, 28:241
brevipes, 1:118, 1:119, 3:121
chisosa, 31:398
muralis, 1:118, 5:43
obtusissima, 1:119, 3:121
ruralis, 1:116, 1:118, 1:119, 3:121
Total residue tolerances of Colorado Hirudinea, Scott J. Herrmann, 15:269–272
Totanus melanoleucus, 6:103, 7:263, 11:136, 17:201, 17:296
Tournefortia velutina, 12:148
Townsendia, 18:118
excapa, 12:140
exscapa, 28:382
fendleri, 18:119, 18:121
grandiflora, 18:121
incana, 18:121
sericea, 21:362
strigosa, 18:119, 18:121
texensis, 18:121
Toxaphene residues, 28:325–333
Toxicodendron radicans, 2:164, 35:65, 35:70
Toxolasma, 22:236
parvus, 22:241, 22:242, 22:246, 22:249
Toxostoma, 29:507
curvirostre, 16:21, 18:195, 26:95, 26:291, 36:137–140
dorsale, 16:22, 26:95, 26:254, 29:473, 29:509
lecontei, 18:307, 25:173–177
longirostre, 7:259, 21:454, 26:95, 26:291
rediviyum, 30:453
rufum, 14:254–255, 26:95, 36:139
Trachcineta thalassina, 12:485
Trachelas
deceptus, 30:4, 30:10, 30:121
mexicanus, 30:8
volutus, 30:8
Trachelo spermum, 35:358
Trachelomonas, 17:14, 17:17, 22:311, 23:56, 23:58, 23:60, 23:452, 25:414, 25:420
armata, 11:200
charkowiensis, 11:200
crebea, 20:50, 20:51, 24:159
granulosa, 24:159
hexangulata, 24:159
hispida, 11:200, 24:159
intermedia, 11:200, 20:50, 20:51, 24:159
pulchella, 11:200
robusta, 11:200
stokesii, 11:200
superba, 11:200
volvocina, 24:159, 27:83, 27:84
Trachelophyllum, 10:266
Trachemys scripta, 34:134, 34:135, 34:358
Trachinotus
carolinus, 36:206
falcatus, 36:206
Trachlomonas
armata, 23:445
crebea, 23:445, 23:446
granulosa, 23:445
hisjida, 23:445
hispida, 23:446
intermedia, 23:445, 23:446
robusta, 23:445
volvocina, 23:445, 23:446
Trachops, 7:64, 12:407, 12:418, 12:422, 12:423
cirrhosus, 7:69, 11:491, 12:408, 12:409, 12:420, 12:427, 29:481
coffini, 7:69
Trachymyrmex
arizonensis, 28:140
septentrionalis, 28:140, 34:271, 34:274
smithi, 21:1, 21:6, 21:8, 28:140
turrifex, 28:140, 34:271–275
urichi, 34:271, 34:274
Trachypogon
montufari, 12:83, 30:391
montuferi, 5:8

secundus, 35:75, 35:387, 35:390
Trachyrhachys aspera, 27:203, 27:205
Tradescancia
crassifolia, 5:56
fluminensis, 5:57
humilis, 5:56
occidentalis, 35:74
ohiensis, 5:57
paludosa, 5:50, 5:51, 5:54, 5:56, 5:59
pinetorum, 35:74
virginiana, 5:56
Tradescantia, 16:32, 21:523, 21:528
bracteata, 14:331
edwardsiana, 5:49–60
occidentalis, 2:159, 12:139, 12:141, 25:327, 28:336
ohiensis, 32:35
wrightii, 24:188
Tragia, 30:389, 30:547, 30:549, 36:122
amblydonta, 23:297
betonicifolia, 27:312, 33:68
laciniata, 35:64, 35:72
nepetaefolia, 1:64, 6:101, 29:304, 35:67, 35:72
ramosa, 6:101, 14:342, 17:6, 17:7, 17:8, 35:72
stylaris, 21:316
urticaefolia, 4:57
urticifolia, 4:52, 7:169, 12:348, 29:326, 29:329
Tragia nepetaefolia var. leptophylla instead of var. ramosa (Euphorbiaceae), Lloyd H. Shinners, 6:101
Tragidion
annulatum, 24:605, 24:609
armatum, 32:491, 32:494
Tragoceras, 15:183
schiedeanum, 15:177
Tragopogon
dubius, 12:140, 25:336, 29:411, 30:439
porrifolius, 15:181
pratense, 14:342
pratensis, 17:7, 24:550
Tragus berteronianus, 4:119, 21:314, 35:75
Tralaps, 12:262
Tramea, 15:101
carolina, 2:8, 2:14
lacerata, 2:8, 2:14, 4:132, 6:112
onusta, 2:8, 2:14, 6:112, 27:458
Trametes
campestris, 19:357
sepium, 19:357
Transfers from Andropogon to Bothriochloa (Gramineae), F. W. Gould, 3:212
Trap for capturing feral hogs and white-tailed deer, a modified box, William J. Foreyt and W. C. Glazener, 24:377–380
Trapp, Myra May, Range and natural history of the ringed salamander, Ambystoma annulatum Cope (Ambystomidae), 1:78–82
Traps to prevent the escape of small mammals, a modification of live, George A. Ruffner, George W. Bain, and Harold S. Colton, 22:151–153
Traunsteinera, 13:337
Trauth, Stanley E., *Ambystoma maculatum* (Ambystomatidae) in the diet of *Heterodon platyrhinos* (Colubridae) from northern Arkansas, 27:230
Trauth, Stanley E., and Gary R. Mullen, Additional observations on sarcophygid fly infestations of *Sceloporus undulatus* (Sauria: Iguanidae) egg clutches in Arkansas, 35:97–98
Trauth, Stanley E., Egg clutches of the Ouachita dusky salamander, *Desmognathus brimleyorum* (Caudata: Plethodontidae), collected in Arkansas during a summer drought, 33:234–236
Trauth, Stanley E., Michael E. Cartwright, and Walter E. Meshaka, Winter breeding in the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), from Arkansas, 34:145–146
Trauth, Stanley E., Natural nests and egg clutches of the Texas spotted whiptail, *Cnemidophorus gularis gularis* (Sauria: Teiidae), from north-central Texas, 32:279–281
Trauth, Stanley E., Nest, eggs and hatchlings of the Mediterranean gecko, *Hemidactylus turcicus* (Sauria: Gekkonidae), from Texas, 30:309–310
Trauth, Stanley E., Seasonal incidence and reproduction in the western slender grass lizard, *Ophisaurus attenuatus attenuatus* (Reptilia, Anguidae), in Arkansas, 29:271–275
Trauth, Stanley E., see Butterfield, Brian P., —
Trauth, Stanley E., see McAllister, Chris T., —
Trauth, Stanley E., see Walker, J. Martin, —
Trautman, Milton B., see Moore, George A., —
Traverella, 25:145, 25:147, 25:251, 25:253, 25:383, 28:190
presidiana, 25:142, 31:17
Treadwell, R. W., Distribution of the leopard lizard, *Crotaphytus wislizeni*, in Texas, 11:413
Trechispora
amianthina, 19:352
candidissima, 19:353
confinis, 19:353
farinacea, 19:353
mollusca, 19:353
pallidoaurantiaca, 19:353
subillagueata, 17:409, 17:420, 17:421
vaga, 19:353
Tree and ground nests of southern *Eutamias*, J. R. Callahan and D. Q. Estep, 27:234–238
Tree and shrub establishment and survival on sandy dredged material, James W. Webb and J. D. Dodd, 26:345–352
Tree nesting and maternal behavior of chipmunks, Harold E. Broadbooks, 22:153–155
Tree succession in the subalpine forest of the neo-volcanic range, south-central Mexico, R. I. Yeaton, A. Romero Manzanares, G. Vera Castillo, and S. Vielegas, 32:335–345
Tremactos floridanus, 21:14
Trematoda, 12:334–335, 17:104–105, 26:409–413, 29:363–365, 34:369–373
Trematodos de anfibios de Nuevo Leon, Mexico. I. *Langeronia jimenezi* nueva especie (Trematoda: Lecithodendriidae) en *Rana pipiens*, Francisco Iruegas-Buentello y Narciso Salinas-Lopez, 34:369–373
Trematodos de peces dulceacuicolas de Coahuila, Mexico I. *Quadripaludis luistoddi* gen. et sp. nov. (Trematoda: Hemiuridae) parasitos de ciclidos endemicos de Cuatro Cienegas, Fernando Jiménez G., Gerardo Guajardo M., y Carlos H. Briseño, 26:409–413
Trepobates, 23:554
inermis, 9:101
knighti, 9:101
subnitidus, 9:101
Treubaria, 24:157, 25:420
setigerum, 20:49, 22:310
Treviño, H. A., see Eads, R. B., —
Treviño-S., Carlos H., see Contreras-B., Armando J., —
Triachus, 10:1
Triaenodes, 23:382, 23:384
flavescens, 23:383
frontalis, 31:438
grisea, 31:438
injusta, 23:383
tarda, 31:438
Trianthema portulacastrum, 2:125, 35:70
Triarthra, 10:266
Triaspidis mimosarum, 17:402
Triatoma, 8:38–42
gerstaeckeri, 8:38, 8:40, 8:41
gerstakeri, 25:565
lecticularius, 8:41
neotomae, 8:38, 8:40, 8:41
protracta, 8:41
rubida, 8:41
sanguisuga, 8:38, 8:40, 8:41, 25:565
uhleri, 25:565
Triatoma (Hemiptera: Reduviidae) infected with *Trypanosoma cruzi* in South Texas wood rat dens, R. B. Eads, H. A. Trevino, and E. G. Campos, 8:38–42

Tribe Hedysareae, subtribe Stylosanthinae (Leguminosae), of Central America and Mexico, Robert H. Mohlenbrock, 7:29–40
Tribelos, 23:140
Tribonema, 9:168, 24:162, 25:420
affine, 24:158, 24:160
minus, 24:158, 24:160
Tribulus terrestris, 2:164, 9:147, 9:148, 21:314, 21:316, 23:504, 25:322, 25:331, 25:336, 27:176, 35:74, 36:354
Trichachne
californica, 1:62, 8:187, 8:188, 10:37, 22:342, 25:444, 35:74
hitchcockii, 8:187
insularis, 4:117
patens, 5:8
Trichaurus, 2:50
aucherianus, 2:66
Trichechus manatus, 18:453
Trichia
affinis, 10:223
botrytis, 16:144
favoginea, 10:223
persimilis, 10:223
Trichiaceae, 10:223, 16:143, 23:690
Trichiurus
elatoris, 35:111
lepturus, 28:262, 28:267
Trichloris
crinita, 8:186
mendocina, 10:48, 10:53, 10:54
pluriflora, 4:118, 5:9, 24:298, 28:242
Trichobaris
mucorea, 8:55
texana, 8:55
trinotata, 8:55
Trichobilharzia elvae, 27:244
Trichobius, 20:243
corynorhini, 20:241, 20:245, 20:246, 20:249
leionotus, 32:505
major, 4:62–64, 12:267, 20:241, 20:245, 26:429–430, 27:356–357, 30:405–412, 31:126–129
sphaeronotus, 20:241, 20:244, 20:248
Trichocerca, 17:244, 17:247, 21:254
longiseta, 21:465
multicrinus, 21:465
similis, 21:465, 23:636
Trichocereus thelegonus, 30:78
Trichochrus, 32:151
Trichocladius, 23:140
Trichocorixa
calva, 9:100, 14:237
kanza, 9:100
macroceps, 9:100
Trichodectidae, 32:7
Trichoderma, 27:19, 32:133
viride, 27:18
Trichodes ornatus, 28:475
Tricholbilharzia
physellae, 27:244
Tricholoma
columbertta, 29:264
dicorum, 8:202
sejunctum, 29:264
Tricholomataceae, 29:257, 29:260, 29:261, 29:263
Tricholomopsis platyphylla, 29:264
Trichomanes petersii, 30:463–464
Trichomanes petersii (Hymenophyllaceae) in an abandoned mine in the Ouachita Mountains of Arkansas, James H. Peck, 30:463–464
Trichomonas gallinae, 25:559
Trichoneura elegans, 23:506, 25:322, 35:388, 35:390
Trichoniscidae, 12:258, 29:310
Trichoplusia ni, 36:51
Trichopoda pennipes, 35:20
Trichopsylla ironsi, 35:310
Trichoptera, 23:381–388, 23:533–536, 25:453–460, 28:353–356, 28:413–415, 31:421–457
Trichorythodes, 28:35, 28:39
Trichostema arizonicum, 30:389, 35:66, 35:72
Trichostomopsis
brevifolia, 3:117
fayae, 1:118, 3:117
Trichostomum crispulum, 1:118
Trichostrongylus, 23:404
ransomi, 21:331
Trichuridea, 22:361
Trichurus lepturus, 20:463
Tricladida, 19:387–394, 24:141–148, 26:207–208
Tricornyus gibbulus, 28:477
Tricorynus gibbulus, 28:474
Tricorythidae, 25:251, 31:17, 34:253, 35:253
Tricorythodes, 8:136, 25:142, 25:147, 25:149, 25:251, 25:253, 25:381, 25:383, 25:550, 28:190, 31:252, 33:178, 33:181, 33:182, 34:480, 36:161, 36:162, 36:164, 36:166, 36:167
minutus, 28:130–132, 28:134
texanus, 31:17
Tridachiella diomedea, 18:165–168
Tridactylidae, 26:156, 32:396
Tridactylus, 26:156
Tridax, 16:373
balbisioides, 15:177, 15:182
bicolor, 15:178
bilabiata, 8:178
candidissima, 11:119
mexicana, 8:177, 15:178
peruviensis, 8:178
petrophila, 15:175, 15:178, 15:182, 15:183
procumbens, 9:34, 15:178, 16:379
Tridens, 22:551, 30:543, 34:428
albescens, 10:50, 23:316, 23:319, 31:495–497, 31:499, 36:354, 36:364
buckleyanus, 14:259
elongatus, 4:51, 4:52, 4:56, 5:9, 24:433, 24:435
eragrostoides, 5:9
flavus, 2:159, 7:169, 12:349, 24:434
muticus, 4:119, 10:50, 13:343, 14:258–259, 16:393, 16:397, 22:342, 22:552, 26:282, 30:389, 32:191, 35:64, 35:75
pilosa, 14:352, 16:272, 16:276
pilosus, 2:159, 4:51, 4:56, 4:119, 5:9, 27:329
pulchella, 16:6, 17:339
pulchellus, 10:260, 16:393, 16:397, 20:574, 21:282, 25:131, 27:413, 31:36, 36:89
strictus, 7:169, 29:326
Tridens muticus (Torrey) Nash *forma effusus* M. C. Johnston (Gramineae), form. nov., Marshall C. Johnston, 14:258–259
Trideus pilosa, 16:273
Trielis, 32:357–362
octomaculata, 32:360
pollenifera, 32:360
Trieminentia corderoi, 27:287
Trifolium, 12:153, 12:214, 12:324, 27:117, 27:118, 27:176, 32:395
amabile, 12:154
amabili, 27:362
arvense, 31:369
dasyphyllum, 20:426
nanum, 20:430
parryi, 20:430
repens, 1:122, 12:209, 29:182, 29:185
Trigaster tolteca, 15:267
Triglochin concinna, 15:120
Trigona testacea, 32:313–319
Trigonictis, 32:238, 32:239
Trigonobalanus, 11:73
Trigonospermum, 9:36
floribundum, 9:31
Trigonura, 33:276, 33:282
Triletes trianulatus, 17:405, 17:406
Trimble, R. E., see Thorton, W. A., —
Trimerorachis, 31:485, 31:489
Trimerotropis, 21:52, 28:149
pallidipennis, 27:200, 27:203, 27:205
Trimorphodon
biscutatus, 26:267, 26:272, 27:163, 27:321–324, 33:488–490, 35:274, 35:278, 36:99, 36:103
lambda, 2:19, 2:24, 4:42–43, 8:175–177, 11:134, 12:186
latifascia, 2:19, 2:23
paucimaculatus, 2:23
tau, 2:19, 2:24, 16:229, 27:323
vilkinsoni, 3:33, 3:51, 8:175–177, 10:170
Trinectes
fonsecensis, 32:232, 35:45, 35:46
maculatus, 2:95
Tringa
flavipes, 36:110
melanoleuca, 7:257, 36:110
solitaria, 36:110
Triodanis, 10:244

biflora, 10:241, 23:321
coloradoensis, 10:241
falcata, 10:242, 10:245
holzingeri, 10:242, 25:335, 35:71
lamprosperma, 10:242
leptocarpa, 10:242
perfoliata, 10:242, 18:342, 35:71
texana, 10:242
Triodia pilosa, 18:418, 18:441
Triodopsis
cragini, 16:318
devista, 27:239
divesta, 16:318
Trionychidae, 23:459
Trionyx, 21:10
ferox, 1:182
mutica, 1:182
muticus, 12:487, 19:21, 19:23, 19:36, 19:40–42, 23:459, 29:345–347
sinensis, 23:459
spinifer, 8:221, 11:132, 24:2
spinifera, 3:31, 3:38
spiniferus, 13:106–107, 19:21, 19:23, 19:30, 19:35–37, 19:40, 19:42–45, 23:459, 29:345–347, 29:350
Trionyx muticus muticus in the Texas Panhandle, Bryce C. Brown, 12:487
Trionyx spiniferus emoryi in New Mexico, a northern range extension for, William S. Brown, 13:106–107
Trionyx steindachneri, 23:459
Triops, 20:578, 22:205
longicaudatus, 12:383, 12:386, 12:391, 12:392, 12:398, 12:402, 12:384, 16:304, 20:577, 22:206, 32:74, 35:393–395, 35:399, 35:400
Triorophus, 32:386
subpubescens, 18:308, 18:311
Triphora trianthophora, 18:341
Triplasis purpurea, 2:159, 23:506, 25:315, 25:327
Triplax
flavicollis, 10:73, 10:74
frontalis, 10:74
thoracica, 10:74
Triplett, James R., see Bass, J. Carl, —
Triplett, James R., see Drenner, Ray W., —
Tripogon spicatus, 5:9
Triprion, 32:75
petasatus, 32:80, 34:155
spatulatus, 32:80
Tripsacum
dactyloides, 2:159, 4:118, 5:8, 8:188, 10:52, 12:349, 29:321, 29:324, 29:326, 29:329, 29:330
lanceolatum, 12:70, 12:71, 12:80, 12:82, 16:374
pilosum, 12:71, 12:80
Trirhabda, 32:386
geminata, 28:475
Triscolia, 32:357–362
ardens, 32:357, 32:361
Trisetum, 28:462
deyeuxioides, 12:80
fourneiranum, 12:80
interruptum, 4:116, 22:551, 25:279, 35:66, 35:75
spicatum, 12:80, 20:435
viride, 12:80
virletii, 12:79
Trisiola paniculata, 11:373
Trissocladius, 23:140
Trithyerus
bagnalli, 17:156
belkini, 17:153, 17:155, 17:156, 17:158, 17:159
borregoensis, 17:153, 17:155, 17:156, 17:159
joshuensis, 17:153–156, 17:159
pentapeltis, 17:153–156, 17:159
wessoni, 17:154, 17:155, 17:159
Triticeae, 22:389–391
Triticum, 4:121
aestivum, 12:78, 12:80, 12:82, 13:161, 14:181, 24:373, 24:374, 28:336, 31:37
Tritigonia verrucosa, 27:360, 27:361
Tritirachium, 27:18
Tritogonia verrucosa, 22:241, 22:248, 22:249, 27:350
Tritoma
atriventris, 10:74
humeralis, 10:73, 10:74
pulcher, 10:73, 10:74
Triturachium, 24:368
Triturus, 15:245
viridescens, 15:245
Triunila, 11:372
Trixis californica, 15:181, 22:340, 22:342, 23:296, 35:71
Trizaka signata, 25:455, 35:130–134
Trlica, M. J., see Daddy, F., —
Trlica, M. J., see Moir, W. H., —
Trlica, M. J., see Orodho, Apollo B., —
Trochilidae, 4:81, 22:285, 35:76
Trochiscia
granulata, 23:437
reticularis, 11:198
Trochosa, 11:355, 30:121
avara, 29:231
gosiuta, 11:357
shenandoa, 30:4
terricola, 21:43
Trochospongilla
horrida, 16:434
leidyi, 16:434, 22:140
Trocosa
avara, 11:357
cinerea, 11:357
pratensis, 11:357
shenandoo, 11:357
Troeger, W. W., and A. Olness, Plant development and sequence in artificial ponds with or without phosphorus-enriched sediments, 25:411–423
Troeger, W. W., Survey of algae in farm ponds in Bryan County, Oklahoma, 23:51–61
Troeger, William W., Colonization of benthic diatoms in a new farm pond and its feeder creek, 28:244–248
Trogidae, 23:565, 23:566, 23:568–572, 23:575, 26:431
Troglichthys, 1:19, 1:22
rosae, 28:473
Trogloderus costatus, 28:477
Troglodytes
aedon, 18:195, 22:369, 22:371, 25:561, 34:490
bewickii, 36:100
domesticus, 36:100, 36:103
Troglodytidae, 4:81, 31:111–114, 36:100
Trogloglanis pattersoni, 2:101, 6:55–64
Trogoderma, 28:475, 33:276, 33:282
Trogon
citreolus, 4:69
collaris, 4:69
elegans, 7:258, 18:195, 18:197, 18:199
massena, 4:69
violaceous, 4:69
Trogonidae, 4:81
Trogositidae, 27:26
Trollius laxus, 20:432
Trombicula, 4:62–64, 10:18, 12:262
alfreddugesi, 5:105, 5:106, 10:313
allredi, 10:17
merrihewi, 15:444
ornata, 15:438
texana, 20:251
univari, 20:252
Trombiculidae, 10:17, 10:18, 12:262, 15:437–458, 20:241, 20:244–247, 20:252, 21:278, 21:301–309, 35:113, 36:114, 36:115
Trombidiidae, 15:321, 15:323
Trophic relations and functional group composition of benthic insects in three cold desert streams, William L. Gaines, Colbert E. Cushing, and Stamford D. Smith, 34:478–482
Trophis racemosa, 32:363
Tropical brown bat, *Eptesicus furinalis*, northernmost record of the, Robert R. Hollander and J. Knox Jones, Jr., 33:100
Tropical fishes into southern Nevada, additional introductions of, Clark Hubbs and James E. Deacon, 9:249–251
Tropicorbis orbiculus, 14:372
Tropidoclonion lineatum, 5:227, 6:201, 21:403
Tropidodipsas
fasciata, 6:197–198, 16:124
sartori, 16:229
Tropidodipsas fasciata fasciata (Colubridae) from Tamaulipas, Mexico, another, Morris K. Jackson, 16:124
Tropidolophus formosus, 27:200, 27:203, 27:205, 27:206

Tropidonotus piscator, 20:541
Tropidurus theresiae, 18:286
Tropisternus, 23:555, 30:603, 31:521, 31: 522, 31:524, 32:289
lateralis, 12:372, 12:383, 12:388, 14: 238, 14:243, 26:157, 28:475, 31:523
mexicanus, 24:196
Tropisurus
confusa, 17:201
grusi, 17:201
Tropocyclops
parasinus, 14:324
prasinus, 4:189, 4:191, 22:417, 23:169
Trosset, Michael W., see Brown, Bryan T., —
Trotter, M. Wilkinson, see Jackson, Crawford G., Jr., —
Trox
atrox, 28:476
suberosus, 26:431
Truncilla
donaciformis, 22:241, 22:242, 22:245, 22:249, 22:250, 27:360, 27:361, 29: 233
truncata, 27:350, 27:360, 27:361, 29: 233
Trunk vs. ground feeding in cactus wrens (*Campylorhynchus brunneicapillus*, Troglodytidae), Kathleen C. Parker, 31:111–114
Tryngites subruficollis, 36:108
Tryonia, 20:105, 20:107, 20:108
Trypanosoma, 25:559
cruzi, 8:38–42, 25:565–566
Tryphosa pinguis, 29:362, 29:363
Trypoxolon
punctivertex, 29:442
politum, 31:134
Tsang, Hing Shya, see Powell, A. Michael, —
Tubbs, H. Wayne, see Goertz, John W., —
Tubifera, 12:384, 12:388
ferruginosa, 10:222
Tubifex, 14:224, 14:226, 14:237, 14:241, 14:242, 25:111
templetoni, 14:231, 14:239, 23:139
tubifex, 23:139, 26:307–310, 28:130
Tubificidae, 24:509, 25:253, 25:264, 25: 548, 26:307
Tubulicrinis
glebulosus, 19:353
propinquus, 19:353
subulatus, 19:353
Tuchius, 28:467
Tucker, Gordon C., The correct name for *Cyperus cayennensis* (*C. flavus*), Cyperaceae, 30:607–608
Tucker, J. M., and J. R. Maze, Bur oak (Quercus macrocarpa) in New Mexico?, 11:402–405
Tucker, John M., A range extension for the Chihuahua pine in New Mexico, 5:226
Tucker, John M., see Erdman, James, —
Tuff, Donald W., An anomalous wing in a male doryline ant *Labidus coecus* (Latreille), (Hymenoptera: Formicidae), 19:449–452
Tuff, Donald W., New distributional record for *Chelonarium lecontei* Thomson (Coleoptera: Chelonariidae), 19:437–439
Tuff, Donald W., see Bosse, Linda S., —
Tui chub (Osteichthyes: Cyprinidae) from Guano Basin, Nevada and Oregon, a new subspecies of, Jack E. Williams and Carl E. Bond, 26:223–230
Tullgrenius, 20:231, 20:236
Tumlison, C. Renn, see Paige, Ken N., —
Tumlison, Renn, Alan D. Price, and John K. Beadles, Multiple lenses in the eye of a largemouth bass, 30:147–148
Tumlison, Renn, An annotated key to the dorsal guard hairs of Arkansas game mammals and furbearers, 28:315–323
Tumlison, Renn, and Jim Gann, Distribution of the spotted racer (*Coluber constrictor anthicus*) in Arkansas, 33: 500–501
Tumlison, Renn, J. D. Wilhide, and V. Rick McDaniel, Supernumerary dentition in carnivores from Arkansas, 30:450–451
Tumlison, Renn, V. Rick McDaniel, and Daniel R. England, Eastern harvest mouse, *Reithrodontomys humulis*, in Arkansas, 33:105–106
Turbellaria, 19:387–394, 25:469–477
Turdidae, 4:81
Turdus
grayi, 4:75, 36:362
migratorius, 15:359, 15:365, 22:369, 25: 462, 29:473, 34:490
Turkowski, Frank J., and Carl K. Brown, Notes on distribution of the desert shrew, *Notiosorex crawfordi* (Coues), 14:128
Turkowski, Frank J., and Hudson G. Reynolds, Response of some rodent populations to pinyon-juniper reduction on the Kaibab Plateau, Arizona, 15:23–27
Turkowski, Frank J., and William S. Parker, Albino round-tailed ground squirrel in Arizona, 12:197–198
Turnbill, Christina L., Andrew J. Beattie, and Frances M. Hanzawa, Seed dispersal by ants in the Rocky Mountains, 28:289–293
Turner, B. L., A gypsophilic species of *Helianthella*. (Asteraceae, Heliantheae) from northeastern Mexico, 22: 553–554
Turner, B. L., A new species of *Ageratina* (Asteraceae-Eupatorieae) from southern Mexico, 29:57–58
Turner, B. L., A new species of *Gaillardia* (Asteraceae-Heliantheae) from northcentral Mexico and adjacent Texas, 21:539–541
Turner, B. L., and D. S. Fearing, A taxonomic study of the genus Amphicarpaea (Leguminosae), 9:207–218
Turner, B. L., and M. C. Johnston, Chromosome numbers and geographic distribution of Lindheimera, Engelmannia, and Berlandiera (Compositae-Heliantheae-Melamponinae), 1:125–132
Turner, B. L., and R. M. King, Chromosome numbers in the Compositae. VIII. Mexican and Central American species, 9:27–39
Turner, B. L., *Aster gypsophila* (Compositae), a new endemic gypsophile from north-central Mexico, 19:123–126
Turner, B. L., *Gaillardia aestivalis* var. *winkleri* (Asteraceae), a white-flowered tetraploid taxon endemic to southeastern Texas, 24:621–624
Turner, B. L., John Bacon, and Thomas Wendt, Chromosomes and phyletic position of *Aster sonorae* Gray (Asteraceae-Sect. Oxytripolium), 19: 361–364
Turner, B. L., Karyotype of *Xylorhiza wrightii* Gray (Compositae), 9:315
Turner, B. L., Meiotic chromosome numbers in Texas species of the genus *Coreopsis* (Compositae-Heliantheae), 5:12–15
Turner, B. L., New taxa in *Verbesina* (sect. *verbesinaria*) from north-central Mexico, 27:345–346
Turner, B. L., reviews by, 1:47–48, 3: 243–245, 20:149, 22:407
Turner, B. L., Taxonomy of Eutetras (Compositae–Helenieae), 11:118–122
Turner, B. L., Two new gypsophilous species of *Gaillardia* (Compositae) from northcentral Mexico, 17:181–190
Turner, B. L., Taxonomy of *Stenocarpha* (Compositae-Heliantheae-Galinsoginae), 10:238–240
Turner, B. L., see Higgins, Larry, —
Turner, Bruce J., and Robert K. Liu, Xanthic variants in a natural population of the Salt Creek pupfish, Cyprinodon salinus, 22:538–540
Turner, Dennis E., The vampire bat (rev.), 21:415–416
Turner, Frederick B., Philip A. Medica, Joseph R. Lannom, Jr., and Gerard A. Hoddenbach, A demographic

analysis of fenced populations of the whiptail lizard, *Cnemidophorus tigris*, in southern Nevada, 14:189–202
Turner, Frederick B., see Rowland, Richard H., —
Turner, Hugh M., Distribution of *Allocorrigia filiformis* (Trematoda: Dicrocoeliidae) a parasite of red swamp crayfish in South Louisiana, 29:363–365
Turner, Ronald W., and J. Knox Jones, Jr., Additional notes on bats from western South Dakota, 13:444–447
Turnera diffusa, 36:77
Turneraceae, 36:77
Turpinia, 13:367
Turrill, W. B., see Marsden-Jones, E. M., —
Tursiops truncatus, 18:453, 18:459, 18:462, 28:282
Tussilago, 12:80
Two-phase pattern in mesquite-herbland vegetation in southern New Mexico, Zahoorul Hague, Amade Younga, Kirk C. McDaniel, and Rex D. Pieper, 36:54–59
Tychius, 28:466, 28:468
  sulcatulus, 20:303
Tydeidae, 28:419, 28:425, 29:239–241, 35:280
Tyler, Jack D., A case of swimming in *Terrapene carolina* (Testudines: Emydidae), 24:189–190
Tyler, Jack D., A xanthochroistic gar in Oklahoma, 35:225
Tyler, Jack D., and A. R. Gilliland, Status of *Notiosorex crawfordi* in Oklahoma, and new distributional records, 24:375–376
Tyler, Jack D., and Henry N. Buscher, Notes on a population of larval *Ambystoma tigrinum* (Ambystomatidae) from Cimarron County, Oklahoma, 25:391–395
Tyler, Jack D., and Lloyd Payne, Second Oklahoma record for the silver-haired bat, Lasionycteris noctivagans, 27:245
Tyler, Jack D., and Louis E. McGee, Albino lined snake (*Tropidoclonion lineatum*) from southwestern Oklahoma, 21:403
Tyler, Jack D., and Roger D. Hoestenbach, Jr., Differences in food of bullfrogs (*Rana catesbeiana*) from pond and stream habitats in southwestern Oklahoma, 24:33–38
Tyler, Jack D., Coachwhip preys on horned lizard, 22:146
Tyler, Jack D., Cyanistic bullfrog from southwestern Oklahoma, 27:218
Tyler, Jack D., Notes on burrowing owl (*Athene cunicularia*) food habits in Oklahoma, 28:100–102
Tyler, Jack D., see Parmley, Dennis C., —
Tyler, Jack D., see Stewart, Bruce G., —
Tyletelmis mila, 24:197
Tylomys, 33:398
  nudicaudus, 29:512, 29:514
Tylos, 20:481, 20:483
Tympanuchus
  cupido, 9:1, 9:3, 9:4, 9:305–306, 17:296, 21:239, 23:591–596, 24:707
  pallidicinctus, 9:1–5, 9:111–117, 21:238–240, 23:591–596, 24:706–707, 25:124, 28:381
Tynomma, 34:383
Typa angustifolia, 24:434
Type locality of *Dipodomys ordii richardsoni*, the, Bryan P. Glass, 15:497–499
Type specimens in the zoological collections of the Stovall Museum of Science and History, Harley P. Brown and William D. Shepard, 24:195–197
Typha, 1:58, 4:186, 8:93, 9:42, 11:352, 11:396, 13:119, 13:124, 15:408, 19:115, 21:131, 21:154–159, 23:52, 23:104, 25:261, 25:319, 25:379, 25:401–403, 25:405, 25:535, 26:59, 26:60, 27:34, 27:461, 28:229, 30:478, 33:169, 33:171, 35:186, 35:250
  angustifolia, 1:66, 15:408, 30:601
  domingenesis, 20:217
  domingensis, 2:156, 15:408, 21:403, 23:507, 25:317, 25:400, 26:232, 26:418, 33:170, 33:173, 33:175, 35:64, 35:75
  latifolia, 1:57, 1:66, 14:179, 21:152, 22:353, 22:354, 27:433, 30:336, 33:170, 33:173, 33:175, 34:478
  truxillensis, 15:408
Typhaceae, 1:66, 2:156, 15:408, 23:507, 33:175, 35:75
Typhaea stercorea, 28:476
Typhlichthys subterraneus, 1:16–26, 26:67, 28:471–473, 30:202, 30:205
Typhlichthys subterraneus (Pisces: Amblyopsidae) from Arkansas, a second record of, Ken N. Paige, C. Renn Tumlison, and V. Rick McDaniel, 26:67
Typhlomolge
  rathbuni, 1:178, 6:28, 33:124–126, 34:170
  robusta, 34:170
Typhlonectes compressicauda, 28:267
Typhlopidae, 17:365, 27:229
Typhloplanidae, 23:554
Typhlops, 27:229
  braminus, 17:365
  costaricensis, 33:499–500
Typhlops costaricensis Jiménez and Savage: an addition to the snake fauna of Honduras, Larry David Wilson, Gustavo A. Cruz Díaz, Efrain Villeda, and Saul Flores, 33:499–500
Typhlotriton, 1:185
  spelaeus, 1:177, 1:181, 1:184, 14:366, 27:367–368, 28:100, 28:272
Typhus, 21:38
Typocerus serraticornus, 28:474
Tyrannidae, 2:31, 4:80
Tyrannochelifer floridanus, 20:26
Tyrannus, 2:31
  crassirostris, 12:332, 12:485–486
  curvirostre, 29:507, 29:508
  forficatus, 29:507, 29:508
  melancholicus, 4:73, 12:332, 18:195
  tyrannus, 25:553, 34:495
  verticalis, 2:31, 16:20, 22:369, 22:370, 23:704–705, 25:553, 26:254, 28:155, 29:473, 29:507, 29:508
Tyrl, Ronald J., Fathi B. Erteeb, Joe L. Bruner, Wayland L. Ezell, James R. Estes, and Bruce Grummer, A biosystematic study of the relationship of *Nama hispidum* and *Nama stevensii* (Hydrophyllaceae), 29:367–375
Tyrl, Ronald J., Gathering of *Ipomopsis rubra* (Polemoniaceae) nectar by *Bombus* (Apidae), 23:153–154
Tyromyces
  balsameus, 19:357
  caesius, 19:357
  fragilis, 19:357
  immitis, 19:358
  mollis, 19:357
  subcartilagineus, 19:358
Tyto alba, 5:99, 5:194–200, 14:163–170, 15:218, 16:448, 17:74, 17:145, 22:276, 23:305, 24:375, 26:202–204, 29:456, 30:271, 32:402–403, 33:377–378, 34:142–144, 36:343–347
Tyus, Harold M., and Catherine A. Karp, Spawning and movements of razorback sucker, *Xyrauchen texanus*, in the Green River Basin of Colorado and Utah, 35:427–433
Tyus, Harold M., and Charles W. McAda, Migration, movements and habitat preferences of Colorado squawfish, *Ptychocheilus lucius*, in the Green, White and Yampa rivers, Colorado and Utah, 29:289–299
Tyus, Harold M., and Neil J. Nikirk, Abundance, growth, and diet of channel catfish, *Ictalurus punctatus*, in the Green and Yampa rivers, Colorado and Utah, 35:188–198
Tyus, Harold M., see Pimental, Richard, —

Uca
  crenulata, 35:239
  minax, 30:148

princeps, 35:239
pugnax, 30:148
spinicarpa, 30:148
Uca minax LeConte (Ocypodidae) in Texas, a confirmation of the occurrence of, Don S. Mace, Jr., and Leon McGraw, Jr., 30:148
Ueckert, D. N., see Whisenant, S. G., —
Uenoidae, 31:452
Uintasorex parvulus, 22:487, 22:491, 22:492
Ulmaceae, 1:63, 2:160, 11:211–216, 13:383, 18:436, 18:438, 18:441, 23:298, 25:328, 35:74
Ulmnus, 15:152
Ulmus, 9:81, 14:108, 14:109, 16:322, 18:439, 18:445, 18:446, 19:164, 19:432, 20:333, 20:373, 27:241, 28:63, 29:82, 29:332, 29:435, 30:462
alata, 6:181, 8:115, 10:43, 12:345, 20:323, 20:325, 20:328, 20:334, 21:480, 21:482, 21:483, 27:57–59, 29:83, 29:85, 30:597, 32:273, 35:435, 35:437, 36:172
americana, 1:145, 10:43, 10:143, 12:136, 12:137, 12:346, 13:242, 14:329, 15:282, 16:321, 18:444, 19:155, 19:158–161, 19:441, 20:325, 20:328, 20:334, 21:480, 21:482, 21:483, 24:81, 24:225, 24:388, 24:434, 25:70, 25:207, 25:210–212, 25:328, 27:385, 27:425, 27:428, 27:429, 28:252, 28:254, 28:258, 29:83, 31:512, 32:273
americanus, 14:134–136, 25:548
carpinifolia, 16:327
crassifolia, 9:164, 14:431, 15:285, 18:437, 18:441, 20:334, 21:242, 21:475, 21:480, 21:481, 24:165, 24:168, 24:170–172, 24:688, 26:184, 27:310, 27:311, 27:385, 29:83, 30:398–400, 30:567, 31:260, 33:324, 33:365, 36:172, 36:215
fulva, 13:242, 18:437, 18:441, 19:163
parrifolia, 28:258
parvifolia, 18:437, 18:438, 18:441, 20:328
pumila, 2:160, 19:163, 28:83, 28:87, 28:336
rubra, 10:43, 19:163, 27:428, 27:429, 29:357, 32:306, 33:324
Uloboridae, 11:340, 12:261, 30:2, 30:3
Uloborus
americana, 11:340
americanus, 12:261
glomosus, 11:340, 30:2, 30:3, 33:216
Ulocladium, 24:368, 32:133
botrytis, 27:18
Ulosonia marginata, 32:491
Ulothrix, 8:232, 10:188–210, 10:263, 10:266, 10:269, 10:272, 25:243
subtilissima, 23:441
tenerrima, 23:441
tenuissima, 24:157
zonata, 23:441
Ulotrichacea, 11:197
Ulotrichales, 17:311–312
Ultrastructure of the infraorbital and preoperculomandibular canal neuromasts of the silverjaw minnow, *Ericymba buccata* (Pisces: Cyprinidae), J. Katherine Ingram and Harley W. Reno, 20:445–459
Ulums alata, 21:235
Ulvaceae, 11:197
Uma
exsul, 3:97, 9:47
inornata, 27:223, 28:386, 32:107, 36:366
notata, 23:48, 27:223, 28:386, 30:616, 32:107, 34:523–525, 36:366
scoparia, 23:48, 36:366
Umbellata, 23:304
Umbelliferae, 2:166, 4:58, 4:155, 5:48, 18:325, 18:369, 19:71, 20:433, 22:37, 23:504, 24:295, 25:332, 28:290, 33:175, 36:124
Umbellularia, 28:48
californica, 18:438, 18:442
Umbra limi, 11:311, 28:371, 28:372
Umbrellularis californica, 18:432
Ummidia, 30:6
Una nueva especie de *Berberis* (Berberidaceae), para los estados de Queretaro e Hidalgo, Mexico, Sergio Zamudio-Ruiz y Jorge S. Marroquin, 32:483–487
Unaspis, 18:428
euonymi, 17:399–401, 18:430, 18:433–436
nakayamai, 17:399
Unbellularia californica, 18:438
Understory vegetation to cutting treatments and habitat factors in an East Texas pine-hardwood type, the relation of, Joseph L. Schuster, 12:339–364
Underwood, Harold T., and Norman O. Dronen, Jr., Endohelminths of fishes from the upper San Marcos River, Texas, 29:377–385
Underwood, Harold T., James G. Owen, and Mark D. Engstrom, Endohelminths of three species of *Oryzomys* (Rodentia: Cricetidae) from San Luis Potosí, Mexico, 31:410–411
Underwood, Harold T., see Dronen, Norman O., Jr., —
Unexplained aggregations of carabid beetles, Arthur N. Bragg and Lois Brandt, 9:40–41
Ungnadia, 16:115
speciosa, 3:30, 24:132, 24:169, 24:171, 25:366
Unilateral eye deficiency in *Catostomus luxatus*, a, Branley A. Branson, 6:198–199
Unio
orbiculatus, 27:351
retusus, 27:351
Uniola, 11:145–189, 11:372–394, 11:415–455
bipinnata, 11:391
borbonica, 11:391
calycibus, 11:391
capensis, 11:391
ciliata, 11:391
condensata, 11:145–189, 11:382, 11:383, 11:389–391
distichophylla, 11:391
effusa, 11:391
flexuosa, 11:391
floridana, 11:373, 11:377
gracilis, 11:391, 11:433, 11:440
heterochroa, 11:373, 11:377
indica, 11:391
intermedia, 11:391, 11:450
jardini, 11:391
lappacea, 11:391
latifolia, 4:119, 10:50, 10:52, 11:145–189, 11:393, 11:416, 11:425, 11:427
laxa, 11:145–189, 11:393, 11:432, 11:440, 11:441
longifolia, 11:393, 11:432
lucens, 11:393
lugens, 11:393
macrostachys, 11:373, 11:377
maritima, 11:372, 11:373
mucronata, 11:393
mulleri, 11:393
multiflora, 11:393
nitida, 11:145–189, 11:393, 11:432, 11:448, 11:453, 11:454
ornithorhyncha, 11:145–189, 11:393, 11:443, 11:445, 11:447
palmeri, 11:393
paniculata, 11:145–189, 11:372, 11:373, 11:376–378, 11:380, 11:383, 11:390, 11:391, 22:36, 22:38–42, 22:44, 22:46, 23:506, 25:316, 26:117–123, 28:365–368, 36:123, 36:124
pittieri, 11:145–189, 11:372, 11:373, 11:376, 11:377, 11:380, 11:381, 11:383, 11:391
prostrata, 11:393
pungens, 11:393
racemiflora, 11:383, 11:384
scoparia, 11:393
sessiliflora, 11:145–189, 11:393, 11:426, 11:432, 11:434, 11:441, 13:373
simplex, 11:393
sparta, 11:384
spicata, 11:393
stricta, 11:393
thalassica, 11:393
uniflora, 11:393, 11:433, 11:441
virgata, 11:145–189, 11:382–384, 11:393, 11:433
Uniomerus tetralasmus, 14:239, 14:246, 27:350
Unione glumarum, 11:377
Unionicola, 23:554
Unionicolidae, 23:554

Unionid fauna of Ft. Gibson Reservoir and the Grand (Neosho) River in Oklahoma: comments on a proposed increase in water level, the, William D. Shepard and Alan P. Covich, 27: 359–361
Unionidae, 23:140, 27:350, 29:233–234
Unmidia, 11:369
Uno, Gordon E., The role of persistent sepals in the reproductive biology of *Linum pratense* (Linacae), 29:429–433
Unruh, Thomas R., see Hawkins, Bradford A., —
Unzicker, John D., see Herrmann, Scott J., —
Upland plover at Big Bend National Park, Texas, Roland H. Wauer, 14:361–362
Uramaelmis uenoi, 24:197
Urananthus
chironioides, 2:40
glaucifolius, 2:39, 2:40
russellianus, 2:41
Uranotaenia, 23:555
anhydor, 12:375
Uravan, 28:161
Urbaniak, Sandra, and Walter G. Whitford, Decomposition rates of various quantities of buried litter in a desert, 28:111–112
Urbano-Vidales, Guillermina, Oscar Sánchez-Herrera, Guadalupe Téllez-Girón, and Rodrigo A. Medellín L., Additional records of Mexican mammals, 32:134–137
Urbano-Vidales, Guillermina, see Medellín, Rodrigo A., —
Urbatsch, Lowell E., First chromosome number reports for some Compositae, 20:283–285
Urbinella palmeri, 3:219
Uredinales, 8:181–195, 10:35–38, 12:70–86, 12:146–155, 16:357–386, 18:73–77
Uredinales of the Big Bend area of Texas, additional, George B. Cummins, 10: 35–38
Uredinales of the Big Bend National Park and adjacent areas of Texas, George B. Cummins, 8:181–195
Uredinales on Mexican Gramineae, the, George B. Cummins, 12:70–86
Uredo
egenula, 8:193, 12:85
hypoxidis, 12:148
ignava, 12:86
mexicana, 8:193
pallida, 12:71
suspecta, 16:369
Urgleptes celtis, 27:26
Uribe-Alcocer, Manuel, Fernando A. Cervantes, Consuelo Lorenzo-Monterrubio, and Lourdes Guerena-Gandara, Karyotype of the tropical hare (*Lepus flavigularis*, Leporidae), 34:304–306
Uritica dioica, 29:254
Urnatella gracilis, 12:203, 20:171–176, 26: 201
Urnatella gracilis Leidy (Entoprocta) new to Oklahoma, Richard C. Harrel and Charles S. Wallis, Jr., 12:203
Urness, Philip J., see Watkins, Ross K., —
Urochloa
mosambecensis, 10:50
mosambicensis, 4:117
panicoides, 25:280
Urocleidus
acer, 12:334, 16:285, 16:289
acuminatus, 12:334, 16:285, 16:287
attenuatus, 12:334, 16:285, 16:289
chaenobryttus, 16:285, 16:289
cyanellus, 12:334, 16:285, 16:287
dispar, 12:334
ferox, 12:334, 16:285, 16:287
fundulus, 16:285, 16:289
grandis, 12:334, 16:285, 16:289
principalis, 12:334, 16:285, 16:287
seculus, 16:285, 16:289
torquatus, 12:334
variabilis, 16:285, 16:289
wadei, 16:285, 16:289
Urocoptidae, 9:103, 19:53, 24:691
Uroctonus mordax, 25:522
Urocyon, 16:160
cinereoargenteus, 4:33, 5:71–74, 6:23, 7:240, 9:108–109, 10:140, 11:143–144, 13:19, 13:362–364, 14:451, 20: 499, 21:10, 21:13, 21:14, 21:413, 22: 405, 23:565, 23:571, 25:36, 26:279, 26:335, 28:318, 28:320, 28:379, 29: 89, 30:225, 30:226, 30:450, 33:487
littoralis, 35:30
Urodela, 13:455–457
Uroderma, 12:407, 12:423, 12:425
bilobatum, 11:494, 12:414, 12:415, 12: 420, 12:427, 15:5, 24:542, 28:374, 31:533
magnirostrum, 24:542
Uroglenopsis, 23:60, 25:420
Uromyces, 12:146–155, 18:73–77
aegopogonis, 12:84
affinis, 12:148
antiguanus, 12:151
archerianus, 12:84
aritriphylli, 12:148
bauhiniicola, 12:151
beloperones, 12:146, 12:147
bidenticola, 12:149, 16:362, 16:365
bidentis, 16:363
bouvardiae, 12:155
bravensis, 8:181, 8:185, 8:193, 10:35, 10:38, 12:85
caryophyllinus, 12:148
celosiae, 12:148
cestri, 12:155
ciceris, 12:146, 12:147, 12:151
clignyi, 12:84
clitoriae, 12:152
collinus, 18:73, 18:76
cologaniae, 12:152
columbianus, 16:373
commelinae, 12:148
compactus, 8:193, 12:149, 16:361
corallocarpi, 12:146, 12:147, 12:150
costaricensis, 12:84
crotalariae, 12:152
cucullatus, 12:149, 16:362, 16:375, 16: 385
dianthi, 12:148
dolicholi, 8:193, 12:152
dolichosporus, 12:148
epicampis, 8:193, 12:70, 12:75, 12:84
eragrostidis, 8:194, 10:38, 12:85
eugentianae, 12:151
euphlebius, 12:154
euphorbiae, 8:194, 12:150
galphimiae, 12:154
gemmatus, 12:149
giganteus, 8:194
globosus, 12:150
guatemalensis, 12:152
hedysari-paniculata, 12:152
hyalinus, 12:152
indigoferae, 12:152
induratus, 12:148
intricatus, 12:154
jamaicensis, 18:74
jatrophae, 12:151
junci, 12:151
leptodermus, 12:85
lupini, 12:152
mexicanus, 12:153
minor, 12:153
montanus, 18:74
niteroyensis, 12:85
oaxacanus, 12:151
occidentalis, 12:153
ornatipes, 12:154
peckianus, 12:85
phaseoli, 12:153
plumbarius, 12:154
polymniae, 12:149, 16:376
primaverilis, 12:154
punctatus, 8:194, 12:153
punctiformis, 12:153
ruelliae, 12:146–148
rugosus, 12:153
rzedowskii, 18:73–75
seditiosus, 12:85
senecionicola, 12:149, 16:377
sepultus, 12:85
setariae-italicae, 12:85
shearianus, 12:148
silphii, 8:194, 12:151
socius, 12:154
solani, 12:155
sonorensis, 12:146, 12:147, 12:150
sporobolicola, 10:35, 10:38, 12:85
striatus, 12:153

tenuicutis, 8:193, 12:86
tenuistipes, 12:154
tepicensis, 18:73, 18:76
tranzschelii, 18:73
trifolii, 12:154
triquetrus, 12:151
urbanianus, 18:73, 18:74
venustus, 12:155
viciae-fabae, 12:154
Uromyces (Uredinales) from Mexico, additions to, Joe F. Hennen and George B. Cummins, 18:73–77
Uronema
confervicola, 11:197
elogatum, 24:157
elongatum, 23:441
Urophycis floridanus, 36:206
Uropsila leucogastra, 7:259
Uropyxis daleae, 8:194
Urosaurus, 4:99
bicarinatus, 14:130, 18:195, 18:199, 35:278
graciosus, 6:138, 26:111–113, 34:522, 34:524, 36:99
microscutatus, 21:128
oranatus, 23:643
ornatus, 3:32, 3:33, 3:42, 3:90, 4:93, 4:94, 4:97, 5:25, 5:27, 5:28, 5:87, 5:123–128, 6:138, 6:146, 10:172, 14:206, 16:16, 21:203–208, 21:281–299, 25:555, 26:111–113, 30:468, 30:469, 30:472, 30:613, 32:321–333, 33:489, 33:490, 34:523, 34:524, 35:377–383, 36:99, 36:308
Ursidae, 1:97, 26:327, 31:281
Ursus
americanus, 6:109, 13:20, 22:14, 26:333, 28:317, 28:318, 29:243, 31:123–124, 31:281, 32:158, 32:162
arctos, 26:326, 29:243, 32:158, 32:162, 32:287
horribilis, 13:20
Urtica
dioica, 12:140, 18:327, 19:162, 20:433
holosericea, 18:327
Urticaceae, 2:160, 18:327, 20:433, 25:328, 35:74
Urzelotes rusticus, 30:8
Usnea, 17:21
Ustilago, 32:133
Uta, 5:123, 11:411, 14:195, 20:508, 25:117
graciosa, 11:132
ornata, 11:132
stansburiana, 1:134, 3:42, 4:92, 4:94, 4:98, 4:195, 5:105, 5:106, 6:138, 6:146, 6:192–193, 10:172, 11:410, 12:186, 14:50, 14:206, 15:137–138, 17:207, 18:307, 20:8, 21:288, 21:294, 22:54, 22:60, 22:61, 23:47, 26:101, 26:103, 26:111, 26:204, 26:267, 26:270, 26:283, 28:376, 30:468, 30:469, 30:608, 31:9, 31:13, 31:55, 31:62, 31:63, 32:323, 32:427–433, 33:489, 33:490, 34:10, 34:144, 34:146, 34:461, 34:463, 34:465, 34:466, 34:519, 34:523–525, 35:15, 35:20, 35:21, 35:377–384
stansburina, 3:32
Uta invasion of Oklahoma, a, Charles C. Carpenter, Harold L. Cleveland, William A. Talbot, J. Michael Goode, Hal J. Marriman, and David R. Taylor, 6:192–193
Utacapnia logana, 28:130
Utah prairie dog, *Cynomys parvidens* (Sciuridae), factors influencing the distribution of the, G. Donald Collier and J. Juan Spillett, 20:151–158
Utesch, Susan R., see Cain, Brian W., —
Utilization of deep burrows and nests by cotton rats in west-central Kansas, Stephen L. Baar, Eugene D. Fleharty, and Michael F. Artman, 19:440–444
Utilization of seed dispersions by two sympartic kangaroo rat species, Philip Behrends, 31:548–551
Utricularia, 10:244, 20:217
gibba, 33:173, 33:175, 34:290
vulgaris, 33:169, 33:170, 33:175, 35:354
Uvarus texanus, 26:157
Uvulifer ambloplitis, 18:406, 18:408, 18:410–413, 22:527, 22:528

Vaccinium, 34:102
arboreum, 10:44, 10:45, 12:346, 21:482, 22:137, 28:63, 29:83, 31:192
elliottii, 28:63
myrtillus, 23:280
oreophilum, 36:38, 36:41–43
scoparium, 20:430, 24:383
stamineum, 12:346
Vaejovidae, 34:46–53, 35:47–53
Vaejovis, 12:187
chisos, 35:48–51
coahuilae, 34:48, 34:50, 34:51
dugesi, 35:47–53
granulatus, 35:47
mexicanus, 35:47, 35:49, 35:53
nitidulus, 35:47
russelli, 34:48, 34:50, 34:51
sprousei, 35:48, 35:51, 35:52
Valdes-Reyna, Jesus, and Stephan L. Hatch, New grass distribution records for northern Mexico, 28:461–463
Valdez, Raul, see Mubanga, George, —
Valenus inornatus, 32:491, 32:494
Valeriana
occidentalis, 20:433, 28:290
trachycarpa, 18:369
Valerianaceae, 18:369, 20:433, 28:290
Valerianella amerella, 27:312
Validity of *Chenopodium glabrescens* (Chenopodiaceae), the, Daniel J. Crawford, 19:249–255
Valisneria, 18:254
Vallantia pedemontana, 18:57
Vallisneria americana, 2:152, 2:153, 21:404, 34:290
Vallonia
cyclophorella, 7:57–60, 14:372, 16:99, 16:104, 16:307, 16:316, 16:319, 29:42
gracilicosta, 16:99, 16:104, 16:105, 16:315, 16:316, 22:12, 22:15, 29:42
parvula, 16:310, 16:315, 16:316, 27:239
perspectiva, 7:57, 9:104, 16:90, 16:99, 16:104, 29:36, 29:40–42
Valloniidae, 7:57, 9:104
Vampyrodes
caraccioli, 31:533
carracioloi, 11:494
Vampyrops, 12:407, 12:421, 12:423–425
helleri, 11:494, 12:414, 12:415, 12:420, 12:427, 28:374, 31:533
Van Amburg, G. L., and J. D. Dodd, Soil characteristics and grass rooting habits of two soil types in east-central Texas, 14:377–387
Van Auken, O. W., A. L. Ford, and A. Stein, A comparison of some woody upland and riparian plant communities of the southern Edwards Plateau, 24:165–180
Van Auken, O. W., and J. K. Bush, Importance of grass density and time of planting on *Prosopis glandulosa* seedling growth, 35:411–415
Van Auken, O. W., and J. K. Bush, Interaction of two C⅜ and C½ grasses with seedlings of *Acacia smallii* and *Celtis laevigata*, 35:316–321
Van Auken, O. W., see Aide, Mitch, —
Van Auken, O. W., see Burmeister, E., —
Van Auken, O. W., see Bush, J. K., —
Van Auken, O. W., see Ford, Allen L., —
Van Devender, Thomas R., Amadeo M. Rea, and W. Eugene Hall, Faunal analysis of late Quaternary vertebrates from Organ Pipe Cactus National Monument, southwestern Arizona, 36:94–106
Van Devender, Thomas R., and Benjamin L. Everitt, The latest Pleistocene and Recent vegetation of the Bishop's Cap, south-central New Mexico, 22:337–352
Van Devender, Thomas R., and David H. Riskind, Late Pleistocene and early Holocene plant remains from Hueco Tanks State Historical Park: the development of a refugium, 24:127–140
Van Devender, Thomas R., and Wayne Van Devender, Ecological notes on two Mexican skinks (genus *Eumeces*), 20:279–282

Van Devender, Thomas R., Arthur M. Phillips, III, and Jim I. Mead, Late Pleistocene reptiles and small mammals from the lower Grand Canyon of Arizona, 22:49–66

Van Devender, Thomas R., Behavior and disruptive coloration in the New Mexico gartersnake *Thamnophis sirtalis ornata*, 18:247–248

Van Devender, Thomas R., C. Edward Freeman, and Richard D. Worthington, Full-glacial and Recent vegetation of Livingston Hills, Presidio County, Texas, 23:289–301

Van Devender, Thomas R., George L. Bradley, and Arthur H. Harris, Late Quaternary mammals from the Hueco Mountains, El Paso and Hudspeth counties, Texas, 32:179–195

Van Devender, Thomas R., Holocene plant remains from Rocky Arroyo and Last Chance Canyon, Eddy County, New Mexico, 25:361–372

Van Devender, Thomas R., Jim I. Mead, and Amadeo M. Rea, Late Quaternary plants and vertebrates from Picacho Peak, Arizona, 36:302–314

Van Devender, Thomas R., see Northington, David K., —

Van Devender, Thomas R., see Soreng, Robert J., —

Van Devender, Thomas R., see Spaulding, W. Geoffrey, —

Van Devender, Wayne, see Van Devender, Thomas R., —

Van Dyke, Donald, and Donald C. Lowrie, Comparative life histories of the wolf spiders *Pardosa ramulosa* and *P. sierra* (Araneae: Lycosidae), 20: 29–44

Van Dyne, George M., see Wright, R. Gerald, —

Van Faasen, Paul, A new species of *Guardiola* Humb. & Bonpl. (Compositae-Heliantheae), 21:27–29

Van Gelder, Richard G., The biology of mammals (rev.), 14:453

Van Hoogenstyn, Erik P., see Key, Laura J., —

Van Pelt, A. F., A mountain lion kill in Southwest Texas, 22:271

Van Pelt, Arnold, Ants of the Chisos Mountains, Texas (Hymenoptera: Formicidae), 28:137–142

Van Pelt, Nicholas S., Richard Stevens, and Neil E. West, Survival and growth of immature *Juniperus osteosperma* and *Pinus edulis* following woodland chaining in central Utah, 35:322–328

Van Schaack, George B., and Marshall C. Johnston, Loeselia scariosa (Mart. & Gal.) Walp. in Texas again, 9: 107–108

Van Vuren, Dirk, California condor behavior near Mount Pinos, California, 24:190–191

Vanalek, George J., Bat flights over a pond, 14:360–361

Vandermeer, John, Saguaros and nurse trees: a new hypothesis to account for population fluctuations, 25:357–360

Vanduzea laeta, 29:438

Vanessa, 29:430, 29:479, 30:159
atalanta, 21:34, 29:476
cardui, 21:34
virginiensis, 21:34

Vanicek, C. David, Robert H. Kramer, and Donald R. Franklin, Distribution of Green River fishes in Utah and Colorado following closure of Flaming Gorge Dam, 14:297–315

Vararia
granulosa, 19:354
phyllophila, 19:354

Variability in big bluestem, Andropogon gerardi Vitman, in DeKalb and Ogle counties, Illinois, Frank W. Gould, 10:218–220

Variability in *Juniperus* in the Palo Duro Canyon of western Texas, Marion T. Hall and Claudia J. Carr, 13: 75–98

Variability within *Stegnosperma halimifolium* Benth. (Phytolaccaceae), A. J. Gilmartin and M. L. Neighbours, 27:63–72

Variation and distribution of the Middle American snake genus, *Loxocemus* Cope (Boidae?), Craig E. Nelson and John R. Meyer, 12:439–453

Variation and frequency of occurrence of the baculum in a population of Mexican free-tailed bats, Charles A. Long and Carolyn J. Jones, 11:290–295

Variation and systematic relationships of the San Pedro Mártir whiptail lizard (*Cnemidophorus martyris* Stejneger, Teiidae), J. Martin Walker, 28: 1–8

Variation and taxonomic significance in the sebaceous caudal glands of pocket mice (Rodentia: Heteromyidae), W. B. Quay, 10:282–287

Variation in a large brood of the Mexican water snake, *Natrix valida valida* (Kennicott) in Sinaloa, James R. Dixon and Robert G. Webb, 10:140–141

Variation in a population of kangaroo rats, *Dipodomys ordii medius* (*Rodentia: Heteromyidae*) from the High Plains of Texas, Paul G. Desha, 12: 275–289

Variation in advertisement calls and male mating success of *Scaphiopus bombifrons*, *S. couchi* and *S. multiplicatus* (Pelobatidae), Brian K. Sullivan and Elizabeth A. Sullivan, 30:349–355

Variation in *Pappogeomys castanops* (Geomyidae) on the Llano Estacado of Texas and New Mexico, Robert C. Dowler and Hugh H. Genoways, 24:577–602

Variation in *Rana pipiens* (Anura: Ranidae) of eastern Colorado, Douglas D. Post and David Pettus, 11:476–482

Variation in the caudal skeleton of two etheostomatine fishes, Henry W. Robison, 23:165–167

Variation in the cotton mouse (*Peromyscus gossypinus*) in Louisiana, Philip A. St. Romain, 21:79–88

Variation in two sympatric whiptail lizards (*Cnemidophorus inornatus* and *C. velox*) in New Mexico, John W. Wright, 11:54–71

Variation with stream order in species composition, diversity, biomass, and chlorophyll of periphyton in Otter Creek, Oklahoma, James R. Seyfer and Jerry Wilhm, 22:455–467

Variations in the mouth parts in tadpoles of *Scaphiopus* (Spea) *bombifrons* Cope (Amphibia: Salientia), Arthur N. Bragg and William N. Bragg, 3:55–69

Varicosporina, 27:19
ramulosa, 27:17, 27:18

Varietal names in Argemone (Papaveraceae), new, Lloyd H. Shinners, 3: 213–214

Vascular plants from the Great Plains, new and interesting, Ronald R. Weedon and Lawrence K. Magrath, 18:341–342

Vascular plants of Little Sahara State Park, Oklahoma, annotated checklist of the, Ross T. Bowlin Sherwood and Paul G. Risser, 25:323–338

Vascular plants of the playa lakes of the Texas Panhandle and South Plains, Chester M. Rowell, Jr., 15:407–417

Vaseyochloa multinervosa, 5:9, 23:506, 25: 317, 33:333

Vaucheria, 14:236, 14:243, 22:414, 25:243

Vaughan, Joe E., see Caire, William, —

Vaughan, Michael R., see Gerlach, Thomas P., —

Vauquelinia
angustifolia, 5:5, 9:152, 10:260
californica, 9:151–154, 35:73, 36:303
corymbosa, 9:152, 9:154, 10:257, 10: 260
pauciflora, 9:151–154

Vauquelinia pauciflora (Rosaceae) from Guadalupe Canyon, Arizona: a species of trees newly reported for the

United States, Philip V. Wells and R. Roy Johnson, 9:151–154
Vegetacion y flora acuatica del Lago de Patzcuaro, Michoacan, Mexico, Antonio Lot y Alejandro Novelo, 33: 167–175
Vegetation and flora of North Padre Island, Texas, notes on the, E. Glenn Carls, Robert I. Lonard, and Dennis B. Fenn, 36:121–125
Vegetation and pollen rain in the Cuatro Cienegas Basin, Coahuila, Mexico, Edward R. Meyer, 20:215–224
Vegetation and soil water differences among big sagebrush communities with different grazing histories, F. Daddy, M. J. Trlica, and C. D. Bonham, 33:413–424
Vegetation changes in relation to livestock exclusion and rootplowing in southeastern Arizona, Bruce A. Roundy and Gilbert L. Jordan, 33: 425–436
Vegetation changes on an old rice field following herbicide treatment, M. J. Cwik and J. D. Dodd, 20:379–390
Vegetation of Lake Chicot, Louisiana, after eighteen years impoundment, the, Willis A. Eggler and Walter G. Moore, 6:175–183
Vegetation of remnant grasslands in the loessial region of northwestern Kansas and southwestern Nebraska, the, G. K. Hulett, Clair D. Sloan, and G. W. Tomanek, 13:377–391
Vegetation of remnant shale-limestone prairies in western Kansas, the, K. L. Hladek, G. K. Hulett, and G. W. Tomanek, 17:1–10
Vegetation of Saratoga Springs, Death Valley National Monument, California, the, W. Glen Bradley, 15: 111–129
Vegetation of South Padre Island, Texas in relation to topography, the, Frank W. Judd, R. I. Lonard, and S. L. Sides, 22:31–48
Vegetation of the Dead Horse Mountains, Brewster County, Texas, Philip V. Wells, 10:256–260
Vegetation on limestone in the Huachuca Mountains, Arizona, Thomas R. Wentworth, 30:385–395
Vegetation patterns of the White Mountains, New Mexico, Jess P. Hanks and W. A. Dick-Peddie, 18:371–382
Vegetation patterns on an altitudinal gradient, Huachuca Mountains, Arizona, Ward Brady and Charles D. Bonham, 21:55–65
Vegetation structure and microhabitat selection in grasshoppers (Orthoptera, Acrididae), Anthony Joern, 27:197–209
Vegetation structure at Punta Cirio, Sonora, Mexico, Juliet C. Stromberg and Thomas M. Krischan, 28:211–214
Vegetational map and community structure of a west central Kansas prairie, Rodney K. Heitschmidt, G. K. Hulett, and G. W. Tomanek, 14:337–350
Vegetational studies of Colorado, a bibliography of, George R. Hoffman and Gayla Jardon Tomlinson, 11: 228–237
Vegetational study of the Pine Ridge of northwestern Nebraska, a, E. S. Nixon, 12:134–145
Vegetative and reproductive growth patterns in desert willow (*Chilopsis linearis* (Cav.) Sweet), Elaine DePree and John A. Ludwig, 23:239–245
Vegetative growth and mortality of Drummond's goldenweed (*Isocoma drummondii* [T. & G.] Greene: Compositae) as influenced by soil moisture and site characteristics, H. S. Mayeux, Jr., and C. J. Scifres, 24:97–114
Veigaia bakeri, 12:262
Veigaiidae, 12:262
Vejovidae, 16:446, 20:60
Vejovis, 12:258, 25:100, 25:101
spinigeris, 16:446
Velataspis, 18:429
anasterias, 17:400, 17:401, 18:432
dentata, 17:400–402, 18:430, 18:433, 18:436, 18:437
mimosarum, 17:400, 17:402, 17:403, 18: 432
Velderman, Jana, see Hubbs, Clark, —
Velia
brachialis, 9:101
watsoni, 9:101
Veliidae, 9:101, 23:554, 26:157, 27:441, 32:289
Veluticeps berkeleyi, 19:358
Venezillio arizonicus, 29:318
Venezillo arizonicus, 29:309, 29:310, 29: 315–318
Veniliornis fumigatus, 4:70
Venilornis fumigatus, 4:80
Venturiella sinensis, 30:151
Veratrum californicum, 28:289
Verbascum, 18:436, 18:440, 18:442
thapsis, 12:140
thapsus, 17:47
Verbena, 6:47, 15:415, 20:294, 20:382, 22: 347, 23:299, 24:132, 29:301, 29:304, 30:547, 30:549, 36:306
bipinnatifida, 1:65, 4:52, 4:58, 23:504, 25:322, 29:430
bracteata, 1:67, 2:167, 12:140, 14:352, 15:415
canadensis, 17:221–228
gooddingii, 27:7, 27:176
gracilis, 35:74
halei, 23:504, 24:101, 31:369, 35:436
haleii, 25:322
hastata, 2:167
macdougalii, 16:205
neomexianan, 33:108
neomexicana, 23:298, 30:389, 35:74
pumila, 27:312
stricta, 2:167, 7:170, 12:140, 14:331, 19:441
wrightii, 1:65, 21:316
Verbenaceae, 1:65, 1:67, 2:167, 4:58, 6: 47–48, 9:233, 13:383, 15:415, 17:221, 18:437, 18:438, 22:343, 23:298, 23: 504, 24:542, 25:333, 35:74, 36:77, 36:124
Verbesina, 2:125, 9:37, 13:251, 16:373, 16:382, 18:119, 27:7
abscondita, 9:32
daviesiae, 27:345
dissita, 8:184
diversifolia, 16:380
encelioides, 1:66, 8:181, 16:381, 21:248, 21:314, 21:316, 23:296, 23:501, 25: 322, 27:176, 28:99, 33:333, 33:336, 35:71
greenmani, 16:380
greenmanii, 9:32
hypomalaca, 27:345
lindheimeri, 20:284
longifolia, 16:380, 30:389
longipes, 16:381
montanoifolia, 16:379, 16:380
nana, 18:122
olicaceae, 16:380
peninsularis, 16:381
perymenioides, 16:380
pinnatifida, 16:379, 16:380
rothrockii, 1:68, 8:184, 16:381, 35:71
serrata, 16:380
sphaerocephala, 16:379, 16:380
tetraptera, 16:380
trilobata, 16:380
turbacensis, 9:32
virgata, 16:379
Verbesina (sect. *verbesinaria*) from north-central Mexico, new taxa in, B. L. Turner, 27:345–346
Vermicorixa, 9:100, 12:372, 12:384, 12: 387, 12:398, 12:402
Vermivora
celata, 18:196
chrysoptera, 18:106
crissalis, 12:110, 16:3, 18:106
luciae, 18:106, 24:572, 26:254
pinus, 18:106
ruficapilla, 4:76, 18:106
virginiae, 18:106, 18:199, 19:1, 19:6, 22:370, 34:491
Vernal ground-surface arachnid populations in Tularosa Basin, New Mexico, two, Martin H. Muma, 20: 55–67
Vernardii, 32:30

Vernonia, 9:239–244
acaulis, 9:239, 9:241, 9:242
angustifolia, 9:239, 9:241, 9:242
baldwini, 7:170, 17:7
baldwinii, 2:171, 4:59, 14:342, 18:327, 25:336, 29:242–243
cinerea, 9:27–29
crinita, 7:169
greggii, 9:239–241
guadalupensis, 9:239, 9:241
interior, 9:239, 9:241, 9:242
karvinskiana, 9:240
lindheimeri, 9:239, 9:241
marginata, 9:239, 9:241, 9:242
missurica, 32:35
nudiflora, 9:240, 9:242, 9:243
platensis, 9:240, 9:243
texana, 9:239–241, 12:348, 12:349
Veromessor
andrei, 34:216
julianus, 25:192
pergandei, 32:103, 32:105, 32:107, 32:108, 34:216
Veronia, 11:363
alamanii, 16:381
dichyophlebia, 16:382
ervenbergii, 20:283
ervendbergii, 16:382
greggii, 16:381
karwinski, 16:382
leiocarpa, 16:381
litteralis, 16:381
monosis, 16:381
oaxacana, 16:382
pallens, 16:381
palmeri, 16:381
salina, 28:129
schaffneri, 16:381
schiedeana, 16:381
umbellifera, 16:382
uniflora, 16:381
Veronica, 15:415, 24:214
americana, 12:140
anagallis-aquatica, 35:73
catenata, 34:314
peregrina, 15:415, 35:67, 35:73
polita, 1:122
wormskjoldii, 20:433
Veronicastrum virginicum, 32:33, 32:35
Veronicella
ameghini, 21:134, 21:135
floridana, 4:146, 4:147, 21:133
krausi, 4:143, 4:146, 4:147
Veronicellidae, 4:143, 21:133
Verrucosa, 11:361
arenata, 11:365
Vertebrate tissue by the leaf-cutting ant *Atta texana* (Hymenoptera: Formicidae: Attini), use of, Michael J. Killion, 36:116–117
Vertebrates found in owl-pellets from northeastern Chihuahua, Sydney Anderson and Philip W. Ogilvie, 2:33–37
Vertebrates killed by desert fire, Lee H. Simons, 34:144–145
Vertical distribution of *Peromyscus leucopus* and *P. gossypinus* under experimental conditions, R. John Taylor and Howard McCarley, 8:107–108
Verticillium, 32:133
Vertigo
gouldi, 7:57
gouldii, 29:36, 29:40, 29:41
hinkleyi, 21:410, 21:411
oscariana, 5:146
oscarina, 5:154
ovata, 5:146, 5:155, 27:239
rugosula, 27:239
Verts, B. J., see Carraway, Leslie N., —
Vespertilio
derasus, 11:258
evotus, 14:11
hilarii, 11:256–258
ruber, 11:265
Vespertilionidae, 11:308–310, 12:329–330, 12:484–485, 14:360, 18:112–114, 24:71–78, 26:91–92, 26:327, 26:429, 26:439–440, 27:356, 28:100, 30:306–307, 31:126, 31:280, 32:185, 32:273, 33:385
Vesperus
arctoides, 11:258
arge, 11:258
ferrugineus, 11:258
melanopterus, 11:258
nitens, 11:258
Vespidae, 10:16, 14:166, 20:8, 20:148, 22:275, 23:566, 23:570, 23:571, 23:575, 24:606, 24:608, 29:511, 32:419, 32:491, 32:494
Vestal, Bedford M., see Murray, Geneva Biffle, —
Veteveria
zizanioides, 4:118
Vetiveria zizanioiodes, 10:52
Viburnum, 34:154
acerifolium, 23:265
dentatum, 21:482, 31:192
lantanoides, 15:288
nudum, 12:345
prunifolium, 29:83
rufidulum, 12:344, 12:345, 20:328, 20:330, 21:482, 22:137, 27:310, 27:311
Vicia, 18:374, 31:34, 31:35
americana, 12:139, 33:220, 33:221, 33:223
dasycarpus, 32:39–52
faba, 12:154
leavenworthi, 16:273, 16:274
ludoviciana, 30:546, 35:72
Vidrine, Malcolm F., Stanley L. Sissom, and Roy E. McLaughlin, *Eulimnadia texana* Packard (Conchostraca: Limnadiidae) in rice fields in southwestern Louisiana, 32:1–4
Vielegas, S., see Yeaton, R. I., —
Vigg, Steven, see Cooper, James J., —
Vigna
luteola, 23:502, 25:316, 25:318, 36:123
strobiliphora, 12:153
Viguiera, 15:183, 16:371, 16:380, 16:384, 18:119
angustifolia, 16:382, 23:373
annua, 16:383, 23:373, 35:66, 35:71
buddleiaeformis, 23:374
buddleiformis, 16:382
cordifolia, 16:382, 23:373, 35:71
decurrens, 16:382
deltoidea, 23:372, 23:373
deltoides, 16:383
dentata, 8:181, 8:183, 16:382, 16:383, 23:372, 23:373, 30:389, 30:390–392, 35:71
eriophora, 16:383
excelsa, 8:184, 16:382, 23:374
helianthoides, 16:382
hypargyrea, 16:383
laciniata, 23:372, 23:373
lanata, 23:372, 23:373
latibracteata, 16:383, 23:373
linearis, 16:383
longifolia, 10:36, 16:205, 16:383, 23:373
ludens, 13:250–251, 15:175, 15:178
microphylla, 23:372, 23:373
montana, 23:373
mucronata, 23:373
multiflora, 18:122, 23:373, 35:71
pachycephata, 23:373
palmeri, 16:377
parkinsonii, 16:383
phlanzii, 23:373
picta, 16:383
pinnatilobata, 23:373
porteri, 9:36
potosina, 23:372
pringlei, 16:383
purisimae, 23:373
quinqueriadiata, 23:373
reticulata, 23:372, 23:373
revoluta, 23:373
stenolaba, 16:10
stenoloba, 8:183, 10:260, 16:383, 23:291, 23:296, 25:364, 25:366, 26:87, 27:30, 30:400, 30:536, 36:215
subincisa, 23:372, 23:373
tenuis, 9:27, 9:28, 9:32, 9:36, 16:383
tomentosa, 8:184, 23:372, 23:373
trachyphylla, 9:32, 23:373
Viguiera ludens (Shinners) M. C. Johnston, new combination (Compositae), Marshall C. Johnston, 13:250–251
Villarreal Q., J. A., see Fryxell, P. A., —
Villeda, Efrain, see Wilson, Larry David, —
Vinca minor, 28:48
Vincent, Jerry W., Color pattern variation in *Crotalus lepidus lepidus* (Vi-

peridae) in southwestern Texas, 27: 263–272
Vinikour, William S., see Anderson, Richard V., —
Vinson, S. Bradleigh, see Hung, Akey C. F., —
Vinyard, Gary L., see Courtenay, Walter R., Jr., —
Vinyard, Gary L., see Drenner, Ray W., —
Vinyard, Wm. C., Additions to the algal flora of Oklahoma, 11:196–204
Vinyard, Wm. C., Volvocaceae of Oklahoma, 11:302–303
Viola, 5:177–186, 6:184–186, 12:348, 24: 214, 25:211, 28:291
adunca, 20:433
affinis, 5:177, 5:182, 5:183
bicolor, 6:184, 6:185
canadensis, 34:442
chalcosperma, 5:182
emarginata, 5:183, 7:170
esculenta, 6:185, 6:186
fimbriatula, 5:183, 5:184
floridana, 5:182, 5:183, 6:185, 6:186
glabella, 5:185
hastata, 5:185, 5:186
incognita, 5:179
kitaibeliana, 1:122, 9:112
lanceolata, 5:179–181, 6:184, 6:185
langloisii, 5:182, 5:183, 6:185, 6:186
latiuscula, 5:182
lovelliana, 6:184, 6:185
macloskeyi, 5:179
missouriensis, 5:182, 5:183
nuttallii, 12:139, 12:140, 14:331, 28: 289, 28:290, 28:292
odorata, 5:177, 5:178, 26:11
pallens, 5:180, 5:181
palmata, 5:184, 5:185
papilionacea, 12:140, 19:161, 19:162
papilionaceae, 32:30
pedata, 6:184, 6:185
pedatifida, 5:177, 5:184, 5:185, 7:170, 32:30, 32:35
pensylvanica, 5:177, 5:181, 5:185, 5:186, 6:184, 6:185
primulifloia, 6:184, 6:185
pubescens, 5:185, 5:186
purpurea, 18:328
rosacea, 5:18
sagittata, 5:177, 5:183, 5:184, 6:184, 6: 185
septemloba, 6:185, 6:186
sororia, 5:177, 5:181, 5:184, 5:186, 6: 185, 6:186
tricolor, 6:184, 6:185
triloba, 5:184, 5:186, 6:184, 6:185
tripartita, 5:185, 5:186
utahensis, 18:327, 18:328
vallicola, 18:328
villosa, 6:185, 6:186
vivarum, 5:182, 5:183
walteri, 6:184, 6:185
Violaceae, 6:184–186, 18:328, 20:433, 28: 290, 35:74
Viorna fremontii, 17:7
Vipera, 20:554, 33:339
berus, 25:118
palestinae, 20:548
Viperidae, 20:503–515, 20:554, 20:555, 22:517, 24:693–694, 26:272, 27:263–272, 32:273–276
Vireo, 24:223–229
atricapilla, 16:24, 21:552, 24:223, 24: 225
belli, 21:552
bellii, 16:20, 24:223, 24:226, 24:572, 26:254, 34:260–262, 34:267
brevipennis, 33:252–253
flavifrons, 4:75, 24:223, 24:227
gilvus, 4:75, 16:26, 18:196, 18:199, 22: 369, 24:223, 24:227, 25:561, 26:254, 29:474, 34:490
griseus, 4:75, 7:259, 24:223, 24:226
huttoni, 14:253
huttonii, 16:25
hypochryseus, 18:199
olivaceus, 14:451, 15:359, 15:363, 19: 1, 19:5, 24:223, 24:227
solitarius, 4:75, 16:26, 18:196, 18:199, 24:223, 24:227, 29:474, 34:490, 36: 248
vicinior, 16:4, 21:551–552, 24:223, 24: 226, 29:474
Vireolaniidae, 4:81
Vireonidae, 4:81, 24:223–229, 33:252–253
Vireos (Aves: Vireonidae) in west-central Texas, Terry C. Maxwell, 24:223–229
Virgin River roundtail chub, *Gila robusta seminuda* (Osteichthyes: Cyprinidae), status and ecology of the, Jeffrey N. Cross, 23:519–527
Virginia, R., see Owings, D. H., —
Virginia, 18:345
striatula, 20:467–478, 21:123–124, 36: 174
valeriae, 27:229, 36:172
Viscaceae, 24:625–635
Viscainoa geniculata, 31:529
Viscum
album, 8:205, 15:280
flavens, 2:45
flavescens, 2:45
leucarpum, 2:45
serotinum, 2:45
villosum, 2:46
Visoka cataractae, 35:131
Vitaceae, 2:165, 3:214, 13:383, 16:112, 18:437, 18:442, 23:504, 25:331, 35: 74
Vitex, 28:67
mollis, 24:542
pyramidata, 18:198
Vitis, 4:148, 5:120, 12:215, 14:99, 14:100, 16:272, 18:437, 18:439, 18:442, 20: 333, 22:137, 25:207, 25:210–212, 25: 366, 27:385, 27:429, 30:75
acerifolia, 2:165, 25:331
aestivalis, 12:345
arizonica, 15:152, 15:159, 20:364, 24: 132, 26:264, 26:265, 28:82, 28:83, 31:349, 31:352, 34:442, 35:67, 35: 74
arizonicus, 12:209, 20:365
berlandieri, 27:311
lincecumii, 8:115, 20:327, 20:329
monticola, 31:349
mustangensis, 20:327, 20:329, 27:385
riparia, 20:76
rotundifolia, 7:170, 12:344, 12:345
vulpina, 12:140, 20:76, 20:327, 20:331
Vitrina
alaskana, 7:54, 14:372, 16:99, 16:104
pellucida, 29:42
Vitus mustangensis, 35:437
Viveros, Raul, see Palomino, Guadalupe, —
Vives, Stephen P., and W. L. Minckley, Autumn spawning and other reproductive notes on loach minnow, a threatened cyprinid fish of the American Southwest, 35:451–454
Vives, Stephen P., Life history of *Etheostoma punctulatum* (Pisces: Percidae) in northeastern Oklahoma, 32: 439–447
Viviparidae, 27:350
Viviparity and reproductive pattern in *Phrynosoma ditmarsi* in Sonora, Mexico, Charles H. Lowe and C. Wayne Howard, 20:265–270
Viviparus
japonicum, 3:225, 3:226
lecythoidus, 3:225
malleatus, 3:225, 3:226
subpurpureus, 27:350
Vocalizations of barn and cliff swallows, Charles R. Brown, 30:325–333
Vocalizations of the ringtail (*Bassariscus astutus*), Robert B. Willey and Richard E. Richards, 26:23–30
Vogel, Beatrice R., A report on a collection of crabs from the Gulf of California, 11:139–140
Vogl, Richard J., Wood rat densities in southern California manzanita chaparral, 12:176–179
Voha, Paul A., Jr., see Heitmeyer, Mickey E., —
Voice structure in Spizella, L. Irby Davis, 9:255–296
Volucella haagi, 32:491, 32:492
Volvocaceae, 11:196, 11:302–303, 15:103, 15:104
Volvocaceae of Oklahoma, Wm. C. Vinyard, 11:302–303
Volvocales, 23:437
Volvox, 10:266, 15:103, 15:104, 15:108, 17:14, 17:15, 17:17, 23:452

globator, 11:196, 11:303, 23:438
spermatosphaera, 11:196, 11:303
tertius, 23:438
Volvulina, 25:420
Vomer setapinnis, 1:158
Voorhies, M. R., Fossil armadillos in Nebraska: the northernmost record, 32: 237–243
Vorticella, 17:244, 35:210
Voss, William J., Rate of larval development and metamorphosis of the spadefoot toad, *Scaphiopus bombifrons*, 6:168–174
Vulpes, 16:160, 21:13, 22:14
fulva, 14:450, 15:402, 15:403, 15:473–484, 18:465–468, 21:455
macrotis, 9:40, 10:140, 11:501–502, 14: 450–451, 15:402–404, 15:473–484, 18:465–468, 20:497, 24:554, 24:555, 29:361–362
velox, 4:31, 9:108, 14:450–451, 15:402–404, 15:473–484, 16:210, 18:465–468, 30:227, 30:340, 30:341, 32:158
vulpes, 5:71–74, 10:139, 13:19, 24:554, 24:555, 25:565, 26:335, 27:183–186, 28:317, 28:320, 28:321, 29:89, 29: 361, 30:225, 30:226, 30:340, 30:341, 30:450, 32:158
Vulpes fulva-Vulpes macrotis hybrid fox karyotype, comparative study of a, Gordon C. Creel and W. A. Thornton, 18:465–468
Vulpia, 36:306
myuros, 12:73
octoflora, 4:116, 20:327, 20:329, 20:332, 21:362, 21:364, 21:366, 21:369, 22: 342, 25:327, 27:312, 29:353–354, 29: 411, 29:415, 29:417, 31:368, 35:64, 35:75, 35:436
pacifica, 12:78
Vulturidae, 26:273

Waddington, Keith D., Pollination of *Apocynum sibiricum* (Apocynaceae) by Lepidoptera, 21:31–35
Wade, W. E., see Kidd, D. E., —
Wadotes, 15:320
Wadsworth, Carl E., Observations of the Colorado chipmunk in southeastern Utah, 16:451–454
Wagenaaria similis, 20:241, 20:244, 20: 247, 20:252
Wagner, Bruce A., Anthony A. Echelle, and O. Eugene Maughan, Abundance and habitat use of an uncommon fish, *Notropis perpallidus* (Cyprinidae): comparison with sympatric congeners, 32:251–260
Wagner, Holliday B., see Yeaton, Richard I., —
Wagner, Jan, see Drenner, Ray W., —
Wagner, John D., see Dickerson, Jaime E., Jr., —
Wagner, Kenneth A., see McCleary, James A., —
Wagner, Phillip W., and Carl D. Marti, Great gray owls in Utah–is weather a factor?, 26:207
Wagner, Warren L., New records to the Animas Mountain flora, New Mexico, 24:291–296
Wagner, Warren L., see Averett, John E., —
Wahlengergia marginata (Thunb.) A. DC. (Campanulaceae) in Louisiana, Lloyd H. Shinners, 2:44
Waid, Douglas D., Robert J. Warren, and Dale Rollins, Seasonal deer diets in central Texas and their response to brush control, 29:301–307
Wainwright, Colin M., Hymenopteran territoriality and its influences on the pollination ecology of *Lupinus arizonicus*, 23:605–615
Waite, Stephen W., see Prophet, Carl W., —
Walckenaeria
puella, 30:3
spiralis, 30:3
Walker, Danny N., see Miller, Brian J., —
Walker, J. Martin, Mark A. Paulissen, and James M. Britton, Habitat diversity in the whiptail lizard *Cnemidophorus gularis gularis* (Teiidae) in southern Oklahoma, 31:405–408
Walker, J. Martin, Reproductive characteristics of the Colima giant whiptail, *Cnemidophorus communis communis* Cope, 27:241–243
Walker, J. Martin, Stanley E. Trauth, James M. Britton, and James E. Cordes, Burrows of the parthenogenetic whiptail lizard *Cnemidophorus laredoensis* (Teiidae) in Webb Co., Texas, 31:408–410
Walker, J. Martin, Variation and systematic relationships of the San Pedro Mártir whiptail lizard (*Cnemidophorus martyris* Stejneger, Teiidae), 28:1–8
Walker, J. Martin, see Taylor, Harry L., —
Walker, James M., and James E. Cordes, Whiptail lizards (genus *Cnemidophorus*) on ersatz substrates in southern Texas, 35:89–91
Walker, James M., Ramadan M. Abuhteba, and James E. Cordes, Copulation in nature between all-female *Cnemidophorus laredoensis* and gonochoristic *Cnemidophorus gularis* (Teiidae), 36:242–244
Walker, James M., see Paulissen, Mark A., —
Walkowiak, Alain M., Mario Salazar, y Elena Solana, Distribucion espacial en arbustos de desierto: el caso de *Fouquieria splendens*, 35:363–365
Wall, J. R., A partial survey of the genus *Cucurbita* for electrophoretic variants of esterase and leucine aminopeptidase, 14:141–148
Wallace, Linda L., see Polley, H. Wayne, —
Wallace, Mark C., Joseph Jojolla, and Paul R. Krausman, Unusual reproduction in an Arizona elk, 33:249
Wallace, Richard L., see Diller, Lowell V., —
Wallen, Deborah R., and John A. Ludwig, Energy dynamics of vegetative and reproductive growth in Spanish bayonet (*Yucca baccata* Torr.), 23: 409–421
Waller, D. A., *Pholeomyia texensis* Sabrosky (Diptera: Milichiidae): laboratory notes on larval biology, 29: 356–357
Waller, Deborah A., Foraging behavior of *Trachymyrmex turrifex* Wheeler (Formicidae: Attini), 34:271–275
Waller, Floyd R., A new combination in *Panicum* (Gramineae), 19:105
Waller, Wm. T., see Bass, J. Carl, —
Walley, Harlan D., review by, 18:485–486
Wallis, Charles S., Jr., see Harrel, Richard C., —
Walls, Jerry G., Distribution and natural history of the crawfish *Orconectes difficilis* (Decapoda: Astacidae) in Louisiana, 30:189–194
Walne, Patricia, see Ridgway, John, —
Walsberg, Glenn E., and Eileen Zerba, Use of *Neotoma* nest for breeding by Gambel's quail, 31:256
Walters, James Peter, and C. Edward Freeman, Growth rates and root: shoot ratios in seedlings of the desert shrub *Larrea tridentata*, 28:357–363
Walton, Dan W., and John D. Kimbrough, *Eumops perotis* from Black Gap Wildlife Refuge, 15:134–135
Waltz, R. D., and W. P. McCafferty, New caddisfly records for New Mexico (Insecta: Trichoptera), 28: 353–356
Waltz, R. D., and W. P. McCafferty, New caddisfly records for New Mexico (Insecta: Trichoptera), 28: 413–415
Wang, Xiaoming, and John F. Neas, A large bighorn sheep, *Ovis canadensis* (Artiodactyla: Bovidae), from the late Pleistocene of Colorado, 32:281–283
Wangberg, James K., and Tim B. Parker, New host record for the blue cactus borer (*Melitara dentata* Grote), 26:440–441
Wangberg, James K., Defoliation of sand

shinnery oak, (*Quercus havardii* Rydb.) in western Texas by *Hemileuca* sp. (Lepidoptera: Saturniidae) larvae, 28:383–384
Wangberg, James K., see Merickel, Frank W., —
Wangberg, James K., see Myers, Deanna, —
Wangberg, James K., see Whitworth, Robert J., —
Wanjala, Benny, and Jerry C. Tash, Largemouth bass *Micropterus salmoides* choking on prey, 28:380
Wapiti from central Kansas, discovery of a specimen of, Michael E. Nelson, 26:74
Warblers, 12:109–110, 15:231–237
Warblers in Texas, new records of, Frederick R. Gehlbach, 12:109–110
Ward, Arthur J., Jr., see Chrapliwy, Pete S., —
Ward, F. John, see Braun, Clait E., —
Ward, James V., Lumbricid earthworm populations in a Colorado mountain river, 21:71–77
Ward, James V., see Canton, Steven P., —
Ward, James V., see Gray, Lawrence J., —
Ward, James V., see Short, Robert A., —
Ward, Richard T., see Slauson, William L., —
Ward, Rocky, Earl G. Zimmerman, and Timothy L. King, Multivariate analyses of terrestrial reptilian distribution in Texas: an alternate view, 35:441–445
Ward, Rocky, see McAllister, Chris T., —
Waring, Gwendolyn L., and Robert L. Smith, Patterns of faunal succession in *Agave palmeri*, 32:489–497
Warner, Richard M., and Nicholas J. Czaplewski, Presence of *Myotis auriculus* (Vespertilionidae) in northern Arizona, 26:439–440
Warnock, Barton H., and Marshall C. Johnston, *Euphorbia exstipulata* var. *lata* and *Euphorbia geyeri* var. *wheeleriana* Warnock and Johnston, new taxa from western Texas, 14:127–128
Warnock, Barton H., and Marshall C. Johnston, New combinations in Texas euporbias of subgenus Chamaesyce, 5:170
Warnock, Barton H., and Marshall C. Johnston, The genus *Savia* (Euphorbiaceae) in extreme western Texas, 5:1–6
Warnock, Barton H., *Cirsium turneri* (Compositae), new species from Trans-Pecos Texas, 5:101–102
Warnock, Barton H., *Perityle vitreomontana* B. H. Warnock (Compositae), new species, 12:475–476
Warnock, Barton H., Verification of occurrence of Emorya suaveolens in western Texas, 9:206
Warnock, Barton H., see Johnston, Marshall C., —
Warren, Melvin L., Jr., Occurrence of the spotted sunfish, *Lepomis punctatus*, in the Devils River, Texas, 35: 349–351
Warren, R. J., see Scribner, K. T., —
Warren, Robert J., see Scribner, Kim T., —
Warren, Robert J., see Waid, Douglas D., —
Warrick, Greg, and Paul R. Krausman, Bone-chewing by desert bighorn sheep, 31:414
Warrick, Greg D., and Paul R. Krausman, Barrel cacti consumption by desert bighorn sheep, 34:483–486
Washakius, 22:489
Washingtonia, 21:128
filifera, 20:114, 29:169–176, 30:397, 30: 401, 31:552–553, 33:498, 36:216
robusta, 30:397, 30:401, 33:498, 36:216
robustus, 33:493
Wasserman, Aaron O., Chromosomal studies of the Pelobatidae (Salientia) and some instances of ploidy, 15:239–248
Water and nitrogen supplementation on phenology, plant size, tissue nitrogen, and seed yield of Chihuahuan Desert annual plants, effects of, Walter G. Whitford and Julio R. Gutierrez, 34:546–549
Water beetles of the genus *Suphisellus* Crotch in the Americas north of Colombia (Coleoptera: Noteridae), Frank N. Young, 24:409–429
Water requirements of the pocket gophers, *Pappogeomys castanops* and *Thomomys bottae*, a comparison of the, F. W. Judd and O. J. Reichman, 17:302–307
Water uptake by drinking in the scorpion, *Centruroides sculpturatus* (Buthidae), Neil F. Hadley, 15:504–505
Water: a limiting factor for a population of wood rats, Ronald W. Olsen, 21: 391–398
Waterfall, U. T., Callirhoe bushii (Malvaceae) a variety of C. papaver, 3: 215–216
Waterfall, U. T., see Mahler, W. F., —
Waterfowl mortality surveys on the southern High Plains of Texas, Alan M. Fedynich and Ralph D. Godfrey, Jr., 33:185–191
Watkins, Julian F., II, and Christopher J. Coody, The taxonomy of *Neivamyrmex graciellae* (Mann) (Hymenoptera: Formicidae: Ecitoninae) including an original description of the queen and field observations, 31: 256–259
Watkins, Julian F., II, Frederick R. Gehlbach, and Robert S. Baldridge, Ability of the blind snake, *Leptotyphlops dulcis*, to follow pheromone trails of army ants, *Neivamyrmex nigrescens* and *N. opacithorax*, 12:455–462
Watkins, Julian F., II, *Neivamyrmex angulimandibulatus*, new species (Formicidae: Dorylinae) from Cordoba, Mexico, 19:309–312
Watkins, Julian F., II, *Neivamyrmex nyensis*, n. sp. (Formicidae: Dorylinae) from Nye County, Nevada, U.S.A., 22:421–425
Watkins, Julian F., II, The relationship of *Neivamyrmex fuscipennis* to *N. macropterus* (Dorylinae: Formicidae), 20:85–90
Watkins, Larry C., and Ronald M. Nowak, The white-tailed jack rabbit in Missouri, 18:352–354
Watkins, Larry C., see Easterla, David A., —
Watkins, Lee, see Wolin, Carole L., —
Watkins, Ross K., and Philip J. Urness, Maxillary canine and supernumerary incisors in Arizona Coues white-tailed deer, 17:211–213
Watson, Thomas J., Jr., Chromosome numbers in Compositae from the southwestern United States, 18:117–124
Wauer, Roland H., and George Burdick, Range extension of Mediterranean gecko in Coahuila, Mexico, 19:446
Wauer, Roland H., and James F. Scudday, Occurrence and status of certain Charadriiformes in the Texas Big Bend Country, 17:210–211
Wauer, Roland H., Birds of Big Bend National Park and vicinity (rev.), 18: 362
Wauer, Roland H., Ecological distribution of birds of the Chisos Mountains, Texas, 16:1–29
Wauer, Roland H., First thick-billed kingbird record for Texas, 12:485–486
Wauer, Roland H., Great blue heron and osprey nest on cardon cactus on Tiburon Island, Sonora, Mexico, 25: 103–104
Wauer, Roland H., Naturalist's Big Bend. An introduction to the trees and shrubs, wildflowers, cacti, mammals, birds, reptiles and amphibians, fish and insects (rev.), 26:221

Wauer, Roland H., Status of certain parulids of West Texas, 18:105–110
Wauer, Roland H., The groove-billed ani in Texas, 13:452
Wauer, Roland H., Upland plover at Big Bend National Park, Texas, 14:361–362
Wauer, Roland H., Winter bird records from the Chisos Mountains and vicinity, 14:252–254
Wauer, Roland H., see Easterla, David A., —
Wauer, Roland, see Hubbs, Clark, —
Wavelengths of visible light on thallus growth and gemmae cup production in *Marchantia polymorpha* L. (Marchantiaceae), the effects of various, Jack L. Carter and Gaylin L. Nickell, 12:113–118
Way, Cathy A., see Cameron, Guy N., —
Weather, sex and season on the nocturnal activity of *Peromyscus truei* (Rodentia), the effects of, John S. Scheibe, 29:1–5
Weaver, Ronald O., and Charles D. Ziebell, Ecology and early life history of largemouth bass and bluegill in Imperial Reservoir, Arizona, 21:151–160
Webb, Donald W., and Edward A. Lisowski, The immature stages of *Orthonevra flukei* (Diptera: Syrphidae), 30:312–315
Webb, James W., and J. D. Dodd, Tree and shrub establishment and survival on sandy dredged material, 26: 345–352
Webb, Robert G., and George M. Ferguson, Morphological variation in the Trans-Pecos rat snake (*Elaphe subocularis*), 31:118–121
Webb, Robert G., and Robert L. Packard, Notes on some amphibians and reptiles from eastern Texas, 6:105–107
Webb, Robert G., and Rollin H. Baker, Terrestrial vertebrates of the Cerro Mohinora region, Chihuahua, Mexico, 29:243–246
Webb, Robert G., Comments on snakes of the genus *Geophis* (Colubridae) from the Mexican states of Durango and Sinaloa, 21:548–551
Webb, Robert G., Eumeces colimensis (Sauria, Scincidae), in Sinaloa, Mexico, 4:42
Webb, Robert G., review by, 24:715–716
Webb, Robert G., Wendell L. Minckley, and James E. Craddock, Remarks on the Coahuilan box turtle, *Terrapene coahuila* (Testudines, Emydidae), 8:89–99
Webb, Robert G., see Axtell, Ralph W., —
Webb, Robert G., see Baker, Rollin H., —
Webb, Robert G., see Banicki, Leroy H., —
Webb, Robert G., see Crossin, Richard S., —
Webb, Robert G., see Dixon, James R., —
Webb, Robert G., see Legler, John M., —
Weber, Darrell J., see Hreha, Alyce M., —
Weber, Darrell W., see Hegerhorst, Dale, —
Weber, William A., Additions to the Colorado flora, V, with nomenclature revisions, 18:317–329
Weber, William A., Rocky Mountain flora (rev.), 14:373
Weber, William A., Rocky Mountain flora: 1972 revised field edition (rev.), 17:437
Weber, William A., see Erdman, James, —
Weberian apparatus of *Hybognathus placitus* and *H. nuchalis* (Cyprinidae), the, Anwar D. Niazi and George A. Moore, 7:41–50
Webster, Wm. David, see Jones, J. Knox, Jr., —
Weckerly, Floyd W., and Troy L. Best, Morphologic variation among rock pocket mice (*Chaetodipus intermedius*) from New Mexico lava fields, 30:491–501
Weckerly, Floyd W., Antonio L. Gennaro, and Troy L. Best, Description of a new rock pocket mouse, *Chaetodipus intermedius*, from New Mexico, 33:100–102
Weckerly, Floyd W., see Pfaffenberger, Gary S., —
Wedelia, 9:27, 9:36, 16:365, 16:373, 16: 384
acapulensis, 9:32
biflora, 23:373
buphtalmifolia, 23:373
calycina, 23:373
gracilis, 23:373
hispida, 16:378, 26:5–12
jacquinii, 9:28, 9:32, 9:37
reticulata, 23:373
trilobata, 9:33, 23:373
Weedin, James F., A. Michael Powell, and Donald O. Kolle, Chromosome numbers in Chihuahuan Desert Cactaceae. II. Trans-Pecos Texas, 34:160–164
Weedon, Ronald R., and Lawrence K. Magrath, New and interesting vascular plants from the Great Plains, 18:341–342
Weeks, Kenneth W., see Forcum, Donald L., —
Weeping lovegrass, *Eragrostis curvula* (Schrader) Nees von Esenbeck, as a harborage of arthropods on the Texas High Plains, Sherman A. Phillips, Jr., C. Mark Brown, and Charles L. Cole, 36:49–53
Weight and temperature of the Abert and Kaibab squirrels, David R. Patton, Thomas D. Ratcliff, and Kenneth J. Rodgers, 21:236–238
Weight loss and decomposition of coyote carcasses, the rate of, Jerry H. Scrivner, 30:461–463
Weight on walking speeds in *Orconectes virilis* (Decapoda: Astacidae), the effects of added, James Duke, 24:613–619
Weiner, James G., 22:560–562
Weiss, Melvyn J., see Hawksworth, Frank G., —
Weissia
andrewsii, 28:241
controversa, 1:118, 3:116, 3:122, 6:186, 28:241
microstoma, 6:188
Wells, Philip V., and Lora M. Shields, Distribution of *Larrea divaricata* in relation to a temperature inversion at Yucca Flat, southern Nevada, 9: 51–55
Wells, Philip V., and R. Roy Johnson, *Vauquelinia pauciflora* (Rosaceae) from Guadalupe Canyon, Arizona: a species of trees newly reported for the United States, 9:151–154
Wells, Philip V., Vegetation of the Dead Horse Mountains, Brewster County, Texas, 10:256–260
Welwitschia, 11:111–114
Wendt, Thomas, see Turner, B. L., —
Wendt, Tom, see Bailey, D. K., —
Wenke, Thomas L., and Mark E. Eberle, Diatoms from Kansas, 30:464–465
Wentworth, Fred A., and Dallas A. Sutton, Chromosomes of the Townsend pocket gopher, Thomomys townsendii, 14:157–161
Wentworth, Thomas R., Vegetation on limestone in the Huachuca Mountains, Arizona, 30:385–395
Werr, Robert G., Reptiles of Oklahoma (rev.), 15:505–506
West, Neil E., and Mustafa M. Baasher, Determination of adequate plot size by use of mean distance between salt desert shrubs, 13:61–74
West, Neil E., see Clark, Lesley D., —
West, Neil E., see Irvine, James R., —
West, Neil E., see Van Pelt, Nicholas S., —
Westella, 25:420

Wester, David B., see Hansmire, Julie A., —
Western hook-nosed snake, Ficimia cana (Cope), in West Texas, new records of the, Pete S. Chrapliwy and Arthur J. Ward, Jr., 8:52–53
Western milksnake, Lampropeltis doliata Linnaeus, from New Mexico, aberrant, Frederick R. Gehlbach, 7: 270–272
Western sandpiper migration in interior North America, a review of, S. E. Senner and E. F. Martinez, 27:149–159
Western spotted skunk in Oklahoma, Kenneth N. Geluso, 16:457–458
Whartonia
glenni, 15:446, 15:452
perplexa, 4:63, 20:241, 20:245, 20:246, 20:252
Wheeler, John R., Donald L. Forcum, and Chester D. Rael, Two records of bird fleas for New Mexico, 14: 371
Wheeler, John R., see Forcum, Donald L., —
Wheeler, Marshall R., New species of southwestern acalyptrate Diptera, 6:86–91
Wheeler, Marshall R., New species of the quinaria group of Drosophila (Diptera, Drosophilidae), 5:160–164
Wheeler, Marshall R., Notes on some flies reared from bird's nests, 4:154
Wheeler, Marshall R., Three new North American Drosophilidae, 5:89–91
Wheeler, Marshall R., Three new species of Zapriothrica Wheeler (Diptera, Drosophilidae), 4:83–87
Whiles, Matt R., see Hooker, Karen L., —
Whiptail lizards (genus *Cnemidophorus*) on ersatz substrates in southern Texas, James M. Walker and James E. Cordes, 35:89–91
Whisenant, S. G., and D. N. Ueckert, Germination responses of *Anisacanthus wrightii* (Torr.) Gary (Acanthaceae) to selected environmental variables, 26:379–384
Whistling posts used by northern bobwhites (*Colinus virginianus*), attributes of, David B. Johnson, Fred S. Guthery, and Arlo H. Kane, 35:229–231
Whitaker, John O., Jr., and David A. Easterla, Ectoparasites of bats from Big Bend National Park, Texas, 20: 241–254
Whitaker, John O., Jr., David A. Easterla, and A. Fain, First record of the mite, *Ewingana* (*Doreyana*) *doreyae* Dusbábek 1968 (Acarina, Myobiidae) from the United States with notes on streblid flies from Big Bend National Park, Texas, 32:505
Whitaker, John O., Jr., John I. Glendinning, and William J. Wrenn, Ectoparasites of *Sorex saussurei* (Saussure's shrew) from Michoacan, Mexico, 36:114–115
Whitaker, John O., Jr., see Hamilton, William J., —
Whitaker, John O., Jr., see Thomas, Howard H., —
Whitcomb, Willard H., Egg sac construction and oviposition of the green lynx spider, *Peucetia viridans* (Oxyopidae), 7:198–201
White bat, *Diclidurus virgo* (Chiroptera: Emballonuridae), in the region of "Los Tuxtlas," Veracruz, occurrence of the, Rosamond Coates-Estrada and Alejandro Estrada, 30: 322–323
White, David S., and Max T. Henschen, A mark-recapture method for adult caddisflies (Insecta: Trichoptera), 23: 533–536
White, David S., and Susan J. White, Observations on the pelecypod fauna of Lake Texoma, Texas and Oklahoma, after more than 30 years impoundment, 22:235–253
White, David S., see Holt, Jack R., —
White, David S., see Resh, Vincent H., —
White, Donald H., Christine A. Mitchell, Harry D. Kennedy, Alexander J. Krynitsky, and Michael A. Ribick, Elevated DDE and toxaphene residues in fishes and birds reflect local contamination in the lower Rio Grande Valley, Texas, 28:325–333
White, J. Allen, and Clait E. Braun, Growth of young band-tailed pigeons in captivity, 35:82–84
White, J. Allen, see Braun, Clait E., —
White, Marshall, see Kie, John G., —
White, Marshall, see Kolb, James A., —
White, Martha M., see Kimmel, Bruce L., —
White, Susan J., see Resh, Vincent H., —
White, Susan J., see White, David S., —
White-faced ibis populations and pollutants in Texas, 1969–1976, Kirke A. King, Dennis L. Meeker, and Douglas M. Swineford, 25:225–239
White-sided jackrabbit (*Lepus callotis gaillardi*) in New Mexico, distribution and numbers of the, James C. Bednarz and Joseph A. Cook, 29: 358–360
White-tailed deer in northern Arizona, recent records of, Clay Y. McCulloch, 12:482–484
White-tailed jack rabbit in Missouri, the, Larry C. Watkins and Ronald M. Nowak, 18:352–354
Whiteman, Mike, see Hobbs, Horton H., Jr., —
Whiteside, B. G., see Schenck, John R., —
Whitford, W. G., see Steinberger, Y., —
Whitford, Walter G., and Julio R. Gutierrez, Effects of water and nitrogen supplementation on phenology, plant size, tissue nitrogen, and seed yield of Chihuahuan Desert annual plants, 34:546–549
Whitford, Walter G., Douglas Schaefer, and Wendy Wisdom, Soil movement by desert ants, 31:273–274
Whitford, Walter G., Effects of harvester ant (*Pogonomyrmex rugosus*) nests on soils and spring annual, *Erodium texanum*, 33:482–485
Whitford, Walter G., see Elkins, Ned Z., —
Whitford, Walter G., see Fowler, Harold G., —
Whitford, Walter G., see Gutierrez, Julio R., —
Whitford, Walter G., see Jones, K. Bruce, —
Whitford, Walter G., see MacKay, William P., —
Whitford, Walter G., see Peterson, David K., —
Whitford, Walter G., see Santos, Perseu F., —
Whitford, Walter G., see Schumacher, Aileen, —
Whitford, Walter G., see Urbaniak, Sandra, —
Whitham, Thomas G., see Brown, James H., —
Whitmore, Donald H., and Wade Butler, Interspecific hybridization of smallmouth and Guadalupe bass (*Micropterus*): evidence based on biochemical genetic and morphological analyses, 27:99–106
Whittaker, Paul L., The insect fauna of mistletoe (*Phoradendron tomentosum*, Loranthaceae) in southern Texas, 29:435–444
Whitworth, Robert J., and James K. Wangberg, Parasitization of the Texas spotted whiptail lizard (*Cnemidophorus gularis*) by a sarcophagid fly (*Blaesoxipha plintopyga*): a new host record, 30:163–164
Whyte, R. J., and E. G. Bolen, Seed production and morphology of two smartweeds associated with playas in Texas, 30:605–607
Wick, E. J., see Haynes, C. M., —
Wick, Edmund J., John A. Hawkins, and Thomas P. Nesler, Occurrence of two

endangered fishes in the Little Snake River, Colorado, 36:251–254
Wiedeman, V. E., and Wm. T. Penfound, A preliminary study of the shinnery in Oklahoma, 5:117–122
Wiedeman, Varley E., Chemical analyses and algal composition in a waste-stabilization pond system, 10:188–210
Wiegert, R. G., see Owen, D. F., —
Wiemeyer, Stanley N., see Grubb, Teryl G., —
Wiener, James G., Donald W. Kaufman, Glennis A. Kaufman, John B. Gentry, Michel H. Smith, and Paul R. Ramsey, Chemical composition of rodents: use of whole body concentrations for estimation of standing crops of elements, 22:77–78
Wiens, Delbert, see Gregor, Susan, —
Wiens, Delbert, see Lightle, Paul C., —
Wiens, John A., Nest parasitism of the dickcissel by the yellow-billed cuckoo in Marshall County, Oklahoma, 10:142
Wiggers, Ernie P., see Koerth, Benjamin H., —
Wilbur, Robert L., and H. S. Daoud, A synopsis of the genus *Helianthemum* (Cistaceae) in Mexico and Central America, 12:87–96
Wild buckwheat, *Eriogonum inflatum* (Polygonaceae): an enigmatic plant, Peter W. Price, 27:247–253
Wilde, Gene R., and Larry J. Paulson, Food habits of subadult striped bass in Lake Mead, Arizona-Nevada, 34: 118–123
Wilde, Gene R., see Williams, Jack E., —
Wilde, Gene R., Thomas A. Burke, and Charlie Keenan, Bryozoa from Lake Mead and Lake Mohave, Nevada-Arizona, 26:201
Wiley, Robert W., Activity periods and movements of the eastern woodrat, 16:43–54
Wiley, Robert W., and Eric G. Bolen, Eagle-livestock relationships: livestock carcass census and wound characteristics, 16:151–169
Wilhide, J. D., see Tumlison, Renn, —
Wilhm, Jerry L., Effect of sample size on Shannon's formula, 14:441–445
Wilhm, Jerry, Troy Dorris, James R. Seyfer, and Nancy McClintock, Seasonal variation in plankton populations in the Arkansas River near the confluence of Red Rock Creek, 22:411–420
Wilhm, Jerry, see Bowles, Larry G., —
Wilhm, Jerry, see Cooper, James M., —
Wilhm, Jerry, see Mahnken, Robert, —
Wilhm, Jerry, see Parrish, John H., —
Wilhm, Jerry, see Seyfer, James R., —
Wilkins, Kenneth T., and David J. Schmidly, Identification and distribution of three species of pocket mice (genus *Perognathus*) in Trans-Pecos Texas, 24:17–31
Wilkins, Kenneth T., Highways as barriers to rodent dispersal, 27:459–460
Wilkins, Kenneth T., see Fraze, Russell K., —
Wilkinson, Jeffery A., see Rosenfeld, Mark J., —
Wilkinson, Robert F., Jr., see Taylor, Cindy L., —
Wilkinson, Robert F., see Ingersol, Chris A., —
Wilkinson, Robert F., see Peterson, Chris L., —
Willard, Cynthia L., see Miller, Russell B., —
Willett, R. Larry, see Burandt, Charles L., —
Willey, David W., Nesting success of San Clemente sage sparrows, 35:28–31
Willey, Robert B., and Richard E. Richards, Vocalizations of the ringtail (*Bassariscus astutus*), 26:23–30
Williams, Cynthia D., and Jack E. Williams, Summer food habits of fishes from two springs in east-central Nevada, 27:437–445
Williams, Daniel F., see Bogan, Michael A., —
Williams, G. J., III, see Demos, E. K., —
Williams, Grady E., III, see Poff, Mark J., —
Williams, Harry C., and Richard F. Johnston, Spring arrival of summer resident birds on the lower Rio Grande, New Mexico, 2:28–32
Williams, J. R., see Engle, D. M., —
Williams, Jack E., and Carl E. Bond, A new subspecies of tui chub (Osteichthyes: Cyprinidae) from Guano Basin, Nevada and Oregon, 26:223–230
Williams, Jack E., and Donald W. Sada, Status of two endangered fishes, *Cyprinodon nevadensis mionectes*, and *Rhinichthys osculus nevadensis*, from two springs in Ash Meadows, Nevada, 30:475–484
Williams, Jack E., and Gene R. Wilde, Taxonomic status and morphology of isolated populations of the White River springfish, *Crenichthys baileyi* (Cyprinodontidae), 25:485–503
Williams, Jack E., Taxonomic status of *Rhinichthys osculus* (Cyprinidae) in the Moapa River, Nevada, 23:511–517
Williams, Jack E., see Baugh, Thomas, —
Williams, Jack E., see Williams, Cynthia D., —
Williams, John E., A new species of *Sabatia* (Gentianaceae) from the Chihuahuan Desert, 27:379–382
Williams, Kenneth B., see Talley, Linda L., —
Williams, Kenneth L., reviews by, 26: 221, 29:141
Williams, Kenneth L., Taxonomic notes on Arizona herpetozoa, 5:25–36
Williams, Kenneth L., see McAllister, Chris T., —
Williams, Kenneth L., see Smith, Hobart M., —
Williams, Lawrence R., see Gregory, Michael J., —
Williams, Olwen, and G. S. McArthur, New information on the least shrew in northern Colorado, 16:448–449
Williams, Stephen E., and Earl F. Aldon, Endomycorrhizal (vesicular arbuscular) associations of some arid zone shrubs, 20:437–444
Williams, Stephen L., Effect of floods on *Thomomys bottae* in Texas, 21:169–175
Williams, Stephen L., see Ramírez-Pulido, José, —
Williams, Stephen R., see Jacob, James S., —
Willig, Michael R., review by, 30:622–623
Willimon, Edward L., An enchodontid skull from the Austin Chalk (upper Cretaceous) of Dallas, Texas, 18: 201–210
Willis, Kevin B., see Gannon, Michael R., —
Willson, Mary F., and Steven W. Carothers, Avifauna of habitat islands in the Grand Canyon, 24:563–575
Wilson, Brian L., see Deacon, James E., —
Wilson, Charles R., see Smith, Dwight G., —
Wilson, Don E., Ecological distribution of the genus *Peromyscus*, 13:267–274
Wilson, Don E., New mammal records from Sinaloa: *Nyctinomops aurispinosa* and *Onychomys torridus*, 30: 323–324
Wilson, Don E., review by, 17:109–111
Wilson, Gerald T., David Garippa, Roy Shake, and Archie Manis, A search of wood rat (*Neotoma*) nests in Taylor and Jones counties, Texas, for the presence of Reduviidae infected with *Trypanosoma cruzi*, 25:565–566
Wilson, Larry David, and Gustavo A. Cruz Díaz, Two additions to the herpetofauna of Honduras: *Smilisca sordida* and *Drymobius melanotropis*, 31:249–250

Wilson, Larry David, Gustavo A. Cruz Díaz, Efrain Villeda, and Saul Flores, *Typhlops costaricensis* Jiménez and Savage: an addition to the snake fauna of Honduras, 33:499–500

Wilson, Larry David, The status of the name *Homalocranium breve* Günther, 1895 (Colubridae), 31:243–244

Wilson, Nixon, and George V. Oliver, Jr., Noteworthy records of two ectoparasites (Cimididae and Hippoboscidae) from the turkey vulture in Texas, 23:305–307

Wilson, Stan, see Echelle, Anthony A., —

Wilsonia
canadensis, 18:109
citrina, 4:77, 4:79, 4:80, 18:109
pusilla, 4:77, 4:79, 4:80, 18:196, 18:199, 29:474

Wiman, Fred H., Mating behavior in the *Streptocephalus* fairy shrimps (Crustacea: Anostraca), 25:541–546

Wind a factor in floral ecology and morphology, Lloyd H. Shinners, 1:88–89

Wind dispersal of *Arceuthobium americanum* pollen, John Coppola, 34:291–293

Wind training in some prairie trees, M. A. Bogan and T. R. Mollhagen, 14:134–136

Windle, Johanne, see Blair, Albert P., —

Windler, Bonnie Kay, see Windler, Donald R., —

Windler, Donald R., and Bonnie Kay Windler, *Neptunia* in Mexico (Leguminosae), 19:337–340

Windler, Donald R., Notes on Leguminosae I. (*Neptumia* and *Cassia*), 12:336–337

Winemiller, Kirk O., and Barbara M. Winsborough, Occurrence of epizoic communities on the parasitic copepod *Lernaea carassii* (Lernaeidae), 35:206–210

Wing in a male doryline ant *Labidus coecus* (Latreille), (Hymenoptera: Formicidae), an anomalous, Donald W. Tuff, 19:449–452

Wing morphology and flight behavior of the bat fly *Trichobius major* (Diptera: Streblidae), William Caire and Lothar Hornuff, 27:356–357

Winkler, Alisa J., and Yukimitsu Tomida, New records of the small leporid *Aztlanolagus agilis* Russell and Harris (Leporidae: Leporinae), 33:391–396

Winkler, Alisa J., Small mammals from a Holocene sequence in central Texas and their paleoenvironmental implications, 35:199–205

Winsborough, Barbara M., see Winemiller, Kirk O., —

Winter abundance patterns of some songbirds near the 100th meridian in the southern United States, Terry L. Root, Mark A. Holmgren, and Robert W. Andrews, 26:95–100

Winter activity in *Myotis californicus*, an incidence of, David B. Young and James F. Scudday, 19:452

Winter activity of bald eagles (*Haliaeetus leucocephalus*) at Navajo Lake, New Mexico, Teryl G. Grubb, 29:335–341

Winter bat activity over a desert wash in southwestern Utah, George A. Ruffner, Richard M. Poche, Marcie Meierkord, and James A. Neal, 24:447–453

Winter bird records from the Chisos Mountains and vicinity, Roland H. Wauer, 14:252–254

Winter breeding in the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), from Arkansas, Stanley E. Trauth, Michael E. Cartwright, and Walter E. Meshaka, 34:145–146

Winter burns on forbs and grasses of the Texas coastal prairie, effect of, Julie A. Hansmire, D. Lynn Drawe, David B. Wester, and Carlton M. Britton, 33:333–338

Winter concentration of bald eagles at Grand Lake, Oklahoma, J. C. Johnson, Jr., 6:107–108

Winter die off in Fairfield Reservoir (Freestone County, Texas), with special emphasis on mortality in *Sarotherodon aureus* (Cichlidae), a, Daniele F. Ippolito, 30:456–459

Winter invertebrate Metazoa of Goose Lake, Muleshoe Wildlife Reserve, Texas, Robert W. Mitchell, 1:6–15

Winter observation of birds in Oaxaca, Mexico, Jean W. Graber and Richard R. Graber, 4:66–82

Winter roosting patterns of bald eagles (*Haliaeetus leucocephalus*) in north-central Arizona, Teryl G. Grubb, Sandra J. Nagiller, Wade L. Eakle, and Gregory A. Goodwin, 34:453–459

Winter stoneflies (Plecoptera) from southwestern New Mexico, with notes on habitat preferences and zoogeographical origins, new records of, Gerald Z. Jacobi and Steven J. Cary, 31:503–510

Winter temperatures on pintail sex ratios in Texas, influence of, John R. Alford, III, and Eric G. Bolen, 21:554–556

Wintering of spotted sandpiper at a heated reservoir in northwestern Arkansas, Kimberly G. Smith, 30:310–311

Winters, Stephen, see Robison, Henry W., —

Wisdom, Wendy, see Whitford, Walter G., —

Wise, David H., Negative correlation between numbers of a darkling beetle and a carabid predator, 30:148–150

Wislizenia, 3:134
refracta, 3:133, 3:141, 3:143, 16:205, 24:187

Wissadula holosericea, 19:323

Witherspoon, John T., Rediscovery of a hybrid *Lobelia* (Campanulaceae) in Missouri, 19:329

Within-leaf density and leaf size on pupal weight of a leaf-miner, *Cameraria* (Lepidoptera: Gracillariidae), effect of, Thomas L. Bultman and Stanley H. Faeth, 31:201–206

Witmer, Mark C., and Rick E. Patrick, Continuous breeding at a barn owl nest in Texas, 32:402–403

Wixia, 11:361
extypa, 11:365, 11:370
globosa, 30:7

Wolf spider ecology in Grand County, Utah (Lycosidae: Araneae), a study of, David E. Bixler, 14:403–410

Wolfe, L. R., Check-list of the birds of Texas (rev.), 1:92–93

Wolffia, 23:548
brasiliensis, 33:170, 33:173, 33:175
columbiana, 26:321
papulifera, 34:290
punctata, 26:321

Wolffia (Lemnaceae) for Colorado, first records of, Ralph E. Brooks, 26:321

Wolffiella, 23:548
lingulata, 33:170, 33:173, 33:175

Wolin, Carole L., Candace Galen, and Lee Watkins, The breeding system and aspects of pollination effectiveness in *Oenothera speciosa* (Onagraceae), 29:15–20

Wollman, Constance, and Constantine J. Alexopoulus, Spore to spore cultivation in agar culture of three Myxomycetes: *Comatricha laxa*, *Perichaena depressa*, and *Licea biforis*, 9:160–165

Wolverine (*Gulo luscus*) in Nevada, the, Marcus S. Barker, Jr., and Troy L. Best, 21:133

Womochel, Daniel, see Baker, Rollin H., —

Wood, Carl E., see Respess, Richard O., —

Wood, D. M. (ed.), The Ontario field biologist (rev.), 1:42–43

Wood duck nesting record from South Texas, Eric G. Bolen and Clarence Cottam, 12:198–199

Wood rat (*Neotoma*) nests in Taylor and Jones counties, Texas, for the presence of Reduviidae infected with *Trypanosoma cruzi*, a search of, Gerald T. Wilson, David Garippa, Roy Shake, and Archie Manis, 25:565–566

Wood rat densities in southern California manzanita chaparral, Richard J. Vogl, 12:176–179

Wood, Stanley A., see Neal, Bobby J., —

Wood-rotting Hymenomycetes in New Mexico, notes on, R. L. Gilbertson, H. H. Burdsall, Jr., and M. J. Larsen, 19:347–360

Woodbury, Angus M., see Cottam, Clarence, —

Woodham, John D., see Hannan, Herbert H., —

Woodland musk ox, *Symbos cavifrons* (Artiodactyla: Bovidae), from Bayou Sara, Louisiana, a, J. N. McDonald and K. C. Corkum, 32:139–143

Woodmansee, Robert G., Clusters of limber pine trees: a hypothesis of plant-animal coaction, 21:511–517

Woodrow, J. O., Jr., see Cameron, Guy N., —

Woodruff, R. C., see Thompson, James N., Jr., —

Woods, Marsha W., and Richard C. Harrel, Spider populations of a Southeast Texas rice field, 21:37–47

Woodsia mexicana, 35:69

Woodward, B. D., Tadpole interactions in the Chihuahuan Desert at two experimental densities, 27:119–121

Woodward, Bruce, and Pat Johnson, *Ambystoma tigrinum* (Ambystomatidae) predation on *Scaphiopus couchi* (Pelobatidae) tadpoles of different sizes, 30:460–461

Woodward, Bruce, Intra- and interspecific variation in spadefoot toad (*Scaphiopus*) clutch parameters, 32:127–131

Woodward, Bruce, Operational sex ratios and sex biased mortality in *Scaphiopus* (Pelobatidae), 29:232–234

Woodward, Bruce, Tadpole size and predation in the Chihuahuan Desert, 28:470–471

Woodward, Bruce D., Clutch parameters and pond use in some Chihuahuan Desert anurans, 32:13–19

Woodward, Bruce Douglas, and Sandra Mitchell, Predation on frogs in breeding choruses, 35:449–450

Woody riparian vegetation in the Black and Sacramento mountain ranges, southern New Mexico, C. E. Freeman and W. A. Dick-Peddie, 15: 145–164

Woody riparian vegetation patterns on a segment of the Mimbres River in southwestern New Mexico, Patrick H. Boles and William A. Dick-Peddie, 28:81–87

Woody species in the Guadalupe River floodplain forest in the Edwards Plateau of Texas, the distribution of, Allen L. Ford and O. W. Van Auken, 27:383–392

Woody upland and riparian plant communities of the southern Edwards Plateau, a comparison of some, O. W. Van Auken, A. L. Ford, and A. Stein, 24:165–180

Woody vegetation of an inland heronry in East Texas, Charles L. Burandt, Jr., Elray S. Nixon, and R. Larry Willett, 21:475–486

Woodyard, Emilio Rangel, and Eric G. Bolen, Ecological studies of muscovy ducks in Mexico, 29:453–461

Woodyard, Emilio Rangel, and Eric G. Bolen, Erratum, 30:171

Woolley, T. A., see Baker, Edward W., —

Worker size and reproductive output of subpopulations of the alpine ant, *Formica gelida* Wheeler (Formicidae), comparative, Ruth A. Bernstein, 29:423–427

Wormaldia, 32:289

gabriella, 31:448

Worthington, Richard D., and Edward R. Arvizo, Western records of the Davis Mountains kingsnake, *Lampropeltis mexicana alterna*, in Texas, 19:330–331

Worthington, Richard D., Remarks on the distribution of the smooth green snake, *Opheodrys vernalis blanchardi* Grobman in Texas, 18:344–346

Worthington, Richard D., see Lemke, David E., —

Worthington, Richard D., see Van Devender, Thomas R., —

Wrenn, T. W., see Demos, E. K., —

Wrenn, William J., John T. Baccus, and Richard B. Loomis, Two new species of North American mites in the genus Euschoengastia (Acarina: Trombiculidae), 21:301–309

Wrenn, William J., see Whitaker, John O., Jr., —

Wright, David Hamilton, Temporal changes in nectar availability and *Bombus appositus* (Hymenoptera: Apidae) foraging profits, 33:219–227

Wright, Henry A., see McPherson, Guy R., —

Wright, Henry A., see Neuenschwander, Leon F., —

Wright, John W., Cnemidophorus gularis in New Mexico, 8:56

Wright, John W., Variation in two sympatric whiptail lizards (*Cnemidophorus inornatus* and *C. velox*) in New Mexico, 11:54–71

Wright, R. Gerald, and George M. Van Dyne, Environmental factors influencing semidesert grassland perennial grass demography, 21:259–273

Wright, R. Gerald, and George M. Van Dyne, Population age structure and its relationship to the maintenance of a semidesert grassland undergoing invasion by mesquite, 26:13–22

Wright, Terry L., and Lois A. Pfiester, A comparison of algal composition and seasonal succession between farm ponds with sandstone and clay substrates, 23:431–455

Wright, Terry L., see Pfiester, Lois A., —

Wright, Thomas, see Hubbs, Clark, —

Wujek, Daniel E., A contribution to the diatom flora of Kansas, 10:39–41

Wulffia baccata, 9:33, 9:37

Wunder, Bruce A., and David Byman, Late breeding of deer mice (*Peromyscus maniculatus*) in north-central Colorado, 24:527–530

Wunder, Laurie, see Freeman, Jerry, —

Wunderlin, R. P., Two new varieties of *Bauhinia* (Leguminosae) from Mexico, 13:104

Wycoff, Larry C., see Haynes, Charles M., —

Wydoski, Richard S., see McAda, Charles W., —

Wygoda, Mark L., and Cynthia M. Chmura, Effects of shell closure on water loss in the Sonoran mud turtle, *Kinosternon sonoriense*, 35:228–229

Wyman, Richard L., and Kurt Schaefer, The ectoparasites of *Peromyscus maniculatus* in Texas Co., Oklahoma, 16:435–436

Wyochernes, 2:84

X *Agrohordeum* (Poaceae-Triticeae) in Nebraska, David M. Sutherland and Steven P. Churchill, 22:389–391

Xanthic variants in a natural population of the Salt Creek pupfish, Cyprinodon salinus, Bruce J. Turner and Robert K. Liu, 22:538–540

Xanthidae, 11:140

Xanthidium, 15:103, 15:104, 17:245

antilopaeum, 20:576, 24:158

Xanthisma texanum, 24:99, 36:354

Xanthium, 10:36, 15:416, 16:358, 16:383

commune, 24:240

pensylvanicum, 7:170

saccharatum, 8:192

spinosum, 15:416, 28:255

strumarium, 21:314, 30:339, 35:71

Xanthocephalum, 22:345

dracunculoides, 19:317, 19:318, 23:316, 23:321, 30:320, 35:80, 35:81, 35:235
dranunculoides, 20:381
microcephalum, 21:316
sarothrae, 21:2, 21:314, 21:316, 22:342, 22:347, 23:146, 23:299, 23:410, 24:132, 25:366, 26:53, 26:289, 27:339, 28:90, 28:200, 30:438, 30:451, 30:580, 32:292, 32:428, 36:255
sphaerocephalum, 21:314, 21:316, 30:536
texanum, 17:435, 19:317, 28:376
Xanthochroistic gar in Oklahoma, a, Jack D. Tyler, 35:225
Xanthochromic prairie vole and notes on associated literature, a, Dick T. Stalling, 19:115–117
Xanthomonas, 15:422
Xanthophyceae, 25:420
Xanthosarus comata, 36:341
Xanthosoma sagittifolium, 33:498–499
Xanthosoma sagittifolium (Araceae): new to Texas, David E. Lemke and Edward L. Schneider, 33:498–499
Xanthoteras, 32:463–468
Xanthoteras sp. (Hymenoptera: Cunipidae) gall abundance on shinnery oak (*Quercus havardii*) in New Mexico: an indicator of plant stress?, Gary Dodson, 32:463–468
Xanthoxylum, 18:436, 18:440, 18:442, 34:196, 34:200
fagara, 7:204, 26:291
insularis, 18:194
pterota, 7:204
Xantusia vigilis, 9:45, 11:126–128, 23:537, 25:569, 34:522
Xantusiidae, 30:368, 35:374
Xema sabini, 20:134–135, 22:141
Xenacanthus, 31:484, 31:485
luedersensis, 31:491
platypternus, 31:491
texensis, 31:491
Xenatherina schultzi, 32:227
Xenelmis
bufo, 30:53, 30:56, 30:57
laura, 24:197, 30:56
rufipes, 30:56
sandersoni, 30:53–57
tarsalis, 30:56
Xenelmis sandersoni, a new species of riffle beetle from Arizona and northern Mexico (Coleoptera: Dryopoidea: Elmidae), Harley P. Brown, 30:53–57
Xenochironomus xenolabis, 25:381, 25:383
Xenococcus kerneri, 23:444, 23:446
Xenodon, 20:537, 20:539, 20:541, 20:554, 20:555
merremi, 20:538
rabdocephalus, 35:274, 35:278
Xenoglossa strenua, 13:325–334
Xenoglyptodon fredericensis, 22:258
Xenomys, 33:397–403
nelsoni, 33:397, 33:398, 33:400
Xenops minutus, 4:71
Xenopus, 15:356, 32:75
laevis, 25:272–275, 34:499–505
Xenosauridae, 11:305
Xenosaurus grandis, 11:305–306
Xenotaenia, 35:36
resolanae, 35:34, 35:35, 35:37, 35:38, 35:40, 35:46
Xenoxylon morrisonense, 30:530
Xeranobium laticeps, 28:474
Xeric plant communities, a study of three, James A. McCleary and Kenneth A. Wagner, 17:169–180
Xeric snail from New Mexico, a, Fred G. Thompson, 19:53–56
Xeromphalina campanella, 8:202, 29:264
Xerophilaspis, 18:427
parkinsoniae, 17:398
prosopidis, 17:403, 17:404, 18:432
Xerosaprinus acilinea, 28:475
Xerostictia, 20:337–342
longilabris, 20:337, 20:340, 20:341
Ximenesia, 16:373
Xiphomyrmex spinosus, 25:181, 25:187, 25:193
Xiphophorus
alvarezi, 32:227, 32:229, 32:233
helleri, 22:538, 28:221, 32:227, 32:229
maculatus, 22:538, 28:221, 32:227, 32:229, 32:233
pygmaeus, 20:129
variatus, 15:257
Xiphorhynchus flavigaster, 4:70, 4:80
Xylem monoterpenes of *Pinus monophylla* in California and Nevada, R. H. Smith and H. K. Preisler, 33:205–214
Xylem pressure potentials of three dominant trees of the Edwards Plateau of Texas, Paul J. Fonteyn, Terry M. McClean, and Robert E. Akridge, 30:141–146
Xylobiops, 20:312
Xylocopa, 1:88, 2:131, 16:405, 16:496, 18:312, 30:74, 30:75, 32:491, 32:494
arizonensis, 22:162, 22:165
micans, 2:130
tabaniformes, 32:39–52
virginica, 2:130
Xylocopidae, 30:73, 32:491, 32:494
Xylopleurum, 32:117
Xylorhiza, 15:182
brandegei, 18:118, 18:121
coloradoensis, 18:118
tortifolia, 9:315
wrightii, 9:315
Xylorrhiza, 16:370
Xylosma flexuosa, 30:398, 30:400, 31:260, 36:215
Xypherus, 9:210
Xyrauchen texanus, 5:175, 6:4, 11:301, 11:323, 14:306, 14:307, 14:309, 14:310, 19:403, 19:408, 24:686–687, 26:391, 28:165–187, 28:399, 28:401–403, 30:99, 30:129, 32:354, 33:196, 34:147–149, 34:188–195, 34:410, 35:196, 35:427–433, 36:147–150
Xyridaceae, 6:99–100
Xyris
difformis, 6:99, 6:100
platylepis, 6:99, 6:100
torta, 6:100
Xysticus, 15:328, 20:60, 30:121
apachecus, 30:8
auctificus, 11:347, 30:8, 30:11
bicuspis, 11:347
bifasciatus, 15:503
concursus, 30:5
cristatus, 15:503
cunctator, 11:347
durus, 15:323, 15:326, 15:327
elegans, 11:347
emertoni, 15:323
ferox, 30:8, 30:11
funestus, 11:346, 11:370, 30:5, 30:10
gulosus, 11:346, 30:5
labradorensis, 15:323, 15:327
lassanus, 30:8
leechi, 15:323
locuples, 34:350, 34:353
pellax, 29:231, 30:5, 30:10
punctatus, 34:350, 34:352
robinsoni, 25:109–111, 30:8
texanus, 11:345, 11:346, 25:110, 30:5
triangulosus, 15:323
triguttatus, 11:347
tumefactus, 11:347
Xystodesmidae, 34:219–224, 34:383, 35:96–97

Yabea microcarpa, 35:67, 35:70
Yarbrough, James W., and Eugene H. Studier, Mink in Northeast New Mexico, 13:105
Yates, Harris O., Morphology and cytology of Uniola (Gramineae), 11:145–189
Yates, Harris O., Revision of grasses traditionally referred to Uniola, I. Uniola and Leptochloöpsis, 11:372–394
Yates, Harris O., Revision of grasses traditionally referred to *Uniola*, II. *Chasmanthium*, 11:415–455
Yates, Terry L., see Benshoff, Lee, —
Yeasts vectored by insects feeding on decaying saguaro cactus, William T. Starmer, Herman J. Phaff, Jane M. Bowles, and Marc-Andre Lachance, 33:362–363
Yeaton, R. I., A. Romero Manzanares, G. Vera Castillo, and S. Vielegas, Tree succession in the subalpine forest of the neo-volcanic range, south-central Mexico, 32:335–345
Yeaton, Richard I., Ellen Layendecker, Kevin S. Sly, and Robert Eckert, Microhabitat differences between

Opuntia parryi and *O. littoralis* (Cactaceae) in the mixed chaparral-inland coastal sage association, 28:215–220
Yeaton, Richard I., Richard Karban, and Holliday B. Wagner, Morphological growth patterns of saguaro (*Carnegiea gigantea*: Cactaceae) on flats and slopes in Organ Pipe Cactus National Monument, Arizona, 25: 339–349
Yeh, Chi Fu, and Ronald G. Hodson, Effects of formalin on length and weight of bluegill and white crappie from Lake Nasworthy, Texas, 20: 315–322
Yeh, Chi Fu, Production of white crappie in Lake Nasworthy, Texas, 23:111–115
Yellow mud turtle (*Kinosternon flavescens*) in Iowa, Illinois, and Missouri: a proposed endangered species, distributional survey of the, J. M. Bickham, M. D. Springer, and B. J. Gallaway, 29:123–132
Yensen, Eric, and William H. Clark, Records of desert shrews (*Notiosorex crawfordi*) from Baja California, Mexico, 31:529–530
Yersinia pestis, 31:135–136
Yoshida, Julia K., see Carpenter, Charles C., —
Yost, Larry A., see Lawson, H. Randy, —
Young, Craig, see Collins, James P., —
Young, D. A., see Seigler, D., —
Young, David B., and James F. Scudday, An incidence of winter activity in *Myotis californicus*, 19:452
Young, Frank N., Water beetles of the genus *Suphisellus* Crotch in the Americas north of Colombia (Coleoptera: Noteridae), 24:409–429
Young, John B., see Moore, Walter G., —
Young, Louise B., Power over people (rev.), 18:359–360
Younga, Amade, see Hague, Zahoorul, —
Youngberg, Alv Dan, First record of *Ranunculus inamoenus* Greene (Ranunculaceae) in Nebraska, 15:273
Youngia japonica, 34:557–559
Youngman, Arthur L., Emorya (Loganiaceae) a member of the Texas flora?, 8:210–212
Yucca, 2:111, 3:30, 3:97, 3:225, 4:18, 4: 19, 4:43, 8:174, 8:175, 11:127, 13: 156, 13:218, 14:100, 16:210, 17:98, 17:169, 17:398, 19:329, 20:217, 21: 147, 24:121, 24:168, 24:170, 24:171, 24:627, 25:12, 25:89, 25:133, 25:134, 25:557, 26:299, 27:221, 27:326, 28: 99, 30:580, 31:173, 32:169, 32:285
angustifolia, 2:160, 25:327, 30:610
angustissima, 30:303, 30:304
arkansana, 4:56
baccata, 1:56, 1:57, 1:63, 12:233, 15: 24, 15:153, 17:170, 17:172, 17:173, 17:175, 21:316, 22:62, 22:345, 22: 347, 23:149, 23:409–421, 25:130, 25: 267, 25:268, 26:87, 26:204, 26:261, 26:264, 26:265, 26:283, 26:296, 28: 83, 30:303, 30:304, 30:610, 30:611, 34:442, 36:200, 36:305
brevifolia, 9:51, 11:126, 12:233, 16:342, 17:172, 17:175, 22:62, 24:531, 26: 296, 29:1, 29:10, 29:45–55, 30:303, 30:304, 31:111, 34:40, 36:95, 36:338
campestris, 31:36
carnerosana, 10:256, 10:257, 10:260, 11:242, 36:71
constricta, 26:291
decipiens, 11:242
dicipiens, 35:231
elata, 1:53, 1:54, 1:57, 1:60, 1:63, 1:67, 1:190, 14:439, 17:171, 17:174, 20: 56, 20:364, 21:1, 21:3, 21:177–184, 21:314, 21:316, 21:317, 22:341, 23: 145–150, 23:409–411, 23:413, 23: 414, 23:417, 23:418, 24:128, 24:132, 25:131, 25:268, 25:364, 25:366, 28: 83, 28:417, 29:358, 30:303, 30:304, 30:321–322, 30:610, 30:611, 30:613, 32:183, 32:193, 35:74
elate, 30:610
elephantipes, 29:46
filamentosa, 29:45–55
filifera, 35:366
glauca, 5:120, 11:308, 12:134, 12:138, 12:141, 12:143, 13:146, 13:154, 13: 387, 14:331, 17:7, 17:47, 23:117, 23: 129, 23:132, 28:336, 29:230, 29:277, 29:280, 30:303, 30:304, 30:336, 30: 610, 32:138, 32:193, 32:292, 33:239, 33:481, 35:80, 35:81
harrimanniae, 26:397
louisianensis, 35:221
macrocarpa, 30:610, 31:277
reverchoni, 30:303, 30:304
rostrata, 10:256, 10:257, 10:260, 23: 292–294, 23:299
schidigera, 11:126, 12:163, 12:233, 17: 335, 17:339, 22:428, 22:430, 26:265, 28:430, 29:45–55, 29:463–465, 30: 303, 30:304
schottii, 20:364, 29:45–55, 30:389, 32: 494, 33:84, 35:64, 35:74
thompsoniana, 23:293, 30:303, 30:304, 30:536, 30:539
thornberi, 35:64, 35:74
torreyi, 10:256, 10:260, 16:6, 16:87, 16: 90, 16:91, 22:340, 22:341, 23:291, 23:294, 23:296, 23:298, 24:128, 24: 129, 24:132, 25:364, 25:366, 26:204, 27:321, 30:303, 30:304, 32:181
traculeana, 28:389
treculeana, 18:433, 18:441, 18:442, 26: 291, 30:398, 30:400, 31:387, 36:215
valida, 31:530
whipplei, 12:177, 26:261, 29:45–55, 30: 303, 30:304, 32:493
Yunker, Conrad E., see Baker, Edward W., —
Yunkercarus faini, 24:690

Zaitha indentata, 22:122
Zaitzevia, 30:55
aritai, 24:197
elongata, 24:197
parvula, 24:197, 25:455
tsushimana, 24:197
Zalerion, 24:367
Zalom, F. G., see Meyer, R. P., —
Zalom, Frank G., Backswimmer prey selection with observations on cannibalism (Hemiptera: Notonectidae), 23:617–622
Zalom, Frank G., The Notonectidae (Hemiptera) of Arizona, 22:327–336
Zaluzania
angusta, 16:384
asperima, 16:384
montagnaefolia, 16:384
pringlei, 16:384
triloba, 16:384
Zamensis mucosus, 20:541
Zamudio-Ruiz, Sergio, y Jorge S. Marroquin, Una nueva especie de *Berberis* (Berberidaceae), para los estados de Queretaro e Hidalgo, Mexico, 32:483–487
Zanichellia palustris, 15:408, 36:159
Zannichellia
pallustris, 12:56
palustris, 20:217, 26:62, 26:418, 34:290
Zannichelliaceae, 34:290
Zanoni, Thomas A., and Robert P. Adams, Southern range extension of *Juniperus scopulorum* Sarg. (Cupressaceae) into Mexico, 20:136–137
Zanoni, Thomas A., see Adams, Robert P., —
Zanonia, 8:7
Zanthoxylum, 18:245, 19:326, 21:482
clava-herculis, 12:346, 20:328, 29:83
clava-herculus, 24:259
fagara, 19:325, 23:10, 24:99, 24:298, 24:302, 24:305, 28:242, 30:398, 30: 400, 30:401, 35:229, 35:349, 35:371, 36:215, 36:216
hirsutum, 27:311
Zantusia vigilis, 11:126–128
Zaona, 2:84
Zapada
cinctipes, 25:26, 28:130, 35:131
columbiana, 35:131
haysi, 25:26, 35:131
Zapodidae, 26:327
Zapotecia amecamecae, 15:267
Zapriothrica

dispar, 4:83–86
hirta, 4:83–87
nudiseta, 4:83, 4:84, 4:86
sternalis, 4:83–87
Zapriothrica Wheeler (Diptera, Drosophilidae), three new species of, Marshall R. Wheeler, 4:83–87
Zapus
hudsonius, 35:86
princeps, 14:165, 14:168, 17:316, 17:325, 22:289, 22:292, 22:293, 22:297, 22:299, 22:301, 24:554, 25:36, 26:333, 26:334, 26:337
Zatropis, 20:314
captitis, 20:313
incertus, 19:317, 19:326
perdubius, 19:318, 19:319, 20:313
Zaun, John W., see Freeman, C. Edward, —
Zea
diploperennis, 28:233, 35:32
mays, 2:125, 4:118, 5:8, 5:10, 9:79, 10:48, 10:50, 10:52, 10:54, 12:71, 12:80, 12:81, 21:470, 22:551, 24:132, 24:373, 24:374, 28:335, 30:33, 35:32
Zealeuctra, 31:514, 34:316
Zehner, Warren, First record of *Pipistrellus subflavus* (Chiroptera: Vespertilionidae) on Padre Island, Texas, 30:306–307
Zelnick, Gale Edward, Midsummer feeding habits of the Midland water snake, 11:311–312
Zelotes, 11:342, 30:10
ater, 11:343
gertschi, 30:4
hentzi, 11:343
pseustes, 30:4
puritanus, 15:322
subterraneus, 11:343, 29:231
sula, 15:322
tuobus, 20:59
Zelus, 23:303
Zenada
asiatica, 30:567
macroura, 30:567
Zenaida
asiatica, 7:257, 16:20, 18:195, 25:428, 26:254, 28:113, 29:474, 33:367, 34:281–284, 36:259, 36:260
macroura, 21:248, 21:454, 21:545–547, 22:369, 23:702–704, 24:198, 25:428–429, 25:558–560, 26:254, 27:367, 28:335–340, 29:473, 30:453, 31:33–38, 32:378, 33:367, 34:490
Zenaidura macroura, 4:171, 10:71, 11:136, 12:201–202, 16:6, 17:296, 18:195, 18:199, 21:240, 24:572
Zephyranthes
drummondi, 30:546
longifolia, 21:314, 21:316, 35:74
Zetomimidae, 23:554
Zexmenia, 9:37, 16:374, 16:375, 16:382
aurea, 16:384
brevifolia, 10:257, 10:260, 16:10, 23:296
ceanothifolia, 16:384, 16:385
crocea, 16:385
elegans, 16:384, 16:385
fasiculata, 16:385
frutescens, 9:33, 16:384
ghiesbreghtii, 16:384, 16:385
helianthoides, 16:384, 16:385
hispida, 3:220, 29:304
podocephala, 16:385, 35:66, 35:71
seemanii, 16:385
Zezulak, David S., and Steven C. Minta, Cannibalism and possible predation by an adult bobcat (*Felis rufus*), 32:155–156
Ziebell, Charles D., see Weaver, Ronald O., —
Zimmerman, Dale A., see Mumford, Russell E., —
Zimmerman, E. G., see Calhoun, S. W., —
Zimmerman, Earl G., Additional records of bats from Utah, 15:263–264
Zimmerman, Earl G., see Block, Scott B., —
Zimmerman, Earl G., see Ward, Rocky, —
Zimmerman, Jess K., see Kuehl, M. Cathleen, —
Zimmerman, John L., see Shuman, Theresa W., —
Zimmerman, John W., Burrow characteristics of the nine-banded armadillo, *Dasypus novemcinctus*, 35:226–227
Zimmerman, Michael, Reproduction in *Polemonium*: intra- and inter-plant variability in seed weights, 32:525–527
Zink, Robert, see Cottam, Clarence, —
Zinn, Kathleen S., Olivaceous cormorants nesting in north central Texas, 21:556–557
Zinnia, 16:373
acerosa, 21:314, 21:316, 22:342, 32:428, 35:65, 35:71, 35:378, 35:380, 35:381
grandiflora, 1:66, 1:68, 21:316
juniperifolia, 16:385
peruviana, 36:77
pumila, 10:257, 10:260, 33:431
tenuiflora, 16:385
Zion tansy, *Sphaeromeria ruthiae* (Asteraceae), expansion of the known distribution of the rare, E. Durant McArthur, Stewart C. Sanderson, and Kimball T. Harper, 34:441–443
Ziphius cavirostris, 18:453, 18:456, 18:462
Ziser, Stephen W., Seasonal variations in water chemistry and diversity of the phytophilic macroinvertebrates of three swamp communities in southeastern Louisiana, 23:545–562
Zizania
aquatica, 4:119
texana, 12:203–204, 22:393–394, 34:290
Zizaniopsis, 1:18
miliacea, 10:211, 10:212
Zizia aurea, 32:35
Ziziphus
obtusifolia, 10:260, 11:126, 21:316, 22:343, 23:10, 23:291, 23:297, 23:316, 23:321, 24:99, 24:434, 24:435, 25:364, 25:366, 28:388, 29:516–518, 30:398–400, 31:102, 36:215, 36:216
Zizyphus
lycoides, 14:439, 18:435, 18:442
obtusifolia, 27:404, 35:73, 35:349
Zoch, Patricia K., see Gold, John R., —
Zona, Scott, and Ron Scogin, Flavonoid aglycones and C-glycosides of the palm genus *Washingtonia* (Arecaceae: Coryphoideae), 33:498
Zonation of vegetation within the Tularosa Basin, New Mexico, Lora Mangum Shields, 1:49–68
Zonitidae, 5:151, 7:54, 24:688
Zonitoides
arboreus, 5:149, 5:152, 7:54, 7:58, 7:60, 14:372, 16:100, 16:105, 16:310, 16:317, 27:239, 27:240
electrina, 27:240
neomexicanus, 16:93
Zonotrichia
albicollis, 14:363
atricapilla, 14:363
leucophryes, 30:37
leucophrys, 22:370, 22:371, 30:453
querula, 12:303–310, 35:466
Zoogeographic affinities of the Nearctic stonefly (Plecoptera) fauna of Mexico, Bradley J. Sargent, Richard W. Baumann, and Boris C. Kondratieff, 36:323–331
Zoogeographic implications of Holocene mammal remains from ancient beaver ponds in Oklahoma and New Mexico, Walter W. Dalquest, Frederick B. Stangl, Jr., and M. John Kocurko, 35:105–110
Zoogeographic implications of *Luxilus cardinalis* (Cyprinidae) and *Etheostoma radiosum* (Percidae) in the Washita River System, Oklahoma, Richard L. Mayden and William J. Matthews, 34:415–416
Zoogeography of the mammals of the Unita Mountains region, the, Gordon L. Kirkland, Jr., 26:325–339
Zooplankton, 21:463–468, 26:243–249, 30:239–252
Zooplankton community of Lacygne Lake: a cooling pond in Kansas, the, Ray W. Drenner, Gary L. Vinyard, W. John O'Brien, James R. Triplett, and Jan Wagner, 26:243–249

Zooplankton density in Flaming Gorge Reservoir, 1965 to 1966 and 1983 to 1984, Roger W. Schneidervin and Wayne A. Hubert, 33:465–472
Zoospore induction and activity in *Fritschiella tuberosa* Iyengar (Chlorophyceae), Archibald W. Hopkins, 25:351–356
Zora pumila, 30:8
Zoridae, 30:1, 30:8
Zornia, 7:31
bracteata, 7:36, 7:37, 35:390
curvata, 7:37, 7:38
dyphylla, 7:30, 7:37
gemella, 7:37–39
laevis, 7:36, 7:37
lasiocarpa, 7:30, 7:36, 7:37
megistocarpa, 7:37, 7:38
pardina, 7:30, 7:36, 7:38
reticulata, 7:36–39
sinaloensis, 7:36, 7:37
tetraphylla, 7:37
thymifolia, 7:29, 7:37, 7:38, 36:77
venosa, 7:36, 7:37
Zorotypus hubbardi, 22:141
Zorotypus hubbardi Caudell (Zoraptera), range extension for, E. O. Morrison and H. L. Carpenter, 22:141
Zosteraceae, 15:408
Zucker, Naida, Behavior and movement patterns of the tree lizard *Urosaurus ornatus* (Sauria: Iguanidae) in semi-natural enclosures, 32:321–333
Zweifel, Richard G., Cnemidophorus tigris variolosus, a revived subspecies of whiptail lizard from Mexico, 3: 94–101
Zygadenus
elegans, 20:435
venenosus, 12:140
Zygnema, 10:188–210, 10:263, 10:266, 10:269, 10:272, 15:105, 17:14, 17: 17, 17:245, 17:247, 23:59, 24:158, 24:160, 25:243, 25:379, 25:416, 25: 420
insigne, 23:437
Zygnematales, 23:437
Zygoballus, 11:348
nervosus, 30:121
parvus, 11:353
rufipes, 30:5, 30:11, 30:119, 30:121, 30: 122
sexpunctatus, 30:121
Zygocotyle lunata, 32:90
Zygogeomys, 33:1, 33:11
Zygonectes floripinnis, 31:161
Zygophyllaceae, 1:64, 2:164, 7:185, 18: 437, 18:439, 18:440, 20:574, 22:343, 23:298, 23:504, 25:711–714, 31:34, 35:74
Zyrauchen, 7:81